

14q11.2 再構成の切断点を TCR α / δ 遺伝子に同定した。現在、再構成の相手遺伝子を 14q32 と 3q21 から単離中である。

F. 健康危険情報

G. 研究発表

1. 論文発表

Imai Y, Chou T, Tobinai K, Tanosaki R, Morishima Y, Ogura M, Shimazaki C, Taniwaki M, Hiraoka A, Tanimoto M, Koike T, Kogawa K, Hirai H, Yoshida T, Tamura K, Kishi K, Hotta T; CliniMACS Study Group. Isolation and transplantation of highly purified autologous peripheral CD34+ progenitor cells: purging efficacy, hematopoietic reconstitution in non-Hodgkin's lymphoma (NHL): Results of Japanese phase II study. Bone Marrow Transplant 35: 479-487, 2005.

Matsumoto Y, Nomura K, Ueda K, Satoh K, Yasuda N, Taki T, Yokota S, Horiike S, Okanoue T, Taniwaki M. Human herpesvirus 8-negative malignant effusion lymphoma: a distinct clinical entity and successful treatment with rituximab. Leuk Lymphoma 46: 415-419, 2005.

Nomura K, Kanda-Akano Y, Shimizu D, Okuda T, Yoshida N, Matsumoto Y, Nishida K, Taki T, Yokota S, Horiike S, Taniwaki M. An additional segment at 1p36 derived from der(18)t(14;18) in patients with diffuse large B-cell lymphomas transformed from follicular lymphoma. Ann Hematol 84:474-476, 2005.

Taki T, Akiyama M, Saito S, Ono R, Taniwaki M, Kato Y, Yuza Y, Eto Y, Hayashi Y. The MYO1F, unconventional myosin type 1F, gene is fused to MLL in infant acute monocytic leukemia with a complex translocation involving chromosomes 7, 11, 19 and 22. Oncogene 24(33):5191-5197, 2005.

Yoshida N, Nomura K, Wakabayashi N, Konishi H, Nishida K, Takai T, Mitsufuji S, Horiike S, Yanagisawa A, Yamagishi Nakamura S, Okanoue T, Taniwaki M. Cytogenetic and clinicopathological characterization by fluorescence in situ hybridization on paraffin-embedded tissue sections of 26 cases with malignant lymphoma of small intestine. Scand J Gastroenterol 41(2):212-2122, 2006

2. 学会発表

清水大介, 日高智徳, 西田一弘, 野村憲一, 滝智彦, 松本洋典, 堀池重夫, 山下清, 坪内博仁, 森下和弘, 谷脇雅史. 成人 T 細胞白血病/リンパ腫における T 細胞受容体 α / δ 領域の分子遺伝学的解析. ワークショップ W7-3 染色体転座・領域欠失・遺伝子再構成. 第 64 回日本癌学会学術総会. 2005 年 9 月 14 日. 札幌.

清水大介, 日高智徳, 西田一弘, 野村憲一, 滝智彦, 松本洋典, 堀池重夫, 山下清, 坪内博仁, 森下和広, 谷脇雅史. 成人 T 細胞白血病/リンパ腫における 14q11 領域に局在する T 細胞受容体 α / δ 遺伝子近傍の分子細胞遺伝学的解析. ワークショップ 21 成人 T 細胞白血病の分子病態. 第 67 回日本血液学会・第 47 回日本臨床血液学会合同総会. 2005 年 9 月 18 日. 横浜.

H. 知的財産権の出願・登録状況

1.特許取得

なし

2.実用新案登録

なし

3.その他

なし

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
神奈木真理	感染免疫 6. レトロウイルス感染症	山本一彦	日本臨床 臨床免疫学 上	日本臨床社	大阪	2005	508-516

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Okamura, J., Utsunomiya, A., Tanosaki, R., Uike, N., Sonoda, S., Kannagi, M., Tomonaga, M., Harada, M., Kimura, N., Masuda, M., Kawano, F., Yufu, Y., Hattori, H., Kikuchi, H., and Saburi, Y.	Allogeneic stem-cell transplantation with reduced conditioning intensity as a novel immunotherapy and antiviral therapy for adult T-cell leukemia/lymphoma	Blood	105	4143-4145	2005
Kannagi, M., Harashima, N., Kurihara, K., Ohashi, T., Utsunomiya, A., Tanosaki, R., Masuda, M., Tomonaga, M., and Okamura, J.	Tumor immunity against adult T-cell leukemia	Cancer Sci	96	249-255	2005
Kurihara, K., Harashima, N., Hanabuchi, S., Masuda, M., Utsunomiya, A., Tanosaki, R., Tomonaga, M., Ohashi, T., Hasegawa, A., Masuda, T., Okamura, J., Tanaka, Y., and Kannagi, M.	Potential immunogenicity of adult T cell leukemia cells in vivo	Int J Cancer	114	257-267	2005
Harashima, N., Tanosaki, R., Shimizu, Y., Kurihara, K., Masuda, T., Okamura, J., and Kannagi, M.	Identification of two new HLA-A *1101-restricted tax epitopes recognized by cytotoxic T lymphocytes in an adult T-cell leukemia patient after hematopoietic stem cell transplantation	J Virol	79	10088-10092.	2005
Imaizumi Y, Iwanaga M, Tsukasaki K, Hata T, Tomonga M, and Ikeda S.	Natural course of HTLV-1 carriers with monoclonal proliferation of T lymphocytes ("pre-ATL") in a 20-year follow-up study.	Blood	105	903-04	2005
Hasegawa H, Yamada Y, Harasawa H, Tsuji T, Murata K, Sugahara K, Tsuruda K, Ikeda S, Imaizumi Y, Tomonaga M, Masuda M, Takasu N and Kamihira S.	Sensitivity of adult T-cell leukaemia lymphoma cells to tumor necrosis factor-related apoptosis-inducing ligand.	Br J Hematol	128	253-65	2005

Fukushima T, Miyazaki Y, Honda S, Kawano F, Moriuchi Y, <u>Masuda M</u> , <u>Tanosaki R</u> , <u>Utsunomiya A</u> , <u>Uike N</u> , Yoshida S, <u>Okamura J</u> and <u>Tomonaga M</u> .	Allogenic hematopoietic stem cell transplantation provides sustained long-term survival for patients with adult T-cell leukemia/lymphoma	Leukemia	19	829-34	2005
Tawara M, Simon J, Hogerzeil, Yamada Y, Takasaki Y, Soda H, Hasagawa H, Murata K, Ikeda S, Imaizumi Y, Sugahara K, Tsuruda K, Tsukasaki K, <u>Tomonaga M</u> , Hirakata Y, Kamihira S.	Impact of p53 aberration on the progression of Adult T-cell Leukemia/Lymphoma	Cancer Letters		1-7	2005
Kohno T, Yamada Y, Akamatsu N, Kamihira S, Imaizumi Y, <u>Tomonaga M</u> and Matsuyama T.	Possible origin of adult T-cell leukemia/lymphoma cells from human T lymphotropic virus type-1 -in-infected regulatory T cells.	Cancer Sci	96	527-33	2005
Dewan Z, Uchihara JN, Terashima K, Honda M, Sata T, Ito M, Fujii N, Uozumi K, Tsukasaki K, <u>Tomonaga M</u> , Kubuki Y, Okayama A, Toi M, Mori N, Yamamoto N.	Efficient intervention of growth and infiltration of primary adult T-cell leukemia cells by an HIV protease inhibitor , ritonavir.	Blood	Sep20		2005
Watanabe M, Ohsugi T, Shoda M, Ishida T, Aizawa S, Maruyama-Nagai M, <u>Utsunomiya A</u> , Koga S, Yamada Y, Kamihira S, Okayama A, Kikuchi H, Uozumi K, Yamaguchi K, Higashihara M, Umezawa K, Watanabe T, Horie R	Dual targeting of transformed and untransformed HTLV-1-infected T-cells by DHMEQ, a potent and selective inhibitor of NF- κ B, as a strategy for chemoprevention and therapy of adult T cell leukemia.	Blood			2005
Fukuda R, Hayashi A, <u>Utsunomiya A</u> , Nukada Y, Fukui R, Itoh K, Tezuka K, Ohashi K, Mizuno K, Sakamoto M, Hamanoue M, Tsuji T	Alteration of phosphatidylinositol 3-kinase cascade in the multilobulated nuclear formation of adult T cell leukemia/lymphoma (ATLL).	Proc Natl Acad Sci USA	102 (42)	15213-15218	2005
Ohno E, Ono K, Kikuchi H, <u>Saburi Y</u> , <u>Utsunomiya A</u> , Nasu M	Prolonged remission of adult T-cell leukemia/lymphoma treated with interferon-gamma following autologous peripheral blood stem cell transplantation	Leuk Lymphoma	46 (12)	1843-1845	2005
宇都宮與, 米倉健太郎	成人に対する臍帯血移植の治療成績と今後-3)成人T細胞白血病	血液・腫瘍科	50 (2)	166-173	2005
石田高司, 宇都宮與, 上田龍三	CCR4 を分子標的とした難治性T細胞性腫瘍に対する新規抗体療法	血液・腫瘍科	50 (4)	418-427	2005

宇都宮與, 塚田順一, 河野文夫, 森内幸美, 魚住公治, 松石英城, 岡村孝, 末岡榮三朗, 今村豊, <u>佐分利能生</u> , 菊池博, 林真, 岡村精一, 牧野茂義, 柴田恵介, 久富木庸子, 衛藤徹也, 増田昌人, 古賀震, 高塚祥芝, 田村和夫	成人T細胞白血病リンパ腫の同種造血幹 細胞移植の適応規準作成を目指して-九州 血液疾患治療グループ(K-HOT)アンケート 調査-	臨床と研究	82(7)	113-117	2005
Kusumi E, Kami M, Kanda Y, Murashige N, Kishi Y, Suzuki R, Takeuchi K, Tanimoto TE, Mori T, Muta K, Tamaki T, Tanaka Y, Ogawa H, Yamane T, <u>Taniguchi S</u> , Takaue Y	Reduced-intensity hematopoietic stem-cell transplantation for malignant lymphoma a retrospective survey of 112 adult patients in Japan.	Bone Marrow Transplant	36	205-13	2005
Yuji K, Miyakoshi S, Kato D, Miura Y, Myojo T, Murashige N, Kishi Y, Kobayashi K, Kusumi E, Narimatsu H, Hamaki T, Matsumura T, Kami M, Fukuda T, Masuo S, Masuoka K, Wake A, Ueyama J, Yoneyama A, Miyamoto K, Nagoshi H, Matsuzaki M, Morinaga S, Muto Y, Takeue Y, <u>Taniguchi S</u> .	Reduced-intensity unrelated cord blood transplantation for patients with advanced malignant lymphoma	Biol Blood Marrow Transplant	11	314-318	2005
Hamaki T, Kami M, Kanda Y, Yuji K, Inamoto Y, Kishi Y, Nakai K, Nakayama I, Murashige N, Abe Y, Ueda Y, Hino M, Inoue T, Ago H, Hidaka M, Hayashi T, Yamane T, Uoshima N, Miyakoshi S, <u>Taniguchi S</u>	Reduced-intensity stem-cell transplantation for adult acute lymphoblastic leukemia: a retrospective study of 33 patients	Bone Marrow Transplant	35	549-556	2005
Narimatsu H, Matsumura T, Kami M, Miyakoshi S, Kusumi E, Takagi S, Miura Y, Kato D, Inokuchi C, Myojo T, Kishi Y, Murashige N, Yuji K, Masuoka K, Yoneyama A, Wake A, Morinaga S, Kanda Y, <u>Taniguchi S</u>	Bloodstream infection after umbilical cord blood transplantation using reduced-intensity stem cell transplantation for adult patients	Biol Blood Marrow Transplant	11	429-36	2005

Kishi Y, Kami M, Miyakoshi S, Kanda Y, Murashige N, Teshima T, Kusumi E, Hara S, Matsumura T, Yuji K, Masuoka K, Wake A, Morinaga S, Kanemaru M, Hayashi T, Tanaka Y, <u>Taniguchi S</u>	Tokyo Stem Cell Transplant Consortium. Early immune reaction after reduced-intensity cord-blood transplantation for adult patients	Transplantation	15	34-40	2005
Narimatsu H, Kami M, Hara S, Matsumura T, Miyakoshi S, Kusumi E, Kakugawa Y, Kishi Y, Murashige N, Yuji K, Masuoka K, Yoneyama A, Wake A, Morinaga S, Kanda Y, <u>Taniguchi S</u>	Intestinal thrombotic microangiopathy following reduced-intensity umbilical cord blood transplantation	Bone Marrow Transplant	36	517-23	2005
Akiyama Y, <u>Tanosaki R</u> , Inoue N, Shimada M, Hotate Y, Yamamoto A, Yamazaki N, Kawashima I, Nukaya I, Takesako K, Maruyama K, Takaue Y, Yamaguchi K	Clinical response in Japanese metastatic melanoma patients treated with peptide cocktail-pulsed dendritic cells	J Transl Med	3	4	2005
Tomita M, Kawakami H, Uchihara J, Okudaira T, <u>Masuda M</u> , Takasu N, Matsuda T, Ohta T, Tanaka Y and Mori N	Curcumin suppresses constitutive activation of AP-1 by downregulation of JunD protein in HTLV-I-infected T-cell lines	Leuk. Res. In press			2005
Tomita M, Kawakami H, Uchihara J, Okudaira T, <u>Masuda M</u> , Takasu N, Matsuda T, Ohta T, Tanaka Y, Ohshiro H and Mori N	Curcumin (diferuloylmethane) inhibits constitutive active NF- κ B, leading to suppression of cell growth of human T-cell leukemia virus type I-infected T-cell lines and primary adult T-cell leukemia cells	Int J Cancer in press			2005
Haneji K, Matsuda T, Tomita M, Kawakami H, Ohshiro K, Uchihara J, <u>Masuda M</u> , Takasu N, Tanaka Y, Ohta T and Mori N	Fucoidan extracted from Cladosiphon okamuranus Tokida induces apoptosis of human T-cell leukemia virus type I-infected T-cell lines and primary adult T-cell leukemia cells	Nutr. Cancer	52	189-201	2005
Matsuda T, Almasan A, Tomita M, Uchihara J, <u>Masuda M</u> , Ohshiro K, Takasu N, Yagita H, Ohta T and Mori N	Resistance to Apo2L/TRAIL-mediated apoptosis and constitutive expression of Apo2L/TRAIL in human T-cell leukemia virus type I-infected T-cell lines	J Virol	79	1367-1378	2005
Imai Y, Chou T, Tobinai K, Tanosaki R, Morishima Y, Ogura M, Shimazaki C, <u>Taniwaki M</u> , Hiraoka A, Tanimoto M, Koike T, Kogawa K, Hirai H, Yoshida T, Tamura K,	Isolation and transplantation of highly purified autologous peripheral CD34+ progenitor cells: purging efficacy, hematopoietic reconstitution in non-Hodgkin's lymphoma (NHL): Results of Japanese phase II study	Bone Marrow Transplant	35(5)	479-487	2005

Kishi K, Hotta T					
Taki T, Akiyama M, Saito S, Ono R, <u>Taniwaki M</u> , Kato Y, Yuza Y, Eto Y, Hayashi Y.	The MYO1F, unconventional myosin type 1F, gene is fused to MLL in infant acute monocytic leukemia with a complex translocation involving chromosomes 7, 11, 19 and 22.	Oncogene	24 (33)	5191-5197	2005