

- and X-ray crystallography. *J Biol Chem.* 27;280(21):20824–32 (2005)
6. Nagano N, Nagano Y, Cordevant C, Shibata N, Arakawa Y. Nosocomial transmission of CTX-M-2 beta-lactamase-producing *Acinetobacter baumannii* in a neurosurgery ward. *J Clin Microbiol.* 42(9):3978–84 (2004)
 7. Yamane K, Doi Y, Yokoyama K, Yagi T, Kurokawa H, Shibata N, Shibayama K, Kato H, Arakawa Y. Genetic environments of the *rmtA* gene in *Pseudomonas aeruginosa* clinical isolates. *Antimicrob Agents Chemother.* 48(6):2069–74 (2004)
 8. Doi Y, Yokoyama K, Yamane K, Wachino J, Shibata N, Yagi T, Shibayama K, Kato H, Arakawa Y. Plasmid-mediated 16S rRNA methylase in *Serratia marcescens* conferring high-level resistance to aminoglycosides. *Antimicrob Agents Chemother.* 48(2):491–6 (2004)
 9. Shiraki Y, Shibata N, Doi Y, Arakawa Y. *Escherichia coli* producing CTX-M-2 beta-lactamase in cattle, Japan. *Emerg Infect Dis.* 10(1):69–75 (2004)
 10. Nagano N, Shibata N, Saitou Y, Nagano Y, Arakawa Y. Nosocomial outbreak of infections by *Proteus mirabilis* that produces extended-spectrum CTX-M-2 type beta-lactamase. *J Clin Microbiol.* 41(12):5530–6 (2003)
 11. Shibata N, Doi Y, Yamane K, Yagi T, Kurokawa H, Shibayama K, Kato H, Kai K, Arakawa Y. PCR typing of genetic determinants for metallo-beta-lactamases and integrases carried by gram-negative bacteria isolated in Japan, with focus on the class 3 integron. *J Clin Microbiol.* 41(12):5407–13 (2003)
 12. Nagano N, Shibata N, Saitou Y, Nagano Y, Arakawa Y. Nosocomial outbreak of infections by *Proteus mirabilis* that produces extended-spectrum CTX-M-2 type beta-lactamase. *J Clin Microbiol.* 41(12):5530–6 (2003)
 13. Yokoyama K, Doi Y, Yamane K, Kurokawa H, Shibata N, Shibayama K, Yagi T, Kato H, Arakawa Y. Acquisition of 16S rRNA methylase gene in *Pseudomonas aeruginosa*. *Lancet.* 6;362(9399):1888–93 (2003)
 14. Ohkawa T, Yoshinaga M, Ikarimoto N, Miyanohara H, Miyata K, Doi Y, Shibata N, Arakawa Y. Characterization of *Klebsiella pneumoniae* and *Escherichia coli* strains that produce CTX-M-2-type broad spectrum beta-lactamase isolated from a child with leukemia. *Pediatr Infect Dis J.* 21(3):260–2 (2002)

池 康嘉

1. Inoue T, Tomita H, Ike Y. Bac 32, a Novel Bacteriocin Widely Disseminated among

- Clinical Isolates of *Enterococcus faecium*. *Antimicrob Agents Chemother.* 50(4):1202-12 (2006)
2. Wachino J, Kurokawa H, Suzuki S, Yamane K, Shibata N, Kimura K, Ike Y, Arakawa Y. Horizontal transfer of blaCMY-bearing plasmids among clinical *Escherichia coli* and *Klebsiella pneumoniae* isolates and emergence of cefepime-hydrolyzing CMY-19. *Antimicrob Agents Chemother.* 50(2):534-41 (2006)
 3. Wachino J, Yamane K, Shibayama K, Kurokawa H, Shibata N, Suzuki S, Doi Y, Kimura K, Ike Y, Arakawa Y. Novel plasmid-mediated 16S rRNA methylase, RmtC, found in a *Proteus mirabilis* isolate demonstrating extraordinary high-level resistance against various aminoglycosides. *Antimicrob Agents Chemother.* 50(1):178-84 (2006)
 4. Tomita H, Ike Y. Genetic analysis of transfer-related regions of the vancomycin resistance *Enterococcus* conjugative plasmid pHTbeta: identification of *oriT* and a putative relaxase gene. *J Bacteriol.* 187(22):7727-37 (2005)
 5. Takeuchi K, Tomita H, Fujimoto S, Kudo M, Kuwano H, Ike Y. Drug resistance of *Enterococcus faecium* clinical isolates and the conjugative transfer of gentamicin and erythromycin resistance traits. *FEMS Microbiol Lett.* 15;243(2):347-54 (2005)
 6. Tanimoto K, Nomura T, Hamatani H, Xiao YH, Ike Y. A vancomycin-dependent VanA-type *Enterococcus faecalis* strain isolated in Japan from chicken imported from China. *Lett Appl Microbiol.* 41(2):157-62 (2005)
 7. Tomita H, Ike Y. Tissue-specific adherent *Enterococcus faecalis* strains that show highly efficient adhesion to human bladder carcinoma T24 cells also adhere to extracellular matrix proteins. *Infect Immun.* 72(10):5877-85 (2004)
 8. Arakawa Y, Ike Y, Nagasawa M. Where has vancomycin-heterogeneously resistant *Staphylococcus aureus* gone? *Lancet.* 24;363(9418):1401 (2004)
 9. Tomita H, Tanimoto K, Hayakawa S, Morinaga K, Ezaki K, Oshima H, Ike Y. Highly conjugative pMG1-like plasmids carrying Tn1546-like transposons that encode vancomycin resistance in *Enterococcus faecium*. *J Bacteriol.* 185(23):7024-8 (2003)
- 井上 松久
1. Nagano N, Nagano Y, Nakano R, Okamoto R, M. Inoue M. Genetic diversity of the C protein β -antigen gene and its upstream regions within clonally related groups of type Ia and Ib group B streptococci.

- Microbiology. 152 (2006) *in press*.
2. Kaneko K, Sato Y, Tokunaga S, Tamaki S, Okamoto R, Inoue M. AmpC β -lactamase-mediated cefpodoxime-resistant *Escherichia coli* isolated from faecal samples of healthy volunteers. *J Antimicrob Chemother.* 57; 369-71 (2006)
 3. Kaneko K, Okamoto R, Nakano R, Kawakami S, Inoue M. Gene mutations responsible for overexpression of AmpC β -lactamase in some clinical isolates of *Enterobacter cloacae*. *J Clin Microbiol.* 43: 2955-8 (2005)
 4. Maeda K, Ida T, Sanbongi Y, Suzuki T, Fukushima T, Kurazono M, Yonezawa M, Ubukata K, Inoue M. Comparison of activities of β -lactam antibiotics against *Streptococcus pneumoniae* with recombinant penicillin-binding protein genes from a penicillin-resistant strain. *J Infect Chemotherapy.* 11: 107-11. (2005)
 5. Tsuji A, Kobayashi I, Oguri T, Inoue M, Yabuuchi E, Goto S. An epidemiological study of the susceptibility and frequency of multiple-drug-resistant strains of *P. aeruginosa* isolates at medical institutes nationwide in Japan. *J Infect Chemother.* 11:64-70 (2005)
 6. Hosaka Y, Irinoda K, Nakano R, Tanabe S, Koizumi W, Saigenji K, Inoue M. Use of the Restriction Enzyme *EcoRI* for Pulsed-Field Gel Electrophoretic Analysis of *Helicobacter pylori*. *J Clin Microbiology.* 43:931-2 (2005)
 7. Okitsu N, Kaieda S, Yano H, Nakano R, Hosaka Y, Okamoto R, Kobayashi T, Inoue M. Characterization of *ermB* Gene Transposition by *Tn1545* and *Tn917* in Macrolide-Resistant *Streptococcus pneumoniae* Isolates. *J Clin Microbiology.* 43: 168-73 (2005)
 8. Inoue M, Kaneko K, Nakano R, Sato Y, Arai S. Molecular analytical evaluation of macrolide- and ketolide-resistant *Streptococcus pneumoniae*. *Jpn J Antibiot.* 57:425-37 (2004)
 9. Saika T, Kobayashi I, Inoue M. A comparison of the microbiological characteristics of *Neisseria gonorrhoeae* isolated from male and female patients with gonorrhea. *Chemotherapy.* 50(2):92-7 (2004)
 10. Xiong Z, Zhu D, Wang F, Zhang Y, Okamoto R, Inoue M. A *Klebsiella pneumoniae* producing three kinds of class A beta-lactamases encoded by one single plasmid isolated from a patient in Huashan Hospital, Shanghai, China. *Int J Antimicrob Agents.* 23(3):262-7 (2004)
 11. Nakano R, Okamoto R, Nakano Y, Kaneko K, Okitsu N, Hosaka Y, Inoue M. CFE-1, a Novel Plasmid-Encoded AmpC β -Lactamase with an *ampR* Gene

Originating from *Citrobacter freundii*.
Antimicrob Agents Chemother. 48:1151-8
(2004)

12. Kaieda S, Okitsu N, Yano H, Hosaka Y, Nakano R, Okamoto R, Takahashi H, Inoue M. Induction of telithromycin resistance in *Streptococcus pneumoniae*. *J Antimicrob Chemother.* 50:736-37 (2003)
13. Lee K, Lee WH, Young D, Yum JH, Chong Y, Okamoto R, Inoue M. *In vitro* activities of panipenem against clinical isolates of aerobic and anaerobic bacteria. *Infect Chemother* 35:423-433 (2003)
14. Matsuoka M, Inoue M, Endo Y, Nakajima Y. Characteristic expression of three genes, *msr(A)*, *mph(C)* and *erm(Y)* that confer resistance to macrolide antibiotics on *Staphylococcus aureus*. *FEMS microbial Lett* 220:287-93 (2003)

生方 公子

1. Morozumi M, Nakayama E, Iwata S, Aoki Y, Hasegawa K, Kobayashi R, Chiba N, Tajima T, Ubukata K. Simultaneous detection of pathogens in community-acquired pneumonia by real-time PCR with pathogen-specific molecular beacon probes. *J Clinical Microb.* 44(4): 1440-6 (2006)
2. Morozumi M, Ito A, Murayama SY, Hasegawa K, Kobayashi R, Iwata S, Kawamura N, Kuroki H, Nakayama E,

Tajima T, Ubukata K. Assessment of real-time PCR for diagnosis of *Mycoplasma pneumoniae* pneumonia in pediatric patients. *Canadian Journal of Microbiology* 52: 1-6 (2006)

3. 生方 公子. 薬剤耐性に関する遺伝子解析. *日本臨床* 63:413-417(2005)
4. 諸角 美由紀, 生方 公子. 呼吸器感染症の起因菌迅速同時検出法. *臨床病理レビュー特集号* 135:1-6(2005)
5. 諸角 美由紀, 生方 公子. リアルタイムPCRを用いたマイコプラズマの検出. *化学療法の領域(医薬ジャーナル)* 21(3):51-6(2005)
6. Saito R, Misawa Y, Moriya K, Koike K, Ubukata K, Okamura N. Development and evaluation of a loop-mediated isothermal amplification assay for rapid detection of *Mycoplasma pneumoniae*. *J Medical Microb.* 54:1037-41 (2005)
7. Chiba N, Kobayashi R, Hasegawa K, Morozumi M, Nakayama E, Tajima T, Iwata S, Ubukata K. Antibiotic susceptibility according to genotype of penicillin-binding protein and macrolide resistance genes, and serotype of *Streptococcus pneumoniae* isolates from community-acquired pneumonia in children. *J. Antimicrob Chemother.* 156:756-60(2005)
8. Morozumi M, Hasegawa K, Kobayashi R, Inoue N, Iwata S, Kuroki H, Kawamura N,

- Nakayama E, Tajima T, Shimizu K, Ubukata K. Emergence of macrolides-resistant *Mycoplasma pneumoniae* with a 23S rRNA gene mutation. *Antimicrob Agents Chemother.* 49(6): 2302-6(2005)
9. 長谷川 恵子、千葉 菜穂子、小林 玲子、諸角 美由紀、岩田 敏、砂川 慶介、生方 公子. 化膿性髄膜炎例から分離された *Haemophilus influenzae* の疫学解析—1999年から2003年の分離株について. *感染症学雑誌.* 78(9):835-45 (2004)
10. Morozumi M, Hasegawa K, Chiba N, Iwata S, Kawamura N, Kuroki H, Tajima T, Ubukata K. Application of PCR for *Mycoplasma pneumoniae* detection in children with community-acquired pneumonia. *J Infect Chemother.* 10:274-279 (2004)
11. Ubukata K, Hasegawa K, Chiba N, Kobayashi R, Iwata S, Sunakawa K. Antibiotic susceptibility in relation to penicillin-binding protein genes and serotype distribution of *Streptococcus pneumoniae* strains responsible for meningitis in Japan, 1999-2002. *Antimicrob Agents Chemother.* 48: 1488-94 (2004)
12. Hasegawa K, Chiba N, Kobayashi R, Murayama SY, Iwata S, Sunakawa K, Ubukata K. Rapidly increasing prevalence of β -lactamase-nonproducing, ampicillin-resistant *Haemophilus influenzae* type b in meningitis. *Antimicrob Agents Chemother.* 48:1509-14 (2004)
13. Kuroki H, Morozumi M, Chiba N, Ubukata K. Characterization of children with *Mycoplasma pneumoniae* infection detected by rapid polymerase chain reaction technique. *J Infect Chemother.* 10: 65-7 (2004)
14. Matic V, Bozdogan B, Jacobs MR, Appelbaum PC, Ubukata K. Contribution of β lactamase and PBP mutations to amoxicillin/clavulanate resistance in β lactamase positive amoxicillin/clavulanate resistant (BLPACR) *Haemophilus influenzae*. *J Antimicrobial Chemother.* 52:1018-21 (2003) IF: 3.08
15. Ubukata K. Problems associated with high prevalence of multidrug-resistant bacteria in patients with community-acquired infections. *J Infect Chemother.* 9: 285-91 (2003)
16. 諸角美由紀, 岩田 敏, 遠藤廣子, 大石智洋, 川村尚久, 黒木春郎, 小林正明, 斉藤洪太, 酒井律子, 砂川 慶介, 田島剛, 新田雅彦, 野々山勝人, 小林玲子, 千葉菜穂子, 生方 公子: *Mycoplasma pneumoniae* の迅速検索を目的とした PCR 法の確立—小児呼吸器感染症例より採取された臨床検査材料を用いて. *日本化学療法学会雑誌* 51(5):289-99 (2003)

17. Hasegawa K, Yamamoto K, Chiba N, Kobayashi R, Nagai K, Jacobs MR, Appelbaum PC, Sunakawa K, Ubukata K. Diversity of ampicillin-resistance genes in *Haemophilus influenzae* in Japan and the United States. *Microbial Drug Resistance* 9(1): 39-46 (2003) IF: 2.6

黒崎 博雅

1. Kurosaki H, Yamaguchi Y, Higashi T, Soga K, Matsueda S, Yumoto H, Misumi S, Yamagata Y, Arakawa Y, Goto M. Irreversible Inhibition of Metallo- β -lactamase (IMP-1) by 3-(3-Mercaptopropionylsulfanyl)propionic Acid *Pentafluorophenyl Ester*. *Angew Chem, Int Ed Engl.* 44; 3861-3864 (2005)
2. Yamaguchi Y, Kuroki T, Yasuzawa H, Higashi T, Jin W, Kawanami A, Yamagata Y, Arakawa Y, Goto M, Kurosaki H. Probing the Role of Asp120(81) of Metallo- β -lactamase (IMP-1) by Site-directed Mutagenesis, Kinetic Studies, and X-Ray Crystallography. *J Biol Chem.* 280; 20824-20832 (2005)
3. Jin W, Arakawa Y, Yasuzawa H, Taki T, Hashiguchi R, Mitsutani K, Shoga A, Yamaguchi Y, Kurosaki H, Shibata N, Ohta M, Goto M. Comparative Study of the Inhibition of Metallo- β -lactamases (IMP-1 and VIM-2) by Thiol Compounds

That Contain a Hydrophobic Group. *Biol Pharm Bull.* 27; 851-856 (2004)

後藤 直正

1. Yoneda K, Chikumi H, Murata T, Gotoh N, Yamamoto H, Fujiwara H, Nishino T, Shimizu E. Measurement of *Pseudomonas aeruginosa* Multidrug Efflux Pumps by Quantitative Real-time Polymerase Chain Reaction. *FEMS Microbiol. Lett.* 243:125-131 (2005)
2. Chuanchuen R, Murata T, Gotoh N, Schweizer HP. Substrate-dependent utilization of OprM or OpmH by the *Pseudomonas aeruginosa* MexJK efflux pump. *Antimicrob Agents Chemother.* 49:2133-2136 (2005)
3. Niga T, Ito H, Oyamada Y, Yamagishi J, Kadono M, Gotoh N, Nishino T, Inoue M. Cooperation between Alternation of the DNA gyrase genes and Overexpression of MexB and MexX Confers High-level Fluoroquinolone Resistance in clinical strains of *Pseudomonas aeruginosa*. *Microbiol.Immunol.* 49:443-446 (2005)
4. 後藤直正. 特集「Quorum-sensing 機構研究の新展開-呼吸器感染症を中心に-」緑膿菌のエフラックスシステムと Quorum-sensing 機構. *分子呼吸器病* 9: 22-25 (2005)
5. 後藤直正. 特集「病原細菌と外界を結ぶチャンネル-薬剤排出ポンプと病原因子分

- 泌装置」細菌のマルチコンポーネント型 RND 異物排出システム群の機能. 蛋白質核酸酵素 50: 6-12 (2005)
6. Aoki S, Hirakata Y, Kondoh A, Gotoh N, Yanagihara K, Miyazaki Y, Tomono K, Yamada Y, Kohno S, Kamihira S. Virulence of metallo- β -lactamase-producing *Pseudomonas aeruginosa* *in vitro* and *in vivo*. *Antimicrob Agents Chemother.* 48: 1876-1878 (2004)
 7. 後藤直正. 私たちの研究「奇妙なキノロン薬耐性現象、異物(抗菌薬)排出システム、そして緑膿菌. 化学療法の領域 20: 739-746 (2004)
 8. 後藤直正、村田 健. 特集「会話する細菌-クオラムセンシング機構に見る微生物世界の不思議」緑膿菌のクオラムセンシングと異物排出システム. *臨床と微生物* 31: 271-277 (2004)
 9. Hacquet D, Vogne C, Garch FE, Vejux A, Gotoh N, Lee A, Lomovskata O, Plesiat P. MexXY-OprM efflux pump is necessary for adaptive resistance of *Pseudomonas aeruginosa* to aminoglycosides. *Antimicrob Agents Chemother.* 47:1371-1375 (2003)
 10. Gotoh N, Murata T, Kimura T, Ozaki T, Kondo A, Nishino T. Intrinsic Resistance of *Escherichia coli* to mureidomycin A and C due to expression of the multidrug efflux system AcrAB-TolC: comparison with the efflux systems of mureidomycin-susceptible *Pseudomonas aeruginosa*. *J Infect Chemother.* 9:101-103 (2003)
 11. Morita Y, Murata T, Mima T, Shiota S, Kuroda T, Mizushima T, Gotoh N, Nishino T, Tuchiya T. Induction of *mexCD-oprJ* operon for a multidrug efflux pump by disinfectants in wild-type *Pseudomonas aeruginosa* PAO1. *J. Antimicrob Chemother.* 51:991-994 (2003)
 12. 後藤直正. 新世紀の感染症学 下 - ゲノム・グローバル時代の感染症アップデート. 第1部 グローバル時代の感染症学 IV 感染症特論 5. 薬剤耐性菌 8) 薬剤耐性緑膿菌. *日本臨牀* 61: 196-201 (2003)
- 山口 恵三
1. Ishii Y, Alba J, Maehara C, et al. Identification of atypical phenotypic *Staphylococcus aureus* clinical isolates with three automated identification systems. *J Med Microbiol.* (2006) *in press*
 2. Ishii Y, Alba J, Kimura S, Yamaguchi K. Evaluation of Antimicrobial Activity of β -Lactam Antibiotics by Etest against Clinical Isolates from 100 Medical Centers in Japan (2004). *Diagn Microbiol Infect Dis.* (2006) *in press*
 3. Alba J, Ishii Y, Thomson K, Moland ES and Yamaguchi K. Kinetics study of KPC-3, a plasmid-encoded class A carbapenem-hydrolyzing β -lactamase. *Antimicrob Agents Chemother.* 49:4760-2

- (2005)
4. Ishii Y, Alba J, Kimura S, Shiroto K and Yamaguchi K. Evaluation of antimicrobial activity of β -lactam antibiotics using Etest against clinical isolates from 60 medical centres in Japan. *Int J Antimicrob Agents*. 25:296-301 (2005)
 5. Ishii Y, Kimura S, Alba J, et al. Extended-spectrum β -lactamase-producing Shiga toxin gene (Stx1)-positive *Escherichia coli* O26:H11: a new concern. *J Clin Microbiol*. 43:1072-5 (2005)
 6. Kimura S, Alba J, Shiroto K, et al. Clonal diversity of metallo- β -lactamase-possessing *Pseudomonas aeruginosa* in geographically diverse regions of Japan. *J Clin Microbiol*. 43:458-61 (2005)
 7. Shiroto K, Ishii Y, Kimura S, et al. Metallo- β -lactamase IMP-1 in *Providencia rettgeri* from two different hospitals in Japan. *J Med Microbiol*. 54:1065-70 (2005)
 8. Kimura S, Ishii Y and Yamaguchi K. Evaluation of dipicolinic acid for detection of IMP- or VIM- type metallo- β -lactamase-producing *Pseudomonas aeruginosa* clinical isolates. *Diagn Microbiol Infect Dis*. 53:241-4 (2005)
 9. Kimura S, Ishiguro M, Ishii Y, Alba J and Yamaguchi K. Role of a mutation at position 167 of CTX-M-19 in ceftazidime hydrolysis. *Antimicrob. Agents Chemother*. 48:1454-60 (2004)
 10. Alba J, Bauvois C, Ishii Y, et al. A detailed kinetic study of Mox-1, a plasmid-encoded class C β -lactamase. *FEMS Microbiol. Lett*. 225:183-8 (2003)
- 山本 友子
1. Takaya A, Watanabe M, Yamamoto T. Organization of Tn2610 containing two transposition modules. *Antimicrob. Agents Chemother*. 50:4 (2006) *in press*
 2. Yamaguchi Y, Tomoyasu T, Takaya A, Morioka M, Yamamoto T. Effects of disruption of heat shock genes on susceptibility of *Escherichia coli* to fluoroquinolones. *BMC Microbiology*. 3:1-8 (2003)
- 渡邊 治雄
1. Hirose K, Terajima J, Izumiya H, Tamura K, Takai N, Watanabe H. Antimicrobial susceptibility of *Shigella sonnei* in Japan and molecular analysis of *S. sonnei* isolates with reduced susceptibility to fluoroquinolone. *Antimicrobiol Agent Chemother*. 49: 1203-5 (2005)
 2. Adachi T, Sagara H, Hirose K, Watanabe H. Fluoroquinolone resistant *Salmonella Paratyphi A*. *Emerg Infect Dis*. 11: 172-4 (2005)

3. Maki H, McCallum N, Bischoff M, Wada A, Berger-Bachi B. *tcaA* inactivation; a step to vancomycin intermediate resistance in *Staphylococcus aureus* (VISA) clinical isolates. *Antimicrob Agents Chemother.* 48:1953-9 (2004)
 4. McCallum N, Bischoff, Maki H, Wada A, Berger-Bachi B. *TcaR*, a putative MarR-like regulator of *sarS* expression. *J Bacteriol.* 186:2966-72 (2004)
 5. Rossi J, Bischoff M, Wada A, Berger-Bachi B. MsrR, a putative cell envelope-associated element involved in *Staphylococcus aureus sarA* attenuation. *Antimicrob Agents Chemother.* 47:2558-64 (2003)
 6. Hirose K, Itoh K, Arawawa A, Tamura K, Watanabe H. DNA-based diagnosis method for typhoid and paratyphoid fever, and the screening method for *Salmonella enterica* serovar Typhi and serovar Paratyphi A with decreased susceptibility to fluoroquinolones by PCR-restriction fragment length polymorphism(RFLP). *Res Adv in Microbiology.* 3:109-21 (2003)
 7. Hirose K, Tamura K, Watanabe H. Screening method for *Salmonella enterica* serovar Typhi and Paratyphi A with reduced susceptibility to fluoroquinolone by PCR-restriction fragment length polymorphism. *Microbiol Immunol.*47:161-5 (2003)
- ガイドライン、マニュアルは該当無し
- G. 知的所有権の出願・登録状況
1. 特許取得
特許申請中：（発明の名称）グラム陰性桿菌の 16S rRNA メチラーゼの遺伝子
 2. 実用新案登録、その他
なし