

- [16] K.E. Reed, J. Xu, C.M. Rice, Phosphorylation of the hepatitis C virus NS5A protein in vitro and in vivo: properties of the NS5A-associated kinase, *J. Virol.* 71 (1997) 7187–7197.
- [17] L. Huang, E.V. Sineva, M.R. Hargittai, S.D. Sharma, M. Suthar, K.D. Raney, C.E. Cameron, Purification and characterization of hepatitis C virus non-structural protein 5A expressed in *Escherichia coli*, *Protein Expr. Purif.* 37 (2004) 144–153.
- [18] P. Neddermann, M. Quintavalle, C. Di Pietro, A. Clementi, M. Cerretani, S. Altamura, L. Bartholomew, R. De Francesco, Reduction of hepatitis C virus NS5A hyperphosphorylation by selective inhibition of cellular kinases activates viral RNA replication in cell culture, *J. Virol.* 78 (2004) 13306–13314.
- [19] M.J. Evans, C.M. Rice, S.P. Goff, Phosphorylation of hepatitis C virus nonstructural protein 5A modulates its protein interactions and viral RNA replication, *Proc. Natl. Acad. Sci. USA* 101 (2004) 13038–13043.
- [20] H. Aizaki, Y. Aoki, T. Harada, K. Ishii, T. Suzuki, S. Nagamori, G. Toda, Y. Matsuura, T. Miyamura, Full-length complementary DNA of hepatitis C virus genome from an infectious blood sample, *Hepatology* 27 (1998) 621–627.
- [21] H. Aizaki, S. Saito, T. Ogino, N. Miyajima, T. Harada, Y. Matsuura, T. Miyamura, M. Kohase, Suppression of interferon-induced antiviral activity in cells expressing hepatitis C virus proteins, *J. Interferon Cytokine Res.* 20 (2000) 1111–1120.
- [22] D. Sakamuro, K.J. Elliott, R. Wechsler-Reya, G.C. Prendergast, Bin1 is a novel MYC-interacting protein with features of a tumour suppressor, *Nat. Genet.* 14 (1996) 69–77.
- [23] K. Reed, C. Rice, Identification of the major phosphorylation site of the hepatitis C virus H strain NS5A protein as serine 2321, *J. Biol. Chem.* 274 (1999) 28011–28018.
- [24] A. Pineda-Lucena, C.H. Arrowsmith, Letter to the Editor: <sup>1</sup>H, <sup>13</sup>C and <sup>15</sup>N resonance assignments and secondary structure of the c-Myc binding domain (MBD) and the SH3 domain of the tumor suppressor Bin1, *J. Biomol. NMR* 19 (2001) 191–192.
- [25] E. Lee, M. Marcucci, L. Daniell, M. Pypaert, O.A. Weisz, G.C. Ochoa, K. Farsad, M.R. Wenk, P. De Camilli, Amphiphysin 2 (Bin1) and T-tubule biogenesis in muscle, *Science* 297 (2002) 1193–1196.
- [26] R.J. Wechsler-Reya, K.J. Elliott, G.C. Prendergast, A role for the putative tumor suppressor Bin1 in muscle cell differentiation, *Mol. Cell. Biol.* 18 (1998) 566–575.
- [27] A. Macdonald, K. Crowder, A. Street, C. McCormick, M. Harris, The hepatitis C virus NS5A protein binds to members of the Src family of tyrosine kinases and regulates kinase activity, *J. Gen. Virol.* 85 (2004) 721–729.
- [28] G.K. Geiss, V.S. Carter, Y. He, B.K. Kwieciszewski, T. Holzman, M.J. Korth, C.A. Lazaro, N. Fausto, R.E. Bumgarner, M.G. Katze, Gene expression of profiling of the cellular transcriptional network regulated by alpha/beta interferon and its partial attenuation by the hepatitis C virus nonstructural 5A protein, *J. Virol.* 77 (2003) 6367–6375.
- [29] G. Dumenil, J.C. Olivo, S. Pellegrini, M. Fellous, P.J. Sansonetti, G.T. Nhie, Interferon alpha inhibits a Src-mediated pathway necessary for *Shigella*-induced cytoskeletal rearrangements in epithelial cells, *J. Cell Biol.* 143 (1998) 1003–1012.
- [30] G. Waris, A. Livols, V. Imbert, J.-F. Peyron, A. Siddiqui, Hepatitis C virus NS5A and subgenomic replicon activate NF- $\kappa$ B via tyrosine phosphorylation of I $\kappa$ B and its degradation by Calpain, *J. Biol. Chem.* 278 (2003) 40778–40787.
- [31] Y. Ide, A. Tanimoto, Y. Sasaguri, R. Padmanabhan, Hepatitis C virus NS5A protein is phosphorylated in vitro by a stably bound kinase from HeLa cells and by cAMP-dependent protein kinase A- $\alpha$  catalytic subunit, *Gene* 201 (1997) 151–158.
- [32] J. Kim, D. Lee, J. Choe, Hepatitis C virus NS5A protein is phosphorylated by casein kinase II, *Biochem. Biophys. Res. Commun.* 257 (1999) 777–781.