

表1 特定疾患治療研究対象疾患の死亡数、粗死亡率、年齢調整死亡率

疾患番号39 原発性肺高血圧症 Primary pulmonary hypertension

	死亡数			粗死亡率 (/100万)			年齢調整死亡率 (/100万)	
	総数	男	女	総数	男	女	男	女
1972	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-
1979	85	30	55	0.73	0.52	0.93	0.55	0.93
1980	92	41	51	0.79	0.71	0.86	0.72	0.85
1981	108	40	68	0.92	0.69	1.14	0.68	1.14
1982	112	38	74	0.94	0.65	1.23	0.65	1.21
1983	116	35	81	0.97	0.60	1.33	0.60	1.33
1984	124	55	69	1.03	0.93	1.13	0.93	1.13
1985	159	51	108	1.31	0.86	1.75	0.86	1.75
1986	167	55	112	1.37	0.92	1.81	0.92	1.81
1987	179	58	121	1.46	0.97	1.95	0.96	1.95
1988	164	60	104	1.34	0.99	1.67	0.96	1.65
1989	176	68	108	1.43	1.12	1.72	1.09	1.70
1990	176	72	104	1.42	1.19	1.65	1.16	1.61
1991	195	72	123	1.57	1.18	1.95	1.13	1.90
1992	207	75	132	1.66	1.23	2.08	1.18	2.03
1993	221	82	139	1.77	1.34	2.19	1.26	2.16
1994	237	90	147	1.90	1.47	2.31	1.42	2.27
1995	305	125	180	2.43	2.03	2.81	2.07	2.63
1996	280	120	160	2.22	1.95	2.49	1.88	2.31
1997	273	113	160	2.16	1.83	2.49	1.81	2.29
1998	300	130	170	2.37	2.10	2.63	2.02	2.39
1999	280	118	162	2.21	1.90	2.50	1.78	2.16
2000	284	107	177	2.24	1.72	2.73	1.55	2.28
2001	323	122	201	2.54	1.96	3.09	1.80	2.64
2002	338	127	211	2.65	2.04	3.24	1.88	2.75
2003	362	145	217	2.84	2.33	3.32	2.09	2.78
2004	337	131	206	2.64	2.10	3.15	1.87	2.44

注) 年齢調整死亡率 (/100万) の基準人口は昭和60年 (1985年)モデル人口

表1 特定疾患治療研究対象疾患の死亡数、粗死亡率、年齢調整死亡率

疾患番号40 神経線維腫症 Neurofibromatosis

	死亡数			粗死亡率 (/100万)			年齢調整死亡率 (/100万)	
	総数	男	女	総数	男	女	男	女
1972	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-
1979	28	13	15	0.24	0.23	0.25	0.24	0.27
1980	23	10	13	0.20	0.17	0.22	0.18	0.23
1981	20	13	7	0.17	0.22	0.12	0.24	0.11
1982	21	11	10	0.18	0.19	0.17	0.19	0.16
1983	27	15	12	0.23	0.26	0.20	0.25	0.20
1984	14	5	9	0.12	0.08	0.15	0.09	0.15
1985	28	14	14	0.23	0.24	0.23	0.24	0.23
1986	21	8	13	0.17	0.13	0.21	0.13	0.20
1987	21	13	8	0.17	0.22	0.13	0.21	0.13
1988	24	18	6	0.20	0.30	0.10	0.29	0.09
1989	18	9	9	0.15	0.15	0.14	0.14	0.14
1990	20	13	7	0.16	0.21	0.11	0.19	0.11
1991	26	17	9	0.21	0.28	0.14	0.27	0.14
1992	19	11	8	0.15	0.18	0.13	0.16	0.11
1993	20	15	5	0.16	0.24	0.08	0.22	0.07
1994	27	14	13	0.22	0.23	0.20	0.22	0.17
1995	19	9	10	0.15	0.15	0.16	0.12	0.14
1996	9	4	5	0.07	0.06	0.08	0.06	0.07
1997	17	8	9	0.13	0.13	0.14	0.11	0.11
1998	20	11	9	0.16	0.18	0.14	0.17	0.11
1999	14	9	5	0.11	0.15	0.08	0.11	0.06
2000	15	6	9	0.12	0.10	0.14	0.09	0.12
2001	18	9	9	0.14	0.14	0.14	0.11	0.14
2002	13	2	11	0.10	0.03	0.17	0.03	0.15
2003	13	5	8	0.10	0.08	0.12	0.07	0.09
2004	14	7	7	0.11	0.11	0.11	0.08	0.08

注) 年齢調整死亡率 (/100万) の基準人口は昭和60年 (1985年)モデル人口

表1 特定疾患治療研究対象疾患の死亡数、粗死亡率、年齢調整死亡率

疾患番号41 亜急性硬化性全脳炎 Subacute sclerosing panencephalitis

	死亡数			粗死亡率 (/100万)			年齢調整死亡率 (/100万)	
	総数	男	女	総数	男	女	男	女
1972	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-
1979	3	3	0	0.03	0.05	0.00	0.05	0.00
1980	12	9	3	0.10	0.16	0.05	0.15	0.05
1981	6	5	1	0.05	0.09	0.02	0.09	0.01
1982	13	9	4	0.11	0.15	0.07	0.14	0.06
1983	10	8	2	0.08	0.14	0.03	0.14	0.03
1984	18	15	3	0.15	0.25	0.05	0.25	0.05
1985	11	8	3	0.09	0.13	0.05	0.13	0.05
1986	9	7	2	0.07	0.12	0.03	0.12	0.03
1987	13	10	3	0.11	0.17	0.05	0.17	0.05
1988	14	9	5	0.11	0.15	0.08	0.16	0.08
1989	16	9	7	0.13	0.15	0.11	0.15	0.12
1990	17	14	3	0.14	0.23	0.05	0.23	0.05
1991	14	11	3	0.11	0.18	0.05	0.20	0.05
1992	12	3	9	0.10	0.05	0.14	0.05	0.16
1993	7	5	2	0.06	0.08	0.03	0.08	0.03
1994	13	9	4	0.10	0.15	0.06	0.18	0.07
1995	15	13	2	0.12	0.21	0.03	0.24	0.03
1996	12	9	3	0.10	0.15	0.05	0.15	0.04
1997	6	6	0	0.05	0.10	0.00	0.10	0.00
1998	5	5	0	0.04	0.08	0.00	0.10	0.00
1999	9	6	3	0.07	0.10	0.05	0.12	0.06
2000	4	4	0	0.03	0.06	0.00	0.09	0.00
2001	6	2	4	0.05	0.03	0.06	0.03	0.06
2002	6	5	1	0.05	0.08	0.02	0.10	0.01
2003	9	6	3	0.07	0.10	0.05	0.09	0.05
2004	10	8	2	0.08	0.13	0.03	0.17	0.03

注) 年齢調整死亡率 (/100万) の基準人口は昭和60年 (1985年)モデル人口

表1 特定疾患治療研究対象疾患の死亡数、粗死亡率、年齢調整死亡率

疾患番号42 ハット・キアリ症候群 Budd-Chiari syndrome

	死亡数			粗死亡率 (/100万)			年齢調整死亡率 (/100万)	
	総数	男	女	総数	男	女	男	女
1972	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-
1979	7	2	5	0.06	0.03	0.08	0.05	0.09
1980	5	2	3	0.04	0.03	0.05	0.03	0.05
1981	10	4	6	0.08	0.07	0.10	0.07	0.10
1982	6	5	1	0.05	0.09	0.02	0.09	0.01
1983	11	6	5	0.09	0.10	0.08	0.10	0.09
1984	8	3	5	0.07	0.05	0.08	0.05	0.08
1985	14	6	8	0.12	0.10	0.13	0.10	0.13
1986	8	4	4	0.07	0.07	0.06	0.06	0.06
1987	10	4	6	0.08	0.07	0.10	0.06	0.09
1988	6	3	3	0.05	0.05	0.05	0.05	0.05
1989	5	0	5	0.04	0.00	0.08	0.00	0.08
1990	14	7	7	0.11	0.12	0.11	0.10	0.11
1991	8	4	4	0.06	0.07	0.06	0.06	0.05
1992	8	4	4	0.06	0.07	0.06	0.07	0.05
1993	8	4	4	0.06	0.07	0.06	0.06	0.05
1994	9	5	4	0.07	0.08	0.06	0.07	0.05
1995	6	5	1	0.05	0.08	0.02	0.06	0.01
1996	7	4	3	0.06	0.06	0.05	0.06	0.03
1997	10	5	5	0.08	0.08	0.08	0.06	0.07
1998	8	4	4	0.06	0.06	0.06	0.06	0.05
1999	7	4	3	0.06	0.06	0.05	0.05	0.04
2000	13	5	8	0.10	0.08	0.12	0.06	0.09
2001	10	5	5	0.08	0.08	0.08	0.05	0.05
2002	7	3	4	0.05	0.05	0.06	0.04	0.03
2003	6	3	3	0.05	0.05	0.05	0.04	0.03
2004	10	4	6	0.08	0.06	0.09	0.03	0.05

注) 年齢調整死亡率 (/100万) の基準人口は昭和60年 (1985年)モデル人口

表1 特定疾患治療研究対象疾患の死亡数、粗死亡率、年齢調整死亡率

疾患番号43 肺塞栓症 Pulmonary embolism

	死亡数			粗死亡率 (/100万)			年齢調整死亡率 (/100万)	
	総数	男	女	総数	男	女	男	女
1972	131	70	61	1.22	1.33	1.12	1.67	1.47
1973	155	93	62	1.43	1.74	1.12	2.22	1.46
1974	156	93	63	1.42	1.72	1.12	2.22	1.46
1975	154	89	65	1.38	1.62	1.14	2.05	1.42
1976	142	88	54	1.26	1.58	0.94	1.96	1.12
1977	187	119	68	1.64	2.12	1.17	2.51	1.43
1978	181	99	82	1.57	1.75	1.40	2.04	1.66
1979	232	130	102	2.00	2.27	1.73	2.61	2.02
1980	286	152	134	2.44	2.64	2.25	2.97	2.51
1981	268	157	111	2.27	2.71	1.85	3.02	2.05
1982	273	142	131	2.30	2.43	2.17	2.60	2.33
1983	327	181	146	2.74	3.08	2.41	3.23	2.55
1984	400	217	183	3.33	3.67	3.00	3.78	3.09
1985	420	222	198	3.47	3.73	3.22	3.73	3.22
1986	462	225	237	3.80	3.76	3.83	3.68	3.72
1987	512	262	250	4.19	4.36	4.02	4.10	3.79
1988	597	301	296	4.86	4.99	4.74	4.58	4.34
1989	609	307	302	4.94	5.07	4.82	4.52	4.31
1990	740	323	417	5.99	5.32	6.63	4.62	5.63
1991	837	398	439	6.75	6.53	6.95	5.45	5.80
1992	896	395	501	7.20	6.47	7.91	5.39	6.36
1993	1049	475	574	8.41	7.76	9.03	6.12	7.12
1994	1129	545	584	9.03	8.89	9.17	6.83	7.00
1995	1403	651	752	11.17	10.57	11.75	7.82	8.68
1996	1415	638	777	11.24	10.34	12.11	7.36	8.71
1997	1636	743	893	12.97	12.02	13.87	8.45	9.60
1998	1662	708	954	13.14	11.43	14.78	7.73	9.88
1999	1747	765	982	13.79	12.34	15.17	8.17	9.83
2000	1761	738	1023	13.87	11.88	15.78	7.66	9.99
2001	1761	738	1023	13.83	11.86	15.73	7.74	9.52
2002	1773	723	1050	13.91	11.61	16.11	6.92	9.80
2003	1706	668	1038	13.37	10.72	15.89	6.27	9.16
2004	1812	740	1072	14.19	11.88	16.39	6.93	9.03

注) 年齢調整死亡率 (/100万) の基準人口は昭和60年 (1985年)モデル人口

表1 特定疾患治療研究対象疾患の死亡数、粗死亡率、年齢調整死亡率

疾患番号44 ライソゾーム病 Lysozomal disease

	死亡数			粗死亡率 (/100万)			年齢調整死亡率 (/100万)	
	総数	男	女	総数	男	女	男	女
1972	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-
1995	6	3	3	0.05	0.05	0.05	0.05	0.06
1996	16	12	4	0.13	0.19	0.06	0.05	0.06
1997	10	8	2	0.08	0.13	0.03	0.24	0.08
1998	13	11	2	0.10	0.18	0.03	0.15	0.04
1999	8	6	2	0.06	0.10	0.03	0.23	0.05
2000	13	8	5	0.10	0.13	0.08	0.12	0.04
2001	3	2	1	0.02	0.03	0.02	0.17	0.10
2002	13	9	4	0.10	0.14	0.06	0.04	0.02
2003	4	4	0	0.03	0.06	0.00	0.19	0.09
2004	7	5	2	0.05	0.08	0.03	0.08	0.00

注) 年齢調整死亡率 (/100万) の基準人口は昭和60年 (1985年)モデル人口

表 2

Table 2

性・年齢階級別の死亡数

Number of deaths by sex and age group

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号1 ベーチェット病 Behçet's disease/Behçet's syndrome

	年齢階級 (歳)																				総計
	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~			
男	0	3	1	2	8	18	30	65	84	109	122	122	101	102	72	67	39	27	16	958	
1972	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	0	1	0	0	0	3	3	5	3	3	9	4	2	2	4	2	0	2	0	0	40
1980	0	0	0	1	0	2	5	8	7	10	9	4	5	4	1	2	0	0	0	0	54
1981	0	0	0	0	2	3	4	8	6	4	7	3	3	1	1	1	2	0	1	1	43
1982	0	0	0	0	0	0	9	3	7	7	6	4	3	4	1	1	0	1	1	1	46
1983	0	0	1	0	0	0	7	5	5	9	6	6	3	1	3	1	1	0	0	0	47
1984	0	0	0	1	0	0	7	11	8	7	2	4	4	4	2	1	0	1	0	0	48
1985	0	0	0	0	0	0	4	5	3	6	7	2	3	1	1	0	0	0	0	0	31
1986	0	0	0	0	0	0	3	5	5	3	7	1	5	1	1	0	0	0	0	0	31
1987	0	0	0	0	0	0	0	5	5	6	5	4	3	1	3	1	0	0	0	0	33
1988	0	0	0	0	0	2	0	4	8	5	2	2	5	0	3	3	1	0	0	0	35
1989	0	1	0	0	0	1	2	3	6	11	5	9	4	4	3	0	1	0	0	0	46
1990	0	0	0	0	1	1	1	2	2	5	5	4	1	1	3	0	1	0	0	0	26
1991	0	0	0	0	1	1	3	4	6	2	4	1	5	3	1	2	1	0	0	0	34
1992	0	0	0	0	0	0	1	3	3	5	6	5	5	0	4	1	0	0	0	0	33
1993	0	0	0	0	0	1	1	1	4	6	6	9	6	4	1	1	2	0	0	0	42
1994	0	0	0	0	0	1	2	1	3	2	5	2	1	3	2	1	2	1	2	1	26
1995	0	0	0	0	0	0	1	0	7	4	5	7	3	2	3	0	1	2	2	2	35
1996	0	0	0	0	2	0	3	1	0	2	1	3	7	6	5	1	2	1	1	0	34
1997	0	0	0	0	0	1	3	2	4	2	4	4	2	3	1	2	1	0	0	0	29
1998	0	1	0	0	1	0	1	0	4	4	5	7	6	6	3	5	2	2	2	2	47
1999	0	0	0	0	0	0	0	1	2	0	1	5	5	4	4	2	1	0	0	0	25
2000	0	0	0	0	0	0	0	1	3	4	3	5	4	4	8	1	1	1	1	1	35
2001	0	0	0	0	0	1	1	2	5	3	1	0	5	3	1	1	3	1	1	1	27
2002	0	0	0	0	0	1	1	2	2	2	9	2	6	4	6	4	2	2	2	2	43
2003	0	0	0	0	0	0	1	1	1	1	4	1	3	2	3	3	1	1	2	2	23
2004	0	0	0	0	1	0	2	1	0	3	3	4	6	6	8	6	3	6	3	2	45

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号1 ベーチェット病 Behçet's disease/Behçet's syndrome

	年齢階級 (歳)																				総計
	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~	25		
女																					
1972																					
1973																					
1974																					
1975																					
1976																					
1977																					
1978																					
1979	0	0	0	1	1	1	3	0	2	1	3	2	2	2	1	0	0	0	0	0	18
1980	0	0	0	0	0	0	0	4	1	5	1	6	1	1	3	0	1	1	1	1	24
1981	0	0	0	0	0	1	3	2	4	5	5	3	2	0	2	0	1	0	0	0	28
1982	0	0	0	1	0	1	2	2	1	3	1	3	2	0	3	0	2	0	0	0	21
1983	0	0	0	0	0	0	2	1	3	7	3	5	5	0	4	0	0	0	0	0	30
1984	0	0	0	0	0	0	3	1	1	1	3	3	1	1	0	0	0	0	0	0	14
1985	0	0	0	0	0	0	1	2	6	0	2	1	2	2	2	1	0	0	2	1	19
1986	0	0	0	0	0	0	1	3	2	1	2	0	3	1	3	2	0	0	0	0	18
1987	0	0	0	0	0	0	1	2	2	2	1	2	4	3	4	0	0	0	0	0	21
1988	0	0	0	0	0	0	0	1	1	2	7	1	2	1	2	0	0	0	0	0	17
1989	0	0	0	0	0	0	0	2	1	1	3	1	4	1	4	0	0	0	3	2	20
1990	0	0	0	0	0	0	1	1	0	2	4	3	1	3	0	2	0	0	1	1	18
1991	0	0	0	0	2	0	0	2	4	2	0	5	2	0	4	2	0	0	0	0	23
1992	0	0	0	0	0	0	1	0	1	2	1	4	4	3	1	2	1	1	1	1	21
1993	0	0	0	1	0	1	1	1	2	0	0	4	1	4	2	3	1	0	0	0	21
1994	0	0	0	0	0	0	1	0	0	0	3	4	0	4	2	1	2	1	2	1	18
1995	0	0	0	0	0	0	1	0	2	3	8	3	4	4	1	2	0	0	1	1	29
1996	0	1	0	0	0	1	0	1	2	1	1	2	1	5	2	1	1	1	1	1	20
1997	0	0	0	0	0	2	0	0	0	2	4	4	2	2	1	3	1	1	1	1	22
1998	0	1	0	0	0	0	0	0	0	3	3	1	2	5	4	1	0	2	2	2	22
1999	0	0	0	0	0	0	0	3	0	3	4	2	0	2	2	2	0	2	2	2	20
2000	0	0	0	0	0	0	0	0	0	2	1	2	2	3	2	1	1	3	3	1	17
2001	0	0	0	0	0	0	1	1	0	1	3	2	1	3	1	1	0	0	2	1	16
2002	0	0	0	0	0	0	0	0	0	0	1	2	1	2	2	1	2	0	0	0	11
2003	0	0	0	0	0	0	0	0	0	2	4	2	2	3	3	5	1	3	3	2	25
2004	0	1	0	0	0	0	1	1	0	2	1	2	2	2	4	2	4	1	2	4	22

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号2	Multiple sclerosis																	総計	
	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84		85~
男	1	9	8	9	19	17	38	54	51	87	72	85	80	95	72	55	45	25	822
1972	0	0	0	0	2	0	3	1	1	6	1	4	3	2	0	1	3	0	27
1973	0	0	0	1	2	1	1	3	2	4	3	2	6	3	3	1	0	0	32
1974	0	0	0	1	1	1	2	1	3	5	2	1	5	2	3	3	1	0	31
1975	0	0	1	0	1	0	2	4	1	4	1	4	3	4	2	1	0	0	28
1976	0	2	1	0	1	0	0	3	2	4	2	2	2	4	5	0	0	0	28
1977	0	0	0	0	1	1	2	6	4	2	3	2	3	2	1	0	1	0	28
1978	0	2	0	0	1	0	5	1	0	2	3	6	2	2	3	2	0	2	31
1979	0	0	0	1	0	0	0	4	2	3	2	2	2	3	7	3	2	1	32
1980	0	0	0	1	2	0	1	2	3	1	7	4	2	1	4	3	2	0	33
1981	0	0	0	1	1	0	2	4	3	2	0	1	2	2	3	4	3	1	29
1982	0	0	0	1	1	0	1	2	1	4	1	5	1	4	0	7	0	0	28
1983	1	0	0	0	1	1	1	3	1	1	3	4	1	6	4	2	2	1	32
1984	0	0	0	1	4	1	0	1	1	1	5	3	3	5	2	0	1	1	29
1985	0	1	0	0	0	1	1	2	1	2	1	4	2	5	4	2	0	2	28
1986	0	0	0	0	0	0	0	1	3	4	2	3	3	2	4	3	2	0	27
1987	0	2	0	1	0	1	3	2	2	4	2	0	1	4	1	0	1	1	25
1988	0	0	1	0	0	1	2	1	0	3	5	4	0	1	1	2	0	1	22
1989	0	0	0	0	0	1	1	0	1	3	2	2	5	4	3	0	2	1	25
1990	0	0	0	0	0	0	0	2	3	1	1	1	6	0	4	2	1	4	25
1991	0	0	0	0	0	1	0	2	0	0	0	1	1	0	2	1	3	1	12
1992	0	0	1	0	0	1	2	0	3	4	1	4	0	3	1	0	1	1	22
1993	0	0	0	0	0	0	2	0	2	2	2	0	4	1	1	4	4	1	23
1994	0	1	2	0	0	0	0	0	0	2	2	1	0	3	0	3	4	1	19
1995	0	0	0	0	0	0	1	0	2	2	2	3	2	2	1	0	3	1	19
1996	0	1	0	1	1	0	1	2	3	3	3	2	1	8	0	0	1	1	28
1997	0	0	0	0	0	1	0	0	0	4	3	2	4	5	1	2	0	0	22
1998	0	0	1	0	0	0	0	0	1	2	1	2	4	4	0	1	0	3	19
1999	0	0	1	0	0	1	2	3	1	3	1	2	3	4	0	2	0	0	23
2000	0	0	0	0	0	1	1	1	1	0	3	3	3	1	1	2	0	0	17
2001	0	0	0	0	0	1	1	1	0	0	2	2	0	2	4	1	2	0	16
2002	0	0	0	0	0	0	0	0	2	2	2	1	1	0	4	1	1	0	14
2003	0	0	0	0	0	2	1	2	1	4	3	3	1	5	1	0	1	0	24
2004	0	0	0	0	0	0	0	0	1	3	1	5	4	1	2	2	4	1	24

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号2	Multiple sclerosis																	総計	
	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84		85~
女	1	4	7	7	24	45	62	76	95	155	164	162	159	159	133	70	36	35	1394
1972	0	0	0	0	2	2	1	1	4	6	4	1	4	1	2	3	0	0	31
1973	0	0	0	1	2	5	1	5	5	4	8	2	3	1	0	0	2	0	39
1974	0	1	0	0	2	2	6	4	6	4	4	10	4	4	2	1	0	0	50
1975	0	0	0	1	0	1	3	5	2	4	10	10	0	3	3	4	2	0	48
1976	0	0	1	1	2	6	1	3	3	8	0	3	3	1	3	0	0	3	38
1977	0	0	1	0	1	3	2	2	1	4	3	4	5	6	4	0	0	3	39
1978	0	0	0	2	1	3	6	2	4	7	4	4	5	2	5	2	0	0	47
1979	0	1	0	0	0	1	1	2	2	5	7	7	5	0	5	2	0	0	38
1980	0	0	0	0	0	1	4	7	6	7	6	6	1	0	4	1	0	2	45
1981	0	0	0	0	0	2	0	1	3	4	7	5	4	7	2	4	0	0	39
1982	0	0	2	0	1	0	1	2	1	6	4	4	4	5	0	1	1	1	33
1983	0	0	1	0	1	1	5	3	3	10	5	8	5	5	3	4	0	0	54
1984	0	0	0	0	0	0	4	2	4	6	2	3	5	3	2	0	0	1	32
1985	0	0	0	0	1	3	4	0	3	3	15	7	4	5	4	1	1	2	53
1986	0	0	1	1	2	3	2	4	2	5	3	4	4	6	2	0	1	2	42
1987	0	0	0	0	1	1	4	2	2	8	5	4	2	3	2	1	1	1	37
1988	0	0	0	0	0	1	2	3	5	3	5	4	3	7	1	2	2	0	38
1989	0	0	0	0	2	1	0	1	3	3	4	3	6	6	2	4	0	4	39
1990	0	0	0	1	1	0	3	3	3	1	5	3	5	6	7	0	1	0	39
1991	0	0	0	0	0	1	0	1	3	2	5	10	6	1	2	0	1	2	34
1992	0	1	0	0	0	0	0	1	3	1	5	4	4	3	1	2	1	0	26
1993	0	0	0	0	0	1	1	1	4	5	4	3	7	3	3	1	1	2	36
1994	0	0	0	0	0	0	1	3	2	2	4	3	8	6	8	3	1	0	41
1995	0	0	0	0	0	2	1	1	1	3	6	5	5	9	4	3	3	1	44
1996	0	1	1	0	0	0	0	3	3	7	5	5	5	7	5	3	2	1	48
1997	0	0	0	0	0	0	1	4	0	6	3	8	7	10	3	2	0	1	45
1998	0	0	0	0	1	1	1	2	4	7	4	4	7	3	10	4	1	0	49
1999	0	0	0	0	1	1	2	1	1	4	4	3	8	10	6	3	1	2	47
2000	1	0	0	0	0	0	0	1	3	3	3	2	3	8	7	1	1	2	35
2001	0	0	0	0	0	0	0	0	2	3	1	9	4	6	11	2	2	1	41
2002	0	0	0	0	0	1	2	2	3	7	3	2	9	9	4	4	6	3	55
2003	0	0	0	0	1	0	1	3	3	3	6	6	7	4	7	7	2	1	51
2004	0	0	0	0	2	2	2	1	1	4	10	6	7	9	9	5	3	0	61

表2 特定疾患治療研究対象疾患の性・年齢階別の死亡数

疾患番号3 重症筋無力症 Myasthenia gravis

	年齢階別																				総計
	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~			
男	20	3	2	10	15	20	15	32	36	44	65	59	82	109	89	64	41	22	728		
1972	0	0	0	0	2	3	0	1	1	4	0	0	3	0	2	1	0	0	17		
1973	3	1	0	0	2	2	2	3	4	3	1	2	0	4	4	2	1	0	34		
1974	2	0	0	0	0	1	1	1	2	0	7	4	5	4	3	1	1	0	32		
1975	4	0	0	0	1	0	2	1	1	1	1	5	5	5	4	1	1	0	32		
1976	2	0	2	2	2	0	1	1	1	5	1	1	5	4	3	1	0	0	31		
1977	0	0	0	0	0	2	1	1	2	3	5	0	4	6	2	0	0	0	26		
1978	2	0	0	0	0	1	0	1	1	3	4	3	2	7	3	1	1	0	29		
1979	1	0	0	1	1	1	1	1	0	1	5	4	3	6	6	3	0	0	34		
1980	1	1	0	0	1	1	1	1	4	1	5	2	4	4	5	2	2	0	35		
1981	0	1	0	1	1	0	0	0	2	0	3	3	1	4	3	1	1	1	22		
1982	3	0	0	2	0	1	0	1	1	3	3	2	4	3	2	1	0	1	27		
1983	1	0	0	1	0	1	0	1	0	3	1	4	2	3	1	3	4	1	26		
1984	0	0	0	0	1	0	0	0	1	0	3	3	1	5	1	2	1	0	18		
1985	0	0	0	0	0	2	1	2	0	0	1	2	5	7	2	3	1	0	26		
1986	0	0	0	1	0	1	1	2	1	1	2	2	2	3	3	4	1	0	24		
1987	0	0	0	1	2	0	0	0	4	0	3	1	1	2	3	1	3	0	21		
1988	0	0	0	0	1	1	0	3	0	0	0	0	1	3	3	3	2	2	19		
1989	0	0	0	0	0	1	1	0	0	0	2	4	4	3	4	2	2	0	23		
1990	0	0	0	0	0	0	0	1	0	0	2	2	3	7	3	5	0	0	23		
1991	0	0	0	0	0	1	1	1	0	2	1	0	0	2	2	1	0	0	11		
1992	0	0	0	0	0	0	0	1	2	1	1	0	0	1	1	2	0	0	9		
1993	0	0	0	0	0	0	1	1	0	2	2	1	4	7	4	2	1	0	25		
1994	0	0	0	1	0	0	0	0	2	1	2	3	2	3	2	1	1	3	21		
1995	0	0	0	0	0	1	0	3	0	3	3	1	0	5	2	5	2	1	26		
1996	0	0	0	0	0	0	1	0	0	1	1	0	3	3	2	0	2	1	14		
1997	0	0	0	0	0	0	0	0	3	1	2	1	1	1	4	3	0	0	16		
1998	0	0	0	0	0	0	0	2	2	3	0	3	1	1	1	0	2	2	17		
1999	0	0	0	0	0	0	0	1	0	1	1	1	7	1	2	1	1	0	16		
2000	1	0	0	0	0	0	0	0	1	0	2	2	2	0	2	1	1	1	13		
2001	0	0	0	0	0	0	0	1	1	1	0	1	2	1	4	5	3	2	20		
2002	0	0	0	0	0	0	0	2	0	0	1	0	2	3	2	2	3	0	15		
2003	0	0	0	0	1	0	0	0	0	0	0	1	2	1	2	2	2	4	15		
2004	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	2	2	3	11		

表2 特定疾患治療研究対象疾患の性・年齢階級の死亡数

疾患番号3 重症筋無力症 Myasthenia gravis

	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~	総計	
女	22	6	13	16	27	38	51	58	72	89	103	115	133	119	131	129	89	61	1272	
1972	2	1	2	0	6	3	3	4	6	0	3	1	3	2	1	0	0	0	0	37
1973	4	1	2	3	3	2	5	3	8	9	6	0	2	3	2	0	0	0	0	53
1974	3	0	1	2	0	5	8	3	4	3	3	7	4	1	2	2	0	1	1	49
1975	1	0	2	1	1	5	5	5	1	2	3	3	4	5	4	1	0	0	0	43
1976	1	0	2	0	4	3	1	6	4	6	3	3	7	2	1	2	0	0	0	45
1977	1	0	1	1	2	3	2	2	2	7	6	5	2	1	3	1	0	0	0	39
1978	1	1	0	0	5	2	5	2	6	5	4	5	9	3	4	0	1	0	0	53
1979	1	0	0	0	1	3	1	7	0	5	4	5	6	1	2	6	1	0	0	43
1980	0	1	0	2	0	2	3	4	1	5	9	5	7	3	3	2	3	0	0	50
1981	3	0	1	1	2	2	3	1	3	3	2	5	8	5	7	3	2	1	1	52
1982	1	0	0	2	0	1	4	3	4	2	5	6	5	4	2	1	1	0	0	41
1983	0	0	1	1	1	0	1	1	2	3	4	7	9	9	7	4	2	0	0	52
1984	1	0	0	1	0	1	2	4	1	4	4	2	3	4	6	4	3	1	1	41
1985	1	0	0	0	0	2	1	2	0	1	10	6	5	1	5	4	0	1	1	39
1986	0	0	1	0	0	1	0	1	1	2	0	4	3	0	3	2	0	2	0	20
1987	1	1	0	0	1	0	0	2	3	2	4	4	3	3	4	5	1	1	1	35
1988	0	0	0	0	0	0	1	2	1	3	4	4	3	5	7	4	2	2	2	38
1989	0	0	0	1	0	0	0	2	3	3	3	2	2	7	4	4	0	3	3	34
1990	0	0	0	0	0	1	1	1	3	2	0	4	3	6	5	7	1	2	2	36
1991	0	0	0	0	0	0	0	0	3	3	2	5	1	4	10	0	1	0	0	29
1992	0	0	0	0	0	1	0	1	2	4	3	3	5	2	5	1	5	3	3	35
1993	0	0	0	0	0	0	1	1	3	1	2	4	2	4	8	12	3	2	2	43
1994	0	1	0	0	0	0	0	0	1	1	5	4	5	4	3	3	5	1	1	33
1995	0	0	0	0	0	0	0	0	1	2	1	2	6	6	2	4	2	0	0	26
1996	0	0	0	0	1	0	1	0	0	1	1	2	6	5	6	4	3	2	2	32
1997	0	0	0	1	0	1	0	0	2	2	0	3	2	3	4	7	3	6	3	34
1998	1	0	0	0	0	0	1	0	1	0	4	2	2	4	8	3	4	3	3	33
1999	0	0	0	0	0	0	1	0	1	2	2	3	2	3	1	7	5	3	3	30
2000	0	0	0	0	0	0	0	0	1	1	1	3	3	4	0	2	7	4	4	26
2001	0	0	0	0	0	0	1	0	3	1	2	2	3	4	2	7	8	5	5	38
2002	0	0	0	0	0	0	0	0	1	4	1	3	4	2	6	7	8	6	6	42
2003	0	0	0	0	0	0	0	1	0	0	2	0	2	5	3	8	4	6	6	31
2004	0	0	0	0	0	0	0	0	0	0	0	1	2	4	1	12	14	6	6	40

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号4 全身性エリテマトーデス Systemic lupus erythematosus

	0~4 5~9 10~14 15~19 20~24 25~29 30~34 35~39 40~44 45~49 50~54 55~59 60~64 65~69 70~74 75~79 80~84 85~																	総計	
	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84		85~
男	2	4	41	86	110	127	105	128	111	110	103	113	171	171	172	138	79	52	1823
1972	0	1	4	3	6	7	1	3	6	3	2	2	6	4	1	1	0	0	50
1973	0	0	2	8	6	5	3	1	3	3	3	0	5	3	5	1	0	0	48
1974	0	0	6	3	9	7	2	6	3	5	1	4	3	7	2	3	0	0	61
1975	0	0	4	6	3	7	1	5	3	3	1	3	2	3	3	2	1	0	47
1976	0	0	1	6	4	12	5	2	5	2	2	3	6	1	0	1	1	0	51
1977	0	0	2	9	4	6	4	4	3	3	0	5	2	2	2	1	1	1	49
1978	0	0	1	5	7	6	6	2	3	1	3	0	2	1	4	2	1	1	45
1979	0	0	1	6	3	5	6	4	1	6	4	3	1	0	1	1	1	0	43
1980	0	0	5	4	7	6	2	6	1	3	2	4	2	5	5	1	2	1	56
1981	0	0	0	2	5	7	5	6	3	1	6	2	3	3	1	4	1	0	49
1982	0	0	3	1	5	1	5	4	6	4	1	5	6	5	3	2	3	0	54
1983	0	0	1	2	1	5	8	6	1	4	3	5	6	1	3	1	0	1	48
1984	0	0	1	1	4	3	2	5	0	2	7	3	5	3	2	3	0	1	42
1985	1	1	2	4	2	5	7	8	4	3	1	2	3	5	2	2	0	2	54
1986	0	1	0	4	0	4	5	7	2	2	2	4	5	1	2	4	1	1	45
1987	0	0	1	1	0	2	5	4	3	3	4	8	6	4	4	1	1	0	47
1988	0	0	0	1	5	5	0	8	4	5	2	3	9	5	4	4	1	3	59
1989	0	0	2	4	8	2	1	5	2	3	1	2	7	8	3	9	2	1	60
1990	0	0	1	1	1	5	1	5	6	6	3	2	2	7	6	3	3	0	52
1991	1	0	0	1	4	3	6	1	2	3	4	5	9	8	4	4	3	1	59
1992	0	0	0	0	1	2	3	2	7	2	5	4	5	5	7	7	4	3	57
1993	0	0	0	2	8	4	1	1	5	2	1	2	10	8	8	2	2	3	59
1994	0	0	0	3	0	2	3	4	2	4	3	3	2	3	6	5	4	3	47
1995	0	0	0	0	5	2	2	2	7	1	5	3	7	7	9	4	4	1	59
1996	0	0	2	1	0	5	1	1	6	7	4	5	7	13	3	9	1	1	66
1997	0	0	0	1	2	1	1	3	5	8	8	5	13	8	12	4	5	2	78
1998	0	0	0	1	4	2	4	5	1	7	2	4	6	8	8	2	3	3	60
1999	0	0	0	1	2	4	4	4	3	5	2	4	6	4	12	8	7	3	69
2000	0	0	0	1	2	0	1	6	3	1	3	5	4	8	10	11	3	1	59
2001	0	0	0	0	1	0	3	3	2	3	5	2	5	8	14	2	7	4	59
2002	0	0	0	3	0	0	1	1	6	3	4	3	5	5	9	16	6	6	68
2003	0	0	2	0	1	1	3	3	1	1	4	4	5	11	12	11	6	4	69
2004	0	1	0	1	0	1	3	1	2	1	5	4	6	7	5	7	5	5	54

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号4 全身性エリテマトーデス Systemic lupus erythematosus

女	0~4		5~9		10~14		15~19		20~24		25~29		30~34		35~39		40~44		45~49		50~54		55~59		60~64		65~69		70~74		75~79		80~84		85~		総計
	7	37	154	513	888	1057	1148	1101	1028	1024	942	829	667	560	457	335	179	116	11042																		
1972	0	3	5	23	71	52	33	38	24	18	6	12	4	3	6	3	1	2	304																		
1973	0	1	11	32	74	63	48	52	37	25	20	9	6	8	7	4	0	0	397																		
1974	0	4	11	34	59	66	63	40	29	27	27	19	5	5	2	1	2	2	396																		
1975	0	0	15	33	62	81	48	46	36	29	23	20	8	4	4	1	1	2	413																		
1976	0	1	10	31	66	95	64	59	41	40	22	16	6	1	2	5	0	1	460																		
1977	0	7	8	30	46	63	65	45	33	33	24	13	7	6	3	3	1	1	398																		
1978	0	1	9	25	44	68	68	51	37	33	32	14	15	6	2	1	0	0	406																		
1979	2	2	5	15	42	45	61	41	44	40	30	15	9	11	7	3	0	1	373																		
1980	1	3	8	22	47	68	68	48	38	42	30	26	12	3	7	3	1	2	429																		
1981	0	0	8	28	34	43	70	40	40	33	31	11	18	9	6	3	2	1	377																		
1982	0	1	8	29	33	36	63	48	33	39	42	32	17	8	5	5	2	2	403																		
1983	1	0	8	22	33	36	65	39	44	37	27	21	16	12	7	5	4	0	377																		
1984	0	2	7	24	25	34	41	51	37	34	36	30	17	21	11	15	1	4	390																		
1985	0	2	6	18	20	36	35	55	42	45	29	37	23	16	9	6	2	0	381																		
1986	0	1	2	12	25	20	32	41	28	34	24	29	21	18	13	4	5	0	309																		
1987	0	1	1	15	21	23	26	41	31	34	34	44	19	10	6	10	2	2	320																		
1988	0	0	5	15	14	18	25	50	27	35	30	22	18	21	6	5	3	5	299																		
1989	1	2	1	12	18	26	26	33	39	33	35	35	33	23	13	9	3	1	343																		
1990	1	0	3	12	22	25	26	30	44	25	34	23	30	19	16	7	5	0	322																		
1991	0	1	4	11	12	12	25	32	44	30	29	27	29	17	19	14	7	1	314																		
1992	0	1	4	9	12	8	26	31	34	38	30	23	28	28	16	13	9	4	314																		
1993	0	1	1	11	10	15	19	19	40	38	29	31	19	17	20	10	7	5	292																		
1994	0	1	4	6	18	16	12	23	33	35	39	25	25	22	24	13	7	5	308																		
1995	0	1	0	7	11	11	19	19	38	35	38	29	28	18	19	18	5	3	299																		
1996	0	0	2	10	13	17	20	20	21	32	31	26	31	29	17	10	9	3	291																		
1997	0	1	3	5	13	14	18	14	22	40	23	28	23	27	28	17	5	9	290																		
1998	0	0	1	5	9	13	10	13	19	23	33	29	33	34	27	20	16	3	288																		
1999	1	0	2	4	11	13	16	10	18	23	37	36	38	26	23	10	11	7	286																		
2000	0	0	0	4	5	6	12	20	17	23	24	32	32	25	32	25	10	12	279																		
2001	0	0	0	2	4	6	13	15	9	20	19	24	19	29	29	19	15	5	228																		
2002	0	0	1	1	5	11	12	13	17	15	27	27	27	34	18	28	12	12	260																		
2003	0	0	1	3	4	8	10	13	17	16	26	33	26	29	33	20	17	12	268																		
2004	0	0	0	3	5	9	9	11	5	20	21	31	25	21	20	25	14	9	228																		

表2 特定疾患治療研究対象疾患の性・年齢級別の死亡数

特定疾患番号5 スモン SMON

男	年齢級別																	総計			
	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84		85~		
1972	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1973	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0	0	3
1996	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1997	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1
1998	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	2	2
1999	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1
2001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

表2 特定疾患治療研究対象疾患の性・年齢階級の死亡数

特定疾患番号5 スモン SMON

	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~	総計	
女	0	0	0	0	0	0	0	0	0	0	1	0	0	0	5	3	11	32	52	
1972	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	3	6	6
1996	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	8	13	13
1997	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	4	4
1998	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	5	5
1999	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	3	5	5
2000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	5	5
2002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5	6	6
2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	2
2004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	3	6	6

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号5	薬物誘発性多発ニューロパチー Drug-induced polyneuropathy (スモンを含む)																	総計	
	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84		85~
男	0	0	0	0	0	0	0	2	1	0	1	0	0	1	2	1	0	1	9
1972	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	0	0	0	0	0	0	2	0	1	0	1	0	1	2	1	0	1	1	9
1980	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	3
1981	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	3	0	0	5
1982	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	2	1	1	7
1983	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	2	1	6
1984	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	1	5
1985	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	3	1	1	8
1986	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	4
1987	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	3
1988	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
1989	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	3
1990	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2
1991	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	4
1992	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
1993	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	3
1994	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1995	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	3
1996	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1997	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
1998	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	2
1999	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
2001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号5 薬物誘発性多発ニューロパチー Drug-induced polyneuropathy (スモンを含む)

	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~	総計	
女	0	0	0	0	0	0	0	1	2	1	4	5	6	17	30	39	41	75	221	
1972	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	0	0	0	0	0	0	0	0	0	0	2	2	0	3	5	4	3	0	19	
1980	0	0	0	0	0	0	0	0	1	0	1	0	0	1	4	6	5	1	19	
1981	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1	4	3	3	14	
1982	0	0	0	0	0	0	0	1	0	0	0	1	1	2	3	2	0	3	13	
1983	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	4	1	2	10	
1984	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	1	4	9	
1985	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	3	1	4	12	
1986	0	0	0	0	0	0	0	0	0	0	0	0	1	0	3	2	5	5	16	
1987	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4	6	
1988	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	2	7	
1989	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1	3	8	
1990	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1	2	1	7	
1991	0	0	0	0	0	0	0	0	1	0	0	1	1	2	1	1	1	5	13	
1992	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	3	
1993	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	4	8	
1994	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	4	
1995	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	3	6	
1996	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	9	14	
1997	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	4	
1998	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	5	
1999	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	3	5	
2000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	5	
2002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5	6	
2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	
2004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	3	6	

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号6 再生不良性貧血 Aplastic anemia

	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~	総計
男	224	219	283	319	367	290	272	281	366	407	545	732	1133	1582	1937	1977	1450	1201	13585
1972	20	15	9	11	14	16	8	16	19	15	22	27	55	59	59	26	20	0	411
1973	24	11	19	14	26	17	11	26	21	28	19	35	56	68	79	50	12	4	520
1974	20	14	10	15	13	19	22	15	28	17	21	32	47	70	88	53	18	3	505
1975	19	15	13	10	23	10	19	12	19	20	20	30	54	63	76	58	21	2	484
1976	17	12	8	17	9	13	8	15	8	34	20	20	54	61	71	49	25	5	446
1977	11	12	18	14	12	12	14	14	15	11	24	26	48	61	62	52	20	7	433
1978	11	16	13	19	17	9	10	9	16	16	18	21	36	58	51	43	19	8	390
1979	10	11	18	14	17	18	8	10	11	10	20	23	32	51	64	71	29	18	435
1980	9	12	10	9	12	9	12	11	15	26	19	12	46	52	67	62	32	18	433
1981	6	7	18	10	17	13	14	8	13	13	19	28	37	56	76	60	28	10	433
1982	6	11	21	12	16	12	11	3	13	16	30	31	18	54	58	55	47	11	425
1983	8	10	15	14	14	5	8	6	13	13	14	29	34	49	49	74	44	13	412
1984	5	14	14	14	14	9	2	13	11	18	21	19	35	55	78	67	50	16	455
1985	3	10	14	19	9	10	8	6	13	14	14	28	34	47	72	71	51	35	458
1986	4	3	9	6	10	13	9	9	12	10	23	22	42	47	59	63	39	29	409
1987	9	6	6	11	7	8	8	9	6	12	15	27	30	42	55	92	58	35	436
1988	5	7	16	9	12	5	5	10	8	11	13	36	53	49	58	85	48	39	469
1989	6	3	6	13	14	14	13	7	13	9	18	31	43	41	62	67	52	35	447
1990	2	4	8	14	6	14	4	6	17	14	20	29	36	51	64	60	59	28	436
1991	8	6	4	7	11	8	5	10	11	6	13	14	33	41	51	79	67	48	422
1992	6	3	7	12	9	3	7	6	10	6	19	23	31	37	46	67	57	52	401
1993	2	4	2	9	10	7	3	6	8	14	10	18	23	49	51	46	53	36	351
1994	2	3	4	3	13	4	8	3	9	9	12	26	32	42	58	54	64	49	395
1995	0	1	4	5	10	5	5	6	7	8	15	22	27	49	47	58	53	52	374
1996	3	1	5	7	8	8	9	4	3	8	21	14	29	40	55	62	66	57	400
1997	2	1	1	8	10	4	5	8	6	7	13	21	23	43	54	54	75	73	408
1998	1	0	2	3	9	3	7	2	4	9	11	16	21	37	44	59	48	72	348
1999	2	2	4	2	9	8	6	7	4	6	14	10	19	43	45	51	46	80	358
2000	0	1	2	2	6	2	2	11	5	10	13	14	25	37	52	69	55	68	374
2001	0	3	0	3	3	2	8	2	12	5	5	11	24	30	55	37	42	74	316
2002	1	0	1	5	4	3	2	3	6	1	9	18	20	28	48	52	55	81	337
2003	1	0	1	5	1	2	5	5	3	6	10	8	20	34	45	64	48	70	328
2004	1	1	1	3	2	5	6	3	7	5	10	11	16	38	38	67	49	73	336