

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号6 再生不良性貧血 Aplastic anemia

女	年齢階級																				総計
	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~			
1972	278	231	250	245	300	276	289	346	402	499	754	920	1222	1558	1942	2177	1947	2154	15790		
1973	39	17	18	14	32	20	14	25	24	42	47	59	72	46	38	36	14	2	559		
1974	41	16	13	14	25	23	24	27	24	31	54	62	70	76	76	39	8	7	630		
1975	31	16	17	17	30	21	30	24	35	33	44	55	77	93	81	47	26	5	682		
1976	29	17	15	11	21	17	17	24	26	30	45	52	78	69	66	46	18	3	584		
1977	17	16	11	9	20	15	12	13	26	36	36	42	38	58	57	46	29	11	492		
1978	18	10	5	9	6	16	13	13	18	18	24	32	36	57	53	35	22	4	389		
1979	14	11	14	14	10	15	10	10	18	18	22	37	47	60	59	49	24	12	444		
1980	12	8	10	11	13	14	8	16	12	19	28	39	35	56	73	57	28	11	450		
1981	10	13	11	9	7	7	12	11	16	13	28	33	29	66	66	59	33	13	436		
1982	8	6	15	15	11	7	15	14	13	18	29	29	33	35	58	51	39	22	418		
1983	9	9	10	8	11	10	9	12	16	13	28	26	38	36	75	68	51	16	445		
1984	5	9	8	9	6	10	9	16	13	17	32	40	38	40	66	79	44	28	469		
1985	4	10	8	6	6	9	11	10	9	9	18	27	39	44	64	61	56	30	421		
1986	3	7	9	9	8	8	13	17	12	22	27	24	38	56	57	79	54	35	478		
1987	6	5	8	4	12	4	8	7	9	18	26	23	44	49	69	74	58	49	473		
1988	3	4	8	9	7	5	6	8	8	21	26	32	45	47	71	65	63	32	460		
1989	4	8	11	5	6	6	7	13	11	11	14	24	36	36	44	77	66	55	434		
1990	3	11	9	12	11	10	5	7	10	11	18	17	34	52	50	85	61	67	473		
1991	3	11	8	2	9	3	5	13	10	4	14	18	32	51	63	77	81	60	464		
1992	1	4	5	7	1	3	7	7	7	11	14	21	35	44	57	72	94	65	455		
1993	3	7	6	7	2	5	3	5	9	9	17	21	30	44	58	90	83	77	476		
1994	4	2	3	6	7	6	8	5	9	4	18	13	35	42	56	61	77	59	415		
1995	2	3	8	6	6	5	4	3	5	17	14	17	35	42	63	78	90	103	501		
1996	0	2	1	5	6	4	10	7	9	10	22	15	24	48	69	65	83	120	500		
1997	0	1	3	6	2	7	3	7	5	10	17	23	25	54	54	78	77	109	481		
1998	1	1	2	5	8	6	4	2	8	10	14	14	32	44	51	83	97	129	511		
1999	2	4	3	3	6	3	5	6	8	9	15	20	27	40	69	70	81	156	527		
2000	2	2	3	3	2	9	1	7	7	7	9	26	15	39	69	73	78	142	494		
2001	2	0	2	1	3	3	3	4	3	3	10	23	26	35	37	87	72	124	438		
2002	0	0	1	8	4	3	4	3	9	5	13	18	17	32	57	80	77	128	459		
2003	1	0	1	0	1	1	2	5	5	10	11	12	28	23	47	69	88	148	452		
2004	0	1	2	1	1	1	2	2	3	3	10	10	20	21	42	63	86	161	429		
2004	1	0	2	0	0	0	5	3	5	7	10	16	14	23	27	78	89	171	451		

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号7 サルコイドーシス Sarcoidosis

	0~4 5~9 10~14 15~19 20~24 25~29 30~34 35~39 40~44 45~49 50~54 55~59 60~64 65~69 70~74 75~79 80~84 85~																			総計	
	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~			
男	1	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	19	572
1972	0	0	0	1	1	0	0	1	0	1	1	1	1	1	1	0	1	0	0	0	9
1973	1	0	0	0	0	0	1	2	0	1	4	0	2	2	4	1	1	0	0	0	19
1974	0	0	0	0	0	0	1	1	0	2	1	0	1	2	2	3	0	0	0	0	13
1975	0	0	0	0	0	3	0	2	1	3	0	2	0	2	1	1	0	0	0	0	15
1976	0	0	0	0	0	1	1	1	0	0	1	0	1	3	1	0	0	0	0	0	9
1977	0	0	0	0	0	0	0	3	1	1	0	3	1	2	2	1	1	0	0	0	15
1978	0	0	0	0	1	2	1	1	0	0	1	3	1	1	1	2	0	0	0	0	14
1979	0	0	0	0	0	1	2	1	2	1	0	0	0	1	1	1	0	1	0	1	11
1980	0	0	0	0	0	0	0	0	0	1	2	3	1	0	3	0	2	1	0	1	13
1981	0	0	0	0	0	0	1	1	0	1	3	0	1	0	2	1	0	0	1	0	11
1982	0	0	0	0	0	0	1	0	2	0	1	0	3	0	2	0	1	0	0	0	10
1983	0	0	0	0	1	0	1	0	0	1	0	4	1	0	1	0	0	0	0	0	9
1984	0	0	0	0	0	0	0	0	1	0	0	0	2	1	0	1	0	0	0	0	5
1985	0	0	0	0	0	0	3	0	0	0	0	1	1	1	1	1	1	1	1	1	10
1986	0	0	0	0	0	1	0	0	1	1	0	3	0	2	0	1	2	2	2	2	13
1987	0	0	0	0	0	0	1	3	0	0	2	2	2	2	1	2	0	0	1	0	16
1988	0	0	0	0	0	0	0	2	0	0	0	1	1	3	1	1	2	0	0	0	11
1989	0	0	0	0	0	0	0	0	0	1	0	1	3	1	2	0	0	0	0	0	8
1990	0	0	0	0	0	1	0	2	1	0	1	3	2	0	1	0	0	0	0	0	11
1991	0	0	0	0	0	0	0	1	0	1	4	0	2	3	3	0	0	0	0	0	14
1992	0	0	0	0	1	0	0	1	0	0	2	0	0	1	2	2	2	1	1	1	12
1993	0	0	0	0	1	0	0	0	3	0	0	4	2	5	3	1	0	0	1	0	20
1994	0	0	0	0	0	1	1	0	1	1	1	1	0	4	3	2	4	1	1	1	20
1995	0	0	0	0	0	0	0	0	3	1	4	5	6	1	4	8	1	1	1	1	34
1996	0	0	0	0	0	0	0	1	0	0	2	3	3	3	4	5	1	0	0	0	22
1997	0	0	0	0	0	2	1	1	3	0	3	1	3	1	2	2	0	1	1	0	20
1998	0	0	0	0	0	0	1	1	2	1	1	0	1	5	4	2	5	2	2	2	25
1999	0	0	0	0	0	1	1	3	0	2	2	2	1	0	6	6	1	2	2	2	27
2000	0	0	0	0	0	0	1	2	1	7	2	2	4	3	4	5	0	0	0	0	31
2001	0	0	0	0	0	0	1	0	1	1	2	1	2	1	5	4	2	0	0	0	20
2002	0	0	1	0	0	0	1	0	0	1	3	4	5	8	4	5	1	1	1	1	34
2003	0	0	0	1	0	1	3	1	3	2	7	1	7	4	6	3	1	2	2	2	42
2004	0	0	0	0	0	2	1	0	2	4	0	1	0	8	4	5	2	0	0	0	29

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号7 サルコイドーシス Sarcoidosis

	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~	総計
女	0	0	2	1	0	7	7	18	27	44	60	98	141	149	147	123	64	29	917
1972	0	0	1	0	0	1	1	0	3	1	2	1	1	3	3	0	1	0	18
1973	0	0	0	0	0	0	2	0	1	0	3	3	1	4	1	4	0	0	19
1974	0	0	0	0	0	0	3	0	2	0	1	2	3	1	2	3	1	0	18
1975	0	0	0	1	0	0	0	0	1	1	1	2	5	3	4	0	0	0	18
1976	0	0	0	0	0	0	2	1	1	0	1	0	3	2	4	1	0	0	15
1977	0	0	1	0	0	0	0	1	0	4	1	2	4	1	3	1	0	0	18
1978	0	0	0	0	0	1	0	2	1	0	0	2	1	4	4	0	0	0	15
1979	0	0	0	0	0	1	0	2	0	2	1	2	2	2	0	2	1	0	15
1980	0	0	0	0	0	0	0	1	1	1	2	3	1	3	2	1	0	0	15
1981	0	0	0	0	0	0	0	1	1	1	0	3	1	3	3	0	0	1	14
1982	0	0	0	0	0	1	0	0	0	0	0	3	2	5	3	1	0	0	15
1983	0	0	0	0	0	0	0	0	2	3	5	5	2	3	3	1	0	1	25
1984	0	0	0	0	0	0	0	0	1	1	0	0	3	0	3	2	0	1	11
1985	0	0	0	0	0	0	0	0	0	1	3	2	3	2	1	0	1	0	13
1986	0	0	0	0	0	0	0	0	1	0	1	1	7	4	1	4	1	1	21
1987	0	0	0	0	0	0	0	1	0	0	2	3	2	1	1	0	0	0	10
1988	0	0	0	0	0	2	0	0	0	1	3	3	5	0	3	1	1	0	19
1989	0	0	0	0	0	0	0	0	1	2	2	3	3	5	4	4	1	0	25
1990	0	0	0	0	0	0	0	0	2	0	0	3	7	6	2	2	0	0	22
1991	0	0	0	0	0	0	0	1	0	5	2	1	2	6	7	6	3	0	33
1992	0	0	0	0	0	0	0	0	0	1	1	3	4	5	4	4	2	0	24
1993	0	0	0	0	0	0	0	0	0	3	2	4	9	7	1	4	1	1	32
1994	0	0	0	0	0	0	1	0	0	2	1	2	8	7	1	3	2	1	28
1995	0	0	0	0	0	0	0	0	0	0	2	4	8	6	5	9	1	1	36
1996	0	0	0	0	0	0	0	0	2	4	3	7	5	5	6	6	3	2	43
1997	0	0	0	0	0	0	1	0	0	5	3	3	12	3	2	8	2	2	41
1998	0	0	0	0	0	0	2	0	1	1	0	8	5	9	5	5	3	0	39
1999	0	0	0	0	0	0	0	1	0	0	5	5	5	3	10	3	7	3	42
2000	0	0	0	0	0	0	0	0	2	0	4	0	6	9	11	6	7	7	52
2001	0	0	0	0	0	0	0	0	0	1	2	5	5	12	10	11	6	1	53
2002	0	0	0	0	0	1	0	0	2	2	5	5	8	10	11	6	6	2	58
2003	0	0	0	0	0	0	0	1	1	2	0	6	1	10	10	16	8	3	58
2004	0	0	0	0	0	0	0	1	1	0	2	2	7	5	17	9	6	2	52

表2 特定疾患治療研究対象疾患の性・年齢級別の死亡数

疾患番号8 筋萎縮性側索硬化症 Amyotrophic lateral sclerosis

	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~	総計
男	0	0	2	5	9	16	28	76	161	378	634	954	1356	1661	1536	1055	431	107	8409
1972	0	0	0	0	2	1	2	6	8	10	21	34	30	26	17	7	0	0	164
1973	0	0	0	0	2	0	2	4	12	18	24	31	27	26	14	7	4	0	171
1974	0	0	0	1	0	3	2	4	15	23	28	22	41	36	24	11	7	0	217
1975	0	0	0	1	2	2	4	7	11	19	37	47	44	35	17	9	2	0	237
1976	0	0	0	1	0	2	2	4	13	27	30	35	53	41	18	11	3	1	241
1977	0	0	0	1	1	1	1	6	13	25	33	39	46	43	27	9	4	0	249
1978	0	0	1	1	1	0	1	12	11	22	27	44	55	39	26	21	3	2	266
1979	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	0	0	0	0	0	1	3	5	11	27	41	72	116	117	97	62	25	2	579
1996	0	0	0	0	0	0	1	2	11	32	45	83	108	154	107	75	33	7	658
1997	0	0	0	0	0	1	1	5	9	35	41	80	95	136	114	76	34	7	634
1998	0	0	1	0	0	1	1	6	3	28	42	65	120	144	136	77	29	13	666
1999	0	0	0	0	0	0	2	3	8	25	39	77	105	152	139	73	36	14	673
2000	0	0	0	0	0	1	0	2	5	16	49	65	98	132	142	103	40	13	666
2001	0	0	0	0	0	0	3	1	7	24	50	66	109	133	147	101	43	8	692
2002	0	0	0	0	0	1	2	2	8	17	47	60	102	154	163	143	51	11	761
2003	0	0	0	0	0	2	0	6	8	16	41	73	107	142	159	125	55	15	749
2004	0	0	0	0	1	0	1	1	8	14	39	61	100	151	189	145	62	14	786

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号8 筋萎縮性側索硬化症 Amyotrophic lateral sclerosis

	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~	総計
女	0	1	1	3	5	13	20	34	101	211	386	586	828	1141	1261	1023	481	152	6247
1972	0	0	0	0	3	3	0	3	1	8	13	16	15	14	10	2	1	0	89
1973	0	0	0	0	0	1	2	3	7	8	17	15	17	17	8	4	1	1	101
1974	0	0	0	0	1	2	1	2	6	9	16	22	18	20	7	4	2	0	110
1975	0	0	1	2	0	1	4	4	11	22	19	22	23	25	14	6	1	1	156
1976	0	0	0	0	0	0	2	2	8	8	18	24	25	25	14	10	4	0	140
1977	0	0	0	0	0	0	3	0	7	9	22	26	33	33	17	13	2	0	165
1978	0	0	0	0	0	1	2	3	6	9	19	29	40	27	27	10	2	2	177
1979	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	0	0	0	0	0	0	1	2	9	14	33	40	67	94	100	61	23	8	452
1996	0	0	0	0	0	0	1	2	11	16	21	54	75	97	115	78	32	6	508
1997	0	0	0	0	0	1	0	3	5	16	19	48	66	91	133	86	35	7	510
1998	0	0	0	0	0	0	0	2	5	16	30	40	68	104	116	95	28	9	513
1999	0	0	0	0	1	1	1	1	5	18	28	56	62	99	103	87	34	12	508
2000	0	0	0	0	0	2	1	0	7	13	30	34	64	84	121	120	48	12	536
2001	0	1	0	1	0	1	1	3	6	14	31	41	56	100	105	96	56	21	533
2002	0	0	0	0	0	0	1	1	4	17	24	41	68	110	102	116	67	25	576
2003	0	0	0	0	0	0	0	1	1	5	22	36	61	108	146	118	66	25	589
2004	0	0	0	0	0	0	0	2	2	9	24	42	70	93	123	117	79	23	584

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号9 強皮症 Systemic sclerosis

	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~	総計
男	2	0	2	3	5	10	13	18	47	57	85	114	130	128	113	68	39	8	842
1972	1	0	0	0	0	0	0	1	1	1	0	3	3	2	1	0	1	1	15
1973	0	0	0	0	0	0	1	1	2	3	2	2	4	0	4	3	1	0	23
1974	1	0	0	1	0	0	0	0	2	1	0	6	2	4	5	1	0	0	23
1975	0	0	0	0	0	1	0	1	1	1	0	3	1	2	0	0	0	0	10
1976	0	0	0	0	0	2	0	0	3	1	1	2	2	6	6	0	0	0	23
1977	0	0	0	0	0	0	1	0	0	4	6	4	6	4	2	1	2	0	30
1978	0	0	0	0	1	0	0	1	1	5	3	1	1	4	3	2	0	0	22
1979	0	0	0	0	0	0	3	0	1	2	2	1	2	5	3	3	2	0	24
1980	0	0	0	0	0	0	1	0	1	3	5	1	3	2	3	0	1	0	20
1981	0	0	0	0	0	0	1	1	3	2	9	5	1	2	4	2	3	0	33
1982	0	0	0	0	0	1	0	0	1	2	2	5	7	4	1	4	0	0	27
1983	0	0	1	0	1	0	0	1	4	2	4	7	7	2	2	1	1	0	33
1984	0	0	0	1	0	1	1	0	3	5	7	3	5	3	4	2	2	1	38
1985	0	0	0	0	0	0	1	2	4	1	3	6	6	2	2	3	2	0	32
1986	0	0	0	0	0	1	0	2	2	2	4	1	5	4	2	1	2	0	26
1987	0	0	0	0	0	1	0	1	1	0	3	7	2	5	3	2	1	1	27
1988	0	0	0	0	0	0	1	1	3	2	2	3	8	6	2	5	2	0	35
1989	0	0	1	0	0	1	1	1	3	3	5	6	8	6	4	1	2	0	42
1990	0	0	0	1	1	0	0	0	2	3	6	4	6	5	7	2	2	0	39
1991	0	0	0	0	1	0	1	0	3	3	2	2	7	7	3	3	1	0	33
1992	0	0	0	0	0	0	0	1	1	0	5	9	10	8	5	5	0	0	44
1993	0	0	0	0	1	0	1	0	3	3	4	3	7	10	11	3	4	1	51
1994	0	0	0	0	0	0	0	1	1	1	2	14	10	12	9	5	3	0	58
1995	0	0	0	0	0	0	0	0	0	2	0	4	0	5	1	6	2	0	20
1996	0	0	0	0	0	0	0	1	1	0	4	1	4	6	4	3	1	1	26
1997	0	0	0	0	0	1	0	0	0	2	0	4	2	5	8	3	0	1	26
1998	0	0	0	0	0	0	0	1	0	0	1	0	3	3	1	2	0	0	11
1999	0	0	0	0	0	0	0	0	0	1	1	3	0	0	4	2	1	0	12
2000	0	0	0	0	0	1	0	0	0	0	0	2	0	3	5	1	1	0	13
2001	0	0	0	0	0	0	0	1	0	1	1	0	4	0	0	0	1	1	9
2002	0	0	0	0	0	0	0	0	0	1	1	0	1	0	2	0	1	1	7
2003	0	0	0	0	0	0	0	0	0	0	0	0	3	0	1	2	0	0	6
2004	0	0	0	0	0	0	0	0	0	0	0	2	0	1	1	0	0	0	4

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号9 強皮症 Systemic sclerosis	Systemic sclerosis																	総計		
	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84		85~	
女	2	1	3	19	26	56	114	168	199	291	344	429	433	412	300	193	85	37	3112	
1972	1	0	0	0	3	5	7	7	8	3	7	9	4	6	2	0	0	0	0	62
1973	1	0	0	4	4	6	7	12	7	10	9	8	7	4	2	1	1	0	0	83
1974	0	0	1	2	3	5	6	7	13	11	7	9	8	3	3	2	0	0	0	80
1975	0	0	0	3	0	4	9	13	12	16	9	10	7	5	11	2	3	0	0	104
1976	0	0	0	0	0	7	7	8	16	12	15	9	10	5	3	2	1	0	0	95
1977	0	0	1	0	1	3	9	7	6	13	10	18	8	16	4	4	1	1	1	102
1978	0	0	0	0	2	3	13	7	7	11	13	11	10	7	4	0	1	0	0	89
1979	0	0	0	1	1	4	13	9	10	10	12	17	14	16	5	2	1	0	0	115
1980	0	0	0	0	1	3	7	5	14	23	24	11	19	15	3	5	2	0	0	132
1981	0	0	0	2	0	2	5	11	7	18	12	19	14	13	7	4	0	1	1	115
1982	0	0	1	0	1	2	3	9	10	11	17	23	12	9	9	4	0	2	2	113
1983	0	0	0	0	0	0	3	10	6	10	16	17	20	13	9	5	1	1	1	111
1984	0	0	0	3	3	0	3	8	12	15	15	21	17	16	12	5	2	0	0	132
1985	0	1	0	0	0	4	6	3	7	9	15	20	21	9	17	3	2	0	0	117
1986	0	0	0	2	1	2	5	8	5	12	13	19	13	21	10	9	3	0	0	123
1987	0	0	0	0	0	1	0	5	6	17	19	20	20	20	17	11	1	1	1	138
1988	0	0	0	0	1	2	2	5	7	13	17	17	27	21	15	8	5	1	1	141
1989	0	0	0	0	0	0	2	5	6	7	14	26	16	14	9	11	4	3	3	117
1990	0	0	0	0	1	1	3	5	6	10	20	19	18	25	10	11	5	4	4	138
1991	0	0	0	0	1	0	1	4	8	5	14	24	30	20	14	9	4	1	1	135
1992	0	0	0	0	2	0	0	2	5	12	11	16	27	22	16	13	4	2	2	132
1993	0	0	0	0	0	0	1	4	4	9	12	19	18	29	26	15	6	1	1	144
1994	0	0	0	0	1	0	1	5	9	12	9	17	34	39	21	15	9	3	3	175
1995	0	0	0	0	0	0	0	4	2	1	7	11	6	10	7	5	5	3	3	61
1996	0	0	0	1	0	0	0	1	1	2	6	6	13	10	18	5	4	1	1	68
1997	0	0	0	0	0	0	1	1	1	3	4	4	10	6	3	6	5	2	2	46
1998	0	0	0	0	0	1	0	1	1	7	3	6	13	9	9	8	2	2	2	62
1999	0	0	0	0	0	1	0	1	1	5	8	9	8	6	5	6	5	3	3	58
2000	0	0	0	1	0	0	0	1	1	1	3	9	3	5	12	5	3	1	1	45
2001	0	0	0	0	0	0	0	0	1	0	1	1	1	6	7	6	0	3	3	26
2002	0	0	0	0	0	0	0	0	0	2	2	1	2	6	2	2	1	0	0	18
2003	0	0	0	0	0	0	0	0	0	1	0	0	3	6	5	5	4	1	1	25
2004	0	0	0	0	0	0	0	0	0	0	0	3	0	0	3	4	0	0	0	10

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号10	特発性血小板減少性紫斑病 Idiopathic thrombocytopenic purpura																	総計	
	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84		85~
男	93	17	24	18	29	28	40	48	72	78	82	116	134	192	262	290	267	296	2086
1972	4	1	2	0	1	4	2	2	4	3	5	4	4	5	5	4	1	0	51
1973	3	2	4	0	4	5	4	3	6	5	2	5	3	7	9	5	2	1	70
1974	11	2	2	0	1	2	0	5	4	4	2	1	4	4	7	7	3	1	60
1975	5	2	5	2	4	0	2	2	6	1	5	5	4	7	7	5	2	2	66
1976	6	3	1	1	1	5	3	3	7	4	1	4	5	4	8	4	4	0	64
1977	9	0	0	0	1	2	2	2	4	3	4	4	4	3	13	5	1	3	60
1978	6	0	1	3	3	0	5	4	2	7	1	5	8	8	8	13	4	1	79
1979	7	0	2	1	1	1	0	2	1	1	2	3	2	4	7	4	5	0	43
1980	2	1	0	0	0	1	3	1	1	3	4	2	6	2	7	4	3	0	40
1981	5	1	1	2	1	2	3	2	1	1	2	4	2	8	11	1	5	1	53
1982	6	1	0	0	0	0	3	2	3	3	1	1	2	7	6	4	3	1	43
1983	2	1	0	2	0	1	1	3	1	3	7	1	0	10	7	4	5	3	51
1984	2	0	0	0	2	0	0	2	2	1	5	7	2	2	6	6	7	6	50
1985	3	0	0	2	1	0	2	3	1	2	3	6	7	4	7	8	6	3	58
1986	2	0	1	1	0	0	3	2	0	4	2	2	3	11	7	6	8	5	57
1987	1	2	0	0	0	1	0	1	4	3	1	3	3	4	10	8	12	3	56
1988	2	0	0	0	1	0	0	1	1	2	4	8	3	3	7	5	7	9	53
1989	1	0	1	0	1	0	2	2	2	1	5	4	6	8	9	11	11	7	71
1990	2	0	0	0	1	0	0	2	6	1	1	6	4	4	5	11	9	8	60
1991	2	0	0	0	0	1	1	0	2	1	4	3	7	4	3	13	8	11	60
1992	1	0	0	1	0	0	1	1	5	2	3	3	8	7	6	14	6	13	70
1993	2	0	0	0	0	0	0	2	1	3	1	6	3	5	6	10	8	6	53
1994	2	0	1	1	1	0	0	0	3	2	0	4	2	10	12	18	14	14	84
1995	1	1	0	0	1	0	2	0	1	3	2	1	3	5	8	14	14	19	75
1996	3	0	0	0	1	0	0	0	0	5	0	3	4	5	5	13	13	10	62
1997	2	0	0	0	1	1	1	0	1	2	2	4	5	4	13	11	14	17	78
1998	0	0	0	0	0	0	0	0	0	3	2	2	4	4	8	17	14	24	78
1999	0	0	2	1	0	0	0	0	1	2	1	3	9	3	9	12	11	16	70
2000	0	0	1	1	0	1	0	0	1	1	5	5	2	10	12	9	9	18	75
2001	0	0	0	0	1	0	0	0	0	0	1	3	4	8	3	10	12	22	64
2002	0	0	0	0	1	0	0	0	0	1	1	2	5	4	10	8	14	26	72
2003	1	0	0	0	0	0	0	0	0	1	2	1	3	5	12	18	15	19	77
2004	0	0	0	0	0	1	1	1	1	0	1	1	3	13	9	8	17	27	83

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号10 特発性血小板減少性紫斑病 Idiopathic thrombocytopenic purpura

女	0～4 5～9 10～14 15～19 20～24 25～29 30～34 35～39 40～44 45～49 50～54 55～59 60～64 65～69 70～74 75～79 80～84 85～																				総計
	72	22	28	51	76	110	103	112	109	149	166	204	265	263	311	369	423	425	3258		
1972	3	1	1	3	16	12	8	7	5	6	9	7	9	10	6	6	2	1	112		
1973	9	3	2	9	9	13	4	7	8	10	9	7	12	6	7	3	1	0	119		
1974	3	4	3	5	10	6	7	3	6	5	11	11	9	12	9	6	6	1	117		
1975	4	4	0	3	6	14	4	8	5	7	9	10	10	6	7	4	3	4	108		
1976	5	1	0	0	4	8	10	9	9	7	10	10	14	9	14	8	2	1	121		
1977	8	0	2	8	4	7	6	7	7	12	2	7	9	10	5	7	4	2	107		
1978	5	1	3	3	4	10	4	6	6	8	5	11	11	14	13	11	6	0	121		
1979	5	0	1	5	2	1	0	5	5	6	6	5	8	9	11	5	3	2	79		
1980	3	1	2	0	1	4	4	6	3	7	10	5	12	9	8	5	6	4	90		
1981	4	0	1	1	2	1	6	2	4	4	5	2	10	6	7	9	5	4	73		
1982	3	1	3	1	0	6	4	5	4	8	4	3	12	6	9	12	5	5	91		
1983	1	0	2	3	1	6	5	8	5	3	4	9	9	4	5	7	6	7	85		
1984	1	1	3	1	6	5	4	3	2	2	6	7	9	1	9	6	6	3	75		
1985	1	1	1	1	0	2	4	2	4	3	7	6	11	6	10	9	11	5	84		
1986	0	0	1	1	1	1	2	1	2	4	3	2	8	8	12	11	12	6	75		
1987	2	0	0	1	0	4	2	1	3	2	3	11	7	3	11	12	15	2	79		
1988	3	1	0	0	1	0	3	5	4	3	10	2	6	6	8	12	8	9	81		
1989	3	0	0	0	1	0	1	3	4	2	3	9	1	12	13	13	17	8	93		
1990	2	0	1	1	0	0	3	4	5	5	4	4	8	13	9	15	20	14	109		
1991	1	0	0	0	0	1	1	4	1	2	4	9	11	7	11	10	19	20	101		
1992	0	0	0	0	2	0	2	3	1	2	1	7	5	15	10	16	17	10	91		
1993	1	0	0	0	1	1	3	1	3	4	2	8	11	5	12	7	17	13	89		
1994	0	0	1	1	1	0	2	1	0	3	4	7	5	12	11	25	26	17	116		
1995	2	0	1	0	1	3	2	3	1	3	5	4	9	11	19	7	17	19	107		
1996	0	0	0	0	0	0	1	2	0	4	5	2	5	5	14	15	13	18	84		
1997	0	0	0	0	0	0	1	0	7	4	1	5	4	10	10	11	21	23	97		
1998	1	2	0	2	0	1	1	2	2	6	3	8	4	4	8	16	25	33	118		
1999	0	0	0	0	0	0	0	0	0	5	4	6	7	6	10	13	21	23	95		
2000	1	1	0	0	1	0	3	2	1	2	3	4	10	10	10	19	24	36	127		
2001	0	0	0	0	1	0	1	1	0	1	2	8	4	8	3	18	24	39	110		
2002	1	0	0	1	1	0	2	0	1	6	4	4	4	7	10	16	19	35	111		
2003	0	0	0	0	1	3	1	0	0	2	3	2	3	9	4	18	11	31	88		
2004	0	0	0	0	0	0	0	1	1	1	4	2	8	4	6	17	31	30	105		

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号11 結節性動脈周囲炎 Polyarteritis nodosa

	年齢階級 (歳)																			総計
	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~		
男	10	3	6	9	3	13	18	27	44	41	91	121	212	316	382	295	161	58	1810	
1972	1	1	0	0	0	0	0	3	3	2	3	1	3	1	0	0	0	0	18	
1973	2	0	1	0	1	1	0	4	0	3	3	2	3	2	7	1	1	0	31	
1974	0	0	0	1	0	2	0	0	2	2	1	0	2	1	1	1	0	0	13	
1975	1	1	1	1	0	1	1	0	0	2	2	4	3	1	3	0	0	1	22	
1976	2	1	0	0	0	2	3	1	2	3	3	1	2	3	2	2	0	0	27	
1977	0	0	0	2	0	0	0	0	1	1	4	4	4	8	2	2	1	0	29	
1978	2	0	0	2	0	2	2	0	0	1	4	2	3	3	6	2	0	0	29	
1979	0	0	1	0	1	2	0	1	2	1	5	0	4	2	5	0	1	1	26	
1980	2	0	1	0	0	0	1	0	2	1	1	3	4	4	3	4	2	0	28	
1981	0	0	1	0	0	0	2	1	1	1	1	2	7	4	4	1	2	0	27	
1982	0	0	1	0	0	0	1	1	2	1	1	3	1	3	5	7	2	0	28	
1983	0	0	0	1	0	0	0	1	1	2	5	3	2	9	8	3	1	1	37	
1984	0	0	0	0	0	0	1	1	4	0	4	3	7	8	6	2	0	0	36	
1985	0	0	0	0	0	0	1	3	4	2	2	4	7	11	4	4	1	1	44	
1986	0	0	0	1	0	0	0	2	1	2	0	3	6	5	0	5	1	1	27	
1987	0	0	0	0	0	0	0	0	2	1	6	4	2	8	10	4	0	1	38	
1988	0	0	0	0	0	0	0	0	0	3	3	2	7	8	4	5	0	0	32	
1989	0	0	0	0	0	1	0	1	0	1	1	2	7	7	5	8	1	0	34	
1990	0	0	0	0	0	0	1	0	3	0	4	4	1	8	11	12	5	0	49	
1991	0	0	0	0	0	0	0	2	0	0	2	5	9	5	8	6	3	0	40	
1992	0	0	0	1	0	0	2	0	2	0	3	6	10	14	6	7	3	3	57	
1993	0	0	0	0	0	0	0	0	1	2	2	3	12	12	10	10	6	1	59	
1994	0	0	0	0	0	0	0	0	2	2	2	6	10	15	15	9	6	1	68	
1995	0	0	0	0	0	1	0	0	1	1	3	6	11	17	14	11	6	4	75	
1996	0	0	0	0	0	0	0	0	2	2	3	4	9	16	16	14	7	1	74	
1997	0	0	0	0	0	0	0	0	1	1	4	6	8	19	18	17	8	5	87	
1998	0	0	0	0	0	0	2	3	0	0	1	12	11	17	40	14	12	3	115	
1999	0	0	0	0	1	0	0	1	0	0	2	4	4	23	35	17	12	4	103	
2000	0	0	0	0	0	0	1	0	0	3	4	6	14	16	33	27	17	7	128	
2001	0	0	0	0	0	1	0	1	2	0	4	3	11	13	24	22	9	7	97	
2002	0	0	0	0	0	0	0	0	1	1	5	7	15	19	27	25	24	5	129	
2003	0	0	0	0	0	0	0	1	0	0	2	5	10	18	31	29	14	6	116	
2004	0	0	0	0	0	0	0	0	2	0	1	1	3	16	19	24	16	5	87	

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号11 結節性動脈周囲炎 Polyarteritis nodosa

	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~	総計
女	10	6	2	13	11	14	23	35	47	67	109	168	246	309	305	192	91	1660	
1972	2	0	0	0	0	0	3	0	3	1	2	2	0	1	1	0	0	1	16
1973	0	0	0	3	0	1	1	0	3	3	2	2	3	0	0	0	0	0	19
1974	1	0	1	0	0	0	1	1	2	0	3	3	1	0	0	0	0	1	14
1975	0	2	0	0	0	1	0	1	0	2	0	2	1	1	1	1	0	0	12
1976	0	0	1	0	2	1	4	2	1	0	1	2	3	1	0	0	0	0	18
1977	0	1	0	1	1	1	0	2	2	2	2	1	3	3	0	0	0	0	23
1978	0	0	0	1	1	2	2	2	0	4	2	4	1	5	0	0	0	0	27
1979	1	0	0	1	1	1	0	0	1	4	1	3	3	3	0	0	0	1	21
1980	0	1	0	2	1	1	0	0	3	2	4	4	1	4	1	0	0	0	22
1981	0	0	0	1	0	0	1	1	1	3	3	2	5	2	0	0	0	0	19
1982	1	0	0	1	1	1	1	3	5	0	2	6	3	8	1	1	0	0	34
1983	0	0	0	2	0	2	0	3	1	3	6	3	2	3	2	0	1	1	28
1984	0	1	0	0	0	1	1	3	1	3	4	4	3	3	2	0	0	1	27
1985	1	0	0	0	2	0	1	2	1	2	3	3	2	5	4	4	2	1	30
1986	2	0	0	2	0	1	3	2	2	1	7	8	3	9	2	0	0	1	42
1987	1	0	0	1	0	0	1	2	1	2	5	5	2	7	3	2	3	3	35
1988	0	0	0	0	0	0	3	0	1	1	4	8	9	6	5	1	0	0	38
1989	0	0	0	0	0	0	0	1	2	2	4	4	10	5	6	1	0	0	37
1990	1	0	0	1	0	0	0	1	3	1	3	5	4	6	3	5	0	0	33
1991	0	0	0	1	0	0	1	1	2	2	5	2	10	10	7	2	2	2	45
1992	0	0	0	0	0	0	0	2	3	2	4	8	9	8	6	6	2	2	50
1993	0	0	0	0	0	0	0	1	0	3	6	8	19	13	4	2	2	2	58
1994	0	0	0	0	0	0	0	1	0	2	5	6	15	9	11	6	4	4	59
1995	0	0	0	0	0	0	0	0	1	1	3	5	10	8	17	11	1	1	57
1996	0	0	0	0	0	0	0	1	0	1	5	7	13	13	15	9	2	2	66
1997	0	0	0	0	0	0	0	1	2	1	2	8	16	16	17	12	8	8	83
1998	0	0	0	0	0	0	0	1	0	4	5	10	12	28	20	13	9	9	102
1999	0	0	0	1	0	0	0	1	1	6	2	11	14	25	25	16	6	6	107
2000	0	0	0	0	0	0	0	1	1	5	3	8	12	24	28	18	4	4	104
2001	0	1	0	0	0	1	0	0	3	2	2	8	12	30	37	25	6	6	127
2002	0	0	0	1	1	0	0	0	2	1	3	6	16	23	27	25	10	10	115
2003	0	0	0	0	0	0	0	0	0	1	3	2	14	19	26	17	10	10	92
2004	0	0	0	0	0	0	0	0	0	0	3	10	12	12	31	17	15	15	100

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号12 潰瘍性大腸炎 Ulcerative colitis

	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~	総計
男	28	5	6	26	39	57	47	57	87	93	130	161	186	247	330	329	273	176	2277
1972	5	0	2	3	4	4	1	5	6	6	6	8	17	9	9	20	8	5	116
1973	7	0	0	1	3	2	2	5	5	6	5	14	6	16	15	14	12	4	117
1974	4	2	0	1	3	2	1	7	5	5	0	6	5	12	19	13	7	6	94
1975	2	0	1	0	1	2	6	3	9	9	8	7	6	12	23	16	9	6	116
1976	1	0	0	1	3	4	1	2	4	5	3	4	5	11	28	18	12	4	106
1977	1	0	0	0	1	0	3	0	1	9	11	2	5	12	20	13	19	8	105
1978	2	1	1	1	3	4	1	4	1	1	5	6	11	9	13	18	16	5	102
1979	1	0	0	2	2	2	1	2	3	3	5	6	6	9	10	13	15	2	82
1980	0	0	0	1	0	0	2	1	2	5	3	5	10	6	13	19	11	11	89
1981	1	0	0	1	2	3	3	3	3	4	6	6	6	7	9	14	10	9	87
1982	2	1	0	0	1	0	1	1	1	4	3	8	9	6	7	13	8	6	71
1983	0	0	1	1	1	3	2	0	2	0	4	1	3	10	9	11	10	5	63
1984	0	0	0	0	1	3	1	2	4	3	6	3	10	9	7	7	10	3	69
1985	0	0	0	0	1	3	0	3	4	4	4	6	7	4	9	4	5	5	59
1986	0	0	0	1	1	1	1	1	4	1	9	3	3	2	9	5	8	2	51
1987	0	1	0	3	0	1	0	1	1	0	2	5	4	2	2	8	6	8	44
1988	0	0	0	1	1	2	0	0	0	2	4	1	4	3	5	9	7	6	45
1989	0	0	0	1	0	3	1	1	4	2	1	1	0	2	7	4	3	5	35
1990	0	0	0	0	3	2	2	1	1	1	3	6	7	2	7	4	4	3	46
1991	0	0	0	1	1	1	3	1	0	1	1	5	2	3	4	4	4	2	33
1992	1	0	0	0	0	1	0	0	3	0	4	5	8	6	4	5	7	2	46
1993	1	0	0	0	0	4	1	1	3	1	2	10	6	5	5	8	6	6	59
1994	0	0	0	0	1	1	2	0	2	1	3	3	3	7	6	4	5	5	43
1995	0	0	0	4	1	1	0	1	3	2	1	6	3	6	3	7	5	3	46
1996	0	0	0	2	0	0	0	1	1	4	5	0	3	6	5	7	5	6	45
1997	0	0	0	0	0	1	1	2	1	2	2	2	4	8	11	6	8	4	52
1998	0	0	0	0	4	1	1	2	4	1	1	8	9	10	5	6	8	5	65
1999	0	0	0	0	1	1	4	1	2	5	3	1	3	7	10	6	15	5	64
2000	0	0	1	0	0	0	2	3	2	4	6	5	3	9	11	9	4	8	67
2001	0	0	0	0	0	1	1	1	2	1	1	5	3	5	15	10	6	7	58
2002	0	0	0	0	0	1	0	1	2	3	4	3	8	11	10	11	8	10	72
2003	0	0	0	1	0	2	2	0	1	5	7	4	3	9	9	13	6	5	67
2004	0	0	0	0	0	1	1	1	1	3	2	6	4	12	11	10	6	5	63

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号12 潰瘍性大腸炎 Ulcerative colitis

女	年齢階級																				総計
	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~			
1972	13	1	11	28	50	56	46	46	59	95	114	120	166	249	321	379	394	373	2521		
1973	5	0	0	0	6	2	4	4	4	4	9	6	15	15	22	18	17	14	150		
1974	1	0	0	2	5	3	1	6	2	8	6	12	9	19	12	26	21	9	142		
1975	2	0	1	2	2	4	5	4	7	8	8	6	6	16	27	22	15	12	147		
1976	0	0	0	3	4	1	2	2	4	7	9	9	12	16	23	21	18	11	142		
1977	0	0	1	3	4	1	1	5	1	1	6	3	11	13	17	17	18	15	117		
1978	1	0	1	1	0	4	3	0	2	4	6	6	5	11	24	15	15	12	110		
1979	0	0	0	1	1	1	2	1	3	4	5	8	8	10	13	24	17	15	113		
1980	1	0	1	1	1	6	1	3	3	4	2	4	6	10	15	15	18	13	104		
1981	0	0	0	0	1	2	3	4	0	4	3	3	13	9	16	11	14	13	96		
1982	0	0	0	2	4	1	1	0	2	4	3	6	7	7	14	20	7	15	93		
1983	2	0	0	1	0	0	3	1	1	2	3	1	4	8	11	12	19	17	85		
1984	0	0	1	0	2	3	3	1	3	2	3	1	7	9	15	13	17	17	97		
1985	0	0	0	2	2	0	1	0	2	2	5	1	3	6	10	8	11	9	62		
1986	1	0	0	0	2	0	2	2	0	7	5	3	4	10	7	18	16	11	88		
1987	0	0	0	2	0	4	0	1	1	4	7	3	6	3	4	12	9	9	65		
1988	0	0	1	1	0	0	0	0	3	3	0	1	5	4	3	8	9	5	43		
1989	0	0	1	1	2	0	1	0	1	1	2	3	3	7	9	7	16	12	66		
1990	0	0	0	0	3	1	1	0	0	2	2	6	2	8	8	8	10	7	58		
1991	0	0	1	2	4	3	2	1	2	1	4	0	1	5	7	4	8	6	51		
1992	0	0	0	0	0	4	1	3	0	1	2	4	2	8	5	5	15	11	61		
1993	0	0	0	0	1	0	4	0	1	3	3	4	4	5	6	9	10	3	53		
1994	0	0	0	1	0	2	1	0	1	1	0	3	3	3	3	5	7	13	43		
1995	0	0	1	1	0	3	0	0	2	1	1	4	5	8	4	6	11	10	57		
1996	0	1	0	0	0	3	1	1	1	1	0	3	2	8	4	8	3	16	52		
1997	0	0	0	0	2	0	1	2	1	1	3	3	3	4	8	7	5	13	53		
1998	0	0	0	1	0	1	1	0	2	3	2	2	3	3	7	8	3	8	44		
1999	0	0	0	0	1	2	0	2	1	1	5	0	3	4	7	5	8	12	51		
2000	0	0	0	0	0	2	0	0	2	2	1	5	2	5	4	6	7	9	45		
2001	0	0	1	1	1	1	0	1	1	1	2	4	2	0	4	8	8	7	42		
2002	0	0	0	0	0	1	0	1	3	1	1	1	4	5	5	6	8	12	48		
2003	0	0	1	0	0	0	0	0	2	1	1	2	1	4	3	12	10	10	47		
2004	0	0	0	0	0	0	1	0	0	1	3	1	4	3	1	11	11	12	48		
	0	0	0	0	2	1	0	1	1	0	2	2	1	3	3	4	13	15	48		

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

		疾患番号13 大動脈炎症候群(高安病) Aortic arch syndrome [Takayasu]																	総計	
		0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84		85~
男		1	1	2	7	7	10	14	14	33	32	28	41	39	42	38	27	9	13	358
1972		0	0	0	0	0	0	2	0	0	0	0	0	1	2	3	1	0	0	9
1973		1	0	0	0	0	0	0	1	1	1	1	1	1	1	2	0	0	0	9
1974		0	0	0	0	1	1	0	0	0	1	0	1	4	2	2	2	0	1	15
1975		0	0	0	1	0	0	2	1	1	1	2	1	1	1	3	2	0	2	17
1976		0	0	0	1	1	2	0	1	0	3	0	0	2	0	3	0	1	0	14
1977		0	0	0	1	0	0	1	0	0	0	2	2	0	3	1	0	0	1	11
1978		0	1	1	0	0	2	1	2	3	3	1	4	0	1	1	1	0	0	21
1979		0	0	1	0	1	0	0	1	1	1	1	1	1	3	0	2	1	0	13
1980		0	0	0	2	0	0	3	0	2	4	0	1	3	1	1	2	0	0	19
1981		0	0	0	0	0	0	3	1	1	1	2	1	2	2	0	0	0	1	16
1982		0	0	0	1	0	0	0	0	0	0	0	1	1	2	1	0	0	0	6
1983		0	0	0	0	0	0	1	0	2	0	4	1	2	0	0	0	2	0	12
1984		0	0	0	0	0	1	1	2	1	2	2	1	3	2	1	1	0	0	15
1985		0	0	0	0	1	0	0	2	4	0	0	2	0	1	0	1	0	0	11
1986		0	0	0	0	0	2	0	1	1	0	1	1	0	1	0	0	1	2	9
1987		0	0	0	1	0	0	0	1	1	1	1	3	0	2	1	1	0	0	11
1988		0	0	0	0	0	0	1	0	1	0	1	0	2	2	2	1	0	0	10
1989		0	0	0	0	0	0	0	0	0	2	0	1	0	4	1	1	0	2	11
1990		0	0	0	0	0	0	0	1	1	6	0	1	1	1	0	1	0	1	12
1991		0	0	0	0	2	0	0	1	1	1	1	0	0	1	1	1	1	1	11
1992		0	0	0	0	0	0	0	2	1	1	0	2	1	0	3	2	0	0	11
1993		0	0	0	0	0	1	0	1	0	0	2	2	1	2	0	0	1	0	10
1994		0	0	0	0	0	0	0	0	0	1	1	2	0	1	1	0	1	0	7
1995		0	0	0	0	1	0	0	0	0	0	0	1	1	1	0	0	0	0	4
1996		0	0	0	0	0	0	1	2	2	2	0	0	3	1	2	1	0	0	12
1997		0	0	0	0	0	0	1	2	0	2	2	3	0	2	1	1	0	0	12
1998		0	0	0	0	1	0	0	0	0	0	1	1	5	0	1	0	0	1	10
1999		0	0	0	0	0	0	0	1	1	0	0	1	0	1	1	0	0	0	4
2000		0	0	0	0	0	1	0	0	0	1	1	0	1	0	1	1	0	0	6
2001		0	0	0	0	0	0	0	2	0	0	1	0	2	0	1	2	0	0	8
2002		0	0	0	0	0	0	0	0	0	2	0	2	0	1	0	2	0	0	7
2003		0	0	0	0	0	0	0	0	0	0	1	3	0	1	0	1	1	0	7
2004		0	0	0	0	0	0	0	1	1	0	0	1	1	0	4	0	0	1	8

表2 特定疾患治療研究対象疾患の性・年齢級別の死亡数

疾患番号	大動脈炎症候群(高安病) Aortic arch syndrome [Takayasu]																	総計	
	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84		85~
女	0	3	13	28	27	54	44	72	75	113	162	157	179	175	130	87	43	29	1391
1972	0	0	4	0	2	3	1	3	0	1	1	0	1	0	3	0	0	0	19
1973	0	0	0	6	5	4	2	0	1	2	2	0	0	4	1	2	1	0	30
1974	0	0	0	2	2	1	6	1	2	4	7	2	1	5	2	3	0	1	39
1975	0	0	1	1	4	2	2	2	3	7	7	2	1	3	4	2	1	1	43
1976	0	0	0	1	3	6	4	1	2	3	8	3	2	3	1	1	0	1	39
1977	0	2	0	1	3	2	4	3	5	4	3	7	5	3	3	2	1	0	48
1978	0	0	0	1	0	4	4	5	1	7	8	3	4	2	0	1	0	1	41
1979	0	0	1	0	0	3	3	3	5	1	6	4	1	2	2	1	0	0	32
1980	0	0	1	2	0	2	3	7	3	6	7	6	6	2	1	2	1	2	51
1981	0	0	1	0	2	4	1	4	4	5	7	9	8	4	3	1	1	0	54
1982	0	0	0	1	0	0	2	5	4	7	2	5	2	2	2	0	0	0	32
1983	0	0	0	0	0	2	0	5	0	6	5	5	6	3	0	6	0	0	38
1984	0	0	0	0	1	1	0	3	5	6	4	9	4	8	3	3	0	1	48
1985	0	0	0	2	0	2	1	2	8	0	6	6	9	7	1	1	3	1	49
1986	0	0	0	0	1	3	1	6	2	5	4	5	3	7	3	1	1	0	42
1987	0	0	2	1	0	0	0	4	2	5	6	3	11	4	2	4	1	1	46
1988	0	0	0	1	1	1	0	2	4	1	8	8	11	6	4	2	1	0	50
1989	0	0	0	1	0	0	0	1	2	0	5	3	9	9	4	3	0	0	37
1990	0	0	0	2	0	1	2	0	2	1	4	6	6	4	9	3	0	0	40
1991	0	0	0	1	0	2	2	1	2	1	5	10	5	9	4	2	1	1	46
1992	0	0	0	0	1	1	1	2	6	7	4	10	15	8	5	2	2	2	66
1993	0	0	0	0	0	0	0	1	1	4	6	7	6	6	4	1	2	1	39
1994	0	0	1	1	1	1	1	7	1	7	3	8	12	9	4	7	4	1	67
1995	0	0	0	0	0	0	0	0	0	0	3	2	0	0	3	1	1	0	10
1996	0	0	1	0	0	1	1	1	1	3	3	10	5	11	7	1	1	2	48
1997	0	0	1	1	0	0	0	1	1	10	7	4	9	7	5	5	1	1	53
1998	0	0	0	0	0	1	1	0	1	2	9	1	4	3	8	5	3	0	38
1999	0	0	0	1	0	1	0	1	0	1	5	6	6	5	11	5	1	1	44
2000	0	0	0	0	1	1	0	0	2	2	3	6	11	12	5	5	0	0	48
2001	0	1	0	0	1	1	0	1	2	2	3	2	5	4	8	0	3	2	35
2002	0	0	0	2	0	1	0	0	0	4	4	4	1	15	5	8	2	2	44
2003	0	0	0	0	0	2	1	0	2	1	4	0	7	7	6	3	8	3	44
2004	0	0	0	0	0	1	1	0	1	2	3	1	3	1	7	4	3	4	31

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号	Thromboangitis obliterans [Buerger]																	総計	
	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84		85~
男	1	0	0	0	0	1	7	10	15	29	54	43	75	111	166	170	126	116	924
1972	1	0	0	0	0	0	0	0	3	1	2	0	7	6	11	9	6	4	50
1973	0	0	0	0	0	0	0	0	1	3	3	1	4	8	9	9	4	6	48
1974	0	0	0	0	0	0	0	0	2	1	1	2	3	6	11	12	5	4	47
1975	0	0	0	0	0	0	0	0	0	1	1	1	2	13	11	10	7	4	50
1976	0	0	0	0	0	0	2	0	0	3	2	1	1	8	16	4	7	8	52
1977	0	0	0	0	0	0	0	0	0	2	1	4	5	2	12	8	7	2	43
1978	0	0	0	0	0	0	0	0	1	3	2	3	8	3	10	13	5	5	53
1979	0	0	0	0	0	0	1	0	2	2	0	0	2	1	7	8	2	0	25
1980	0	0	0	0	0	0	1	0	0	1	7	0	1	2	5	4	5	1	27
1981	0	0	0	0	0	0	1	0	0	1	4	2	3	1	4	5	1	2	24
1982	0	0	0	0	0	0	0	1	1	2	2	4	0	6	8	5	3	1	33
1983	0	0	0	0	0	0	0	1	0	1	0	2	2	4	6	9	7	1	33
1984	0	0	0	0	0	0	0	1	0	1	1	3	2	7	5	6	5	2	33
1985	0	0	0	0	0	0	1	0	0	0	3	5	1	2	7	4	3	8	34
1986	0	0	0	0	0	0	0	2	0	0	0	1	2	2	3	8	4	2	24
1987	0	0	0	0	0	0	0	0	0	0	3	0	1	4	2	2	5	3	20
1988	0	0	0	0	0	0	0	2	0	0	1	1	3	2	3	7	2	4	25
1989	0	0	0	0	0	0	0	0	1	0	2	2	4	3	2	2	12	7	35
1990	0	0	0	0	0	0	0	0	1	1	1	0	1	2	5	2	6	7	26
1991	0	0	0	0	0	0	0	1	0	0	0	0	1	1	4	5	1	4	17
1992	0	0	0	0	0	0	0	1	0	0	1	1	2	3	5	1	7	7	28
1993	0	0	0	0	0	0	0	0	0	0	2	2	2	3	1	4	4	3	21
1994	0	0	0	0	0	0	0	0	1	0	0	0	2	3	4	4	4	2	20
1995	0	0	0	0	0	0	0	0	1	0	3	1	0	3	0	3	2	2	15
1996	0	0	0	0	0	0	0	0	0	1	1	0	3	5	1	8	1	7	27
1997	0	0	0	0	0	0	0	0	0	1	3	2	2	4	1	4	2	1	20
1998	0	0	0	0	0	0	0	0	1	0	3	0	1	0	1	0	2	5	13
1999	0	0	0	0	0	0	0	0	0	1	0	2	1	2	3	1	1	0	11
2000	0	0	0	0	0	0	0	0	0	2	1	0	1	1	1	5	3	2	16
2001	0	0	0	0	0	1	1	0	0	1	4	2	1	2	5	0	2	5	24
2002	0	0	0	0	0	0	0	1	0	0	0	1	2	1	2	1	1	3	12
2003	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	5	0	1	9
2004	0	0	0	0	0	0	0	0	0	0	0	0	3	1	0	2	0	3	9

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号14	Thromboangitis obliterans [Buerger]																	総計		
	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84		85~	
女	0	0	0	0	0	0	0	2	1	2	4	5	13	9	16	46	44	73	113	328
1972	0	0	0	0	0	0	0	0	0	0	2	0	0	1	0	4	4	3	3	17
1973	0	0	0	0	0	0	0	0	0	1	0	2	3	0	0	0	4	3	2	15
1974	0	0	0	0	0	0	2	0	0	0	0	0	1	1	2	4	4	3	2	19
1975	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	3	3	7	4	21
1976	0	0	0	0	0	0	0	0	0	1	1	0	0	1	1	4	2	1	3	14
1977	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	4	0	4	2	12
1978	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	4	3	6	7	23
1979	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	1	4
1980	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	1	0	0	1	5
1981	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	2	1	2	8
1982	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	3	4	3	0	11
1983	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	3	3	2	11
1984	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	1	5	3	13
1985	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	2	1	7
1986	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	4	4	10
1987	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	3	8
1988	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1	4	8
1989	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	5	8
1990	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	3	7	15
1991	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	2	8	13
1992	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	5	8
1993	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	4
1994	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3	3	8
1995	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	8	10
1996	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	3	4
1997	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	3	7	12
1998	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	4	7
1999	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	2	5
2000	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2	1	5
2001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	5
2002	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	5	8
2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	3
2004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	3	7

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号15 天疱瘡 Pemphigus

	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~	総計
男	1	0	0	0	2	3	3	3	3	8	14	15	28	35	77	100	114	112	518
1972	0	0	0	0	0	0	0	0	0	0	2	1	0	3	6	5	5	5	27
1973	0	0	0	0	0	0	1	0	0	1	0	1	2	3	3	2	5	3	21
1974	1	0	0	0	1	0	0	1	0	1	0	1	4	4	2	3	4	4	26
1975	0	0	0	0	0	0	0	1	0	1	0	1	3	2	5	3	5	0	21
1976	0	0	0	0	0	1	0	0	1	1	2	0	1	3	3	9	5	4	29
1977	0	0	0	0	0	0	0	0	0	1	0	1	2	1	4	6	4	4	23
1978	0	0	0	0	0	1	1	0	0	0	0	4	4	1	6	10	8	5	36
1979	0	0	0	0	0	1	0	0	1	0	1	0	1	1	3	5	2	1	16
1980	0	0	0	0	0	0	0	0	0	1	2	0	1	3	6	7	5	5	30
1981	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4	6	4	4	20
1982	0	0	0	0	0	0	0	0	0	0	0	1	1	2	2	3	6	2	17
1983	0	0	0	0	0	0	0	0	0	0	0	1	0	1	5	2	8	4	21
1984	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	4	3	5	14
1985	0	0	0	0	0	0	0	0	0	0	1	1	0	0	2	1	4	1	10
1986	0	0	0	0	0	0	0	1	0	1	0	1	0	0	2	3	5	2	15
1987	0	0	0	0	0	0	0	0	0	0	0	1	0	1	5	2	3	4	16
1988	0	0	0	0	0	0	0	0	1	0	1	1	0	0	1	1	0	4	9
1989	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	3	2	1	7
1990	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	2	5	10
1991	0	0	0	0	0	0	1	0	0	0	0	1	1	0	1	1	3	5	13
1992	0	0	0	0	0	0	0	0	0	0	2	0	1	0	3	2	5	1	14
1993	0	0	0	0	1	0	0	0	0	0	0	0	0	1	3	3	3	2	13
1994	0	0	0	0	0	0	0	0	0	0	1	2	1	1	0	1	3	4	13
1995	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	3	5	10
1996	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	5	2	2	13
1997	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	6	10
1998	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	2	3	7	15
1999	0	0	0	0	0	0	0	0	0	0	0	1	0	3	1	3	1	3	12
2000	0	0	0	0	0	0	0	0	1	0	0	0	0	1	3	0	2	0	7
2001	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	4	2	9
2002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	4
2003	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	5	8
2004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	5	9

表2 特定疾患治療研究対象疾患の性・年齢階級別の死亡数

疾患番号15 天疱瘡 Pemphigus

	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~	総計
女	1	0	0	1	6	5	6	3	8	10	20	23	26	33	70	84	132	170	598
1972	0	0	0	0	0	1	0	0	0	0	3	2	1	1	5	6	8	2	29
1973	0	0	0	0	2	1	0	0	0	3	4	1	1	3	5	6	5	6	37
1974	0	0	0	0	0	0	0	0	1	0	4	0	0	3	5	5	4	2	24
1975	0	0	0	0	1	0	0	0	1	0	1	1	2	1	3	4	6	2	22
1976	1	0	0	0	0	1	0	1	1	1	0	2	0	1	4	8	8	1	29
1977	0	0	0	0	0	0	1	0	1	1	0	1	2	0	7	2	11	3	29
1978	0	0	0	1	0	0	0	0	0	0	2	1	3	0	5	5	5	3	25
1979	0	0	0	0	0	0	0	0	0	0	0	1	0	2	4	2	8	8	25
1980	0	0	0	0	0	0	1	0	0	0	1	0	1	4	1	0	4	7	19
1981	0	0	0	0	0	1	0	0	0	0	0	1	0	0	2	3	2	5	14
1982	0	0	0	0	0	0	0	0	0	0	0	2	0	1	4	3	1	5	16
1983	0	0	0	0	0	0	0	0	0	0	1	1	0	1	5	2	2	7	19
1984	0	0	0	0	0	0	0	0	1	0	0	0	0	2	1	2	3	7	16
1985	0	0	0	0	0	0	0	0	0	1	1	0	1	1	1	2	3	1	11
1986	0	0	0	0	2	0	1	0	0	0	0	0	0	0	2	1	3	3	12
1987	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	3	3	4	13
1988	0	0	0	0	0	0	1	0	0	0	0	0	0	2	1	4	5	1	14
1989	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	5	3	11
1990	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5	8	14
1991	0	0	0	0	0	0	0	0	0	0	0	1	0	2	2	2	4	4	15
1992	0	0	0	0	0	0	1	0	0	0	0	2	2	1	2	1	4	7	20
1993	0	0	0	0	0	1	1	0	0	1	1	0	1	2	0	1	0	6	14
1994	0	0	0	0	0	0	0	0	0	1	0	1	2	0	0	1	3	4	12
1995	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	6	6	12	25
1996	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	4	5	3	17
1997	0	0	0	0	0	0	0	0	0	0	0	1	2	1	2	0	2	5	13
1998	0	0	0	0	1	0	0	1	1	0	0	1	2	0	2	1	2	13	24
1999	0	0	0	0	0	0	0	1	0	1	0	1	0	1	0	1	2	6	13
2000	0	0	0	0	0	0	0	0	1	0	1	0	2	1	0	3	3	7	18
2001	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	6	9	17
2002	0	0	0	0	0	0	0	0	0	0	0	0	2	2	2	0	0	8	16
2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	4	9
2004	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	4	6

表2 特定疾患治療研究対象疾患の性・年齢級別の死亡数

疾患番号16 脊髄小脳変性症 Spinocerebellar degeneration

	年齢級別																				総計
	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~			
男	1	4	7	13	14	28	34	45	76	133	224	423	547	455	284	154	57	22	2521		
1972	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1973	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1974	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1975	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1976	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1977	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1978	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1979	0	0	1	0	0	0	1	1	2	7	6	7	13	8	6	3	0	0	55		
1980	0	0	0	0	2	4	2	3	2	9	7	11	14	8	4	2	2	2	72		
1981	0	1	1	1	3	2	2	0	2	9	10	18	16	16	4	1	1	1	87		
1982	0	1	1	0	1	3	3	2	5	3	8	21	20	11	6	6	1	0	89		
1983	0	0	0	1	1	0	3	3	4	8	14	22	15	17	10	0	1	0	99		
1984	0	0	2	1	2	2	3	9	6	5	16	25	21	22	12	5	0	0	131		
1985	0	1	0	1	2	0	0	3	2	4	11	26	21	25	17	9	3	1	126		
1986	1	0	0	1	1	2	3	2	2	6	16	27	29	20	19	4	5	0	138		
1987	0	0	0	0	1	2	1	4	4	13	19	26	33	25	17	8	2	2	157		
1988	0	0	0	1	2	1	2	5	7	5	12	25	42	27	17	13	1	4	164		
1989	0	1	0	2	0	2	3	0	5	11	12	44	50	22	20	13	4	1	190		
1990	0	0	0	1	0	3	2	3	6	10	22	37	39	43	28	13	7	2	216		
1991	0	0	2	0	0	2	1	1	5	11	15	23	45	54	24	19	6	1	209		
1992	0	0	0	2	0	3	3	2	6	10	26	34	67	36	39	17	5	4	254		
1993	0	0	0	1	1	1	3	3	10	12	13	39	62	63	26	21	7	2	264		
1994	0	0	0	1	1	2	2	4	8	10	17	38	60	58	35	20	12	2	270		
1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1997	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1998	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1999	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2002	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2003	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2004	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		