

表3 特定疾患治療研究対象疾患の性・年齢階級別の死亡率(/100万)

疾患番号8 筋萎縮性側索硬化症 Amyotrophic lateral sclerosis		0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～
男																			
1972		0.00	0.00	0.00	0.00	0.37	0.22	0.46	1.42	2.06	3.18	9.46	16.50	16.17	18.17	16.08	11.84	0.00	0.00
1973		0.00	0.00	0.00	0.00	0.39	0.00	0.45	0.95	3.02	5.38	10.41	15.11	14.37	17.81	12.81	11.22	14.49	0.00
1974		0.00	0.00	0.00	0.24	0.00	0.60	0.43	0.96	3.72	6.57	11.35	10.88	21.58	23.87	21.45	17.00	24.48	0.00
1975		0.00	0.00	0.00	0.25	0.44	0.37	0.86	1.66	2.67	5.19	14.13	22.66	22.72	22.26	14.80	13.06	6.49	0.00
1976		0.00	0.00	0.00	0.25	0.00	0.35	0.46	0.93	3.10	7.18	10.53	16.81	27.10	25.12	15.64	15.13	9.15	7.81
1977		0.00	0.00	0.00	0.25	0.24	0.18	0.22	1.36	3.08	6.48	10.74	18.34	23.54	25.83	22.77	11.78	11.46	0.00
1978		0.00	0.00	0.23	0.24	0.25	0.00	0.21	2.67	2.61	5.58	8.21	19.92	28.29	22.97	21.33	26.32	8.00	13.51
1979		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1980		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1981		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1982		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1983		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1984		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1985		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1986		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1987		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1988		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1989		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1990		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1991		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1992		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1993		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1994		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1995		0.00	0.00	0.00	0.00	0.00	0.22	0.73	1.27	2.43	5.06	9.26	18.40	32.07	38.96	49.90	49.13	30.27	4.18
1996		0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.51	2.54	5.70	10.69	20.81	29.32	49.92	50.50	58.50	38.78	13.73
1997		0.00	0.00	0.00	0.00	0.00	0.21	0.24	1.27	2.18	6.47	9.33	19.55	25.51	42.97	49.80	57.49	39.40	12.87
1998		0.00	0.00	0.28	0.00	0.00	0.20	0.23	1.51	0.75	5.49	9.01	15.50	32.18	44.55	55.53	55.68	33.22	22.49
1999		0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.75	2.02	5.29	7.94	17.62	28.46	46.38	54.02	48.96	41.62	22.95
2000		0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.49	1.27	3.57	9.38	15.11	26.08	39.23	53.06	63.23	43.62	19.85
2001		0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.25	1.79	5.61	9.09	16.13	28.39	38.61	53.38	56.61	45.60	11.58
2002		0.00	0.00	0.00	0.00	0.00	0.21	0.42	0.48	2.04	4.16	8.89	14.07	25.95	44.09	57.64	74.13	51.93	15.19
2003		0.00	0.00	0.00	0.00	0.00	0.43	0.00	1.41	2.02	4.02	8.22	16.14	26.56	40.44	54.87	60.62	52.94	20.03
2004		0.00	0.00	0.00	0.00	0.25	0.00	0.20	0.23	2.01	3.56	8.42	12.81	23.85	43.34	64.05	66.88	54.87	18.11

表3 特定疾患治療研究対象疾患の性・年齢階級別の死亡率(/100万)

疾患番号8 筋萎縮性側索硬化症 Amyotrophic lateral sclerosis

	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～
女																		
1972	0.00	0.00	0.00	0.00	0.55	0.66	0.00	0.71	0.26	2.32	4.58	6.50	6.90	8.52	7.69	2.44	2.25	0.00
1973	0.00	0.00	0.00	0.00	0.00	0.21	0.44	0.71	1.77	2.27	5.75	6.04	7.62	10.06	5.93	4.63	2.18	4.18
1974	0.00	0.00	0.00	0.00	0.21	0.39	0.21	0.48	1.49	2.50	5.15	8.85	7.90	11.25	5.06	4.47	4.24	0.00
1975	0.00	0.00	0.25	0.51	0.00	0.19	0.87	0.95	2.68	5.94	6.00	8.46	9.79	13.31	9.80	6.30	2.00	3.73
1976	0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.47	1.92	2.12	5.47	9.00	10.45	12.60	9.76	9.95	7.50	0.00
1977	0.00	0.00	0.00	0.00	0.00	0.00	0.66	0.00	1.66	2.33	6.49	9.40	13.70	16.05	11.45	12.29	3.54	0.00
1978	0.00	0.00	0.00	0.00	0.00	0.19	0.42	0.67	1.43	2.28	5.45	10.06	16.49	12.71	17.60	9.03	3.31	6.39
1979	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.52	2.01	2.64	7.33	9.88	17.33	27.66	36.30	30.05	15.57	7.27
1996	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.52	2.57	2.87	4.91	13.08	19.06	27.95	40.01	37.13	20.92	5.03
1997	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.78	1.22	2.97	4.27	11.34	16.60	25.66	44.74	39.09	22.39	5.41
1998	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.51	1.26	3.15	6.37	9.22	17.08	28.70	37.83	41.16	17.53	6.45
1999	0.00	0.00	0.00	0.00	0.23	0.21	0.23	0.26	1.27	3.82	5.66	12.36	15.74	26.95	32.56	35.73	21.21	8.03
2000	0.00	0.00	0.00	0.00	0.41	0.23	0.00	0.00	1.80	2.92	5.73	7.64	16.04	22.38	37.41	47.47	28.22	7.59
2001	0.00	0.34	0.00	0.28	0.00	0.21	0.22	0.76	1.56	3.29	5.62	9.68	13.73	26.10	31.77	36.27	31.51	12.43
2002	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.24	1.03	4.18	4.51	9.33	16.30	28.34	30.16	42.27	35.77	13.97
2003	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.26	1.26	4.38	7.75	14.27	27.73	42.20	41.62	33.30	13.30
2004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.51	2.30	5.14	8.61	15.70	24.10	34.99	39.93	37.53	11.72

表3 特定疾患治療研究対象疾患の性・年齢階級別の死亡率(/100万)

疾患番号9 強皮症 Systemic sclerosis

	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～
男																		
1972	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.26	0.32	0.00	1.46	1.62	1.40	0.95	0.00	3.76	10.00
1973	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.24	0.50	0.90	0.87	0.98	2.13	0.00	3.66	4.81	3.62	0.00
1974	0.19	0.00	0.00	0.24	0.00	0.00	0.00	0.00	0.50	0.29	0.00	2.97	1.05	2.65	4.47	1.55	0.00	0.00
1975	0.00	0.00	0.00	0.00	0.00	0.18	0.00	0.24	0.24	0.27	0.00	1.45	0.52	1.27	0.00	0.00	0.00	0.00
1976	0.00	0.00	0.00	0.00	0.00	0.35	0.00	0.00	0.72	0.27	0.35	0.96	1.02	3.68	5.21	0.00	0.00	0.00
1977	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00	1.04	1.95	1.88	3.07	2.40	1.69	1.31	5.73	0.00
1978	0.00	0.00	0.00	0.00	0.25	0.00	0.00	0.22	0.24	1.27	0.91	0.45	0.51	2.36	2.46	2.51	0.00	0.00
1979	0.00	0.00	0.00	0.00	0.00	0.00	0.59	0.00	0.24	0.50	0.58	0.42	1.05	2.89	2.37	3.63	5.05	0.00
1980	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.00	0.24	0.74	1.41	0.40	1.54	1.15	2.27	0.00	2.39	0.00
1981	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.23	0.71	0.49	2.47	1.83	0.51	1.13	2.91	2.33	6.73	0.00
1982	0.00	0.00	0.00	0.00	0.00	0.24	0.00	0.00	0.23	0.48	0.53	1.69	3.50	2.26	0.71	4.49	0.00	0.00
1983	0.00	0.00	0.20	0.00	0.25	0.00	0.00	0.21	0.90	0.48	1.05	2.22	3.36	1.13	1.39	1.08	2.00	0.00
1984	0.00	0.00	0.00	0.22	0.00	0.25	0.21	0.00	0.65	1.23	1.81	0.91	2.24	1.73	2.70	2.07	3.84	4.27
1985	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.37	0.88	0.24	0.76	1.76	2.52	1.12	1.33	2.95	3.69	0.00
1986	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.35	0.46	0.48	1.00	0.29	1.93	2.22	1.31	0.94	3.63	0.00
1987	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.18	0.22	0.00	0.74	1.95	0.72	2.71	1.95	1.81	1.72	3.32
1988	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.19	0.62	0.46	0.50	0.82	2.68	3.13	1.30	4.39	3.28	0.00
1989	0.00	0.00	0.22	0.00	0.00	0.25	0.25	0.21	0.59	0.65	1.25	1.61	2.55	2.91	2.64	0.85	3.10	0.00
1990	0.00	0.00	0.00	0.19	0.22	0.00	0.00	0.00	0.37	0.67	1.50	1.05	1.85	2.27	4.47	1.67	2.94	0.00
1991	0.00	0.00	0.00	0.00	0.21	0.00	0.26	0.00	0.53	0.70	0.49	0.52	2.10	2.92	1.90	2.44	1.39	0.00
1992	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.18	0.00	1.19	2.31	2.92	3.09	3.08	4.05	0.00	0.00
1993	0.00	0.00	0.00	0.00	0.20	0.00	0.25	0.00	0.58	0.63	0.93	0.77	2.01	3.62	6.51	2.42	5.14	2.36
1994	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.21	0.20	0.45	3.64	2.83	4.14	4.95	4.09	3.71	0.00
1995	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.37	0.00	1.02	0.00	1.67	0.51	4.75	2.42	0.00
1996	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.23	0.00	0.95	0.25	1.09	1.94	1.89	2.34	1.18	1.96
1997	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.37	0.00	0.98	0.54	1.58	3.49	2.27	0.00	1.84
1998	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.00	0.21	0.00	0.80	0.93	0.41	1.45	0.00	0.00
1999	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.20	0.69	0.00	0.00	1.55	1.34	1.16	0.00
2000	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.00	0.47	0.00	0.89	1.87	0.61	1.09	0.00
2001	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.23	0.18	0.00	1.04	0.00	0.00	0.00	1.06	1.45
2002	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.19	0.00	0.25	0.00	0.71	0.00	1.02	1.38
2003	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.74	0.00	0.35	0.97	0.00	0.00
2004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.42	0.00	0.29	0.34	0.00	0.00	0.00

表3 特定疾患治療研究対象疾患の性・年齢階級別の死亡率(/100万)

疾患番号9 強皮症 Systemic sclerosis

	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～
女																		
1972	0.21	0.00	0.00	0.00	0.55	1.10	1.59	1.66	2.07	0.87	2.47	3.65	1.84	3.65	1.54	0.00	0.00	0.00
1973	0.21	0.00	0.00	1.00	0.78	1.24	1.56	2.84	1.77	2.84	3.04	3.22	3.14	2.37	1.48	1.16	2.18	0.00
1974	0.00	0.00	0.25	0.50	0.63	0.99	1.28	1.68	3.23	3.05	2.26	3.62	3.51	1.69	2.17	2.23	0.00	0.00
1975	0.00	0.00	0.00	0.77	0.00	0.74	1.95	3.09	2.93	4.32	2.84	3.84	2.98	2.66	7.70	2.10	5.99	0.00
1976	0.00	0.00	0.00	0.00	0.00	1.24	1.60	1.86	3.84	3.18	4.56	3.37	4.18	2.52	2.09	1.99	1.88	0.00
1977	0.00	0.00	0.24	0.00	0.24	0.55	1.97	1.59	1.43	3.37	2.95	6.51	3.32	7.78	2.69	3.78	1.77	3.40
1978	0.00	0.00	0.00	0.00	0.50	0.58	2.70	1.55	1.66	2.79	3.73	3.81	4.12	3.30	2.61	0.00	1.66	0.00
1979	0.00	0.00	0.00	0.25	0.25	0.84	2.58	1.92	2.41	2.51	3.34	5.62	5.80	7.32	3.09	1.74	1.57	0.00
1980	0.00	0.00	0.00	0.00	0.26	0.67	1.31	1.08	3.35	5.67	6.57	3.54	7.54	6.75	1.76	4.21	2.96	0.00
1981	0.00	0.00	0.00	0.50	0.00	0.47	0.89	2.51	1.64	4.36	3.22	5.90	5.41	5.74	3.87	3.33	0.00	2.60
1982	0.00	0.00	0.21	0.00	0.26	0.49	0.55	1.98	2.29	2.64	4.47	6.92	4.47	3.93	4.79	3.19	0.00	4.81
1983	0.00	0.00	0.00	0.00	0.00	0.00	0.59	2.08	1.34	2.40	4.12	4.97	7.13	5.64	4.62	3.83	1.23	2.22
1984	0.00	0.00	0.00	0.70	0.76	0.00	0.63	1.59	2.57	3.64	3.81	5.96	5.77	6.97	5.98	3.61	2.36	0.00
1985	0.00	0.24	0.00	0.00	0.00	1.03	1.33	0.56	1.53	2.17	3.74	5.57	6.94	3.73	8.25	2.03	2.24	0.00
1986	0.00	0.00	0.00	0.43	0.25	0.52	1.17	1.42	1.15	2.84	3.19	5.18	4.14	8.45	4.75	5.73	3.30	0.00
1987	0.00	0.00	0.00	0.00	0.00	0.26	0.00	0.92	1.33	3.92	4.62	5.35	6.16	7.74	7.98	6.69	1.04	1.58
1988	0.00	0.00	0.00	0.00	0.24	0.52	0.50	0.98	1.46	2.93	4.13	4.45	8.09	7.78	6.97	4.67	4.94	1.47
1989	0.00	0.00	0.00	0.00	0.00	0.00	0.51	1.05	1.20	1.51	3.44	6.73	4.65	4.93	4.19	6.20	3.69	4.13
1990	0.00	0.00	0.00	0.00	0.23	0.25	0.78	1.11	1.13	2.20	4.88	4.81	5.12	8.58	4.42	6.03	4.33	5.22
1991	0.00	0.00	0.00	0.00	0.22	0.00	0.26	0.94	1.43	1.16	3.35	5.98	8.37	6.60	6.01	4.80	3.23	1.24
1992	0.00	0.00	0.00	0.00	0.43	0.00	0.00	0.49	0.93	2.67	2.57	3.95	7.37	7.02	6.59	6.84	3.06	2.29
1993	0.00	0.00	0.00	0.00	0.00	0.00	0.26	1.01	0.78	1.90	2.73	4.69	4.81	8.98	10.24	7.80	4.37	1.06
1994	0.00	0.00	0.00	0.00	0.21	0.00	0.26	1.27	1.90	2.41	1.97	4.25	8.97	11.72	7.85	7.80	6.27	2.93
1995	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.03	0.45	0.19	1.55	2.72	1.55	2.94	2.54	2.46	3.39	2.72
1996	0.00	0.00	0.00	0.25	0.00	0.00	0.00	0.26	0.23	0.36	1.40	1.45	3.30	2.88	6.26	2.38	2.61	0.84
1997	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.26	0.24	0.56	0.90	0.94	2.52	1.69	1.01	2.73	3.20	1.55
1998	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.26	0.25	1.38	0.64	1.38	3.26	2.48	2.94	3.47	1.25	1.43
1999	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.26	0.25	1.06	1.62	1.99	2.03	1.63	1.58	2.46	3.12	2.01
2000	0.00	0.00	0.00	0.27	0.00	0.00	0.00	0.25	0.26	0.22	0.57	2.02	0.75	1.33	3.71	1.98	1.76	0.63
2001	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.00	0.18	0.24	0.25	1.57	2.12	2.27	0.00	1.78
2002	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.49	0.38	0.23	0.48	1.55	0.59	0.73	0.53	0.00
2003	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.00	0.70	1.54	1.45	1.76	2.02	0.53
2004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.62	0.00	0.00	0.85	1.37	0.00	0.00

表3 特定疾患治療研究対象疾患の性・年齢階級別の死亡率(/100万)

疾患番号10 特発性血小板減少性紫斑病 Idiopathic thrombocytopenic purpura																		
0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～	
男																		
1972	0.81	0.23	0.49	0.00	0.18	0.89	0.46	0.47	1.03	0.95	2.25	1.94	2.16	3.49	4.73	6.77	3.76	0.00
1973	0.59	0.46	0.98	0.00	0.78	1.06	0.90	0.71	1.51	1.49	0.87	2.44	1.60	4.79	8.23	8.01	7.25	9.35
1974	2.13	0.45	0.49	0.00	0.21	0.40	0.00	1.20	0.99	1.14	0.81	0.49	2.11	2.65	6.26	10.82	10.49	8.70
1975	0.97	0.44	1.18	0.49	0.88	0.00	0.43	0.47	1.45	0.27	1.91	2.41	2.07	4.45	6.09	7.26	6.49	16.26
1976	1.18	0.62	0.24	0.25	0.23	0.88	0.68	0.70	1.67	1.06	0.35	1.92	2.56	2.45	6.95	5.50	12.20	0.00
1977	1.83	0.00	0.00	0.00	0.24	0.36	0.44	0.45	0.95	0.78	1.30	1.88	2.05	1.80	10.96	6.54	2.87	21.74
1978	1.26	0.00	0.23	0.73	0.74	0.00	1.03	0.89	0.48	1.78	0.30	2.26	4.12	4.71	6.56	16.29	10.67	6.76
1979	1.54	0.00	0.44	0.24	0.25	0.21	0.00	0.43	0.24	0.25	0.58	1.27	1.05	2.31	5.52	4.84	12.63	0.00
1980	0.46	0.19	0.00	0.00	0.00	0.22	0.55	0.22	0.24	0.74	1.13	0.80	3.08	1.15	5.31	4.71	7.18	0.00
1981	1.19	0.20	0.21	0.48	0.25	0.46	0.53	0.46	0.24	0.24	0.55	1.46	1.02	4.53	8.01	1.17	11.21	5.41
1982	1.47	0.20	0.00	0.00	0.00	0.00	0.55	0.44	0.69	0.73	0.27	0.34	1.00	3.96	4.26	4.49	6.33	4.98
1983	0.50	0.21	0.00	0.45	0.00	0.25	0.19	0.62	0.22	0.73	1.83	0.32	0.00	5.67	4.85	4.33	9.98	13.70
1984	0.51	0.00	0.00	0.00	0.49	0.00	0.00	0.39	0.43	0.25	1.29	2.11	0.90	1.15	4.06	6.20	13.44	25.64
1985	0.79	0.00	0.00	0.43	0.24	0.00	0.44	0.56	0.22	0.49	0.76	1.76	2.94	2.24	4.65	7.86	11.07	11.72
1986	0.53	0.00	0.20	0.21	0.00	0.00	0.69	0.35	0.00	0.96	0.50	0.57	1.16	6.12	4.58	5.62	14.52	18.05
1987	0.27	0.49	0.00	0.00	0.00	0.25	0.00	0.18	0.88	0.70	0.25	0.83	1.07	2.17	6.50	7.25	20.58	9.97
1988	0.56	0.00	0.00	0.00	0.23	0.00	0.00	0.19	0.21	0.46	0.99	2.18	1.01	1.56	4.55	4.39	11.49	27.86
1989	0.29	0.00	0.22	0.00	0.22	0.00	0.50	0.42	0.40	0.22	1.25	1.08	1.91	3.88	5.94	9.37	17.05	20.53
1990	0.60	0.00	0.00	0.00	0.22	0.00	0.00	0.44	1.12	0.22	0.25	1.58	1.23	1.82	3.19	9.16	13.22	22.28
1991	0.62	0.00	0.00	0.00	0.00	0.25	0.26	0.00	0.35	0.23	0.98	0.78	2.10	1.67	1.90	10.59	11.14	29.49
1992	0.31	0.00	0.00	0.20	0.00	0.00	0.00	0.24	0.92	0.45	0.71	0.77	2.34	2.71	3.69	11.33	8.01	32.58
1993	0.64	0.00	0.00	0.00	0.00	0.00	0.00	0.50	0.19	0.63	0.23	1.54	0.86	1.81	3.55	8.08	10.28	14.18
1994	0.64	0.00	0.26	0.22	0.20	0.00	0.00	0.00	0.63	0.40	0.00	1.04	0.57	3.45	6.60	14.72	17.31	30.97
1995	0.33	0.30	0.00	0.00	0.20	0.00	0.49	0.00	0.22	0.56	0.45	0.26	0.83	1.67	4.12	11.09	16.95	39.67
1996	0.98	0.00	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.89	0.00	0.75	1.09	1.62	2.36	10.14	15.28	19.61
1997	0.66	0.00	0.00	0.00	0.20	0.21	0.24	0.00	0.24	0.37	0.45	0.98	1.34	1.26	5.68	8.32	16.22	31.25
1998	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.59	0.43	0.48	1.07	1.24	3.27	12.29	16.04	41.52
1999	0.00	0.00	0.58	0.25	0.00	0.00	0.00	0.00	0.25	0.42	0.20	0.69	2.44	0.92	3.50	8.05	12.72	26.23
2000	0.00	0.00	0.30	0.26	0.00	0.20	0.00	0.00	0.25	0.22	0.96	1.16	0.53	2.97	4.48	5.52	9.81	27.48
2001	0.00	0.00	0.00	0.00	0.24	0.00	0.00	0.00	0.00	0.00	0.18	0.73	1.04	2.32	1.09	5.61	12.73	31.84
2002	0.00	0.00	0.00	0.00	0.24	0.00	0.00	0.00	0.00	0.24	0.19	0.47	1.27	1.15	3.54	4.15	14.26	35.91
2003	0.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.40	0.22	0.74	1.42	4.14	8.73	14.44	25.37
2004	0.00	0.00	0.00	0.00	0.00	0.22	0.20	0.23	0.25	0.00	0.22	0.21	0.72	3.73	3.05	3.69	15.04	34.93

表3 特定疾患治療研究対象疾患の性・年齢階級の死亡率(/100万)

疾患番号10 特発性血小板減少性紫斑病 Idiopathic thrombocytopenic purpura																																			
0～4		5～9		10～14		15～19		20～24		25～29		30～34		35～39		40～44		45～49		50～54		55～59		60～64		65～69		70～74		75～79		80～84		85～	
女	1972	0.64	0.24	0.26	0.72	2.92	2.63	1.82	1.66	1.29	1.74	3.17	2.84	4.14	6.09	4.62	7.33	4.49	4.39																
	1973	1.88	0.72	0.51	2.24	1.74	2.69	0.89	1.66	2.02	2.84	3.04	2.82	5.38	3.55	5.19	3.47	2.18	0.00																
	1974	0.62	0.93	0.76	1.26	2.09	1.18	1.49	0.72	1.49	1.39	3.54	4.43	3.95	6.75	6.50	6.70	12.71	3.95																
	1975	0.82	0.92	0.00	0.77	1.33	2.61	0.87	1.90	1.22	1.89	2.84	3.84	4.26	3.19	4.90	4.20	5.99	14.93																
	1976	1.04	0.22	0.00	0.00	0.93	1.42	2.28	2.10	2.16	1.85	3.04	3.75	5.85	4.54	9.76	7.96	3.75	3.60																
	1977	1.71	0.00	0.49	2.05	0.98	1.29	1.32	1.59	1.66	3.11	0.59	2.53	3.74	4.86	3.37	6.62	7.08	6.80																
	1978	1.11	0.21	0.71	0.76	1.00	1.95	0.83	1.33	1.43	2.03	1.43	3.81	4.54	6.59	8.47	9.94	9.93	0.00																
	1979	1.16	0.00	0.23	1.27	0.51	0.21	0.00	1.06	1.20	1.50	1.67	1.65	3.32	4.12	6.80	4.36	4.72	5.93																
	1980	0.72	0.20	0.46	0.00	0.26	0.89	0.75	1.30	0.72	1.72	2.74	1.61	4.76	4.05	4.69	4.21	8.88	11.20																
	1981	1.00	0.00	0.22	0.25	0.52	0.23	1.06	0.46	0.94	0.97	1.34	0.62	3.86	2.65	3.87	7.50	6.93	10.42																
	1982	0.77	0.21	0.64	0.24	0.00	1.47	0.74	1.10	0.91	1.92	1.05	0.90	4.47	2.62	4.79	9.58	6.50	12.02																
	1983	0.26	0.00	0.42	0.71	0.26	1.51	0.98	1.67	1.12	0.72	1.03	2.63	3.21	1.73	2.57	5.37	7.37	15.52																
	1984	0.27	0.23	0.61	0.23	1.52	1.28	0.84	0.60	0.43	0.49	1.52	1.99	3.05	0.44	4.49	4.34	7.07	6.20																
	1985	0.27	0.24	0.20	0.23	0.00	0.52	0.89	0.37	0.87	0.72	1.75	1.67	3.64	2.49	4.85	6.10	12.35	9.45																
	1986	0.00	0.00	0.21	0.22	0.25	0.26	0.47	0.18	0.46	0.95	0.74	0.55	2.55	3.22	5.70	7.00	13.22	10.38																
	1987	0.57	0.00	0.00	0.21	0.00	1.04	0.49	0.18	0.66	0.46	0.73	2.94	2.16	1.16	5.16	7.29	15.59	3.16																
	1988	0.88	0.26	0.00	0.00	0.24	0.00	0.76	0.98	0.84	0.68	2.43	0.52	1.80	2.22	3.72	7.01	7.91	13.20																
	1989	0.92	0.00	0.00	0.20	0.00	0.26	0.76	0.63	0.80	0.43	0.74	2.33	0.29	4.23	6.05	7.32	15.67	11.00																
	1990	0.63	0.00	0.24	0.20	0.00	0.00	0.78	0.89	0.94	1.10	1.22	1.01	2.28	4.46	3.98	8.22	17.30	18.28																
	1991	0.32	0.00	0.00	0.00	0.00	0.25	0.26	0.94	0.18	0.46	0.96	2.24	3.07	2.31	4.72	5.33	15.32	24.75																
	1992	0.00	0.00	0.00	0.00	0.43	0.00	0.52	0.73	0.19	0.45	0.23	1.73	1.37	4.78	4.12	8.42	12.99	11.43																
	1993	0.34	0.00	0.00	0.00	0.21	0.24	0.77	0.25	0.59	0.84	0.46	1.97	2.94	1.55	4.73	3.64	12.37	13.80																
	1994	0.00	0.00	0.27	0.23	0.21	0.00	0.51	0.25	0.00	0.60	0.87	1.75	1.32	3.61	4.11	13.00	18.12	16.62																
	1995	0.68	0.00	0.27	0.00	0.21	0.69	0.50	0.77	0.22	0.57	1.11	0.99	2.33	3.24	6.90	3.45	11.51	17.26																
	1996	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.52	0.00	0.72	1.17	0.48	1.27	1.44	4.87	7.14	8.50	15.08																
	1997	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.00	1.71	0.74	0.22	1.18	1.01	2.82	3.36	5.00	13.44	17.77																
	1998	0.34	0.67	0.00	0.53	0.00	0.21	0.24	0.51	0.50	1.18	0.64	1.84	1.00	1.10	2.61	6.93	15.65	23.64																
	1999	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.06	0.81	1.32	1.78	1.63	3.16	5.34	13.10	15.39																
	2000	0.35	0.34	0.00	0.00	0.24	0.00	0.69	0.50	0.26	0.45	0.57	0.90	2.51	2.66	3.09	7.52	14.11	22.77																
	2001	0.00	0.00	0.00	0.00	0.25	0.00	0.22	0.25	0.00	0.24	0.36	1.89	0.98	2.09	0.91	6.80	13.51	23.09																
	2002	0.35	0.00	0.00	0.29	0.26	0.00	0.43	0.00	0.26	1.48	0.75	0.91	0.96	1.80	2.96	5.83	10.14	19.55																
	2003	0.00	0.00	0.00	0.00	0.26	0.67	0.21	0.00	0.00	0.51	0.60	0.43	0.70	2.31	1.16	6.35	5.55	16.49																
	2004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.25	0.26	0.86	0.41	1.79	1.04	1.71	5.80	14.73	15.29																

表3 特定疾患治療研究対象疾患の性・年齢階級別の死亡率(/100万)

疾患番号11 結節性動脈周囲炎 Polyarteritis nodosa

男

	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～
1972	0.20	0.23	0.00	0.00	0.00	0.00	0.00	0.71	0.77	0.64	1.35	0.49	1.62	0.70	0.00	0.00	0.00	0.00
1973	0.39	0.00	0.24	0.00	0.19	0.21	0.00	0.95	0.00	0.90	1.30	0.98	1.60	1.37	6.40	1.60	3.62	0.00
1974	0.00	0.00	0.00	0.24	0.00	0.40	0.00	0.00	0.50	0.57	0.41	0.00	1.05	0.66	0.89	1.55	0.00	0.00
1975	0.19	0.22	0.24	0.25	0.00	0.18	0.22	0.00	0.00	0.55	0.76	1.93	1.55	0.64	2.61	0.00	0.00	8.13
1976	0.39	0.21	0.00	0.00	0.00	0.35	0.68	0.23	0.48	0.80	1.05	0.48	1.02	1.84	1.74	2.75	0.00	0.00
1977	0.00	0.00	0.00	0.49	0.00	0.00	0.00	0.00	0.24	0.26	1.30	1.88	2.05	4.80	1.69	2.62	2.87	0.00
1978	0.42	0.00	0.00	0.49	0.00	0.39	0.41	0.00	0.00	0.25	1.22	0.91	1.54	1.77	4.92	2.51	0.00	0.00
1979	0.00	0.00	0.22	0.00	0.25	0.42	0.00	0.21	0.48	0.25	1.45	0.00	2.10	1.16	3.94	0.00	2.53	6.17
1980	0.46	0.00	0.22	0.00	0.00	0.00	0.18	0.00	0.48	0.25	0.28	1.19	2.05	2.29	2.27	4.71	4.78	0.00
1981	0.00	0.00	0.21	0.00	0.00	0.00	0.35	0.23	0.24	0.24	0.27	0.73	3.58	2.26	2.91	1.17	4.48	0.00
1982	0.00	0.00	0.20	0.00	0.00	0.00	0.18	0.22	0.46	0.24	0.27	1.02	0.50	1.70	3.55	7.86	4.22	0.00
1983	0.00	0.00	0.00	0.23	0.00	0.00	0.00	0.21	0.22	0.48	1.31	0.95	0.96	5.10	5.54	3.25	2.00	4.57
1984	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.20	0.86	0.00	1.03	0.91	3.13	4.61	4.06	2.07	0.00	0.00
1985	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.56	0.88	0.49	0.51	1.17	2.94	6.17	2.66	3.93	1.85	3.91
1986	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.35	0.23	0.48	0.00	0.86	2.32	2.78	0.00	4.69	1.81	3.61
1987	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.44	0.23	1.49	1.11	0.72	4.34	6.50	3.62	0.00	3.32
1988	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.68	0.74	0.54	2.35	4.17	2.60	4.39	0.00	0.00
1989	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.21	0.00	0.22	0.25	0.54	2.23	3.39	3.30	6.81	1.55	0.00
1990	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.56	0.00	1.00	1.05	0.31	3.63	7.03	9.99	7.34	0.00
1991	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.00	0.00	0.49	1.29	2.70	2.09	5.06	4.89	4.18	0.00
1992	0.00	0.00	0.00	0.20	0.00	0.00	0.51	0.00	0.37	0.00	0.71	1.54	2.92	5.41	3.69	5.66	4.01	7.52
1993	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.42	0.46	0.77	3.44	4.34	5.91	8.08	7.71	2.36
1994	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.42	0.40	0.45	1.56	2.83	5.17	8.25	7.36	7.42	2.21
1995	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.22	0.19	0.68	1.53	3.04	5.66	7.20	8.72	7.26	8.35
1996	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.36	0.71	1.00	2.44	5.19	7.55	10.92	8.23	1.96
1997	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.18	0.91	1.47	2.15	6.00	7.86	12.86	9.27	9.19
1998	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.76	0.00	0.00	0.21	2.86	2.95	5.26	16.33	10.12	13.75	5.19
1999	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.25	0.00	0.00	0.41	0.92	1.08	7.02	13.60	11.40	13.87	6.56
2000	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.67	0.77	1.40	3.73	4.75	12.33	16.57	18.54	10.69
2001	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.25	0.51	0.00	0.73	0.73	2.86	3.77	8.71	12.33	9.54	10.13
2002	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.24	0.95	1.64	3.82	5.44	9.55	12.96	24.44	6.91
2003	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.00	0.00	0.40	1.11	2.48	5.13	10.70	14.06	13.47	8.01
2004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.50	0.00	0.22	0.21	0.72	4.59	6.44	11.07	14.16	6.47

表3 特定疾患治療研究対象疾患の性・年齢階級別の死亡率(/100万)

疾患番号11 結節性動脈周囲炎 Polyarteritis nodosa

	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～
女																		
1972	0.43	0.00	0.00	0.00	0.00	0.00	0.00	0.71	0.00	0.87	0.35	0.81	0.92	0.00	0.77	1.22	0.00	4.39
1973	0.00	0.00	0.00	0.75	0.00	0.21	0.22	0.24	0.00	0.85	1.01	0.80	0.90	1.78	0.00	0.00	0.00	0.00
1974	0.21	0.00	0.25	0.00	0.00	0.00	0.00	0.24	0.25	0.56	0.00	1.21	1.32	0.56	0.00	0.00	0.00	3.95
1975	0.00	0.46	0.00	0.00	0.00	0.00	0.22	0.00	0.24	0.00	0.63	0.00	0.85	0.53	0.70	1.05	2.00	0.00
1976	0.00	0.00	0.25	0.00	0.47	0.18	0.00	0.93	0.48	0.26	0.00	0.37	0.84	1.51	0.70	0.00	0.00	0.00
1977	0.00	0.21	0.00	0.26	0.24	0.18	0.22	0.00	0.48	0.52	0.59	0.72	0.42	1.46	2.02	2.84	0.00	0.00
1978	0.00	0.00	0.00	0.25	0.25	0.39	0.62	0.44	0.48	0.00	1.15	0.69	1.65	0.47	3.26	0.00	0.00	0.00
1979	0.23	0.00	0.00	0.25	0.25	0.21	0.20	0.00	0.00	0.25	1.11	0.33	1.24	1.37	1.85	0.00	0.00	2.97
1980	0.00	0.20	0.00	0.25	0.52	0.22	0.19	0.00	0.00	0.74	0.55	1.29	0.40	0.45	2.34	0.84	0.00	0.00
1981	0.00	0.00	0.00	0.25	0.00	0.00	0.00	0.23	0.23	0.24	0.80	0.93	0.77	2.21	1.11	0.00	0.00	0.00
1982	0.26	0.00	0.00	0.00	0.26	0.24	0.18	0.22	0.69	1.20	0.00	0.60	2.23	1.31	4.26	0.80	1.30	0.00
1983	0.00	0.00	0.00	0.00	0.51	0.00	0.39	0.00	0.67	0.24	0.77	1.75	1.07	0.87	1.54	1.53	0.00	2.22
1984	0.00	0.23	0.00	0.00	0.00	0.00	0.21	0.20	0.64	0.24	0.76	1.14	1.36	1.31	1.50	1.45	0.00	2.07
1985	0.27	0.00	0.00	0.00	0.00	0.52	0.00	0.19	0.44	0.24	0.50	0.84	0.66	2.07	1.94	2.71	2.24	1.89
1986	0.56	0.00	0.00	0.43	0.00	0.00	0.23	0.53	0.46	0.24	0.25	1.91	2.55	1.21	4.27	1.27	0.00	1.73
1987	0.29	0.00	0.00	0.00	0.24	0.00	0.00	0.18	0.44	0.23	0.49	1.34	1.54	0.77	3.28	1.82	2.08	4.75
1988	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.59	0.00	0.23	0.24	1.05	2.40	3.34	2.79	2.92	0.99	0.00
1989	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.43	0.49	1.03	1.74	3.52	2.33	3.38	0.92	0.00
1990	0.32	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.19	0.66	0.24	0.76	1.42	1.37	2.65	1.64	4.33	0.00
1991	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.23	0.18	0.46	0.48	1.25	0.56	3.30	4.29	3.73	1.61	2.48
1992	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.37	0.67	0.47	0.99	2.18	2.87	3.29	3.16	4.58	2.29
1993	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.68	1.48	2.14	5.88	5.12	2.08	1.46	2.12
1994	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.44	1.25	1.58	4.51	3.37	5.72	4.18	3.91
1995	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.22	0.74	1.29	2.94	2.90	8.37	7.45	0.91
1996	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.00	0.23	1.21	1.78	3.75	4.52	7.14	5.88	1.68
1997	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.37	0.22	0.47	2.01	4.51	5.38	7.73	7.68	6.18
1998	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.85	1.15	2.51	3.31	9.13	8.67	8.14	6.45
1999	0.00	0.00	0.00	0.00	0.23	0.00	0.00	0.00	0.00	0.21	1.21	0.44	2.79	3.81	7.90	10.27	9.98	4.02
2000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.22	0.95	0.67	2.00	3.20	7.42	11.08	10.58	2.53
2001	0.00	0.34	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.71	0.36	0.47	1.96	3.13	9.08	13.98	14.07	3.55
2002	0.00	0.00	0.00	0.00	0.26	0.22	0.00	0.00	0.00	0.49	0.19	0.68	1.44	4.12	6.80	9.84	13.35	5.59
2003	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.65	0.47	3.60	5.49	9.17	8.58	5.32
2004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.62	2.24	3.11	3.41	10.58	8.08	7.65

表3 特定疾患治療研究対象疾患の性・年齢階級別の死亡率(/100万)

疾患番号12 潰瘍性大腸炎 Ulcerative colitis

	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～
男																		
1972	1.01	0.00	0.49	0.70	0.74	0.89	0.23	1.18	1.55	1.27	2.70	3.88	9.16	6.29	8.51	33.84	30.08	50.00
1973	1.38	0.00	0.00	0.24	0.58	0.42	0.45	1.19	1.26	1.79	2.17	6.83	3.19	10.96	13.72	22.44	43.48	37.38
1974	0.78	0.45	0.00	0.24	0.62	0.40	0.22	1.69	1.24	0.29	0.00	2.97	2.63	7.96	16.98	20.09	24.48	52.17
1975	0.39	0.00	0.24	0.00	0.22	0.37	1.30	0.71	2.18	1.37	3.06	3.38	3.10	7.63	20.02	23.22	29.22	48.78
1976	0.20	0.00	0.00	0.25	0.69	0.70	0.23	0.47	0.96	1.33	1.05	1.92	2.56	6.74	24.33	24.76	36.59	31.25
1977	0.20	0.00	0.00	0.00	0.24	0.00	0.66	0.00	0.24	2.33	3.58	0.94	2.56	7.21	16.86	17.02	54.44	57.97
1978	0.42	0.20	0.23	0.24	0.74	0.78	0.21	0.89	0.24	0.25	1.52	2.72	5.66	5.30	10.66	22.56	42.67	33.78
1979	0.22	0.00	0.00	0.48	0.49	0.42	0.20	0.43	0.72	0.75	1.45	2.53	3.14	5.20	7.89	15.72	37.88	12.35
1980	0.00	0.00	0.00	0.24	0.00	0.00	0.37	0.22	0.48	1.24	0.85	1.99	5.14	3.44	9.86	22.38	26.32	63.95
1981	0.24	0.00	0.00	0.24	0.51	0.69	0.53	0.69	0.71	0.98	1.64	2.19	3.06	3.96	6.55	16.34	22.42	48.65
1982	0.49	0.20	0.00	0.00	0.25	0.00	0.18	0.22	0.23	0.97	0.80	2.71	4.50	3.39	4.96	14.59	16.88	29.85
1983	0.00	0.00	0.20	0.23	0.25	0.75	0.39	0.00	0.45	0.00	1.05	0.32	1.44	5.67	6.23	11.92	19.96	22.83
1984	0.00	0.00	0.00	0.00	0.24	0.75	0.21	0.39	0.86	0.74	1.55	0.91	4.48	5.18	4.73	7.24	19.19	12.82
1985	0.00	0.00	0.00	0.00	0.24	0.76	0.00	0.56	0.88	0.98	1.02	1.76	2.94	2.24	5.98	3.93	9.23	19.53
1986	0.00	0.00	0.00	0.21	0.24	0.25	0.23	0.18	0.92	0.24	2.25	0.86	1.16	1.11	5.89	4.69	14.52	7.22
1987	0.00	0.24	0.00	0.60	0.00	0.25	0.00	0.18	0.22	0.00	0.50	1.39	1.43	1.09	1.30	7.25	10.29	26.58
1988	0.00	0.00	0.00	0.20	0.23	0.50	0.00	0.00	0.00	0.46	0.99	0.27	1.34	1.56	3.25	7.91	11.49	18.58
1989	0.00	0.00	0.00	0.19	0.00	0.74	0.25	0.21	0.79	0.44	0.25	0.27	0.00	0.97	4.62	3.41	4.65	14.66
1990	0.00	0.00	0.00	0.00	0.67	0.49	0.51	0.22	0.19	0.22	0.75	1.58	2.16	0.91	4.47	3.33	5.87	8.36
1991	0.00	0.00	0.00	0.20	0.21	0.25	0.77	0.23	0.00	0.23	0.24	1.29	0.60	1.25	2.53	3.26	5.57	5.36
1992	0.31	0.00	0.00	0.00	0.00	0.24	0.00	0.00	0.55	0.00	0.95	1.28	2.34	2.32	2.46	4.05	9.35	5.01
1993	0.32	0.00	0.00	0.00	0.00	0.93	0.25	0.25	0.58	0.21	0.46	2.57	1.72	1.81	2.96	6.46	7.71	14.18
1994	0.00	0.00	0.00	0.00	0.20	0.23	0.50	0.00	0.42	0.20	0.67	0.78	0.85	2.41	3.30	3.27	6.18	11.06
1995	0.00	0.00	0.00	0.91	0.20	0.22	0.00	0.25	0.66	0.37	0.23	1.53	0.83	2.00	1.54	5.55	6.05	6.26
1996	0.00	0.00	0.00	0.47	0.00	0.00	0.00	0.26	0.23	0.71	1.19	0.00	0.81	1.94	2.36	5.46	5.88	11.76
1997	0.00	0.00	0.00	0.00	0.00	0.21	0.24	0.51	0.24	0.37	0.45	0.49	1.07	2.53	4.81	4.54	9.27	7.35
1998	0.00	0.00	0.00	0.00	0.84	0.20	0.23	0.50	1.00	0.20	0.21	1.91	2.41	3.09	2.04	4.34	9.16	8.65
1999	0.00	0.00	0.00	0.00	0.22	0.20	0.91	0.25	0.50	1.06	0.61	0.23	0.81	2.14	3.89	4.02	17.34	8.20
2000	0.00	0.00	0.30	0.00	0.00	0.00	0.45	0.73	0.51	0.89	1.15	1.16	0.80	2.67	4.11	5.52	4.36	12.21
2001	0.00	0.00	0.00	0.00	0.00	0.20	0.21	0.25	0.51	0.23	0.18	1.22	0.78	1.45	5.45	5.61	6.36	10.13
2002	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.24	0.51	0.73	0.76	0.70	2.04	3.15	3.54	5.70	8.15	13.81
2003	0.00	0.00	0.00	0.28	0.00	0.43	0.41	0.00	0.25	1.26	1.40	0.88	0.74	2.56	3.11	6.30	5.77	6.68
2004	0.00	0.00	0.00	0.00	0.00	0.22	0.20	0.23	0.25	0.76	0.43	1.26	0.95	3.44	3.73	4.61	5.31	6.47

表3 特定疾患治療研究対象疾患の性・年齢階級別の死亡率(/100万)

疾患番号12 潰瘍性大腸炎 Ulcerative colitis

	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～
女																		
1972	1.07	0.00	0.00	0.00	1.10	0.44	0.91	0.95	1.03	2.62	3.17	2.44	6.90	9.13	16.92	21.98	38.20	61.40
1973	0.21	0.00	0.00	0.50	0.97	0.62	0.22	1.42	0.51	2.27	2.03	4.83	4.03	11.24	8.90	30.09	45.75	37.66
1974	0.41	0.00	0.25	0.50	0.42	0.79	1.07	0.96	1.74	2.22	2.58	2.41	2.63	9.00	19.51	24.58	31.78	47.43
1975	0.00	0.00	0.00	0.77	0.89	0.19	0.43	0.47	0.98	1.89	2.84	3.46	5.11	8.52	16.11	22.04	35.93	41.04
1976	0.00	0.00	0.25	0.77	0.93	0.18	0.23	1.16	0.24	0.26	1.82	1.12	4.60	6.55	11.85	16.92	33.77	53.96
1977	0.21	0.00	0.24	0.26	0.00	0.73	0.66	0.00	0.48	1.04	1.77	2.17	2.08	5.35	16.16	14.18	26.55	40.82
1978	0.00	0.00	0.00	0.25	0.25	0.19	0.42	0.22	0.71	1.02	1.43	2.77	3.30	4.71	8.47	21.68	28.15	47.92
1979	0.23	0.00	0.23	0.25	0.25	1.26	0.20	0.64	0.72	1.00	0.56	1.32	2.49	4.58	9.27	13.07	28.30	38.58
1980	0.00	0.00	0.00	0.00	0.26	0.44	0.56	0.87	0.00	0.99	0.82	0.97	5.16	4.05	9.38	9.26	20.71	36.41
1981	0.00	0.00	0.00	0.50	1.04	0.23	0.18	0.00	0.47	0.97	0.80	1.86	2.70	3.09	7.75	16.67	9.71	39.06
1982	0.52	0.00	0.00	0.24	0.00	0.00	0.55	0.22	0.23	0.48	0.79	0.30	1.49	3.49	5.86	9.58	24.71	40.87
1983	0.00	0.00	0.21	0.00	0.51	0.76	0.59	0.21	0.67	0.48	0.77	0.29	2.50	3.90	7.71	9.97	20.88	37.69
1984	0.00	0.00	0.00	0.46	0.51	0.00	0.21	0.00	0.43	0.49	1.27	0.28	1.02	2.61	4.99	5.78	12.96	18.60
1985	0.27	0.00	0.00	0.00	0.50	0.00	0.44	0.37	0.00	1.69	1.25	0.84	1.32	4.14	3.40	12.20	17.96	20.79
1986	0.00	0.00	0.00	0.43	0.00	1.04	0.00	0.18	0.23	0.95	1.72	0.82	1.91	1.21	1.90	7.63	9.91	15.57
1987	0.00	0.00	0.21	0.21	0.00	0.00	0.00	0.00	0.66	0.69	0.00	0.27	1.54	1.55	1.41	4.86	9.36	7.91
1988	0.00	0.00	0.22	0.21	0.48	0.00	0.25	0.00	0.21	0.23	0.49	0.79	0.90	2.59	4.18	4.09	15.81	17.60
1989	0.00	0.00	0.00	0.00	0.70	0.26	0.25	0.00	0.00	0.43	0.49	1.55	0.58	2.82	3.72	4.51	9.22	9.63
1990	0.00	0.00	0.24	0.41	0.92	0.75	0.52	0.22	0.38	0.22	0.98	0.00	0.28	1.72	3.10	2.19	6.92	7.83
1991	0.00	0.00	0.00	0.00	0.00	1.01	0.26	0.70	0.00	0.23	0.48	1.00	0.56	2.64	2.15	2.67	12.10	13.61
1992	0.00	0.00	0.00	0.00	0.21	0.00	1.04	0.00	0.19	0.67	0.70	0.99	1.09	1.59	2.47	4.74	7.64	3.43
1993	0.00	0.00	0.00	0.22	0.00	0.48	0.26	0.00	0.20	0.21	0.00	0.74	0.80	0.93	1.18	2.60	5.09	13.80
1994	0.00	0.00	0.27	0.23	0.00	0.70	0.00	0.00	0.42	0.20	0.22	1.00	1.32	2.40	1.50	3.12	7.67	9.78
1995	0.00	0.31	0.00	0.00	0.00	0.69	0.25	0.26	0.22	0.19	0.00	0.74	0.52	2.35	1.45	3.94	2.03	14.53
1996	0.00	0.00	0.00	0.00	0.42	0.00	0.25	0.52	0.23	0.18	0.70	0.73	0.76	1.15	2.78	3.33	3.27	10.89
1997	0.00	0.00	0.00	0.26	0.00	0.21	0.24	0.00	0.49	0.56	0.45	0.47	0.75	0.85	2.35	3.64	1.92	6.18
1998	0.00	0.00	0.00	0.00	0.22	0.42	0.00	0.51	0.25	0.20	1.06	0.00	0.75	1.10	2.28	2.17	5.01	8.60
1999	0.00	0.00	0.00	0.00	0.00	0.41	0.00	0.00	0.51	0.42	0.20	1.10	0.51	1.36	1.26	2.46	4.37	6.02
2000	0.00	0.00	0.31	0.27	0.24	0.21	0.00	0.25	0.26	0.22	0.38	0.90	0.50	0.00	1.24	3.16	4.70	4.43
2001	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.25	0.78	0.24	0.18	0.24	0.98	1.30	1.51	2.27	4.50	7.10
2002	0.00	0.00	0.33	0.00	0.00	0.00	0.00	0.00	0.52	0.25	0.19	0.46	0.24	1.03	0.89	4.37	5.34	5.59
2003	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.25	0.60	0.22	0.94	0.77	0.29	3.88	5.55	6.38
2004	0.00	0.00	0.00	0.00	0.53	0.23	0.00	0.23	0.25	0.00	0.43	0.41	0.22	0.78	0.85	1.37	6.18	7.65

表3 特定疾患治療研究対象疾患の性・年齢階級別の死亡率(/100万)

疾患番号13 大動脈炎症候群(高安病) Aortic arch syndrome [Takayasu]

	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～
男																		
1972	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.00	0.00	0.00	0.00	0.54	1.40	2.84	1.69	0.00	0.00
1973	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.30	0.43	0.49	0.53	0.68	1.83	0.00	0.00	0.00
1974	0.00	0.00	0.00	0.00	0.00	0.20	0.22	0.00	0.00	0.29	0.00	0.49	2.11	1.33	1.79	3.09	0.00	8.70
1975	0.00	0.00	0.00	0.25	0.00	0.00	0.00	0.47	0.24	0.27	0.76	0.48	0.52	0.64	2.61	2.90	0.00	16.26
1976	0.00	0.00	0.00	0.25	0.23	0.35	0.00	0.23	0.00	0.80	0.00	0.00	1.02	0.00	2.61	0.00	3.05	0.00
1977	0.00	0.00	0.00	0.25	0.00	0.00	0.22	0.00	0.00	0.00	0.65	0.94	0.00	1.80	0.84	0.00	0.00	7.25
1978	0.00	0.20	0.23	0.00	0.00	0.39	0.21	0.44	0.71	0.76	0.30	1.81	0.00	0.59	0.82	1.25	0.00	0.00
1979	0.00	0.00	0.22	0.00	0.25	0.00	0.00	0.00	0.24	0.25	0.29	0.42	0.52	1.73	0.00	2.42	2.53	0.00
1980	0.00	0.00	0.00	0.47	0.00	0.00	0.55	0.00	0.48	0.99	0.00	0.40	1.54	0.57	0.76	2.36	0.00	0.00
1981	0.00	0.00	0.00	0.00	0.00	0.00	0.53	0.69	0.24	0.24	0.55	0.37	1.02	1.13	0.00	0.00	0.00	5.41
1982	0.00	0.00	0.00	0.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.34	0.50	1.13	0.71	0.00	0.00	0.00
1983	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.00	0.45	0.00	1.05	0.32	0.96	0.00	0.00	0.00	3.99	0.00
1984	0.00	0.00	0.00	0.00	0.00	0.25	0.21	0.20	0.43	0.00	0.52	0.30	1.34	1.15	0.68	1.03	0.00	0.00
1985	0.00	0.00	0.00	0.00	0.24	0.00	0.00	0.37	0.88	0.00	0.00	0.59	0.00	0.56	0.00	0.98	0.00	0.00
1986	0.00	0.00	0.00	0.00	0.00	0.51	0.00	0.00	0.23	0.00	0.25	0.29	0.00	0.56	0.00	0.00	1.81	7.22
1987	0.00	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.22	0.23	0.25	0.83	0.00	1.09	0.65	0.91	0.00	0.00
1988	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.21	0.00	0.25	0.00	0.67	1.04	1.30	0.88	0.00	0.00
1989	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.44	0.00	0.27	0.00	1.94	0.66	0.85	0.00	5.87
1990	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	1.33	0.00	0.26	0.31	0.45	0.00	0.83	0.00	2.79
1991	0.00	0.00	0.00	0.00	0.42	0.00	0.00	0.23	0.18	0.23	0.24	0.00	0.00	0.42	0.63	0.81	1.39	2.68
1992	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.37	0.22	0.00	0.51	0.29	0.00	1.85	1.62	0.00	0.00
1993	0.00	0.00	0.00	0.00	0.00	0.23	0.00	0.00	0.19	0.00	0.46	0.51	0.29	0.72	0.00	0.00	1.29	0.00
1994	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.22	0.52	0.00	0.34	0.55	0.00	1.24	0.00
1995	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.28	0.33	0.00	0.00	0.00	0.00
1996	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.46	0.36	0.00	0.00	0.81	0.32	0.94	0.78	0.00	0.00
1997	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.48	0.00	0.45	0.73	0.00	0.63	0.44	0.76	0.00	0.00
1998	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.21	0.24	1.34	0.00	0.41	0.00	0.00	1.73
1999	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.00	0.23	0.00	0.31	0.39	0.00	0.00	0.00
2000	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.00	0.22	0.19	0.00	0.27	0.00	0.37	0.61	0.00	0.00
2001	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.51	0.00	0.18	0.00	0.52	0.00	0.36	1.12	0.00	0.00
2002	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.49	0.00	0.47	0.00	0.29	0.00	1.04	0.00	0.00
2003	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.66	0.00	0.28	0.00	0.48	0.96	0.00
2004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.00	0.21	0.24	0.00	1.36	0.00	0.00	1.29

表3 特定疾患治療研究対象疾患の性・年齢階級別の死亡率(/100万)

疾患番号13 大動脈炎症候群(高安病) Aortic arch syndrome [Takayasu]

	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～
女																		
1972	0.00	0.00	0.00	1.03	0.00	0.37	0.66	0.23	0.71	0.00	0.29	0.35	0.00	0.46	0.00	2.31	0.00	0.00
1973	0.00	0.00	0.00	0.00	1.49	0.97	0.83	0.44	0.00	0.25	0.57	0.68	0.00	0.00	2.37	0.74	2.31	2.18
1974	0.00	0.00	0.00	0.00	0.50	0.42	0.20	1.28	0.24	0.50	1.11	2.26	0.80	0.44	2.81	1.45	3.35	0.00
1975	0.00	0.00	0.25	0.26	0.89	0.37	0.37	0.43	0.47	0.73	1.89	2.21	0.77	0.43	1.60	2.80	2.10	2.00
1976	0.00	0.00	0.00	0.26	0.70	1.06	0.91	0.23	0.48	0.79	2.43	1.12	0.84	1.51	0.70	1.00	0.00	3.60
1977	0.00	0.43	0.00	0.26	0.73	0.37	0.37	0.88	0.68	1.19	1.04	0.89	2.53	2.08	1.46	2.02	1.89	1.77
1978	0.00	0.00	0.00	0.25	0.00	0.78	0.83	1.11	0.24	1.78	2.29	1.04	1.65	0.94	0.00	0.90	0.00	3.19
1979	0.00	0.00	0.23	0.00	0.00	0.63	0.59	0.64	1.20	0.25	1.67	1.32	0.41	0.92	1.24	0.87	0.00	0.00
1980	0.00	0.00	0.23	0.49	0.00	0.44	0.56	1.52	0.72	1.48	1.92	1.93	2.38	0.90	0.59	1.68	1.48	5.60
1981	0.00	0.00	0.22	0.00	0.52	0.94	0.18	0.91	0.94	1.21	1.88	2.80	3.09	1.77	1.66	0.83	1.39	0.00
1982	0.00	0.00	0.00	0.24	0.00	0.00	0.37	1.10	0.91	1.68	0.53	1.50	0.74	0.87	1.06	0.00	0.00	0.00
1983	0.00	0.00	0.00	0.00	0.00	0.50	0.00	1.04	0.00	1.44	1.29	1.46	2.14	1.30	0.00	4.60	0.00	0.00
1984	0.00	0.00	0.00	0.00	0.25	0.26	0.00	0.60	1.07	1.46	1.02	2.56	1.36	3.48	1.50	2.17	0.00	2.07
1985	0.00	0.00	0.00	0.46	0.00	0.52	0.22	0.37	1.75	0.00	1.50	1.67	2.97	2.90	0.49	0.68	3.37	1.89
1986	0.00	0.00	0.00	0.00	0.25	0.78	0.23	1.07	0.46	1.18	0.98	1.36	0.96	2.82	1.42	0.64	1.10	0.00
1987	0.00	0.00	0.43	0.21	0.00	0.00	0.00	0.74	0.44	1.15	1.46	0.80	3.39	1.55	0.94	2.43	1.04	1.58
1988	0.00	0.00	0.00	0.21	0.24	0.26	0.00	0.39	0.84	0.23	1.94	2.10	3.29	2.22	1.86	1.17	0.99	0.00
1989	0.00	0.00	0.00	0.20	0.00	0.00	0.00	0.21	0.40	0.00	1.23	0.78	2.62	3.17	1.86	1.69	0.00	0.00
1990	0.00	0.00	0.00	0.41	0.00	0.25	0.52	0.00	0.38	0.22	0.98	1.52	1.71	1.37	3.98	1.64	0.00	0.00
1991	0.00	0.00	0.00	0.21	0.00	0.51	0.52	0.23	0.36	0.23	1.20	2.49	1.39	2.97	1.72	1.07	0.81	1.24
1992	0.00	0.00	0.00	0.00	0.21	0.25	0.26	0.49	1.11	1.56	0.93	2.47	4.10	2.55	2.06	1.05	1.53	2.29
1993	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.20	0.84	1.37	1.73	1.60	1.86	1.58	0.52	1.46	1.06
1994	0.00	0.00	0.27	0.23	0.00	0.23	0.26	1.78	0.21	1.40	0.66	2.00	3.17	2.71	1.50	3.64	2.79	0.98
1995	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	0.49	0.00	0.00	1.09	0.49	0.68	0.00
1996	0.00	0.00	0.28	0.00	0.00	0.22	0.25	0.26	0.23	0.54	0.70	2.42	1.27	3.17	2.44	0.48	0.65	1.68
1997	0.00	0.00	0.29	0.26	0.00	0.00	0.00	0.26	0.24	1.86	1.57	0.94	2.26	1.97	1.68	2.27	0.64	0.77
1998	0.00	0.00	0.00	0.00	0.00	0.21	0.24	0.00	0.25	0.39	1.91	0.23	1.00	0.83	2.61	2.17	1.88	0.00
1999	0.00	0.00	0.00	0.27	0.00	0.21	0.00	0.26	0.00	0.21	1.01	1.32	1.52	1.36	3.48	2.05	0.62	0.67
2000	0.00	0.00	0.00	0.00	0.24	0.21	0.00	0.00	0.52	0.45	0.57	1.35	2.76	3.20	1.55	1.98	0.00	0.00
2001	0.00	0.34	0.00	0.00	0.25	0.21	0.00	0.25	0.52	0.47	0.54	0.47	1.23	1.04	2.42	0.00	1.69	1.18
2002	0.00	0.00	0.00	0.57	0.00	0.22	0.00	0.00	0.00	0.00	0.75	0.91	0.24	3.86	1.48	2.92	1.07	1.12
2003	0.00	0.00	0.00	0.00	0.00	0.45	0.21	0.00	0.51	0.25	0.80	0.00	1.64	1.80	1.73	1.06	4.04	1.60
2004	0.00	0.00	0.00	0.00	0.00	0.23	0.21	0.00	0.25	0.51	0.64	0.21	0.67	0.26	1.99	1.37	1.43	2.04

表3 特定疾患治療研究対象疾患の性・年齢階級別の死亡率(/100万)

疾患番号14 バージャー病(ピュルガー病) Thromboangitis obliterans [Buerger]

	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～
男																		
1972	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.77	0.32	0.90	0.00	3.77	4.19	10.41	15.23	22.56	40.00
1973	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.90	1.30	0.49	2.13	5.48	8.23	14.42	14.49	56.07
1974	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.50	0.29	0.41	0.99	1.58	3.98	9.83	18.55	17.48	34.78
1975	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.27	0.38	0.48	1.03	8.27	9.57	14.51	22.73	32.52
1976	0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.00	0.00	0.80	0.70	0.48	0.51	4.90	13.90	5.50	21.34	62.50
1977	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.52	0.33	1.88	2.56	1.20	10.12	10.47	20.06	14.49
1978	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.76	0.61	1.36	4.12	1.77	8.20	16.29	13.33	33.78
1979	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.48	0.50	0.00	0.00	1.05	0.58	5.52	9.67	5.05	0.00
1980	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.00	0.00	0.25	1.97	0.00	0.51	1.15	3.79	4.71	11.96	5.81
1981	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.00	0.00	0.24	1.10	0.73	1.53	0.57	2.91	5.83	2.24	10.81
1982	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.23	0.48	0.53	1.36	0.00	3.39	5.67	5.61	6.33	4.98
1983	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.24	0.00	0.63	0.96	2.27	4.16	9.75	13.97	4.57
1984	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.25	0.26	0.91	0.90	4.03	3.38	6.20	9.60	8.55
1985	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.00	0.76	1.47	0.42	1.12	4.65	3.93	5.54	31.25
1986	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.35	0.00	0.00	0.00	0.29	0.77	1.11	1.96	7.50	7.26	7.22
1987	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.74	0.00	0.36	2.17	1.30	1.81	8.58	9.97
1988	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.39	0.00	0.00	0.25	0.27	1.01	1.04	1.95	6.15	3.28	12.38
1989	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.50	0.54	1.28	1.45	1.32	1.70	18.60	20.53
1990	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.22	0.25	0.00	0.31	0.91	3.19	1.67	8.81	19.50
1991	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.00	0.00	0.00	0.00	0.30	0.42	2.53	4.07	1.39	10.72
1992	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.00	0.00	0.24	0.26	0.58	1.16	3.08	0.81	9.35	17.54
1993	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.51	0.57	1.09	0.59	3.23	5.14	7.09
1994	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.57	1.03	2.20	3.27	4.94	4.42
1995	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.68	0.26	0.00	1.00	0.00	2.38	2.42	4.18
1996	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.24	0.00	0.81	1.62	0.47	6.24	1.18	13.73
1997	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.68	0.49	0.54	1.26	0.44	3.03	2.32	1.84
1998	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.64	0.00	0.27	0.00	0.41	0.00	2.29	8.65
1999	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.46	0.27	0.61	1.17	0.67	1.16	0.00
2000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.45	0.19	0.00	0.27	0.30	0.37	3.07	3.27	3.05
2001	0.00	0.00	0.00	0.00	0.00	0.20	0.21	0.00	0.00	0.23	0.73	0.49	0.26	0.58	1.82	0.00	2.12	7.24
2002	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.00	0.00	0.00	0.23	0.51	0.29	0.71	0.52	1.02	4.14
2003	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.50	0.00	0.35	2.42	0.00	1.34
2004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.72	0.29	0.00	0.92	0.00	3.88

表3 特定疾患治療研究対象疾患の性・年齢階級の死亡率(/100万)

疾患番号14 パージヤー病(ビュルガー病) Thromboangitis obliterans [Buerger]

	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～
女																		
1972	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.00	0.00	0.46	0.00	3.08	4.88	6.74	13.16
1973	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.68	1.21	0.00	0.00	0.00	4.63	6.54	8.37
1974	0.00	0.00	0.00	0.00	0.00	0.00	0.43	0.00	0.00	0.00	0.00	0.40	0.44	1.13	2.89	4.47	6.36	7.91
1975	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.32	0.38	0.00	1.06	2.10	3.15	13.97	14.93
1976	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.26	0.00	0.00	0.42	0.50	2.79	1.99	1.88	10.79
1977	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.36	0.00	0.49	2.69	0.00	7.08	6.80
1978	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.69	0.00	0.47	2.61	2.71	9.93	22.36
1979	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.00	0.00	0.00	0.00	0.00	3.14	2.97
1980	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.27	0.32	0.00	0.00	0.59	0.00	0.00	2.80
1981	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.39	0.00	1.11	1.67	1.39	5.21
1982	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	1.60	3.19	3.90	0.00
1983	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.36	0.00	1.03	2.30	3.69	4.43
1984	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.87	1.00	0.72	5.89	6.20
1985	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.00	0.49	1.36	2.24	1.89
1986	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.64	4.41	6.92
1987	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.94	0.61	2.08	4.75
1988	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.30	0.00	0.46	0.00	0.99	5.87
1989	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.35	0.47	0.00	0.92	6.88
1990	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.69	0.44	1.10	2.60	9.14
1991	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.60	1.61	9.90
1992	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41	0.00	1.53	5.71
1993	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.04	0.73	1.06
1994	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.00	0.52	2.09	2.93
1995	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.00	0.00	0.00	0.68	7.27
1996	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.35	0.00	0.00	2.51
1997	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.56	0.00	0.00	1.92	5.41
1998	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.00	0.28	0.33	0.00	0.00	2.87
1999	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.87	1.34
2000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.25	0.00	0.00	0.00	1.18	0.63
2001	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.96
2002	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.00	0.00	0.30	0.36	0.00	2.79
2003	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.29	0.00	0.00	1.06
2004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.34	0.95	1.53

表3 特定疾患治療研究対象疾患の性・年齢階級別の死亡率(/100万)

疾患番号15 天疱瘡 Pemphigus

	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～
男																		
1972	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.90	0.49	0.00	2.10	5.68	8.46	18.80	50.00
1973	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.00	0.00	0.30	0.00	0.49	1.06	2.05	2.74	3.21	18.12	28.04
1974	0.19	0.00	0.00	0.00	0.21	0.00	0.00	0.24	0.00	0.29	0.00	0.49	2.11	2.65	1.79	4.64	13.99	34.78
1975	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.00	0.27	0.00	0.48	1.55	1.27	4.35	4.35	16.23	0.00
1976	0.00	0.00	0.00	0.00	0.00	0.18	0.00	0.00	0.00	0.27	0.70	0.00	0.51	1.84	2.61	12.38	15.24	31.25
1977	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.00	0.47	1.02	0.60	3.37	7.85	11.46	28.99
1978	0.00	0.00	0.00	0.00	0.00	0.19	0.21	0.00	0.00	0.00	0.00	0.00	2.06	0.59	4.92	12.53	21.33	33.78
1979	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.24	0.00	0.29	0.00	0.52	0.58	2.37	6.05	5.05	6.17
1980	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.56	0.00	0.51	1.72	4.55	8.24	11.96	29.07
1981	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.13	2.91	7.00	8.97	21.62
1982	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.34	0.50	1.13	1.42	3.37	12.66	9.95
1983	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.32	0.00	0.57	3.46	2.17	15.97	18.26
1984	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.45	0.00	0.68	4.14	5.76	21.37
1985	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.29	0.00	0.00	1.33	0.98	7.38	3.91
1986	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.00	0.24	0.00	0.29	0.00	0.00	1.31	2.81	9.07	7.22
1987	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.00	0.54	3.25	1.81	5.15	13.29
1988	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.25	0.27	0.00	0.00	0.65	0.88	0.00	12.38
1989	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.00	0.00	0.00	2.56	3.10	2.93
1990	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.50	2.94	13.93
1991	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.00	0.00	0.00	0.00	0.26	0.30	0.00	0.63	0.81	4.18	13.40
1992	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.48	0.00	0.29	0.00	1.85	1.62	6.68	2.51
1993	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.36	1.77	2.42	3.86	4.73
1994	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.52	0.28	0.34	0.00	0.82	3.71	8.85
1995	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.00	0.00	0.79	3.63	10.44
1996	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.27	0.32	0.94	3.90	2.35	3.92
1997	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.27	0.00	0.44	0.00	2.32	11.03
1998	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.82	1.45	3.44	12.11
1999	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.00	0.92	0.39	2.01	1.16	4.92
2000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.00	0.00	0.00	0.30	1.12	0.00	2.18	0.00
2001	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.00	0.52	0.00	0.00	0.00	4.24	2.89
2002	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.04	2.76
2003	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.00	0.48	0.96	6.68
2004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.34	1.38	0.00	6.47

表3 特定疾患治療研究対象疾患の性・年齢階級別の死亡率(/100万)

疾患番号15 天疱瘡 Pemphigus

	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～
女																		
1972	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.00	0.00	1.06	0.81	0.46	0.61	3.85	7.33	17.98	8.77
1973	0.00	0.00	0.00	0.00	0.39	0.21	0.00	0.00	0.00	0.85	1.35	0.40	0.45	1.78	3.71	6.94	10.89	25.10
1974	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	1.29	0.00	0.00	1.69	3.61	5.59	8.47	7.91
1975	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.00	0.24	0.00	0.32	0.38	0.85	0.53	2.10	4.20	11.98	7.46
1976	0.21	0.00	0.00	0.00	0.00	0.18	0.00	0.23	0.24	0.26	0.00	0.75	0.00	0.50	2.79	7.96	15.01	3.60
1977	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.24	0.26	0.00	0.36	0.83	0.00	4.71	1.89	19.47	10.20
1978	0.00	0.00	0.00	0.25	0.00	0.00	0.00	0.00	0.00	0.00	0.57	0.35	1.24	0.00	3.26	4.52	8.28	9.58
1979	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.00	0.92	2.47	1.74	12.58	23.74
1980	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.00	0.00	0.00	0.27	0.00	0.40	1.80	0.59	0.00	5.92	19.61
1981	0.00	0.00	0.00	0.00	0.00	0.23	0.00	0.00	0.00	0.00	0.00	0.31	0.00	0.00	1.11	2.50	2.77	13.02
1982	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.60	0.00	0.44	2.13	2.40	1.30	12.02
1983	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.29	0.00	0.43	2.57	1.53	2.46	15.52
1984	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.00	0.87	0.50	1.45	3.53	14.46
1985	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.25	0.00	0.33	0.41	0.49	1.36	3.37	1.89
1986	0.00	0.00	0.00	0.00	0.50	0.00	0.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.95	0.64	3.30	5.19
1987	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.53	0.00	0.39	0.00	1.82	3.12	6.33
1988	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.00	0.00	0.00	0.00	0.00	0.74	0.46	2.34	4.94	1.47
1989	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.29	0.00	0.00	0.56	4.61	4.13
1990	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.55	4.33	10.44
1991	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.66	0.86	1.07	3.23	4.95
1992	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.00	0.00	0.00	0.00	0.49	0.55	0.32	0.82	0.53	3.06	8.00
1993	0.00	0.00	0.00	0.00	0.00	0.24	0.26	0.00	0.00	0.21	0.23	0.00	0.27	0.62	0.00	0.52	0.00	6.37
1994	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.25	0.53	0.00	0.00	0.52	2.09	3.91
1995	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.00	0.00	2.96	4.06	10.90
1996	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.74	1.90	3.27	2.51
1997	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.50	0.28	0.67	0.00	1.28	3.86
1998	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.26	0.25	0.00	0.00	0.23	0.50	0.00	0.65	0.43	1.25	9.31
1999	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.00	0.21	0.00	0.22	0.00	0.27	0.00	0.41	1.25	4.02
2000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.00	0.19	0.00	0.50	0.27	0.00	1.19	1.76	4.43
2001	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.00	0.00	0.24	0.00	0.00	0.00	0.00	3.38	5.33
2002	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.48	0.52	0.59	0.73	0.00	4.47
2003	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.71	1.51	2.13
2004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.00	0.00	0.00	0.00	0.00	0.00	0.48	2.04

表3 特定疾患治療研究対象疾患の性・年齢階級別の死亡率(/100万)

疾患番号16 脊髄小脳変性症 Spinocerebellar degeneration

	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～
男																		
1972	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	0.00	0.00	0.22	0.00	0.00	0.00	0.20	0.21	0.48	1.75	1.74	2.96	6.81	4.62	4.73	3.63	0.00	0.00
1980	0.00	0.00	0.00	0.00	0.50	0.88	0.37	0.65	0.48	2.23	1.97	4.38	7.19	4.58	3.03	2.36	4.78	11.63
1981	0.00	0.20	0.21	0.24	0.25	0.69	0.35	0.00	0.47	2.19	2.74	6.58	8.17	9.05	2.91	1.17	2.24	5.41
1982	0.00	0.20	0.20	0.00	0.00	0.24	0.55	0.44	1.15	0.73	2.14	7.12	9.99	6.22	4.26	6.73	2.11	0.00
1983	0.00	0.00	0.00	0.23	0.25	0.00	0.58	0.62	0.90	1.94	3.67	6.98	7.20	9.64	6.93	0.00	2.00	0.00
1984	0.00	0.00	0.39	0.22	0.49	0.50	0.63	1.77	1.29	1.23	4.14	7.55	9.40	12.67	8.11	5.17	0.00	0.00
1985	0.00	0.23	0.00	0.22	0.48	0.00	0.00	0.56	0.44	0.98	2.80	7.62	8.82	14.03	11.30	8.84	5.54	3.91
1986	0.27	0.00	0.00	0.21	0.24	0.51	0.69	0.35	0.46	1.44	4.01	7.70	11.20	11.12	12.43	3.75	9.07	0.00
1987	0.00	0.00	0.00	0.00	0.23	0.51	0.24	0.73	0.88	3.03	4.72	7.23	11.82	13.57	11.05	7.25	3.43	6.64
1988	0.00	0.00	0.00	0.20	0.46	0.25	0.50	0.97	1.46	1.14	2.98	6.81	14.08	14.08	11.06	11.42	1.64	12.38
1989	0.00	0.26	0.00	0.39	0.00	0.50	0.75	0.00	0.99	2.40	3.01	11.83	15.95	10.67	13.20	11.07	6.20	2.93
1990	0.00	0.00	0.00	0.19	0.00	0.73	0.51	0.66	1.12	2.22	5.48	9.74	12.01	19.53	17.89	10.82	10.28	5.57
1991	0.00	0.00	0.47	0.00	0.00	0.50	0.26	0.23	0.88	2.57	3.67	5.95	13.49	22.53	15.18	15.47	8.36	2.68
1992	0.00	0.00	0.00	0.41	0.00	0.72	0.76	0.48	1.10	2.23	6.19	8.72	19.60	13.92	24.01	13.75	6.68	10.03
1993	0.00	0.00	0.00	0.21	0.20	0.23	0.76	0.74	1.95	2.53	3.02	10.01	17.78	22.80	15.38	16.96	9.00	4.73
1994	0.00	0.00	0.00	0.22	0.20	0.45	0.50	1.00	1.68	2.00	3.79	9.87	17.00	20.00	19.25	16.35	14.83	4.42
1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1998	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1999	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2002	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2003	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2004	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3 特定疾患治療研究対象疾患の性・年齢階級の死亡率(/100万)

疾患番号16 脊髄小脳変性症 Spinocerebellar degeneration		0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～
女																			
1972	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	0.00	0.00	0.00	0.23	0.25	0.00	0.42	0.40	0.85	0.00	0.50	2.23	3.96	3.73	5.49	0.62	0.00	1.57	0.00
1980	0.00	0.00	0.00	0.43	0.25	0.52	0.44	0.00	0.43	0.72	0.49	2.19	2.58	4.37	2.25	1.17	0.00	2.96	2.80
1981	0.00	0.00	0.00	0.43	0.50	0.26	0.70	0.00	0.46	0.70	1.21	1.88	1.86	3.86	5.30	3.32	0.00	1.39	0.00
1982	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.37	1.10	0.00	1.20	2.37	3.31	7.07	6.12	4.26	0.80	0.00	0.00
1983	0.00	0.44	0.00	0.00	0.24	0.00	0.00	0.20	1.04	0.89	1.44	4.89	5.55	5.71	1.30	2.06	2.30	0.00	2.22
1984	0.00	0.00	0.20	0.20	0.23	0.00	0.26	0.84	0.20	0.64	1.70	3.30	3.12	8.15	6.53	1.99	1.45	0.00	2.07
1985	0.00	0.00	0.00	0.00	0.46	0.25	0.00	0.22	0.37	1.09	1.93	3.49	7.52	8.92	9.12	5.83	2.03	1.12	0.00
1986	0.00	0.25	0.00	0.00	0.00	0.25	0.26	0.23	0.89	0.46	2.60	3.19	3.27	11.78	6.04	9.02	1.91	3.30	1.73
1987	0.00	0.00	0.00	0.00	0.00	0.24	0.52	0.24	0.18	0.44	1.38	2.67	5.61	6.47	10.07	7.98	4.86	1.04	0.00
1988	0.00	0.26	0.22	0.83	0.24	0.24	0.26	0.50	0.98	0.84	0.23	3.16	5.76	9.28	8.90	8.82	5.84	0.00	0.00
1989	0.31	0.00	0.23	0.20	0.20	0.23	0.26	0.25	0.42	0.60	1.51	3.93	9.31	8.72	10.22	8.38	7.32	1.84	2.75
1990	0.00	0.00	0.24	0.20	0.20	0.23	0.00	0.00	0.67	0.56	1.76	2.93	5.32	10.81	17.85	8.85	7.13	3.46	1.31
1991	0.32	0.00	0.00	0.00	0.00	0.22	0.25	0.26	1.17	0.71	1.39	2.63	5.73	6.97	14.18	11.59	4.80	4.03	1.24
1992	0.00	0.00	0.00	0.43	0.43	0.43	0.00	0.26	0.49	0.37	1.34	3.27	6.17	10.37	10.85	10.70	6.32	2.29	0.00
1993	0.00	0.00	0.00	0.22	0.21	0.00	0.00	0.77	0.76	1.57	1.26	3.87	5.67	13.10	11.77	18.12	8.84	5.09	1.06
1994	0.00	0.00	0.00	0.00	0.00	0.00	0.70	0.26	0.51	0.42	1.20	4.15	9.99	11.87	16.53	13.09	11.96	2.79	1.96
1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1998	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1999	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2002	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2003	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2004	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3 特定疾患治療研究対象疾患の性・年齢階級別の死亡率(/100万)

疾患番号17 クローン病(限局性腸炎) Crohn's disease [regional enteritis]

	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～
男																		
1972	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.52	0.64	0.45	0.00	1.62	0.70	0.00	0.00	3.76	10.00
1973	0.00	0.00	0.00	0.00	0.39	0.00	0.45	0.48	0.50	0.30	0.00	0.98	2.13	1.37	1.83	0.00	0.00	9.35
1974	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.24	0.50	0.57	0.41	0.49	0.00	0.66	3.57	4.64	0.00	0.00
1975	0.00	0.00	0.00	0.00	0.22	0.37	0.00	0.00	0.24	1.09	0.76	0.96	1.03	4.45	0.87	0.00	0.00	8.13
1976	0.00	0.00	0.00	0.25	0.46	0.35	0.23	0.23	0.24	0.00	1.40	1.44	1.53	0.61	0.87	0.00	3.05	0.00
1977	0.00	0.20	0.00	0.49	0.24	0.73	0.44	0.00	0.47	0.52	0.65	1.41	2.05	1.80	2.53	2.62	2.87	0.00
1978	0.00	0.00	0.23	0.49	0.74	0.58	0.83	0.44	0.24	0.76	0.61	2.26	1.03	1.18	2.46	0.00	5.33	0.00
1979	0.00	0.00	0.00	0.00	0.74	0.42	0.00	0.43	0.24	0.75	0.87	1.27	1.57	1.73	1.58	3.63	0.00	0.00
1980	0.00	0.00	0.00	0.00	0.25	0.22	0.74	0.22	0.00	0.50	1.97	1.99	1.54	1.72	0.76	5.89	2.39	0.00
1981	0.00	0.00	0.00	0.00	0.00	0.00	0.35	0.69	0.24	0.24	0.82	0.37	0.51	1.13	2.18	7.00	2.24	5.41
1982	0.00	0.00	0.00	0.00	0.25	0.24	0.18	0.88	0.00	0.48	0.53	0.00	0.50	1.13	0.00	3.37	2.11	0.00
1983	0.00	0.00	0.00	0.23	0.49	1.00	0.19	0.00	0.22	0.73	0.26	1.59	0.96	1.70	2.08	0.00	0.00	0.00
1984	0.00	0.00	0.00	0.00	0.73	0.25	0.00	0.00	0.22	0.25	0.52	1.81	1.34	1.73	0.00	1.03	0.00	0.00
1985	0.00	0.00	0.19	0.22	0.24	1.01	0.44	0.00	0.00	0.49	0.51	0.29	1.26	0.56	1.33	0.00	1.85	0.00
1986	0.00	0.00	0.00	0.41	0.49	0.00	0.69	0.18	0.23	0.24	0.25	0.00	1.16	0.00	1.31	0.94	1.81	0.00
1987	0.27	0.00	0.00	0.40	0.47	0.25	0.72	0.00	0.22	0.23	0.50	0.83	1.79	2.17	1.30	0.91	0.00	3.32
1988	0.00	0.00	0.00	0.00	0.46	0.75	0.50	0.39	0.21	0.46	0.50	0.00	0.34	0.52	0.00	1.76	0.00	0.00
1989	0.00	0.00	0.00	0.00	0.00	0.74	0.50	0.00	0.00	1.09	0.00	0.27	0.00	0.48	0.66	1.70	0.00	0.00
1990	0.30	0.00	0.23	0.00	0.45	0.49	0.25	0.44	0.00	0.22	0.25	0.79	1.23	1.82	0.64	0.83	1.47	0.00
1991	0.00	0.00	0.00	0.20	0.42	0.25	0.26	0.69	0.53	0.00	0.24	0.52	0.60	0.00	0.63	0.81	0.00	0.00
1992	0.00	0.00	0.00	0.20	0.82	1.20	0.00	0.72	0.73	0.45	0.00	0.26	0.29	0.39	1.23	0.00	4.01	0.00
1993	0.00	0.00	0.00	0.00	0.40	0.00	1.01	0.74	0.19	0.63	0.23	0.00	0.29	0.36	0.59	0.00	0.00	2.36
1994	0.00	0.00	0.00	0.00	0.39	0.45	0.50	0.25	0.00	0.40	0.67	0.52	0.00	1.38	2.20	0.00	0.00	2.21
1995	0.00	0.00	0.00	0.00	0.00	0.90	0.97	0.51	0.22	0.37	0.45	0.26	0.28	1.33	0.51	0.00	2.42	4.18
1996	0.00	0.00	0.00	0.24	0.80	0.21	1.23	0.00	0.69	0.00	0.24	0.25	0.54	0.32	1.42	1.56	0.00	0.00
1997	0.00	0.00	0.00	0.24	0.20	1.04	0.72	0.25	0.24	0.18	0.23	0.24	0.81	0.95	1.31	1.51	0.00	1.84
1998	0.00	0.00	0.00	0.00	0.00	0.81	0.70	0.25	0.25	0.98	0.64	0.00	1.07	0.31	1.22	0.00	1.15	1.73
1999	0.00	0.00	0.00	0.25	0.22	0.40	1.14	0.75	1.01	0.42	0.41	0.23	0.27	0.61	1.17	0.00	1.16	1.64
2000	0.00	0.00	0.00	0.00	0.23	0.40	0.45	1.22	0.00	1.12	0.38	0.23	0.27	0.89	1.12	0.61	0.00	3.05
2001	0.00	0.00	0.00	0.00	0.48	0.41	0.42	0.49	0.51	1.17	0.00	0.98	0.52	1.16	0.36	0.56	2.12	1.45
2002	0.00	0.00	0.00	0.00	0.00	0.21	0.42	0.72	0.77	0.24	0.38	0.70	0.25	0.86	0.00	1.04	4.07	0.00
2003	0.00	0.00	0.00	0.00	0.25	0.65	0.61	0.23	0.51	0.50	0.20	0.88	0.99	1.71	0.69	0.00	1.92	0.00
2004	0.00	0.00	0.00	0.00	0.25	0.45	0.40	0.46	0.25	0.00	0.43	0.42	0.48	0.57	0.34	0.92	0.88	1.29

表3 特定疾患治療研究対象疾患の性・年齢階級別の死亡率(/100万)

疾患番号17 クロールン病(限局性腸炎) Crohn's disease [regional enteritis]

	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～
女																		
1972	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.52	0.00	0.70	0.81	0.92	0.00	0.77	1.22	2.25	0.00
1973	0.00	0.24	0.00	0.00	0.39	0.00	0.22	0.00	0.25	0.28	0.34	0.00	0.45	0.00	1.48	4.63	0.00	4.18
1974	0.00	0.00	0.00	0.25	0.00	0.20	0.21	0.24	0.25	0.28	0.00	0.40	0.88	0.56	0.00	3.35	0.00	0.00
1975	0.00	0.00	0.00	0.26	0.22	0.00	0.22	0.00	0.98	0.27	0.32	0.38	0.43	1.06	3.50	1.05	2.00	3.73
1976	0.00	0.00	0.00	0.00	0.00	0.18	0.00	0.47	0.24	0.26	0.30	0.75	0.42	0.50	1.39	1.00	1.88	0.00
1977	0.21	0.00	0.00	0.26	0.00	0.18	0.00	0.45	0.24	0.26	0.59	0.72	1.66	0.49	1.35	2.84	3.54	10.20
1978	0.00	0.00	0.00	0.00	0.00	0.19	0.42	0.00	0.71	0.25	0.29	0.35	0.82	0.47	0.65	0.90	0.00	6.39
1979	0.00	0.00	0.00	0.00	0.00	0.84	0.20	0.00	0.00	0.00	0.56	0.00	0.83	0.00	1.24	0.87	3.14	0.00
1980	0.00	0.00	0.00	0.25	0.00	0.44	0.19	0.00	0.24	0.00	0.27	1.29	0.79	0.45	1.17	1.68	2.96	0.00
1981	0.00	0.00	0.00	0.00	0.26	0.00	0.18	0.00	0.00	0.48	0.27	0.62	0.77	1.77	0.00	0.00	4.16	0.00
1982	0.00	0.00	0.00	0.24	0.26	0.73	0.18	0.44	0.00	0.00	0.53	0.00	1.86	0.00	0.53	2.40	2.60	2.40
1983	0.00	0.00	0.00	0.00	0.26	0.25	0.39	0.00	0.00	0.24	0.77	0.29	0.00	1.73	2.06	0.77	2.46	4.43
1984	0.00	0.00	0.00	0.00	0.00	0.00	0.42	0.00	0.21	0.00	0.51	0.00	1.36	0.44	1.00	2.17	0.00	2.07
1985	0.55	0.00	0.00	0.00	0.25	0.26	0.44	0.37	0.00	0.24	0.25	0.28	0.33	1.66	0.49	1.36	1.12	1.89
1986	0.00	0.00	0.00	0.22	0.00	0.00	0.00	0.53	0.00	0.00	0.25	0.27	0.32	0.40	0.95	3.18	0.00	0.00
1987	0.00	0.00	0.00	0.21	0.24	0.52	0.00	0.37	0.22	0.00	0.24	0.00	0.31	1.16	0.47	1.22	0.00	0.00
1988	0.00	0.00	0.00	0.00	0.00	0.26	0.50	0.00	0.00	0.00	0.24	0.26	0.30	0.74	0.46	1.17	3.95	1.47
1989	0.00	0.00	0.00	0.20	0.23	0.00	0.00	0.42	0.00	0.22	0.25	0.26	1.16	0.70	0.93	0.56	0.00	1.38
1990	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.00	0.00	0.00	0.49	0.76	0.00	2.06	0.88	0.00	2.60	1.31
1991	0.32	0.00	0.00	0.00	0.22	0.00	0.00	0.00	0.18	0.00	0.72	0.25	0.28	0.66	0.43	0.53	0.81	1.24
1992	0.00	0.00	0.00	0.00	0.00	0.00	0.52	0.00	0.19	0.22	0.00	0.00	0.00	0.64	0.82	1.58	0.00	2.29
1993	0.00	0.00	0.00	0.00	0.21	0.96	0.00	0.25	0.00	0.42	0.23	0.25	0.27	0.62	0.79	0.00	1.46	3.18
1994	0.00	0.00	0.00	0.00	0.21	0.23	0.26	0.00	0.42	0.20	0.00	0.25	0.53	0.60	0.75	1.04	0.00	0.00
1995	0.00	0.00	0.00	0.24	0.00	0.23	0.50	0.52	0.00	0.38	0.22	0.00	0.26	0.29	0.36	0.99	1.35	0.00
1996	0.00	0.00	0.00	0.00	0.21	0.00	0.51	0.26	0.23	0.36	0.00	0.24	0.51	0.58	0.70	0.00	1.96	0.84
1997	0.00	0.00	0.00	0.00	0.21	0.43	0.00	0.26	0.24	0.37	0.22	0.00	0.50	0.56	0.67	1.36	0.64	2.32
1998	0.00	0.00	0.00	0.00	0.00	0.42	0.00	0.26	0.25	0.20	0.00	0.23	0.50	0.00	0.33	0.43	0.00	0.72
1999	0.00	0.00	0.00	0.00	0.00	0.21	0.70	0.26	0.00	0.85	0.20	0.00	0.00	0.54	1.26	1.64	1.25	2.68
2000	0.00	0.34	0.00	0.00	0.00	0.41	0.46	0.99	0.00	0.00	0.00	0.00	0.00	0.80	0.31	0.40	0.59	1.27
2001	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.26	0.24	0.18	0.00	0.49	0.26	0.61	0.00	1.69	2.37
2002	0.00	0.00	0.00	0.00	0.00	0.43	0.00	0.49	0.00	0.00	0.00	0.00	0.00	0.26	0.00	1.09	1.60	0.56
2003	0.00	0.00	0.00	0.00	0.00	0.00	0.62	0.71	0.26	0.51	0.40	0.00	0.00	1.03	1.45	1.76	1.01	1.06
2004	0.00	0.00	0.00	0.00	0.27	0.00	0.00	0.23	0.00	0.77	0.21	0.00	0.00	1.30	0.28	0.68	0.00	0.00