

表5 特定疾患治療研究対象疾患の都道府県別の粗死亡率(/100万)

患番号39 原発性肺高血圧症 Primary pulmonary hypertension

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
女																	
北海道	-	-	-	-	-	-	-	0.4	1.1	1.1	0.4	0.4	1.0	0.7	2.1	1.4	1.4
青森県	-	-	-	-	-	-	-	0.0	2.5	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0
岩手県	-	-	-	-	-	-	-	0.0	0.0	0.0	1.4	1.4	0.0	2.7	2.7	2.7	0.0
宮城県	-	-	-	-	-	-	-	2.9	2.8	0.9	0.0	3.7	0.9	2.7	1.8	4.5	2.7
秋田県	-	-	-	-	-	-	-	4.6	1.5	3.1	0.0	3.1	1.5	0.0	3.1	1.5	0.0
山形県	-	-	-	-	-	-	-	0.0	0.0	1.5	1.5	0.0	0.0	6.1	0.0	1.5	0.0
福島県	-	-	-	-	-	-	-	1.9	1.9	1.9	1.9	1.9	0.9	0.0	1.9	1.9	0.9
茨城県	-	-	-	-	-	-	-	2.4	0.8	0.0	0.8	1.5	1.5	0.7	2.2	2.2	2.1
栃木県	-	-	-	-	-	-	-	1.1	0.0	2.2	1.1	0.0	1.1	1.1	3.2	3.1	4.2
群馬県	-	-	-	-	-	-	-	1.1	0.0	0.0	2.1	1.0	0.0	1.0	0.0	1.0	1.0
埼玉県	-	-	-	-	-	-	-	0.8	0.8	0.4	0.7	1.1	1.1	1.7	1.4	1.0	1.6
千葉県	-	-	-	-	-	-	-	0.0	0.9	0.4	1.6	1.6	1.2	2.3	1.2	1.9	2.2
東京都	-	-	-	-	-	-	-	0.9	1.6	0.5	1.7	0.9	1.0	2.0	1.7	2.6	1.2
神奈川県	-	-	-	-	-	-	-	1.5	0.3	1.5	2.0	0.9	1.7	1.1	1.4	1.1	1.3
新潟県	-	-	-	-	-	-	-	1.6	1.6	0.8	1.6	0.8	0.0	4.7	2.4	1.6	3.1
富山県	-	-	-	-	-	-	-	0.0	0.0	0.0	0.0	1.7	1.7	3.5	1.7	3.5	1.7
石川県	-	-	-	-	-	-	-	1.8	0.0	0.0	0.0	0.0	1.7	1.7	1.7	1.7	8.4
福井県	-	-	-	-	-	-	-	0.0	0.0	0.0	0.0	2.4	0.0	2.4	0.0	2.4	0.0
山梨県	-	-	-	-	-	-	-	0.0	2.4	2.4	0.0	2.4	2.4	2.4	2.3	4.7	7.0
長野県	-	-	-	-	-	-	-	0.0	1.9	0.0	0.9	0.0	1.8	0.9	1.8	1.8	2.7
岐阜県	-	-	-	-	-	-	-	0.0	0.0	3.0	0.0	0.0	1.0	1.9	1.9	1.9	1.0
静岡県	-	-	-	-	-	-	-	0.6	0.6	1.7	0.0	2.2	0.6	0.6	1.1	2.2	1.1
愛知県	-	-	-	-	-	-	-	0.7	0.3	1.0	1.0	1.9	1.9	1.2	3.1	0.6	1.8
三重県	-	-	-	-	-	-	-	1.2	1.2	2.3	3.4	0.0	1.1	3.3	4.4	2.2	0.0
滋賀県	-	-	-	-	-	-	-	1.9	1.8	0.0	3.5	1.8	0.0	5.1	0.0	0.0	0.0
京都府	-	-	-	-	-	-	-	2.4	1.6	0.8	0.8	1.5	0.8	0.8	2.3	3.0	1.5
大阪府	-	-	-	-	-	-	-	1.2	0.9	2.1	1.9	1.8	0.9	1.4	2.1	2.7	1.4
兵庫県	-	-	-	-	-	-	-	1.2	0.4	0.4	1.9	1.5	1.9	2.6	2.6	0.7	1.1
奈良県	-	-	-	-	-	-	-	1.6	1.6	1.6	1.6	1.5	4.5	0.0	4.4	4.4	1.4
和歌山県	-	-	-	-	-	-	-	0.0	0.0	0.0	0.0	1.8	1.8	3.5	3.5	0.0	3.5
鳥取県	-	-	-	-	-	-	-	3.2	0.0	3.2	3.2	3.1	3.1	3.1	3.1	6.2	0.0
島根県	-	-	-	-	-	-	-	0.0	2.5	0.0	0.0	0.0	0.0	2.4	2.4	4.9	2.4
岡山県	-	-	-	-	-	-	-	1.0	0.0	0.0	2.1	1.0	2.0	1.0	2.0	3.0	2.0
広島県	-	-	-	-	-	-	-	1.4	0.0	2.1	1.4	4.2	0.7	2.1	3.5	2.1	3.4
山口県	-	-	-	-	-	-	-	1.2	1.2	2.4	2.4	1.2	2.4	3.6	1.2	3.6	0.0
徳島県	-	-	-	-	-	-	-	0.0	0.0	4.7	0.0	2.3	2.3	2.3	0.0	2.3	0.0
香川県	-	-	-	-	-	-	-	0.0	0.0	1.9	3.8	3.8	0.0	0.0	0.0	3.8	3.8
愛媛県	-	-	-	-	-	-	-	2.6	0.0	1.3	2.5	3.8	1.3	6.2	0.0	3.8	3.8
高知県	-	-	-	-	-	-	-	0.0	0.0	2.3	0.0	0.0	2.3	4.5	2.3	0.0	0.0
福岡県	-	-	-	-	-	-	-	0.4	0.9	0.8	0.0	1.2	0.8	1.6	1.2	2.0	0.8
佐賀県	-	-	-	-	-	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2
長崎県	-	-	-	-	-	-	-	0.0	0.0	1.2	3.6	1.2	2.4	0.0	0.0	0.0	0.0
熊本県	-	-	-	-	-	-	-	0.0	1.1	1.1	0.0	0.0	0.0	3.1	2.1	2.1	3.1
大分県	-	-	-	-	-	-	-	0.0	0.0	1.5	1.5	0.0	1.5	0.0	1.5	4.6	3.1
宮崎県	-	-	-	-	-	-	-	0.0	1.7	3.3	1.7	1.6	0.0	0.0	0.0	1.6	3.2
鹿児島県	-	-	-	-	-	-	-	1.1	1.1	2.1	0.0	0.0	0.0	1.0	0.0	0.0	1.0
沖縄県	-	-	-	-	-	-	-	0.0	1.8	3.5	0.0	3.4	0.0	1.7	5.0	0.0	3.3

表5 特定疾患治療研究対象疾患の都道府県別の粗死亡率(/100万)

患番号39 原発性肺高血圧症 Primary pulmonary hypertension

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
女																
北海道	0.7	0.0	2.4	1.0	2.7	2.7	1.4	2.4	2.7	2.7	2.4	2.7	2.0	3.0	2.7	3.7
青森県	0.0	0.0	3.9	7.7	1.3	2.6	1.3	0.0	0.0	1.3	2.6	1.3	5.2	2.6	2.6	7.9
岩手県	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	2.7	1.4	4.1	1.4	1.4	4.1	1.4	0.0
宮城県	1.8	4.4	2.6	0.0	3.4	3.4	4.2	2.5	2.5	2.5	4.2	1.7	0.0	0.8	1.7	1.6
秋田県	1.6	4.7	1.6	0.0	0.0	1.6	3.1	4.7	3.2	0.0	1.6	0.0	1.6	3.2	1.6	3.3
山形県	4.6	3.1	0.0	1.5	1.5	1.5	4.6	4.6	4.6	3.1	3.1	4.7	3.1	0.0	4.7	0.0
福島県	3.7	1.9	2.8	0.9	0.9	0.0	0.9	1.8	1.8	1.8	3.7	3.7	3.7	1.8	4.6	2.8
茨城県	1.4	1.4	0.7	1.4	2.1	4.1	4.7	2.7	2.0	2.0	3.4	2.7	4.0	4.7	4.7	4.0
栃木県	1.0	3.1	4.1	4.1	2.0	2.0	0.0	1.0	1.0	1.0	5.0	3.0	3.0	4.0	4.0	1.0
群馬県	0.0	0.0	1.0	1.0	2.0	1.0	2.0	2.0	1.0	2.0	0.0	2.0	1.0	3.9	2.9	1.9
埼玉県	1.6	1.3	2.5	1.6	3.7	3.3	2.4	2.1	1.5	2.1	2.1	2.9	3.2	3.2	1.4	2.6
千葉県	1.1	0.7	1.8	1.4	1.1	1.8	1.4	2.4	1.7	1.4	1.0	1.7	2.4	4.0	3.3	0.7
東京都	2.0	1.0	2.6	2.0	1.5	1.9	1.5	1.5	1.5	2.3	1.5	1.7	3.5	2.6	3.2	2.7
神奈川県	1.3	1.3	2.0	1.8	2.0	1.8	3.7	3.4	3.4	1.7	2.2	2.6	2.8	3.5	5.1	2.8
新潟県	1.6	3.1	2.4	3.1	0.8	1.6	3.1	2.4	1.6	3.1	0.8	3.1	1.6	1.6	2.4	2.4
富山県	0.0	0.0	5.2	0.0	3.4	3.4	1.7	1.7	1.7	5.2	0.0	1.7	5.2	3.5	3.5	1.7
石川県	0.0	0.0	3.3	1.7	1.7	1.7	1.6	4.9	1.6	0.0	3.3	1.6	1.6	0.0	3.3	1.6
福井県	0.0	4.7	0.0	4.7	2.4	0.0	7.1	0.0	2.4	4.7	0.0	0.0	4.7	0.0	4.7	0.0
山梨県	6.9	0.0	0.0	0.0	4.5	2.3	2.2	2.2	4.5	6.7	4.4	2.2	4.4	6.6	0.0	6.6
長野県	0.0	0.0	1.8	0.9	0.9	0.9	0.9	0.0	0.9	2.7	2.7	0.9	0.9	2.6	0.0	6.2
岐阜県	2.8	1.9	0.9	1.9	3.7	1.9	2.8	2.8	0.9	2.8	4.6	4.6	5.5	0.0	3.7	2.8
静岡県	2.2	1.1	0.0	3.2	2.1	3.2	3.2	2.1	0.5	2.1	1.1	3.1	3.7	1.0	1.0	1.0
愛知県	1.2	2.1	1.5	3.3	2.4	3.8	4.7	1.5	2.3	1.2	2.9	2.6	3.7	2.5	3.1	4.7
三重県	1.1	1.1	2.2	2.1	3.2	2.1	2.1	3.2	2.1	3.2	5.2	6.3	5.2	6.3	3.1	6.3
滋賀県	0.0	0.0	0.0	0.0	0.0	1.6	1.5	6.1	1.5	1.5	3.0	4.4	2.9	1.5	2.9	4.3
京都府	0.0	3.0	0.0	2.2	1.5	1.5	2.2	3.7	3.7	3.7	2.9	3.7	5.1	3.7	2.2	2.9
大阪府	2.0	1.8	2.0	2.7	2.9	2.2	2.9	2.9	3.8	4.5	2.9	1.8	3.5	4.4	2.7	4.2
兵庫県	1.4	1.1	2.2	3.2	2.5	4.3	3.6	3.6	1.8	3.9	2.8	3.8	3.8	4.5	2.4	3.4
奈良県	1.4	2.8	1.4	2.8	2.7	1.4	5.4	1.3	2.7	1.3	1.3	1.3	0.0	2.7	8.0	1.3
和歌山県	3.5	3.6	1.8	1.8	1.8	1.8	1.8	1.8	5.3	0.0	1.8	1.8	3.6	5.4	0.0	3.6
鳥取県	6.2	3.1	3.1	0.0	0.0	0.0	0.0	6.2	3.1	0.0	3.1	9.4	3.1	3.1	0.0	0.0
島根県	0.0	4.9	2.5	2.5	2.5	0.0	7.5	2.5	2.5	10.0	0.0	2.5	2.5	2.5	2.5	0.0
岡山県	3.0	5.0	0.0	1.0	4.0	1.0	4.0	3.0	3.0	4.0	2.0	4.9	1.0	2.0	3.0	4.9
広島県	1.4	2.1	0.7	4.1	4.1	6.8	4.1	2.0	2.7	4.0	6.1	4.7	4.7	3.4	7.4	4.7
山口県	3.6	2.4	6.1	0.0	1.2	4.9	4.9	2.5	1.2	2.5	0.0	5.0	2.5	3.8	5.0	7.6
徳島県	2.3	4.6	2.3	0.0	0.0	0.0	4.6	0.0	2.3	6.9	2.3	0.0	0.0	4.6	2.3	0.0
香川県	3.8	3.8	1.9	5.6	1.9	0.0	0.0	7.5	1.9	1.9	3.8	3.8	1.9	7.6	3.8	1.9
愛媛県	2.5	3.8	1.3	1.3	1.3	2.5	1.3	5.0	5.1	6.3	1.3	3.8	3.8	2.5	7.7	5.1
高知県	2.3	0.0	4.6	0.0	4.6	2.3	6.9	4.6	4.6	0.0	2.3	0.0	4.7	0.0	7.0	4.7
福岡県	3.2	2.4	1.6	2.4	1.6	1.6	1.6	3.1	3.1	3.1	3.8	4.6	3.8	4.2	5.7	3.0
佐賀県	4.3	0.0	4.3	4.3	0.0	0.0	2.2	0.0	0.0	2.2	2.2	0.0	2.2	2.2	2.2	0.0
長崎県	3.6	0.0	0.0	1.2	3.7	2.4	1.2	2.5	1.2	0.0	1.2	0.0	1.3	2.5	1.3	5.0
熊本県	3.1	1.0	2.1	3.1	3.1	0.0	5.1	1.0	3.1	3.1	2.0	5.1	0.0	3.1	4.1	2.0
大分県	0.0	3.1	1.5	0.0	0.0	1.5	3.1	0.0	9.3	3.1	3.1	1.6	0.0	4.7	4.7	1.6
宮崎県	0.0	0.0	3.2	1.6	1.6	1.6	12.9	1.6	1.6	6.5	3.2	6.5	3.2	4.9	4.9	1.6
鹿児島県	3.1	3.1	3.1	3.1	4.2	3.2	3.2	5.3	8.4	4.2	4.2	0.0	2.1	6.4	4.2	5.3
沖縄県	0.0	1.6	3.2	1.6	3.1	3.1	1.5	4.6	6.1	1.5	3.0	4.5	11.8	2.9	2.9	7.2

表5 特定疾患治療研究対象疾患の都道府県別の粗死亡率(/100万)

疾患番号43 肺塞栓症 Pulmonary embolism

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
男																	
北海道	1.2	3.9	1.2	3.1	0.8	1.9	2.2	3.7	3.7	4.7	5.5	3.6	4.7	4.0	2.9	6.2	5.5
青森県	1.4	1.4	2.9	2.8	7.0	5.6	1.4	2.7	2.7	5.4	1.4	5.5	2.7	2.7	5.5	1.4	5.6
岩手県	0.0	4.5	3.0	1.5	1.5	1.5	0.0	1.5	1.5	1.5	1.5	2.9	1.5	2.9	1.5	2.9	4.4
宮城県	1.1	1.1	2.1	2.1	2.1	2.0	0.0	1.0	5.9	1.9	2.9	1.9	1.9	0.9	1.9	3.7	4.6
秋田県	1.7	3.4	1.7	6.8	3.4	5.0	1.7	3.3	1.7	0.0	3.3	5.0	0.0	5.0	6.7	5.1	10.2
山形県	1.7	0.0	3.4	1.7	1.7	3.4	3.3	1.7	3.3	1.7	0.0	3.3	4.9	3.3	0.0	0.0	4.9
福島県	1.1	3.2	6.3	0.0	0.0	5.2	2.1	2.0	1.0	5.0	1.0	2.0	4.0	5.9	5.9	7.9	6.9
茨城県	0.9	1.8	0.9	1.7	0.9	1.7	0.0	1.6	1.6	1.6	1.5	1.5	3.7	2.2	0.7	4.3	3.6
栃木県	0.0	2.5	1.2	3.6	2.4	2.3	2.3	2.3	6.8	1.1	0.0	1.1	0.0	6.5	2.2	5.3	3.2
群馬県	0.0	0.0	2.4	1.2	0.0	0.0	3.4	0.0	2.2	3.3	1.1	3.2	4.3	3.2	3.2	4.2	10.4
埼玉県	0.9	0.5	0.9	1.2	1.6	2.0	0.8	0.8	1.8	2.2	1.8	2.1	0.3	2.7	2.0	1.0	4.2
千葉県	1.1	1.1	3.0	1.0	0.5	1.8	1.3	1.3	0.4	0.4	1.2	0.4	3.9	1.6	2.7	4.9	3.3
東京都	1.4	1.5	1.4	1.4	1.5	1.4	1.7	1.9	2.4	2.4	2.5	3.0	4.0	5.9	3.9	3.7	5.5
神奈川県	0.7	3.0	1.9	0.6	0.9	2.4	2.6	2.3	1.4	2.2	3.6	2.4	3.2	4.2	2.9	4.8	4.0
新潟県	3.5	0.0	0.9	0.9	0.9	0.9	2.5	2.5	1.7	1.7	3.3	0.8	6.7	1.7	3.3	1.7	5.8
富山県	2.0	0.0	0.0	1.9	1.9	5.8	0.0	1.9	5.6	13.1	9.3	5.6	5.6	9.3	5.6	7.4	9.3
石川県	0.0	2.0	3.9	1.9	0.0	1.9	0.0	0.0	0.0	7.3	1.8	0.0	7.2	5.4	1.8	5.4	8.9
福井県	5.5	2.8	0.0	2.7	2.7	0.0	0.0	2.6	0.0	5.2	0.0	0.0	2.5	5.0	2.5	5.0	5.0
山梨県	2.7	5.4	0.0	2.6	0.0	0.0	2.6	2.6	0.0	5.1	5.0	15.0	7.4	12.3	12.2	7.3	7.2
長野県	4.2	5.3	3.1	4.1	3.1	0.0	0.0	4.0	6.0	3.9	0.0	4.9	2.9	4.8	8.7	4.8	2.9
岐阜県	2.3	1.2	1.1	1.1	4.4	1.1	1.1	3.2	1.1	2.1	2.1	4.1	2.0	2.0	1.0	2.0	5.0
静岡県	3.2	0.0	0.6	1.8	1.8	1.8	0.0	1.8	4.1	4.1	2.3	1.7	4.6	0.6	5.1	2.3	5.6
愛知県	1.1	0.0	0.0	1.4	1.0	2.3	1.0	1.0	2.3	1.9	0.3	1.9	1.6	0.6	4.3	3.7	1.8
三重県	0.0	1.3	3.9	2.5	2.5	5.0	5.0	4.9	3.7	2.4	6.0	7.2	4.8	8.3	7.0	5.8	7.0
滋賀県	2.2	0.0	2.1	2.1	0.0	0.0	0.0	1.9	0.0	3.7	1.8	1.8	1.8	3.5	1.7	5.2	3.4
京都府	0.0	2.6	1.7	0.8	0.8	3.3	0.8	3.3	4.9	4.0	2.4	6.4	0.8	2.4	4.7	4.0	3.2
大阪府	0.3	1.3	1.7	1.9	1.7	1.7	1.2	1.0	1.2	2.6	3.1	1.2	2.8	2.8	4.0	3.7	4.2
兵庫県	0.4	0.9	1.2	1.2	0.4	1.2	2.0	4.8	4.0	2.0	2.0	5.5	4.7	2.7	2.3	4.6	4.6
奈良県	0.0	0.0	2.0	3.8	0.0	3.6	3.6	1.7	1.7	0.0	0.0	6.5	3.2	3.2	4.7	1.6	3.1
和歌山県	0.0	3.9	1.9	0.0	1.9	3.9	1.9	1.9	7.6	3.8	1.9	3.8	5.8	1.9	3.9	7.8	1.9
鳥取県	11.0	7.3	3.6	3.6	3.6	3.5	0.0	7.0	0.0	13.7	0.0	6.8	6.8	6.8	6.8	3.4	0.0
島根県	0.0	2.7	0.0	0.0	2.7	5.4	2.7	2.7	5.3	7.9	2.6	2.6	5.2	5.2	0.0	5.3	13.3
岡山県	0.0	1.2	3.5	0.0	2.3	2.3	2.2	2.2	7.7	1.1	3.3	5.5	7.6	2.2	5.4	7.6	2.2
広島県	2.4	3.3	1.6	1.5	1.5	1.5	1.5	1.5	1.5	0.0	3.0	1.5	2.2	5.8	5.8	5.1	7.2
山口県	4.1	2.7	4.1	0.0	0.0	0.0	0.0	1.3	5.3	2.6	2.6	1.3	6.6	7.9	6.6	10.6	6.7
徳島県	2.6	2.6	0.0	0.0	0.0	0.0	2.6	7.6	5.1	2.5	0.0	2.5	2.5	0.0	0.0	2.5	7.6
香川県	0.0	2.3	0.0	2.2	4.3	0.0	0.0	2.1	2.1	4.1	4.1	2.1	4.1	6.1	0.0	0.0	10.2
愛媛県	2.9	1.5	1.4	1.4	0.0	0.0	2.8	4.2	1.4	0.0	5.5	5.5	5.5	6.9	4.1	9.7	4.2
高知県	5.3	2.7	2.6	2.6	5.2	2.6	2.6	2.5	0.0	2.5	0.0	5.0	7.5	2.5	7.6	7.6	2.6
福岡県	0.0	1.0	2.0	1.0	1.9	1.9	2.8	4.1	1.8	4.1	1.8	4.0	8.4	2.6	4.0	4.4	5.2
佐賀県	2.5	2.5	5.1	2.5	0.0	0.0	5.0	0.0	7.3	2.4	2.4	4.8	0.0	4.8	2.4	7.2	2.4
長崎県	1.3	0.0	2.7	0.0	6.7	5.3	2.7	1.3	1.3	2.6	7.9	5.3	2.6	2.6	4.0	6.7	6.7
熊本県	1.3	1.3	2.5	3.7	1.2	4.8	7.2	3.6	1.2	1.2	1.2	3.5	6.9	4.6	4.6	5.7	10.3
大分県	3.6	3.6	0.0	0.0	1.8	7.0	5.2	1.7	1.7	0.0	0.0	5.1	1.7	3.4	3.4	1.7	8.5
宮崎県	0.0	0.0	0.0	0.0	0.0	0.0	1.9	3.7	5.5	0.0	1.8	1.8	0.0	7.2	5.4	5.4	1.8
鹿児島県	3.7	1.2	0.0	1.2	2.5	2.4	2.4	4.8	4.8	2.4	2.4	2.4	2.3	5.8	5.9	4.7	5.9
沖縄県	0.0	6.3	4.0	5.9	5.8	5.7	1.9	1.9	0.0	5.4	1.8	7.1	8.7	5.2	6.8	6.8	3.4

表5 特定疾患治療研究対象疾患の都道府県別の粗死亡率(/100万)

疾患番号43 肺塞栓症 Pulmonary embolism

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
男																
北海道	6.6	0.7	4.4	9.5	7.7	9.1	8.8	12.1	10.3	12.5	8.8	9.2	10.3	9.2	10.7	13.8
青森県	15.5	11.4	5.7	8.5	17.0	4.3	5.7	11.4	11.4	14.2	18.5	17.1	7.1	14.3	17.3	18.9
岩手県	7.3	7.4	4.4	5.9	13.2	7.3	19.1	10.3	26.4	13.2	17.6	17.6	16.2	19.2	19.4	19.4
宮城県	2.7	3.6	1.8	6.2	8.0	7.9	13.1	9.6	13.9	13.9	16.4	15.5	6.0	13.8	6.0	14.7
秋田県	5.1	22.2	13.7	12.0	10.3	17.3	24.2	22.6	19.2	19.3	24.7	19.5	23.1	12.6	7.3	25.6
山形県	4.9	0.0	6.6	8.2	9.9	11.5	13.2	8.3	19.8	19.9	16.6	23.3	43.4	23.5	18.6	13.6
福島県	3.9	3.9	5.8	3.9	6.8	10.6	15.4	3.8	11.5	11.5	8.7	7.7	11.6	22.3	7.8	15.6
茨城県	1.4	4.9	6.3	4.2	1.4	10.2	12.9	9.5	12.2	12.8	10.8	11.4	20.8	9.4	15.5	12.1
栃木県	5.2	3.1	3.1	4.1	8.2	9.2	11.1	7.1	10.1	13.1	13.1	15.1	13.0	19.0	15.0	10.0
群馬県	4.1	9.3	5.1	7.2	5.1	7.1	12.1	9.1	7.1	11.1	11.0	14.0	14.0	14.0	7.0	13.0
埼玉県	3.5	0.9	4.3	6.6	5.4	7.4	5.6	9.3	6.4	9.5	10.1	10.0	8.5	11.1	7.1	8.2
千葉県	2.5	3.2	5.3	4.6	6.6	4.5	6.5	5.8	10.2	7.4	11.5	8.4	7.3	7.0	8.0	7.3
東京都	3.7	6.4	6.2	7.6	7.9	9.5	12.9	8.3	12.1	11.1	11.2	9.3	10.1	13.0	10.8	9.6
神奈川県	4.0	5.4	5.1	3.9	6.0	7.6	8.3	9.5	12.0	5.9	8.2	11.4	9.7	8.0	10.0	12.0
新潟県	5.8	10.8	9.2	9.1	4.2	9.9	8.3	12.4	14.1	13.3	8.3	13.3	10.8	5.0	5.9	14.3
富山県	5.6	3.7	7.4	9.3	9.3	13.0	7.4	9.3	16.7	9.3	13.0	9.3	18.5	20.4	14.9	11.2
石川県	7.1	10.7	3.5	1.8	12.3	12.3	12.3	8.8	8.8	14.0	12.2	14.0	15.7	10.5	12.3	8.8
福井県	5.0	5.0	12.5	7.5	15.0	2.5	5.0	17.4	7.5	12.4	12.4	17.4	10.0	17.5	12.5	12.5
山梨県	4.8	7.2	9.5	14.1	14.0	9.3	16.1	11.5	11.5	16.1	6.9	11.5	4.6	9.2	6.9	20.7
長野県	4.8	4.8	8.6	8.5	9.4	13.1	15.0	14.0	10.2	23.2	24.1	19.4	14.7	15.7	15.8	12.1
岐阜県	4.0	4.0	9.9	5.9	7.9	12.8	13.7	11.8	13.7	20.6	8.8	15.7	18.6	7.8	17.6	17.6
静岡県	7.2	3.3	7.7	4.9	4.9	5.5	7.6	10.8	10.3	8.1	9.7	9.2	6.4	7.0	13.4	10.7
愛知県	3.3	4.2	5.0	4.7	5.3	3.5	4.1	6.9	7.8	9.5	8.3	9.9	8.5	10.4	8.1	10.0
三重県	11.6	12.7	13.7	8.0	15.8	11.3	15.7	12.3	12.3	13.4	16.7	15.5	16.6	15.5	5.5	13.3
滋賀県	5.1	3.3	8.2	4.9	16.1	11.2	15.8	6.3	15.5	6.1	12.2	15.1	12.0	10.4	10.4	10.4
京都府	5.5	4.7	5.5	7.1	6.3	12.6	16.5	11.8	13.3	8.6	10.2	8.6	12.5	13.3	8.7	13.4
大阪府	4.7	1.9	4.9	3.7	6.3	7.0	7.6	8.8	9.3	9.7	11.4	9.1	10.9	7.5	11.2	11.0
兵庫県	3.8	6.5	4.6	5.0	6.9	7.7	11.9	9.9	9.9	11.7	12.0	12.3	12.7	15.3	9.7	8.6
奈良県	1.5	1.5	7.5	0.0	3.0	4.4	1.5	10.2	7.3	1.5	1.5	4.3	7.3	5.8	16.1	19.0
和歌山県	3.9	7.8	11.7	9.8	13.7	13.7	11.7	9.8	27.4	13.7	13.8	13.8	13.9	23.9	12.0	14.1
鳥取県	3.4	13.6	10.2	17.0	6.8	20.4	10.2	23.8	10.2	17.0	10.2	23.9	17.1	17.1	6.9	13.8
島根県	16.0	2.7	16.1	10.8	13.5	8.1	13.6	13.6	10.9	16.4	13.7	22.0	19.2	13.9	13.9	30.8
岡山県	7.6	7.6	6.5	6.4	9.6	15.0	12.8	22.4	17.1	8.5	16.0	12.8	12.8	15.0	8.6	9.6
広島県	5.1	7.9	6.5	5.8	6.5	12.2	11.4	14.3	18.6	12.2	12.9	19.4	17.2	12.2	8.6	15.8
山口県	8.0	6.7	8.1	8.1	8.1	9.5	12.2	13.6	10.9	6.9	22.1	18.0	6.9	15.3	9.8	16.9
徳島県	12.6	2.5	12.6	2.5	7.6	15.2	10.1	15.2	12.7	0.0	10.2	15.3	23.0	15.4	18.0	15.5
香川県	2.0	6.1	10.2	4.1	6.1	12.2	18.2	26.4	14.2	22.3	10.2	20.3	10.2	14.3	18.4	10.2
愛媛県	2.8	9.8	8.4	7.0	5.6	8.4	9.8	15.5	14.1	29.7	18.4	9.9	14.2	17.1	12.9	12.9
高知県	20.5	7.7	15.5	15.5	23.3	7.8	10.4	20.8	20.8	15.6	10.4	15.6	13.1	13.1	18.4	0.0
福岡県	4.8	7.4	7.4	7.7	9.0	11.9	8.9	11.4	12.7	11.4	16.4	10.9	12.5	10.0	9.6	14.2
佐賀県	14.5	4.8	4.8	4.8	9.6	12.0	16.7	9.6	26.4	16.8	9.6	7.2	21.7	9.7	17.0	0.0
長崎県	2.7	9.5	9.5	6.8	6.8	15.1	16.5	12.4	9.7	8.4	18.2	8.4	11.3	5.7	8.5	15.7
熊本県	9.2	12.7	8.0	6.9	14.9	9.1	13.6	4.6	14.8	10.2	22.8	21.6	13.7	6.8	16.0	12.6
大分県	3.4	3.4	3.4	12.0	5.2	10.3	12.0	1.7	10.4	25.9	27.7	12.2	7.0	7.0	10.5	14.0
宮崎県	5.4	3.6	12.7	14.5	10.8	3.6	10.8	7.2	19.8	16.3	16.3	9.1	18.2	7.3	12.8	11.0
鹿児島県	8.3	3.6	15.4	9.5	10.7	14.3	16.7	17.9	21.4	10.7	17.9	15.5	13.2	24.0	15.6	9.7
沖縄県	10.1	8.4	1.7	8.2	4.9	6.5	9.6	7.9	9.5	12.5	17.1	7.7	12.3	12.2	7.5	7.5

表5 特定疾患治療研究対象疾患の都道府県別の粗死亡率(/100万)

疾患番号43 肺塞栓症 Pulmonary embolism

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
女																	
北海道	0.8	1.5	2.2	0.4	0.7	1.1	4.3	2.5	2.5	1.4	2.1	0.7	2.1	3.8	3.1	3.8	3.8
青森県	4.0	0.0	0.0	2.6	1.3	1.3	1.3	1.3	3.8	3.8	1.3	1.3	0.0	5.0	1.3	5.1	7.7
岩手県	2.8	0.0	2.8	0.0	2.8	0.0	0.0	1.4	0.0	2.7	0.0	0.0	1.4	1.4	2.7	1.4	5.4
宮城県	0.0	3.1	0.0	1.0	0.0	1.0	1.9	0.0	3.8	1.9	0.9	3.7	1.8	1.8	5.4	1.8	4.4
秋田県	1.6	1.6	0.0	0.0	0.0	1.6	1.5	0.0	3.1	1.5	1.5	3.1	3.1	3.1	4.6	9.2	13.9
山形県	0.0	0.0	0.0	1.6	0.0	0.0	0.0	4.7	4.6	0.0	4.6	1.5	1.5	4.6	1.5	6.1	0.0
福島県	1.0	3.0	2.0	1.0	0.0	2.0	1.0	0.0	1.9	0.0	2.9	2.8	4.7	2.8	4.7	4.7	3.7
茨城県	0.0	2.7	0.0	0.0	1.7	0.8	0.8	0.8	0.8	1.5	4.6	1.5	2.2	0.7	2.2	4.3	2.1
栃木県	0.0	1.2	2.4	0.0	1.2	3.4	2.3	4.5	4.4	3.3	4.3	0.0	5.4	4.3	4.2	4.2	7.3
群馬県	0.0	1.2	1.1	0.0	1.1	0.0	0.0	1.1	3.2	1.1	2.1	2.1	3.1	2.1	4.1	5.1	2.0
埼玉県	0.5	0.0	1.3	0.4	0.8	0.4	1.6	0.8	1.9	2.6	1.1	2.1	1.8	2.4	1.4	2.0	3.3
千葉県	1.1	0.6	0.5	2.4	0.5	0.9	0.0	3.1	1.7	1.7	1.2	2.8	1.6	1.6	2.3	4.2	4.9
東京都	1.2	1.8	1.4	1.7	0.9	1.9	1.6	2.4	2.1	1.4	2.9	2.7	4.1	4.1	6.5	7.0	5.6
神奈川県	1.1	0.7	1.0	1.9	0.6	0.9	2.8	1.8	2.1	2.0	1.2	1.7	4.2	2.5	1.9	6.4	3.4
新潟県	0.8	0.8	0.8	0.0	0.0	0.0	0.8	2.4	0.8	1.6	1.6	2.4	1.6	0.0	3.9	4.7	4.7
富山県	1.8	0.0	1.8	0.0	0.0	1.8	0.0	5.3	7.0	1.8	3.5	3.5	5.2	6.9	6.9	1.7	13.8
石川県	1.9	3.8	0.0	1.8	1.8	1.8	0.0	1.8	0.0	5.2	1.7	3.4	3.4	1.7	5.0	0.0	8.4
福井県	5.1	2.6	2.5	0.0	5.0	2.5	0.0	0.0	7.3	2.4	0.0	0.0	2.4	2.4	4.8	7.1	9.5
山梨県	0.0	0.0	0.0	0.0	0.0	2.5	2.4	0.0	0.0	4.8	2.4	7.1	0.0	4.7	2.3	4.7	4.7
長野県	1.9	1.9	2.9	1.9	1.0	0.0	4.7	0.9	4.7	3.7	1.8	2.8	3.7	0.9	6.4	0.0	7.2
岐阜県	0.0	1.1	3.2	1.0	1.0	2.0	1.0	3.0	2.0	1.0	1.0	4.9	0.0	3.8	3.8	3.8	2.9
静岡県	1.2	0.6	0.0	0.0	0.0	1.2	0.0	0.6	2.3	1.7	1.7	2.8	1.7	2.8	8.8	4.9	3.8
愛知県	1.4	0.7	0.7	1.7	0.7	0.7	1.3	1.0	2.3	0.6	1.9	1.9	1.9	1.6	2.5	2.1	4.9
三重県	1.2	1.2	4.8	0.0	2.4	3.5	4.7	3.5	8.1	4.6	4.5	4.5	3.4	5.6	2.2	7.7	4.4
滋賀県	2.1	2.1	0.0	4.0	2.0	0.0	0.0	0.0	0.0	0.0	3.5	1.8	5.2	3.4	1.7	5.0	1.7
京都府	0.9	0.9	0.0	1.6	1.6	0.0	0.0	1.6	3.1	3.9	4.6	3.1	0.0	2.3	4.5	6.8	1.5
大阪府	1.0	0.8	0.7	1.0	1.4	1.0	1.2	0.9	1.6	0.9	2.1	2.8	3.9	3.0	3.2	2.7	4.1
兵庫県	0.8	1.2	1.6	2.4	1.2	0.8	0.0	1.2	2.7	1.5	2.6	3.7	3.3	4.1	4.4	2.6	4.4
奈良県	0.0	0.0	0.0	0.0	1.8	3.4	1.7	1.6	3.2	0.0	3.1	0.0	3.0	1.5	4.4	1.5	5.8
和歌山県	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	1.8	5.3	3.5	3.5	1.8	0.0	7.1	5.3	1.8
鳥取県	3.3	3.3	0.0	3.3	3.3	0.0	0.0	3.2	0.0	0.0	0.0	3.1	3.1	0.0	9.4	9.4	12.5
島根県	0.0	0.0	0.0	0.0	0.0	7.4	0.0	0.0	2.5	2.5	4.9	2.4	2.4	12.1	4.9	2.4	7.3
岡山県	0.0	1.1	0.0	3.2	4.3	1.1	2.1	3.1	1.0	1.0	1.0	3.1	5.1	8.1	5.0	7.0	5.0
広島県	2.3	1.6	0.8	0.7	0.0	0.0	0.0	0.7	2.9	2.1	1.4	3.5	1.4	4.8	2.1	0.7	6.2
山口県	0.0	1.3	1.2	1.2	0.0	2.5	2.4	4.9	3.6	2.4	1.2	0.0	2.4	4.8	3.6	2.4	3.6
徳島県	2.4	0.0	0.0	0.0	0.0	2.4	2.4	0.0	0.0	2.3	0.0	0.0	2.3	2.3	2.3	0.0	0.0
香川県	0.0	0.0	0.0	2.0	0.0	3.9	0.0	0.0	5.8	0.0	3.8	1.9	7.6	0.0	3.8	5.7	11.3
愛媛県	0.0	1.3	0.0	0.0	0.0	0.0	2.6	2.6	1.3	5.1	1.3	2.5	5.0	1.3	6.2	7.5	3.8
高知県	2.4	0.0	7.1	2.4	0.0	0.0	0.0	0.0	0.0	6.9	4.6	0.0	4.5	4.5	11.4	6.8	9.1
福岡県	1.9	1.4	0.9	0.9	0.4	1.3	1.3	2.2	1.3	1.3	1.7	2.9	4.9	5.3	2.8	1.6	3.6
佐賀県	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	2.2	6.5	2.2	6.5
長崎県	2.4	3.7	2.4	0.0	1.2	1.2	2.4	2.4	2.4	1.2	1.2	6.0	3.6	2.4	2.4	6.0	3.6
熊本県	1.1	0.0	2.2	0.0	2.2	1.1	0.0	3.2	0.0	2.1	2.1	1.1	1.0	4.2	2.1	1.0	4.1
大分県	1.6	0.0	1.6	1.6	0.0	0.0	0.0	0.0	1.6	1.5	0.0	0.0	3.1	6.1	1.5	4.6	16.8
宮崎県	0.0	0.0	0.0	0.0	0.0	1.7	1.7	1.7	1.7	1.7	4.9	0.0	3.3	8.1	4.9	1.6	3.2
鹿児島県	3.3	1.1	0.0	1.1	0.0	1.1	1.1	3.2	1.1	1.1	1.1	2.1	5.2	4.2	2.1	3.1	5.2
沖縄県	0.0	2.0	1.9	1.9	5.6	3.7	7.3	3.6	3.6	5.3	5.2	6.9	5.1	3.3	3.3	3.3	1.6

表5 特定疾患治療研究対象疾患の都道府県別の粗死亡率(/100万)

疾患番号43 肺塞栓症 Pulmonary embolism

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
女																
北海道	4.5	5.1	6.5	7.5	7.8	5.8	8.5	9.8	12.5	15.2	15.5	17.6	14.2	17.9	19.6	18.3
青森県	7.7	3.9	7.7	14.1	9.0	10.3	7.7	19.3	7.7	10.3	22.0	14.2	16.8	14.3	15.7	20.9
岩手県	5.4	5.4	2.7	8.1	8.1	6.8	14.9	12.2	16.3	19.0	21.8	15.0	24.5	24.6	19.2	24.8
宮城県	1.8	7.0	3.5	6.9	2.6	5.1	8.5	10.1	12.6	15.0	20.8	17.4	11.6	19.0	18.9	17.3
秋田県	4.7	9.3	12.5	18.8	9.4	7.8	14.2	14.2	20.6	20.7	12.8	19.2	14.5	25.9	11.4	26.2
山形県	0.0	3.1	4.6	12.3	7.7	7.7	9.2	10.8	18.6	18.6	29.5	23.3	18.7	23.5	23.6	26.8
福島県	5.6	5.6	9.2	11.1	8.3	5.5	20.2	11.0	17.4	22.0	16.5	19.3	23.0	15.7	15.7	24.1
茨城県	7.8	8.4	3.5	6.9	10.3	10.9	11.5	7.4	18.8	12.1	12.7	16.7	13.3	14.0	12.6	17.3
栃木県	3.1	8.2	10.2	7.1	10.1	7.1	17.1	22.0	9.0	14.9	12.9	14.9	16.8	14.8	26.7	22.7
群馬県	8.1	2.0	7.0	9.0	7.0	6.9	10.9	11.8	16.7	18.6	12.7	8.8	15.6	16.5	12.6	25.2
埼玉県	2.6	3.2	4.7	5.0	6.7	7.0	6.0	9.5	11.0	9.4	11.1	12.8	12.2	11.8	10.9	12.6
千葉県	5.2	4.4	5.4	5.7	6.0	7.7	7.3	5.2	8.6	11.7	10.2	13.6	9.8	16.7	13.0	15.9
東京都	6.6	8.5	8.2	8.5	11.1	9.2	11.9	13.7	15.1	15.9	17.2	14.9	13.6	14.5	14.9	12.7
神奈川県	3.7	6.4	6.4	7.1	7.6	8.0	10.7	9.8	10.8	12.6	10.6	18.7	14.0	14.3	16.5	14.8
新潟県	3.9	5.5	3.1	15.7	17.2	9.4	9.4	10.2	17.2	9.4	11.0	9.4	7.1	19.7	17.4	15.0
富山県	10.3	6.9	10.3	10.3	12.0	12.0	24.1	20.6	10.3	17.2	15.5	17.2	12.1	17.2	20.7	17.3
石川県	10.0	11.6	5.0	5.0	11.6	8.2	14.8	8.2	13.1	19.7	11.5	21.4	23.0	14.8	4.9	19.7
福井県	2.4	7.1	9.4	4.7	2.4	18.8	7.1	14.1	11.8	4.7	9.4	21.1	25.8	11.7	21.1	28.2
山梨県	11.6	6.9	11.5	9.1	6.8	9.0	17.9	13.4	13.4	6.7	11.1	4.4	15.5	19.9	24.3	19.9
長野県	1.8	13.5	3.6	9.0	10.7	13.4	12.5	19.5	23.9	19.5	24.7	17.6	22.0	25.5	18.5	19.4
岐阜県	5.7	5.7	10.3	9.4	6.5	4.6	8.3	12.0	18.5	15.7	17.5	15.7	19.3	22.1	19.3	13.8
静岡県	2.7	8.6	5.9	6.9	11.2	8.5	17.9	10.0	11.0	14.7	12.6	11.0	15.7	13.0	12.0	15.1
愛知県	3.0	5.1	6.3	5.3	6.8	7.6	10.2	7.3	11.0	7.8	10.6	10.8	12.7	11.8	15.4	13.6
三重県	7.6	5.4	12.9	6.4	14.9	19.1	13.7	16.9	15.8	11.6	17.8	29.3	27.1	13.6	22.9	11.5
滋賀県	3.3	4.8	6.4	14.2	7.8	12.4	15.3	13.7	24.1	10.5	11.9	14.7	13.1	16.0	15.9	14.4
京都府	4.5	6.0	12.7	11.9	11.2	5.9	18.5	18.4	18.4	12.5	19.8	16.1	16.1	8.0	16.1	11.0
大阪府	2.9	5.2	5.6	5.6	10.3	9.0	7.4	12.7	11.6	18.3	12.0	13.3	11.1	12.6	11.5	14.4
兵庫県	3.6	6.1	4.7	6.5	7.5	12.2	12.2	11.0	15.9	15.5	16.8	17.7	19.4	18.6	12.7	17.5
奈良県	0.0	2.8	9.8	1.4	5.5	2.7	6.7	9.4	6.7	16.1	8.0	8.0	12.0	20.0	8.0	13.4
和歌山県	3.5	10.7	10.6	17.7	3.5	19.4	8.8	10.6	21.2	21.3	10.6	24.9	28.5	19.7	25.1	14.4
鳥取県	6.2	9.4	6.2	12.5	9.4	15.6	9.4	15.6	15.6	18.7	31.3	3.1	34.4	25.1	12.6	3.1
島根県	9.8	4.9	4.9	2.5	12.4	5.0	19.9	10.0	27.5	20.0	20.1	17.6	27.7	15.2	17.8	17.9
岡山県	5.0	3.0	12.0	6.0	9.9	17.8	9.9	13.8	15.8	19.7	13.8	11.8	22.6	14.8	16.7	8.9
広島県	4.1	3.4	9.5	6.1	6.8	12.9	14.8	21.6	11.5	14.1	24.9	14.1	14.8	13.4	16.1	12.8
山口県	8.4	8.5	8.5	7.3	7.3	14.6	15.9	13.5	9.8	13.6	18.6	13.7	16.2	18.7	23.8	15.1
徳島県	4.6	9.2	9.2	11.5	9.2	9.2	18.3	13.8	18.4	18.4	16.2	18.5	11.6	23.2	14.0	30.4
香川県	7.5	3.8	5.6	9.4	13.1	11.3	16.9	3.8	13.1	15.0	26.3	22.6	17.0	22.6	17.0	17.0
愛媛県	3.8	5.0	11.3	6.3	13.8	15.1	8.8	7.6	16.4	12.6	15.2	24.1	11.4	20.4	20.4	28.2
高知県	11.4	9.2	9.2	4.6	16.1	9.2	13.9	20.8	23.2	34.8	30.2	20.9	25.6	11.7	21.1	16.5
福岡県	9.2	9.2	7.5	9.5	12.2	11.7	12.0	12.0	14.6	14.6	15.7	16.0	16.7	17.0	16.6	20.0
佐賀県	4.3	6.5	4.3	6.5	6.5	10.8	19.3	19.4	17.2	10.8	21.6	6.5	23.8	15.2	6.5	15.3
長崎県	2.4	4.8	8.5	4.9	7.3	11.0	15.9	12.3	9.9	18.5	12.4	24.9	12.5	22.5	12.6	10.1
熊本県	2.1	12.4	4.1	8.2	7.2	7.2	12.3	15.3	14.3	19.4	22.4	27.5	28.5	13.3	16.3	24.5
大分県	7.7	13.8	4.6	7.7	6.2	4.6	15.4	17.0	13.9	18.6	13.9	14.0	10.9	17.1	26.4	14.0
宮崎県	4.9	4.9	3.2	4.9	4.9	4.9	11.3	6.5	12.9	11.3	17.8	14.6	14.6	16.2	21.1	32.5
鹿児島県	8.4	11.5	7.3	11.5	15.7	8.4	29.4	14.7	22.1	22.1	21.1	32.7	33.8	30.7	25.5	14.9
沖縄県	3.2	14.4	11.1	12.6	4.7	6.2	6.2	19.9	6.1	16.6	7.5	6.0	17.8	14.7	20.4	14.5

表 6

Table 6

都道府県別の年齢調整死亡率

Age-adjusted death rates by prefectures

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号4 全身性エリテマトーデス Systemic lupus erythematosus

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
男																	
北海道	0.3	0.0	1.7	1.5	1.9	1.4	0.8	0.8	0.7	2.3	1.1	0.0	1.1	0.4	1.4	0.0	1.3
青森県	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	1.3	1.7	0.0	1.5	0.0	1.4	0.0	0.0	0.0
岩手県	0.0	0.0	0.0	0.0	1.3	1.3	0.0	0.0	0.0	0.0	0.0	1.4	1.5	1.5	2.7	1.3	5.6
宮城県	2.4	1.2	0.0	0.9	0.9	1.0	0.0	3.2	1.8	0.8	1.1	2.0	0.0	0.9	1.9	0.9	0.0
秋田県	1.2	1.2	0.0	0.0	0.0	0.0	1.7	0.0	1.7	0.0	0.0	1.9	3.4	1.7	1.7	0.0	1.4
山形県	2.9	0.0	3.3	0.0	1.4	1.4	1.5	0.0	0.0	3.1	0.0	1.6	0.0	0.0	0.0	0.0	3.2
福島県	1.7	0.9	3.2	0.0	2.1	0.9	0.0	0.0	0.0	0.0	3.0	1.1	1.0	2.0	0.0	1.9	1.8
茨城県	2.0	0.0	0.9	0.0	3.1	0.9	2.6	0.0	0.0	0.0	0.0	2.4	0.8	0.7	1.4	2.9	0.7
栃木県	2.2	1.7	0.0	1.4	1.1	0.0	0.0	3.4	2.5	0.0	0.0	0.0	0.0	2.2	0.0	0.0	1.0
群馬県	0.0	0.0	1.3	2.6	0.0	2.5	0.0	0.0	1.1	0.0	1.0	1.2	1.1	2.1	1.1	1.0	0.0
埼玉県	0.6	1.1	0.7	0.0	0.5	0.0	0.0	1.3	0.9	0.0	1.4	0.7	0.7	0.0	1.3	1.3	0.3
千葉県	2.1	1.4	0.9	0.0	0.5	1.0	1.5	0.5	0.0	1.4	0.0	1.2	0.4	1.9	0.0	1.1	1.1
東京都	1.2	1.3	0.6	0.3	0.5	1.0	0.5	1.2	2.2	1.2	1.8	0.8	1.4	0.5	1.0	0.7	1.2
神奈川県	1.7	2.1	0.8	1.2	0.6	1.4	1.1	1.0	0.7	0.0	0.0	1.1	0.5	0.5	0.0	0.3	0.9
新潟県	0.7	3.4	3.1	1.3	1.6	2.1	2.3	0.7	0.7	0.8	3.5	1.7	0.8	0.0	0.9	1.7	0.7
富山県	0.0	1.3	1.2	2.6	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0
石川県	0.0	0.0	2.1	0.0	2.5	0.0	5.1	0.0	0.0	2.1	0.0	0.0	0.0	0.0	1.7	1.6	0.0
福井県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0
山梨県	0.0	3.0	0.0	0.0	0.0	0.0	0.0	4.9	2.4	0.0	0.0	2.6	0.0	0.0	0.0	0.0	2.3
長野県	1.0	1.3	0.0	5.2	0.0	1.1	1.0	1.9	1.1	2.1	0.9	0.0	1.0	0.0	2.9	0.0	1.6
岐阜県	1.3	0.0	2.4	3.5	0.0	1.6	4.9	0.0	1.9	1.3	0.0	1.1	0.0	0.0	2.0	0.0	2.9
静岡県	0.8	1.3	1.3	1.1	0.0	2.0	0.5	0.6	0.0	0.6	1.3	0.0	1.2	1.7	0.6	1.1	0.9
愛知県	0.7	0.7	1.7	0.4	0.8	1.4	0.7	0.0	0.4	0.7	1.0	0.7	0.3	1.2	0.3	0.6	1.3
三重県	2.0	0.0	4.0	0.9	0.0	0.0	1.2	0.0	0.0	1.3	1.3	2.4	1.3	2.4	0.0	0.0	0.0
滋賀県	0.0	2.3	0.0	1.9	0.0	0.0	0.0	0.0	0.0	1.6	4.4	1.9	1.8	0.0	3.5	0.0	0.0
京都府	0.0	1.1	0.0	0.0	0.9	3.1	0.6	0.0	2.5	0.9	2.6	1.5	1.6	0.0	0.0	1.5	0.0
大阪府	0.8	0.6	0.6	1.8	0.0	0.5	0.5	0.7	0.3	0.3	1.3	0.3	0.5	0.7	0.3	1.3	0.2
兵庫県	0.5	0.6	0.9	0.8	2.1	0.9	0.0	0.4	1.3	1.2	1.2	0.4	0.8	1.2	1.1	0.4	2.6
奈良県	0.0	3.7	0.0	0.0	2.9	0.0	0.0	0.0	1.3	2.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0
和歌山県	0.0	2.2	3.7	3.9	5.2	2.4	1.9	1.6	0.0	1.9	0.0	0.0	1.8	3.8	0.0	1.9	0.0
鳥取県	0.0	0.0	7.7	0.0	3.2	0.0	0.0	3.2	6.6	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
島根県	2.9	0.0	2.2	0.0	0.0	3.5	0.0	2.2	0.0	0.0	0.0	0.0	0.0	5.2	0.0	2.4	0.0
岡山県	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	1.3	1.2	0.0	1.1	1.1	1.1	1.0	0.0	0.0
広島県	1.9	0.5	0.0	1.7	0.0	0.0	0.7	0.8	4.4	1.3	0.0	0.8	0.0	0.7	0.8	1.4	0.7
山口県	0.9	1.2	0.9	0.0	0.0	0.0	1.6	1.4	0.0	1.4	0.0	0.0	0.0	1.3	0.0	0.0	0.0
徳島県	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	9.8	3.1	2.5	0.0	0.0	0.0	0.0	0.0	2.8
香川県	1.5	0.0	2.5	0.0	0.0	0.0	2.1	0.0	2.0	1.6	0.0	0.0	0.0	4.1	0.0	0.0	0.0
愛媛県	4.6	1.4	0.0	0.0	1.4	1.2	1.9	1.4	0.0	0.0	2.8	0.0	0.0	0.0	0.0	2.9	1.5
高知県	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	5.0	2.4	0.0	0.0
福岡県	0.0	0.6	1.9	0.0	3.4	1.5	0.4	1.2	0.0	0.5	0.5	0.0	0.5	0.4	1.3	0.0	1.2
佐賀県	5.4	2.9	0.0	2.7	0.0	0.0	0.0	2.3	0.0	0.0	2.8	2.7	0.0	2.4	0.0	0.0	0.0
長崎県	0.0	1.6	2.0	0.0	1.1	1.1	1.1	0.0	1.1	1.6	0.0	2.5	1.3	1.3	0.0	1.4	1.4
熊本県	1.0	1.0	1.8	1.4	1.0	0.0	1.2	1.2	1.1	0.0	2.4	0.0	0.0	2.3	1.1	0.0	0.0
大分県	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	5.0	0.0	0.0	0.0	0.0	0.0
宮崎県	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0
鹿児島県	0.0	0.0	1.1	2.5	0.0	0.0	2.4	0.0	2.6	1.3	0.0	0.0	2.3	0.0	0.0	2.2	1.0
沖縄県	0.0	0.0	5.4	3.7	0.0	0.0	1.7	0.0	0.0	3.2	0.0	0.0	0.0	0.0	1.8	0.0	0.0

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号4 全身性エリテマトーデス Systemic lupus erythematosus

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
男																
北海道	0.6	1.8	1.3	0.7	1.5	0.4	0.8	0.4	0.4	0.7	1.5	1.4	0.6	0.2	1.2	0.5
青森県	1.4	0.0	2.4	0.0	0.0	0.0	0.0	1.8	0.8	0.0	0.0	2.9	2.2	0.8	0.0	1.3
岩手県	2.4	0.0	5.3	1.2	1.2	0.9	0.0	2.3	1.6	1.7	0.9	0.0	0.0	1.4	0.0	1.8
宮城県	0.0	0.7	0.0	2.3	0.8	0.7	0.6	2.6	3.0	0.0	2.5	0.0	0.0	0.0	0.0	0.9
秋田県	1.3	0.0	0.0	0.0	2.4	1.3	0.0	0.0	0.0	0.0	0.0	0.9	0.7	1.5	0.0	0.0
山形県	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	2.5	1.0	0.0
福島県	0.0	1.0	0.8	0.0	0.0	0.0	1.5	0.0	0.8	1.5	0.8	0.0	1.7	1.4	1.1	1.4
茨城県	1.9	0.0	2.0	1.6	0.0	0.7	1.2	0.5	0.0	1.0	0.0	0.3	0.8	1.2	0.3	0.5
栃木県	1.8	0.0	1.0	0.0	0.7	0.8	1.4	0.8	0.8	2.0	0.0	0.0	1.1	0.0	2.4	0.5
群馬県	0.0	4.2	0.0	0.9	3.5	0.7	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0
埼玉県	0.5	0.7	0.7	0.7	0.5	0.9	0.5	0.0	1.2	0.8	1.5	1.6	0.6	1.0	0.7	0.6
千葉県	0.5	1.3	0.4	0.5	0.5	0.5	0.5	0.3	0.7	0.8	0.7	0.7	0.4	2.0	1.0	0.3
東京都	0.9	0.9	1.2	0.7	0.6	1.1	0.7	1.5	0.5	0.4	0.4	0.1	0.8	0.5	0.6	0.2
神奈川県	1.3	0.4	1.1	0.2	0.3	0.2	0.7	0.4	0.3	0.5	1.7	0.7	0.4	0.2	0.2	0.6
新潟県	0.0	1.3	0.8	0.9	0.0	0.6	0.0	1.1	1.3	0.0	0.9	0.5	0.0	0.0	0.0	1.3
富山県	1.6	0.0	1.5	4.0	1.7	0.0	0.0	1.3	1.4	1.5	0.0	0.0	1.5	1.5	1.9	0.7
石川県	0.0	0.0	0.0	0.0	1.3	0.0	1.5	1.9	5.3	0.9	0.0	2.1	1.1	0.0	0.8	0.0
福井県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	1.3	0.0
山梨県	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	2.1
長野県	0.9	0.8	0.8	0.8	1.6	0.8	0.9	1.4	1.5	3.3	1.1	0.6	0.7	0.5	0.0	1.5
岐阜県	2.1	1.0	1.7	2.7	0.7	1.5	2.4	0.7	1.6	0.9	0.0	3.1	1.7	2.7	0.9	0.9
静岡県	0.4	1.1	0.8	1.3	0.9	0.0	0.6	0.0	0.4	0.3	1.9	1.3	1.4	0.7	0.6	0.3
愛知県	1.5	0.0	0.6	1.4	1.7	1.2	0.2	1.2	0.8	1.6	1.5	0.4	1.0	0.7	0.3	0.5
三重県	1.0	1.1	0.0	2.1	0.0	0.0	1.1	0.0	2.1	2.4	0.0	1.5	0.0	0.0	1.6	0.7
滋賀県	3.5	1.4	0.0	0.0	0.0	0.0	1.5	0.0	3.5	0.0	0.0	0.0	0.0	1.1	3.9	1.6
京都府	1.6	3.0	0.0	1.1	0.0	1.3	1.2	1.2	0.0	1.8	0.0	1.7	1.4	0.5	0.8	0.0
大阪府	0.7	1.0	0.9	0.2	0.4	1.0	1.4	1.2	0.8	0.6	0.8	1.0	0.2	0.9	0.6	0.9
兵庫県	0.8	1.3	0.3	0.8	0.5	0.0	0.8	0.9	2.0	0.0	0.3	1.1	0.4	0.4	0.5	0.4
奈良県	0.0	0.0	0.0	0.0	0.0	1.0	1.7	2.6	0.0	1.0	3.4	0.0	0.8	0.0	1.7	0.0
和歌山県	0.0	1.6	0.0	0.0	0.0	1.4	0.0	1.2	6.9	1.8	1.2	1.4	0.0	0.0	1.1	1.0
鳥取県	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	2.1	0.0	0.0	1.9	0.0	2.2	0.0
島根県	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	2.5	0.0	0.0	1.8	3.4	1.6	2.4	0.0
岡山県	1.0	0.0	1.1	1.8	0.0	0.0	0.7	2.0	0.0	0.7	0.8	0.0	0.0	1.4	0.6	1.2
広島県	0.0	0.0	0.7	0.7	1.3	0.0	0.9	1.3	0.6	1.1	0.0	1.1	1.7	0.0	0.4	0.3
山口県	0.0	0.0	1.0	0.0	3.2	0.0	1.7	0.0	0.0	0.8	0.0	0.9	0.7	0.0	0.7	0.0
徳島県	2.5	3.0	0.0	5.2	2.1	0.0	0.0	3.2	0.0	0.0	0.0	0.0	1.4	2.7	0.0	0.0
香川県	1.6	2.0	0.0	1.9	1.8	1.7	1.3	2.0	2.1	0.0	1.2	0.0	1.2	3.8	3.8	0.0
愛媛県	1.3	1.3	1.3	1.2	1.5	0.0	2.2	1.0	2.2	2.9	1.0	0.0	0.0	0.8	0.0	1.2
高知県	2.4	0.0	1.9	0.0	5.2	2.0	2.7	0.0	1.7	0.0	0.0	0.0	0.0	0.0	1.4	0.0
福岡県	1.3	0.4	0.8	0.7	0.9	0.6	0.4	0.0	2.2	0.6	0.9	0.6	0.6	0.0	1.3	1.2
佐賀県	2.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	1.6	1.5	0.0	0.0	0.0	3.5	1.3
長崎県	1.4	0.0	4.7	0.0	1.0	1.0	1.7	1.9	1.4	0.0	0.8	1.9	0.0	0.7	1.2	0.0
熊本県	1.1	0.0	0.0	2.1	0.8	0.8	0.9	0.0	0.7	0.0	1.3	0.0	0.0	3.4	0.0	0.9
大分県	0.0	1.9	2.1	0.0	1.3	0.0	0.0	4.5	0.0	2.5	5.6	0.0	0.0	2.0	0.0	0.0
宮崎県	1.6	1.4	0.0	0.0	1.4	1.9	2.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8
鹿児島県	1.0	0.0	1.2	1.8	1.5	0.9	1.1	1.8	2.8	2.5	0.0	0.8	0.0	0.7	0.6	0.0
沖縄県	1.5	0.0	0.0	0.0	1.6	3.1	0.0	0.0	1.7	1.3	1.2	0.0	1.2	3.4	0.0	0.0

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号4 全身性エリテマトーデス Systemic lupus erythematosus

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
女																	
北海道	3.6	6.2	4.8	6.9	6.7	6.4	5.6	7.3	6.2	6.8	6.7	8.4	7.6	10.6	5.1	5.0	5.5
青森県	1.9	1.1	3.4	5.6	5.8	5.0	2.4	7.1	8.6	11.6	11.3	3.7	8.7	3.8	1.3	6.1	5.5
岩手県	8.8	11.4	10.6	7.3	8.3	10.7	3.8	5.1	7.7	4.0	2.6	5.3	8.0	5.4	2.8	6.8	6.8
宮城県	3.2	10.8	7.8	5.2	6.6	4.9	3.6	6.7	11.3	8.6	2.9	12.2	7.5	6.3	5.3	2.7	7.0
秋田県	3.9	4.9	9.3	8.9	4.9	12.6	2.5	6.6	6.9	3.1	0.0	1.5	3.0	0.0	6.2	7.8	6.0
山形県	5.0	4.4	2.4	3.4	5.4	7.4	6.0	4.0	10.8	5.8	10.7	10.5	4.6	4.6	0.0	6.2	8.9
福島県	3.8	10.3	5.7	11.1	9.8	7.6	6.9	2.1	6.2	7.5	6.0	8.2	9.5	7.5	8.4	9.5	3.7
茨城県	9.9	9.2	6.7	8.1	13.9	5.9	5.9	5.2	2.9	6.5	9.3	3.7	7.4	8.1	6.5	2.1	4.4
栃木県	2.9	5.6	7.8	8.7	4.9	9.3	8.3	8.2	5.4	7.4	7.3	5.3	3.3	5.3	3.2	5.2	5.2
群馬県	7.2	8.9	9.0	5.8	7.1	7.1	7.8	5.5	12.9	7.4	4.3	8.4	4.1	6.2	4.1	4.0	2.0
埼玉県	4.7	6.7	5.3	6.3	6.5	7.1	6.8	6.0	7.1	4.7	6.6	5.4	3.2	5.5	5.3	3.6	4.8
千葉県	7.2	10.4	10.0	2.8	5.5	5.2	6.1	4.3	5.9	5.4	6.2	4.2	11.1	6.6	4.3	7.0	3.9
東京都	7.7	4.6	7.7	6.8	10.3	7.2	5.9	8.4	7.4	6.7	9.1	6.6	4.3	6.1	4.4	4.3	5.1
神奈川県	5.6	9.6	10.3	5.4	7.6	5.9	6.2	3.9	8.2	6.3	8.1	5.1	5.0	5.5	4.4	3.9	3.4
新潟県	8.3	7.4	6.0	10.3	5.2	5.7	5.4	5.2	8.3	7.4	6.9	2.4	7.2	5.5	10.2	4.0	7.1
富山県	3.5	11.3	3.7	7.2	12.5	3.4	8.1	5.6	8.6	1.8	3.9	3.6	3.6	5.2	5.0	1.9	3.6
石川県	0.0	5.3	3.1	10.4	4.0	3.5	3.8	3.1	5.1	8.3	0.0	6.5	6.9	3.4	5.0	0.0	7.0
福井県	4.7	7.3	17.9	5.9	2.3	10.4	4.4	4.9	2.1	5.2	2.3	4.7	2.4	0.0	2.4	9.5	0.0
山梨県	4.9	2.6	5.7	1.9	7.5	4.6	2.7	7.0	10.3	6.5	4.6	6.9	4.8	14.1	2.3	2.2	2.3
長野県	2.3	4.3	3.3	9.3	7.0	4.6	7.9	4.8	6.4	7.4	4.6	3.6	6.4	4.6	7.4	7.2	7.5
岐阜県	2.7	6.4	7.5	10.8	12.3	6.2	5.9	5.1	7.8	4.9	13.6	6.8	3.9	7.7	2.9	5.8	1.7
静岡県	9.0	3.4	7.4	9.7	7.9	5.1	6.9	9.0	5.5	5.2	9.5	5.1	6.1	6.6	2.2	6.5	6.0
愛知県	4.0	9.2	5.6	7.2	6.0	6.9	8.8	6.8	7.7	5.9	5.4	5.3	5.7	6.8	4.0	6.5	2.8
三重県	4.3	11.5	6.3	9.8	6.8	7.1	8.3	4.5	3.2	3.3	2.3	5.7	3.4	3.3	4.5	4.4	5.4
滋賀県	0.0	6.8	8.9	3.9	6.9	7.4	9.7	6.4	7.4	7.1	7.2	5.2	5.2	3.4	6.8	6.7	8.1
京都府	4.3	9.6	4.3	8.7	1.5	3.2	9.2	2.8	7.4	9.5	2.4	3.8	6.1	6.1	6.0	8.0	5.4
大阪府	3.7	6.1	6.5	8.0	9.5	3.8	6.3	4.5	5.3	6.4	7.6	6.3	6.9	6.9	4.1	6.6	5.8
兵庫県	6.4	7.4	9.4	8.5	8.5	8.8	8.1	6.7	11.4	5.0	5.4	8.4	9.6	5.5	7.7	4.7	4.6
奈良県	3.2	8.2	5.2	9.0	2.9	8.3	6.9	1.3	6.5	4.6	8.2	7.9	3.0	8.9	7.4	1.4	1.3
和歌山県	1.3	1.3	1.6	6.5	3.5	3.8	7.9	0.0	6.4	5.1	5.4	1.8	12.4	5.3	8.8	10.5	8.9
鳥取県	0.0	0.0	6.2	4.0	5.3	6.4	2.7	11.6	13.8	6.4	3.5	9.2	6.3	6.2	3.2	3.3	0.0
島根県	1.7	2.3	18.5	8.3	4.5	10.0	14.6	5.2	0.0	10.1	7.2	2.5	4.8	9.7	7.3	7.2	2.5
岡山県	5.9	4.4	5.4	4.2	8.5	3.9	2.6	5.5	3.2	4.2	4.1	2.0	2.1	3.0	1.0	5.0	3.1
広島県	8.5	4.0	5.6	1.7	5.9	6.7	10.8	7.0	8.1	3.8	4.1	5.5	7.7	4.8	3.4	4.0	2.8
山口県	6.6	2.0	8.6	7.2	5.3	8.9	4.2	9.8	7.8	2.4	3.4	2.4	8.4	8.4	1.2	7.2	9.2
徳島県	7.1	10.8	4.3	15.8	9.5	4.7	9.0	10.1	13.1	2.0	9.4	11.3	7.0	13.8	2.4	4.7	0.0
香川県	2.7	6.2	4.7	4.9	12.8	5.4	7.3	7.9	3.6	5.6	3.9	11.3	15.2	9.4	13.3	2.0	7.5
愛媛県	5.7	7.1	8.9	6.6	7.4	7.4	10.0	8.5	3.9	8.4	10.1	13.6	6.3	6.2	7.5	9.0	7.2
高知県	4.2	2.1	0.0	0.0	13.2	14.8	5.4	9.6	10.0	4.2	15.6	6.6	6.9	6.8	0.0	6.6	9.0
福岡県	4.2	9.3	4.9	5.9	5.1	8.2	6.4	7.1	5.3	6.1	5.8	8.2	7.0	5.7	4.5	3.5	5.4
佐賀県	7.8	6.7	3.9	6.1	7.0	4.0	12.1	9.2	8.0	2.5	4.3	8.4	8.7	0.0	12.7	8.6	2.0
長崎県	7.3	1.0	6.2	4.2	6.7	8.0	8.0	11.4	5.8	7.1	12.1	8.3	5.9	7.2	7.2	1.1	3.7
熊本県	5.6	8.2	5.4	7.4	9.4	2.1	4.9	5.0	6.8	7.4	8.3	5.1	5.2	5.2	3.0	2.1	2.0
大分県	4.8	12.3	6.6	5.2	6.3	9.3	11.5	4.3	6.1	7.8	2.9	5.9	7.6	4.6	3.0	7.8	3.2
宮崎県	7.7	9.2	12.0	13.1	9.3	9.0	12.3	4.4	11.6	6.2	1.5	8.1	6.6	4.9	11.3	0.0	8.2
鹿児島県	6.5	10.8	6.2	9.4	14.2	9.2	6.6	5.7	9.8	12.2	10.7	9.3	8.4	7.3	4.2	6.4	0.0
沖縄県	0.0	7.7	13.5	6.8	13.2	19.6	5.0	20.4	5.1	10.8	8.7	3.4	12.0	3.3	13.2	4.8	7.9

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号4 全身性エリテマトーデス Systemic lupus erythematosus

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
女																
北海道	3.7	5.6	5.7	5.7	3.6	4.3	3.1	7.2	5.7	4.7	2.9	3.3	3.3	3.0	4.3	3.9
青森県	9.2	6.4	2.4	2.5	5.4	6.3	17.1	7.3	6.0	5.0	7.4	2.0	2.1	3.1	3.2	0.7
岩手県	10.0	3.9	6.8	11.1	4.0	9.0	11.4	6.7	6.4	0.0	1.7	3.3	4.7	3.4	10.2	5.8
宮城県	3.7	7.1	4.7	3.0	0.0	5.1	5.7	0.6	2.9	3.8	2.9	2.4	1.4	1.6	2.2	1.5
秋田県	5.7	4.6	1.5	2.5	2.9	5.3	5.6	2.5	1.5	3.5	4.5	0.8	0.0	0.0	2.4	0.0
山形県	3.3	9.7	10.1	1.6	7.0	4.6	5.5	2.9	2.9	6.8	5.1	4.1	1.8	3.6	2.9	2.5
福島県	2.7	5.7	4.2	3.7	3.8	4.0	2.6	7.4	4.7	4.4	2.3	3.1	2.5	5.1	3.1	2.5
茨城県	6.1	6.6	4.0	2.7	7.3	4.1	4.2	3.3	2.8	3.5	2.6	1.5	3.1	2.5	5.4	2.2
栃木県	3.2	8.2	4.0	2.0	4.3	3.5	2.8	2.9	4.7	3.2	1.0	3.2	1.1	6.8	4.2	2.4
群馬県	5.8	6.5	8.2	5.4	4.2	2.7	7.6	3.8	1.7	4.6	4.9	0.9	3.5	1.8	1.8	1.8
埼玉県	6.6	4.3	5.1	4.7	3.6	5.1	3.6	2.1	3.9	2.4	3.7	4.2	3.5	2.3	3.4	3.9
千葉県	2.5	4.5	4.0	5.0	3.6	6.0	4.2	3.4	3.8	3.4	3.2	1.6	4.3	3.2	2.2	2.8
東京都	4.2	5.9	5.9	5.3	5.6	3.5	4.4	3.3	3.6	3.8	3.9	4.3	3.3	2.7	2.8	2.4
神奈川県	4.9	5.0	3.2	4.8	5.0	4.6	4.7	3.8	2.9	4.0	3.2	4.9	1.3	2.8	2.8	2.2
新潟県	8.1	4.4	5.2	3.1	0.7	2.7	5.9	2.6	2.8	2.4	0.3	4.9	2.8	4.8	4.3	2.5
富山県	8.1	6.9	4.7	3.1	2.7	5.7	1.8	6.7	6.8	4.6	2.8	0.0	3.2	2.8	1.5	1.3
石川県	1.3	5.8	1.9	4.8	1.6	1.4	1.4	1.8	3.3	4.5	5.4	4.6	2.4	3.9	3.3	2.6
福井県	4.3	4.7	2.0	3.5	4.5	7.6	2.3	2.5	3.4	8.7	4.6	2.2	0.0	7.1	0.9	0.0
山梨県	4.4	4.7	6.4	4.6	4.2	4.7	3.6	6.3	3.9	9.5	2.3	2.5	0.0	1.4	3.8	1.3
長野県	2.6	4.1	5.7	8.0	4.5	4.2	3.6	4.5	3.1	2.3	6.4	0.6	1.9	2.6	2.9	5.8
岐阜県	5.3	2.7	3.7	3.3	2.4	4.0	6.4	7.8	1.4	5.7	5.5	5.0	3.9	2.8	3.0	4.1
静岡県	3.1	3.5	5.7	2.8	5.9	5.7	5.9	4.2	6.0	2.9	6.6	0.9	4.6	3.1	2.6	2.1
愛知県	7.6	4.6	4.5	4.7	4.7	5.7	3.1	4.1	4.1	4.2	3.8	5.3	3.3	3.2	3.1	2.9
三重県	6.4	7.5	5.3	3.1	10.6	5.9	6.0	0.0	4.6	4.8	6.7	4.4	2.7	4.7	4.4	3.6
滋賀県	3.2	5.0	6.0	6.3	1.2	9.0	2.5	7.1	0.8	2.5	3.7	1.1	1.1	2.8	1.2	2.1
京都府	7.5	6.5	3.4	7.0	1.8	4.7	5.0	2.2	3.0	3.9	4.6	1.9	2.0	4.5	2.6	1.0
大阪府	5.0	4.4	5.6	5.0	3.9	4.4	4.4	4.7	3.7	2.9	2.9	3.6	2.2	2.2	2.9	3.4
兵庫県	5.0	2.4	10.5	4.9	4.1	2.0	3.7	6.9	3.2	3.7	3.1	4.2	2.7	2.1	1.8	2.4
奈良県	10.8	5.9	3.5	2.2	3.2	5.7	3.7	5.4	3.3	3.7	2.0	7.9	0.0	1.8	2.7	0.9
和歌山県	5.6	5.3	0.0	10.8	0.0	2.6	3.7	7.1	6.3	4.5	8.3	5.5	0.0	1.9	6.3	4.8
鳥取県	0.0	0.0	3.6	2.9	7.3	7.4	0.0	0.0	9.1	8.0	3.6	6.9	1.8	7.9	12.0	3.2
島根県	0.0	2.1	2.1	7.0	9.1	2.3	8.6	1.8	2.4	1.8	6.8	0.0	1.9	3.8	0.0	4.4
岡山県	6.7	5.6	2.5	0.9	2.0	1.7	3.6	4.0	2.2	2.3	3.9	4.1	3.4	0.0	4.9	2.1
広島県	4.0	2.6	3.8	3.5	4.4	4.0	2.3	6.3	5.5	3.8	1.6	2.2	3.7	3.1	3.4	1.7
山口県	8.5	2.2	5.8	7.8	15.0	6.5	4.9	2.3	6.3	2.8	4.5	3.7	6.1	5.8	2.0	1.5
徳島県	5.0	4.4	0.0	4.6	8.8	9.8	7.2	6.0	3.1	4.4	14.9	10.6	0.0	1.3	4.8	1.8
香川県	5.7	3.3	0.0	5.0	3.3	6.8	5.0	1.7	3.0	4.5	0.0	1.4	2.8	9.8	1.7	3.2
愛媛県	11.0	4.6	6.5	4.4	6.8	2.8	2.3	3.2	9.0	7.8	4.2	2.2	5.1	4.5	2.2	2.0
高知県	7.4	7.2	7.4	13.3	6.5	0.0	6.8	4.0	3.3	7.6	5.9	8.6	4.5	3.5	8.5	2.6
福岡県	4.3	5.4	2.9	5.2	2.8	4.4	4.2	3.3	3.7	3.8	5.2	2.5	1.8	4.4	4.3	2.4
佐賀県	4.3	2.3	2.3	7.9	3.8	2.1	4.3	9.0	4.2	3.4	12.7	1.9	3.1	0.0	1.9	4.8
長崎県	4.7	7.7	3.0	5.3	4.5	1.0	6.1	2.8	6.8	4.5	5.0	5.7	2.0	5.8	3.2	2.8
熊本県	5.1	8.5	2.7	1.2	4.5	2.4	4.8	3.9	5.1	2.6	5.8	8.2	7.2	5.7	4.2	4.1
大分県	13.1	6.1	3.4	10.3	2.7	9.4	6.5	1.6	5.9	4.2	1.6	6.9	0.9	2.2	2.2	3.9
宮崎県	8.0	0.0	1.4	5.0	3.5	3.1	0.0	2.7	1.1	5.5	2.2	5.6	4.1	5.2	4.4	3.0
鹿児島県	8.4	3.3	3.9	2.1	4.2	5.2	5.0	8.4	5.5	0.0	3.2	7.0	5.8	4.6	0.0	5.1
沖縄県	8.2	8.8	10.5	7.3	4.7	7.5	6.0	6.3	7.4	4.3	6.6	4.2	8.4	8.3	12.2	5.0

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号6 再生不良性貧血 Aplastic anemia

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
男																	
北海道	13.0	16.3	14.7	8.8	9.8	8.6	4.7	10.4	11.6	10.2	8.0	6.0	7.1	7.2	7.1	6.1	8.5
青森県	10.7	13.0	8.4	20.1	6.7	18.5	13.4	19.2	7.7	6.3	8.9	8.9	2.8	12.3	9.2	7.8	7.3
岩手県	8.6	8.7	8.9	5.1	18.7	11.2	1.8	8.3	2.8	7.2	7.9	12.0	5.9	5.8	2.8	5.3	1.5
宮城県	6.6	11.7	7.2	4.9	9.0	9.0	7.4	8.9	6.4	6.4	4.3	7.0	8.6	3.7	5.6	5.9	3.5
秋田県	7.7	12.5	11.7	11.6	14.3	2.0	3.7	9.9	8.6	6.7	8.3	5.0	10.1	10.0	14.6	6.2	12.0
山形県	7.9	8.8	13.8	6.8	9.5	6.6	3.3	1.7	5.3	12.0	4.9	11.6	5.1	9.9	3.1	4.6	7.1
福島県	10.5	7.5	11.1	16.3	10.4	3.4	9.6	6.0	11.7	1.2	5.1	11.5	10.1	5.9	5.8	10.3	10.1
茨城県	7.7	9.4	9.8	14.5	7.7	6.1	13.3	7.9	5.1	7.1	8.2	4.7	9.1	6.6	3.6	7.5	6.6
栃木県	10.2	6.9	14.4	10.0	8.3	11.0	7.5	8.4	5.7	9.5	4.6	2.4	7.6	7.6	10.5	6.0	10.2
群馬県	11.6	4.1	10.8	6.5	12.6	7.9	5.2	7.9	4.5	10.4	7.9	7.5	6.5	5.3	7.2	1.9	10.0
埼玉県	7.1	8.9	7.7	7.7	8.5	6.4	4.0	5.7	7.0	8.0	8.7	2.8	3.8	6.4	4.9	7.9	6.9
千葉県	3.9	7.4	7.2	4.6	7.5	7.7	6.6	7.4	4.2	5.8	8.2	4.5	5.1	8.1	6.7	4.2	2.6
東京都	8.8	9.9	6.8	8.6	8.5	7.8	5.9	8.6	5.9	6.3	6.5	4.8	7.0	4.9	4.4	5.1	5.2
神奈川県	4.6	12.7	11.9	6.8	8.4	4.2	4.4	6.6	7.6	8.7	4.5	7.7	6.3	5.3	4.6	5.7	5.7
新潟県	5.9	10.9	8.5	14.3	16.2	7.8	8.9	8.9	8.3	6.1	9.9	10.5	12.0	8.3	6.6	2.4	3.1
富山県	9.6	15.5	7.8	11.3	4.1	16.9	6.5	10.5	6.4	8.2	2.0	11.7	7.6	5.6	5.4	7.0	11.7
石川県	6.8	10.8	12.5	9.2	8.1	4.5	8.3	11.9	4.2	7.5	7.7	7.9	14.7	7.2	3.5	12.0	18.0
福井県	21.8	4.9	11.4	11.8	20.9	24.2	8.2	5.5	9.8	13.6	16.2	5.4	2.5	7.6	5.0	5.0	12.7
山梨県	12.1	13.0	2.6	8.6	11.9	7.4	0.0	11.7	9.6	15.5	20.4	7.9	0.0	9.8	4.8	11.8	4.4
長野県	11.7	11.5	30.4	15.4	13.3	15.7	15.9	8.6	18.3	6.5	13.6	11.3	11.9	7.7	4.8	8.1	6.1
岐阜県	9.2	9.0	9.0	7.4	14.6	17.9	11.0	9.9	10.5	12.3	10.6	10.7	10.3	8.1	7.8	8.0	3.7
静岡県	11.2	11.4	8.5	12.0	9.3	8.4	6.2	7.0	8.1	10.0	7.1	7.5	7.6	6.8	6.0	5.1	7.4
愛知県	6.2	10.9	11.0	10.8	9.7	8.8	8.4	7.6	6.8	8.4	7.8	7.9	6.4	7.1	7.7	6.1	6.0
三重県	3.5	8.1	9.1	18.2	6.8	12.4	9.7	11.3	8.2	6.1	6.3	8.8	14.6	5.9	7.0	9.0	12.9
滋賀県	5.0	26.8	17.5	8.2	5.3	11.3	2.0	5.5	4.1	14.3	5.5	11.1	5.6	1.8	6.7	1.7	9.3
京都府	18.6	14.3	14.7	12.1	10.1	10.3	9.2	10.1	9.6	8.8	2.6	8.4	8.8	11.1	7.8	15.2	5.8
大阪府	8.9	9.9	9.6	8.7	8.0	8.9	5.7	4.8	9.2	8.3	5.1	7.9	7.5	8.4	6.6	5.3	5.1
兵庫県	14.2	9.5	10.4	13.8	10.7	9.6	8.5	7.8	7.5	5.3	10.9	10.6	10.3	12.9	9.5	6.7	7.9
奈良県	5.6	19.3	11.2	6.8	7.2	9.2	13.2	7.6	9.6	8.7	5.2	5.2	14.7	6.3	6.1	3.1	1.5
和歌山県	4.9	8.2	4.1	2.2	13.5	14.9	8.7	14.9	2.5	10.2	7.9	13.7	17.7	11.5	3.8	9.5	12.2
鳥取県	13.2	30.2	12.9	8.3	10.6	23.9	30.7	14.5	3.9	18.7	0.0	10.4	7.1	13.5	10.1	9.6	9.1
島根県	13.1	22.1	17.3	13.3	5.5	11.9	8.9	17.5	3.1	13.8	5.2	11.1	0.0	23.5	15.3	20.8	9.5
岡山県	13.6	16.0	13.1	5.0	7.3	5.7	6.4	14.7	9.4	4.5	12.3	8.1	8.8	10.8	6.3	4.2	10.1
広島県	9.2	12.8	14.8	10.7	6.0	3.5	7.0	4.9	9.1	9.7	10.7	6.1	9.7	8.0	8.5	11.7	8.4
山口県	6.1	14.1	9.7	18.2	4.5	13.4	9.8	13.4	13.1	2.9	11.0	12.2	13.4	10.5	7.8	7.4	5.9
徳島県	13.3	21.5	14.2	9.3	12.7	9.5	10.8	14.3	7.2	13.9	17.8	10.2	10.3	15.0	4.8	9.7	17.7
香川県	19.7	16.5	9.0	17.8	8.9	14.2	9.6	7.4	13.1	20.6	13.6	6.4	2.1	6.1	3.9	9.8	18.9
愛媛県	14.9	23.0	7.0	19.7	12.1	3.4	9.3	18.1	17.4	11.7	9.1	10.1	8.4	6.9	9.4	9.3	11.7
高知県	17.4	22.7	35.1	10.9	7.4	7.7	14.4	10.0	10.5	13.6	8.0	8.0	5.2	5.0	9.7	7.4	10.2
福岡県	7.5	10.4	8.0	9.3	8.3	7.6	6.8	7.5	7.7	8.3	4.8	5.1	11.3	9.7	6.5	7.3	11.9
佐賀県	5.2	9.6	20.2	24.8	3.7	9.7	11.6	13.4	10.4	10.1	10.8	7.4	4.8	7.2	7.2	4.7	8.5
長崎県	12.7	15.7	11.5	6.2	7.3	11.0	11.4	10.5	16.1	4.3	12.5	7.1	3.9	7.9	15.6	10.2	3.9
熊本県	11.1	8.6	7.5	10.0	8.1	17.6	14.4	12.4	22.1	3.8	9.6	6.9	8.2	6.9	7.9	8.8	10.7
大分県	4.1	11.7	9.8	12.2	6.0	9.1	13.2	7.4	3.6	7.2	9.0	7.1	6.9	3.4	13.5	12.8	6.0
宮崎県	13.4	16.5	12.8	15.9	5.9	15.4	6.7	14.4	10.0	10.0	5.6	9.5	7.3	9.0	7.0	14.9	10.2
鹿児島県	14.4	20.7	17.1	11.0	9.7	4.7	8.8	1.1	13.2	9.1	9.6	5.9	14.3	10.5	10.1	10.0	9.7
沖縄県	0.0	9.1	11.6	8.9	12.1	7.9	15.6	14.7	4.1	2.0	7.2	3.7	3.6	13.8	6.6	6.8	6.4

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号6 再生不良性貧血 Aplastic anemia

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
男																
北海道	5.3	9.6	7.0	6.1	4.0	5.8	6.7	6.4	4.6	2.2	4.9	5.3	2.4	2.4	2.0	4.2
青森県	12.6	5.6	5.7	8.2	6.9	3.3	4.8	7.4	1.9	2.8	2.3	2.1	1.5	3.0	0.6	3.0
岩手県	6.7	8.6	8.3	4.1	9.7	0.0	9.3	4.8	2.8	4.0	6.7	5.2	2.7	2.6	1.3	0.8
宮城県	4.0	6.4	4.5	4.4	3.3	8.5	6.0	4.3	0.6	3.8	4.6	4.3	4.2	1.6	2.8	4.5
秋田県	7.7	1.4	5.7	4.3	2.6	4.2	1.2	5.4	5.1	5.9	1.6	8.0	5.1	3.5	9.7	0.7
山形県	5.4	12.3	2.6	9.4	5.5	3.9	6.1	7.5	6.0	5.3	7.5	2.0	1.7	6.6	6.0	2.7
福島県	7.7	11.9	8.5	4.5	6.1	9.0	2.5	6.6	4.9	5.2	3.1	8.2	3.8	2.9	3.7	2.8
茨城県	7.5	6.1	5.2	5.9	3.5	4.9	3.8	3.6	3.9	5.3	2.5	4.4	4.1	4.2	2.0	2.1
栃木県	4.8	6.1	5.2	9.3	8.3	2.9	3.3	2.5	5.7	5.4	4.0	2.9	1.6	0.5	2.1	3.8
群馬県	14.7	2.6	7.3	9.9	5.6	2.0	7.1	5.7	5.4	1.1	6.1	3.7	4.4	3.9	1.6	1.7
埼玉県	3.4	4.8	3.6	3.9	4.0	3.4	4.1	1.7	4.2	0.8	2.4	2.3	2.2	2.7	3.1	1.9
千葉県	4.0	3.7	2.0	4.6	3.1	2.6	2.1	4.5	3.4	3.4	0.7	2.0	2.5	2.6	1.8	2.4
東京都	6.2	5.0	5.0	4.0	4.5	3.7	2.7	4.1	2.8	3.1	4.0	3.6	2.8	2.9	2.2	3.1
神奈川県	4.2	5.1	3.7	3.7	2.1	5.3	2.4	1.7	4.4	2.5	1.6	2.2	3.0	1.6	2.6	2.4
新潟県	8.1	5.3	8.8	5.2	1.2	5.0	2.3	3.3	4.0	2.2	4.3	2.5	3.2	1.6	0.4	2.7
富山県	7.6	2.7	6.1	8.6	5.2	11.8	1.4	4.9	3.7	6.8	4.4	6.4	3.9	2.6	5.3	1.2
石川県	15.1	1.5	4.9	7.8	3.0	3.9	3.5	3.0	3.2	5.0	3.7	0.8	5.0	0.8	4.6	5.9
福井県	2.1	7.0	4.5	11.0	4.0	2.1	8.7	9.9	13.8	1.5	6.6	5.6	4.2	6.2	4.2	4.1
山梨県	7.2	4.2	1.9	8.3	1.8	12.9	9.1	5.9	7.8	10.7	1.3	1.6	2.7	0.0	4.0	7.0
長野県	9.1	5.3	7.2	2.3	5.0	9.0	6.0	4.0	4.5	2.8	6.5	5.2	4.9	6.9	1.1	3.7
岐阜県	8.6	9.9	9.5	7.8	4.6	5.8	3.5	7.0	5.4	3.8	2.6	6.3	4.2	2.8	3.1	2.0
静岡県	4.9	6.3	6.5	5.0	2.1	4.2	5.0	2.8	4.8	5.6	2.6	4.1	3.1	1.4	3.2	2.0
愛知県	6.0	5.0	6.6	3.6	3.5	3.2	4.1	4.9	4.9	3.4	4.8	2.2	2.7	3.8	1.5	2.3
三重県	8.5	6.6	6.4	4.6	5.1	5.4	10.9	4.7	5.1	3.8	7.4	6.4	3.5	2.8	5.1	1.7
滋賀県	8.1	10.3	4.2	9.0	2.8	13.1	7.0	6.2	3.4	4.5	7.3	4.9	5.4	5.8	2.7	5.0
京都府	5.3	8.4	5.9	8.0	5.2	6.2	7.6	8.1	7.6	4.1	5.6	3.3	2.6	1.4	2.7	2.5
大阪府	8.8	5.7	6.2	4.8	4.8	4.9	5.6	5.3	5.8	3.2	4.4	4.8	1.9	2.2	2.2	2.8
兵庫県	5.8	7.4	9.7	6.4	7.4	6.8	5.7	5.0	3.4	5.1	3.6	3.4	3.4	1.8	3.5	2.0
奈良県	7.0	12.4	8.2	3.8	6.4	3.8	2.8	8.4	3.1	4.9	5.2	1.9	3.9	2.4	3.6	7.5
和歌山県	5.6	6.7	7.5	7.0	3.1	2.8	6.8	10.2	3.2	5.7	3.8	6.1	6.3	3.4	7.6	5.5
鳥取県	0.0	0.0	7.9	15.3	2.9	2.8	12.9	2.8	8.5	7.0	2.7	10.0	4.1	0.0	5.3	0.0
島根県	4.7	14.2	11.8	9.2	2.2	1.9	11.0	12.3	7.2	7.1	6.8	6.0	6.5	1.5	15.2	4.4
岡山県	8.1	12.4	9.9	10.0	8.3	12.1	6.5	9.8	6.6	6.1	8.4	4.6	1.9	10.7	4.4	6.0
広島県	6.7	6.4	6.0	7.0	3.8	5.3	5.6	5.4	7.8	4.1	4.7	3.5	2.3	4.2	3.4	1.9
山口県	8.7	8.5	7.0	7.1	7.9	9.4	1.7	6.1	5.4	4.4	7.0	8.3	4.9	5.8	5.6	3.8
徳島県	10.6	13.1	9.8	4.2	4.8	15.8	2.2	3.8	12.2	12.1	7.2	2.9	8.9	4.3	4.1	4.1
香川県	10.1	5.9	12.4	7.3	8.1	7.7	6.4	16.5	5.0	9.7	5.2	4.9	7.7	5.9	2.4	5.6
愛媛県	9.3	9.0	10.9	3.3	8.6	11.2	8.9	7.3	3.2	5.8	3.4	6.0	7.5	4.1	5.2	4.4
高知県	15.3	11.0	7.9	9.4	5.3	2.0	5.5	7.9	14.7	7.3	9.3	3.8	9.5	9.7	6.0	7.8
福岡県	6.8	5.0	5.2	3.9	4.8	3.4	2.9	4.0	3.3	2.1	3.8	6.8	3.6	6.5	2.7	4.5
佐賀県	6.8	6.4	10.0	11.1	8.4	3.9	10.7	4.8	5.6	5.2	0.0	10.7	1.5	4.8	4.1	4.6
長崎県	8.9	7.8	6.9	3.1	7.7	7.1	8.6	2.8	3.4	7.8	2.6	0.8	3.0	4.4	1.5	1.2
熊本県	12.3	9.9	1.8	8.8	10.4	2.7	4.0	4.6	4.6	4.2	6.7	3.7	3.2	1.9	8.7	3.6
大分県	10.8	5.0	7.5	11.0	6.5	4.1	3.5	8.4	9.7	2.1	1.5	2.8	1.9	2.8	9.9	3.3
宮崎県	8.2	13.7	6.5	8.1	2.7	7.1	8.3	6.0	5.6	4.5	8.0	5.4	9.1	6.6	5.7	11.3
鹿児島県	8.5	4.5	5.4	6.1	9.0	4.3	7.5	3.8	11.5	9.3	5.5	4.3	5.5	7.2	3.9	2.6
沖縄県	1.5	1.3	4.0	3.8	3.8	3.4	1.0	4.2	5.7	3.0	1.9	1.8	3.1	2.0	3.7	4.1

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号6 再生不良性貧血 Aplastic anemia

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
女																	
北海道	13.1	12.9	19.3	19.2	9.9	7.5	8.1	8.4	9.2	8.4	9.4	10.4	6.4	6.2	7.2	8.7	6.9
青森県	13.8	21.3	22.3	20.2	17.2	11.1	6.4	6.1	7.4	6.0	12.0	6.5	2.5	2.5	8.7	3.5	10.6
岩手県	14.4	23.7	15.3	11.2	10.5	14.0	12.8	5.9	3.3	2.8	8.8	13.1	4.1	12.1	7.8	6.4	2.3
宮城県	7.8	10.0	15.9	8.6	8.3	11.7	7.2	8.9	7.0	7.2	8.6	4.8	9.3	7.2	6.2	5.0	3.6
秋田県	14.0	21.5	14.4	9.3	5.5	7.7	7.7	11.2	8.1	6.8	1.7	9.9	4.8	15.3	13.5	6.1	7.0
山形県	3.2	17.5	13.8	10.7	7.8	5.3	14.0	5.7	9.5	13.5	9.7	9.9	11.0	4.6	4.6	5.7	8.5
福島県	14.7	14.7	11.6	16.8	9.4	5.9	12.7	4.8	6.7	4.8	9.1	6.7	9.6	10.3	4.7	10.7	5.3
茨城県	13.4	8.5	12.8	7.7	4.2	10.2	6.6	5.2	6.3	7.3	3.8	4.8	7.5	5.1	7.8	4.8	2.7
栃木県	15.4	15.1	17.2	11.1	9.2	5.2	15.7	7.8	9.7	4.7	8.1	7.9	5.4	5.3	7.3	9.0	3.9
群馬県	14.7	11.3	15.3	16.7	11.3	12.4	7.4	14.2	9.8	5.7	3.3	8.8	7.4	6.2	4.1	10.5	11.3
埼玉県	10.1	9.7	9.5	10.0	10.5	4.9	6.7	7.7	9.8	6.3	5.3	5.3	3.9	6.9	6.2	6.1	5.1
千葉県	10.1	12.8	14.3	12.7	7.5	5.6	5.9	10.2	9.8	3.5	6.0	8.4	6.9	3.5	6.4	8.0	5.1
東京都	10.7	11.1	10.8	8.5	10.2	4.6	7.5	7.2	7.3	7.6	6.1	6.8	6.1	7.7	9.5	7.8	6.8
神奈川県	9.3	15.1	9.6	7.5	7.4	8.5	6.9	4.6	6.5	7.4	6.0	6.5	4.6	5.5	6.6	6.2	6.8
新潟県	12.6	16.9	9.9	8.4	14.2	16.4	6.8	13.5	10.2	13.9	9.5	11.6	8.9	7.9	10.6	6.7	12.2
富山県	19.6	14.5	13.5	13.2	19.3	5.8	13.5	8.1	5.5	4.0	7.5	14.7	12.6	6.9	1.7	9.5	6.5
石川県	10.5	7.7	15.0	18.0	9.1	12.6	9.2	11.0	9.8	3.7	10.7	5.2	6.8	0.0	6.4	8.0	5.0
福井県	9.2	6.3	17.7	6.0	5.8	6.0	19.6	0.0	5.3	7.9	2.6	7.5	9.7	2.4	4.6	11.5	2.6
山梨県	8.5	14.1	19.4	23.3	13.2	10.5	8.6	5.6	13.9	5.7	5.2	4.8	9.6	7.1	4.5	8.9	2.0
長野県	15.5	25.4	21.1	12.5	11.9	14.4	13.4	12.7	6.7	15.5	12.3	9.5	11.3	8.2	8.0	3.3	6.3
岐阜県	6.5	17.6	13.1	14.2	9.9	10.4	6.8	11.9	7.8	8.6	9.3	13.4	6.8	7.7	11.0	4.5	7.6
静岡県	11.5	9.7	14.8	11.7	6.6	5.1	4.2	3.2	8.1	6.2	6.5	5.3	5.6	7.7	6.4	7.3	5.9
愛知県	10.6	12.7	18.7	11.2	8.9	7.4	10.2	9.2	5.0	3.3	9.1	5.6	7.3	4.3	6.9	5.0	6.1
三重県	10.9	11.4	14.1	14.2	12.4	9.4	7.4	4.7	4.1	9.9	7.4	10.5	9.2	6.7	8.6	11.8	5.0
滋賀県	22.6	17.5	23.3	18.5	19.2	5.9	6.4	10.1	7.6	17.4	5.7	12.8	5.3	17.0	3.3	7.8	8.0
京都府	9.8	9.0	15.3	9.9	12.7	8.8	8.1	10.7	11.7	5.8	7.4	10.2	7.0	10.6	8.1	10.4	4.8
大阪府	6.8	12.1	12.5	10.6	8.8	4.4	6.7	9.4	9.3	8.6	9.7	5.4	4.8	10.3	7.5	5.7	4.3
兵庫県	13.0	13.4	14.4	10.7	11.7	9.1	11.0	8.3	12.3	8.1	8.6	5.8	6.3	6.6	7.2	5.6	8.0
奈良県	12.8	13.7	7.4	10.6	9.8	3.5	9.6	7.2	7.2	8.6	9.9	6.2	6.2	4.5	10.1	8.4	8.3
和歌山県	8.2	21.6	10.2	19.7	7.3	8.0	6.3	10.2	8.5	4.1	9.1	10.9	10.9	10.6	6.9	6.8	4.8
鳥取県	10.5	15.2	26.4	24.3	6.1	2.7	17.9	0.0	0.0	17.1	13.1	26.3	6.5	21.8	8.9	14.9	2.7
島根県	10.8	10.5	12.5	18.5	15.3	4.0	8.2	6.4	7.1	2.7	18.0	15.1	15.0	24.3	6.9	7.1	8.6
岡山県	16.6	18.5	21.8	14.3	16.1	13.9	15.8	11.6	7.7	8.5	5.5	10.3	10.5	3.0	7.8	3.8	8.3
広島県	22.1	10.4	12.1	16.2	9.1	6.7	10.0	6.3	7.9	7.8	9.0	7.2	12.1	11.8	8.1	6.5	7.4
山口県	10.4	21.4	16.1	14.0	6.6	9.1	8.6	15.6	7.6	10.7	5.1	14.0	12.2	9.6	12.7	4.5	3.5
徳島県	6.3	8.3	15.3	10.5	9.8	6.1	5.3	9.6	15.9	7.4	11.8	7.2	11.7	6.9	6.6	4.3	12.2
香川県	9.6	12.3	12.4	1.7	11.0	2.5	5.7	8.8	7.7	19.6	10.4	12.0	7.8	3.8	12.8	8.9	3.2
愛媛県	6.9	24.1	28.0	9.4	14.4	12.5	14.0	9.7	5.7	4.1	4.0	5.2	11.6	8.7	8.4	9.6	6.5
高知県	17.2	15.5	19.4	19.6	9.2	10.9	13.6	7.3	10.0	4.9	2.6	9.5	11.7	15.9	8.8	0.0	2.0
福岡県	11.5	9.0	10.3	7.0	6.9	8.1	11.3	11.8	8.3	9.4	6.8	7.8	6.3	10.6	5.9	5.9	5.8
佐賀県	14.9	23.0	14.2	23.4	11.0	2.8	10.1	4.8	6.5	5.3	7.1	11.3	15.6	8.6	4.1	15.9	4.4
長崎県	10.7	12.9	12.5	8.1	11.6	5.5	6.7	14.7	10.7	9.2	7.8	10.0	7.4	12.0	9.2	6.9	11.3
熊本県	23.2	16.0	13.7	18.7	10.8	10.5	5.4	6.9	10.7	9.0	14.6	7.8	6.3	8.3	10.0	10.7	8.5
大分県	26.7	11.1	13.6	3.6	10.4	5.2	10.7	10.3	14.4	6.9	13.3	11.0	7.7	7.6	4.5	11.6	12.5
宮崎県	15.7	25.5	24.7	13.1	18.0	14.7	8.6	9.9	3.6	8.8	7.0	15.0	8.4	3.2	12.7	9.3	13.2
鹿児島県	15.3	17.6	9.5	16.9	12.6	4.2	4.4	14.5	4.6	12.3	15.4	9.9	4.3	14.5	3.0	6.9	8.6
沖縄県	0.0	18.5	18.5	18.9	10.3	10.8	9.7	13.9	4.1	7.6	7.4	14.3	3.4	11.7	3.3	4.7	3.0

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号6 再生不良性貧血 Aplastic anemia

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
女																
北海道	7.5	5.0	7.4	5.3	5.3	5.0	6.7	3.9	5.2	5.7	6.5	4.5	3.0	5.6	5.3	3.9
青森県	13.7	4.4	4.4	3.6	6.6	6.2	7.3	5.9	5.1	4.8	4.0	6.5	0.5	4.7	1.8	1.1
岩手県	4.7	3.8	6.1	5.0	5.7	4.1	4.3	6.4	3.0	2.7	3.9	5.1	3.8	3.3	1.9	4.9
宮城県	3.4	4.4	3.2	6.9	4.7	4.3	3.1	4.3	3.9	3.2	2.3	5.8	7.1	1.5	2.7	2.6
秋田県	6.3	2.4	5.1	7.4	2.3	1.3	1.9	4.2	2.9	11.9	7.8	3.5	0.6	3.1	2.4	2.3
山形県	7.7	11.5	6.0	4.5	3.4	4.6	3.9	4.0	4.0	7.6	2.9	3.8	3.5	0.6	7.8	6.3
福島県	7.0	10.9	5.8	5.0	5.5	4.1	7.6	10.2	7.8	10.6	9.1	7.0	5.8	3.5	3.7	5.8
茨城県	7.1	6.4	8.9	3.4	10.1	4.5	4.8	5.1	5.8	3.8	4.5	2.1	4.2	2.2	5.0	2.8
栃木県	5.1	4.3	6.9	7.4	4.0	9.4	3.5	5.0	7.2	6.8	3.8	4.2	7.2	5.9	2.2	1.3
群馬県	6.0	11.0	8.1	5.9	5.4	4.4	5.1	8.3	7.3	6.5	6.5	2.8	5.9	7.3	3.5	3.3
埼玉県	6.0	4.6	6.7	5.1	2.3	3.1	6.0	4.8	2.8	4.1	4.1	3.9	3.7	3.3	1.8	1.8
千葉県	3.8	7.0	4.1	4.7	5.0	5.0	4.7	3.9	3.7	3.2	2.5	3.4	4.6	3.0	3.1	2.9
東京都	6.0	6.1	6.0	6.4	4.6	6.5	4.8	4.6	5.1	5.2	5.1	3.9	3.2	3.0	2.8	3.8
神奈川県	4.4	4.8	4.5	4.3	4.0	5.8	4.5	4.3	5.2	3.7	5.3	2.7	3.5	2.2	2.4	2.2
新潟県	8.8	7.3	10.9	7.5	7.0	6.3	5.0	5.2	5.2	5.8	5.0	2.6	4.3	1.8	3.0	2.0
富山県	3.7	7.9	10.7	5.0	7.5	4.7	6.2	4.2	4.6	6.6	8.9	4.9	6.1	5.2	4.0	4.3
石川県	9.0	3.1	6.6	10.8	5.3	5.6	8.4	1.7	2.9	10.5	2.7	6.5	2.5	4.4	3.7	3.4
福井県	10.2	3.8	8.9	5.8	6.7	9.1	12.5	3.0	8.1	8.4	3.2	10.3	4.5	6.3	8.5	2.5
山梨県	4.8	6.8	4.4	3.5	3.6	5.7	5.7	5.9	3.3	2.9	4.4	1.1	7.2	5.1	4.5	5.4
長野県	8.8	1.7	6.4	5.5	5.7	6.4	7.2	10.9	1.9	8.5	5.4	3.9	3.2	2.1	5.5	1.2
岐阜県	11.4	8.5	7.3	6.5	6.3	4.8	4.4	4.3	6.0	7.2	4.0	4.0	2.4	4.4	1.9	5.0
静岡県	3.4	9.0	4.6	7.5	2.3	6.0	6.3	3.7	2.9	4.0	3.5	5.1	5.2	2.6	2.3	2.1
愛知県	5.8	4.5	3.0	5.1	3.4	5.2	5.5	5.3	5.1	6.0	3.6	5.5	3.2	3.5	1.7	2.7
三重県	15.3	9.6	11.6	8.2	5.4	8.0	10.4	2.7	7.1	2.4	5.5	3.6	3.8	2.7	6.9	3.8
滋賀県	10.4	8.2	10.2	5.3	1.4	7.7	4.0	3.8	4.8	3.9	4.4	5.1	4.5	4.2	3.4	3.5
京都府	8.0	8.7	4.2	6.4	7.0	5.8	9.1	4.6	7.3	7.6	3.9	5.6	4.7	3.9	4.4	2.9
大阪府	5.1	5.7	5.8	7.0	6.4	4.5	4.1	5.9	5.2	4.6	4.2	4.3	5.1	4.2	1.4	4.3
兵庫県	9.2	8.9	4.8	4.5	5.0	7.9	6.3	5.3	6.5	4.1	5.3	2.8	3.7	4.1	3.4	2.6
奈良県	0.0	9.2	3.5	3.3	7.0	3.4	2.4	5.5	4.2	6.2	4.2	2.3	7.2	3.5	3.5	7.1
和歌山県	4.9	5.9	4.0	4.2	1.5	3.2	5.8	4.6	4.8	3.0	6.8	2.5	9.0	4.9	8.5	4.2
鳥取県	2.7	5.4	7.8	7.6	2.4	6.3	2.4	8.4	9.4	9.2	8.8	7.2	6.7	7.3	7.9	3.7
島根県	10.9	22.3	0.0	13.4	3.1	14.1	6.2	5.0	11.2	9.1	4.9	5.1	4.9	4.9	3.7	3.3
岡山県	8.9	9.3	12.4	11.1	8.1	8.0	7.0	3.1	6.9	5.4	7.3	4.9	6.5	5.5	8.0	7.5
広島県	7.0	7.9	5.0	5.0	5.0	4.7	5.5	3.7	6.9	6.9	6.0	4.1	4.5	3.3	4.7	3.5
山口県	8.3	6.6	6.8	6.3	7.2	11.5	3.2	6.1	2.7	6.1	4.6	3.7	4.1	4.5	4.7	3.2
徳島県	4.8	9.9	0.0	10.4	17.5	7.5	11.1	17.3	5.2	14.6	11.6	2.6	3.9	8.2	2.8	3.9
香川県	4.7	5.3	3.1	4.6	2.9	8.5	13.5	1.4	7.2	10.6	8.3	2.1	0.9	4.4	4.4	7.1
愛媛県	10.9	6.3	6.0	6.6	5.6	7.0	6.6	5.4	12.3	8.4	11.1	8.8	2.2	5.0	4.0	3.7
高知県	14.8	7.7	14.0	5.2	7.5	11.8	10.9	9.5	2.7	1.3	4.4	5.5	7.5	5.1	4.6	2.0
福岡県	6.1	6.3	3.5	5.8	3.1	5.9	4.0	5.4	5.4	5.5	2.9	5.6	4.6	4.1	3.1	3.9
佐賀県	7.6	5.1	9.5	10.7	11.7	6.8	8.6	5.8	7.7	3.8	3.1	3.4	5.9	4.5	2.8	7.3
長崎県	11.5	3.1	10.4	10.6	6.9	6.4	7.3	6.4	6.5	5.5	4.1	0.7	7.9	5.2	5.4	6.1
熊本県	6.6	7.2	5.3	9.4	9.3	9.6	8.9	8.0	5.2	4.9	5.7	5.2	4.8	5.6	5.3	3.8
大分県	8.5	10.6	9.2	9.2	10.2	13.6	8.5	5.7	6.7	2.9	9.7	2.2	3.5	6.2	3.1	4.2
宮崎県	9.0	2.6	9.4	6.6	6.1	7.9	2.5	14.9	4.6	7.2	1.1	5.7	6.8	4.9	3.0	3.1
鹿児島県	8.0	7.8	4.4	3.9	7.4	4.2	10.7	7.7	11.6	5.4	4.1	4.9	4.0	4.7	4.2	6.5
沖縄県	7.4	0.0	5.5	5.6	2.4	10.7	5.8	9.4	2.0	7.3	6.8	1.5	3.8	8.7	8.1	3.6

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号7 サルコイドーシス Sarcoidosis

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
男																	
北海道	0.9	1.5	0.6	0.8	0.4	0.0	0.3	0.0	0.5	0.0	0.0	0.0	0.7	0.0	0.4	0.4	1.0
青森県	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
岩手県	0.0	0.0	0.0	1.7	0.0	1.3	0.0	0.0	0.0	1.5	1.4	0.0	0.0	1.5	0.0	0.0	0.0
宮城県	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	2.2	1.2	0.0	1.0	0.0	0.0	0.9	0.0	0.0
秋田県	0.0	0.0	1.5	1.5	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
山形県	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
福島県	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0
茨城県	1.2	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7
栃木県	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
群馬県	0.0	0.0	0.0	1.6	1.3	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0
埼玉県	0.5	0.0	0.0	1.2	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.9
千葉県	0.0	0.8	0.0	0.0	0.0	0.0	0.9	0.3	0.0	0.3	0.0	0.4	0.0	0.0	0.0	0.0	0.0
東京都	0.3	0.0	0.2	0.2	0.3	0.0	0.6	0.4	0.2	0.0	0.4	0.2	0.0	0.2	0.2	0.7	0.2
神奈川県	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.8	0.0	0.3	0.7	0.2	0.0
新潟県	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
富山県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0
石川県	0.0	0.0	0.0	0.0	0.0	4.9	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0
福井県	0.0	0.0	0.0	1.9	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0
山梨県	0.0	2.9	0.0	2.4	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
長野県	1.3	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0
岐阜県	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.0	1.0	1.1	0.0
静岡県	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
愛知県	0.0	1.6	0.4	0.0	0.0	0.4	0.0	0.4	0.0	0.0	0.4	0.3	0.3	0.0	0.0	0.3	0.0
三重県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
滋賀県	0.0	2.4	2.9	0.0	0.0	0.0	0.0	0.0	0.0	1.8	2.0	0.0	0.0	0.0	0.0	1.6	0.0
京都府	0.0	1.1	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0
大阪府	0.2	0.0	0.6	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.5	0.7	0.2	0.0
兵庫県	0.0	0.0	0.5	0.0	0.0	0.0	1.2	0.4	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.3
奈良県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
和歌山県	0.0	2.8	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	1.7
鳥取県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
島根県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0
岡山県	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0
広島県	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.7	0.0
山口県	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
徳島県	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	2.6	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
香川県	0.0	0.0	2.9	0.0	0.0	3.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
愛媛県	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
高知県	4.4	0.0	0.0	0.0	0.0	2.7	0.0	0.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
福岡県	0.6	0.0	0.0	0.0	0.5	0.0	1.1	0.0	0.6	1.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0
佐賀県	0.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
長崎県	0.0	0.0	0.0	0.0	0.0	3.1	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
熊本県	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	0.0	0.0	0.0
大分県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
宮崎県	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0
鹿児島県	0.0	1.4	0.0	1.7	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0
沖縄県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号7 サルコイドーシス Sarcoidosis

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
男																
北海道	0.0	0.0	0.0	0.0	0.3	0.2	0.6	0.3	0.4	0.0	0.4	0.5	0.0	1.0	0.3	0.5
青森県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
岩手県	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.9	1.6	0.0	0.8	0.0	0.8	3.0
宮城県	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.7	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.4
秋田県	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	1.1	0.0
山形県	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
福島県	0.9	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.8	0.5
茨城県	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.0	0.4	0.0
栃木県	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.7	0.0	0.9	1.6	0.0	1.5	1.7	0.4
群馬県	0.0	0.0	0.0	0.0	0.7	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.2	0.0
埼玉県	0.0	0.0	0.0	0.7	0.2	0.3	0.6	0.0	0.7	0.3	0.2	0.0	0.2	0.2	0.0	0.2
千葉県	0.0	0.0	0.3	0.0	0.3	0.4	0.6	0.0	0.3	0.0	0.3	0.0	0.0	0.2	0.3	0.2
東京都	0.2	0.4	0.3	0.2	0.4	0.5	0.2	0.6	0.1	0.7	0.1	0.4	0.1	0.7	0.4	0.5
神奈川県	0.4	0.6	0.2	0.2	0.2	0.0	0.7	0.3	0.3	0.0	0.2	0.3	0.5	0.0	0.5	0.0
新潟県	0.0	0.0	0.0	0.0	0.8	0.0	0.5	0.5	0.0	1.2	0.0	0.0	1.7	0.0	0.0	0.8
富山県	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	1.8	1.2	0.0	4.1	0.0	0.0	0.0	0.0
石川県	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
福井県	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	1.5	1.6	0.0	0.0	0.0	0.0	0.0
山梨県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.8	0.0
長野県	0.0	0.0	0.0	0.8	0.0	0.9	0.0	0.7	0.0	0.0	0.6	0.0	0.8	0.0	0.0	0.0
岐阜県	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.6	0.5	0.5	0.0
静岡県	0.5	0.0	0.5	0.0	0.0	0.0	1.0	1.1	0.5	0.0	0.3	0.5	0.5	0.5	0.7	0.3
愛知県	0.2	0.0	0.3	0.0	0.0	0.4	0.6	0.0	0.2	0.3	0.3	0.6	0.0	0.8	0.0	0.3
三重県	0.0	0.0	0.9	0.0	1.1	0.7	0.0	0.0	0.0	0.0	1.7	0.0	0.0	2.3	1.0	0.0
滋賀県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	0.0	2.2	1.2	0.0	0.0	0.9	0.0
京都府	0.0	0.0	0.0	0.0	0.5	0.0	0.0	2.4	0.0	0.5	0.6	1.1	0.0	0.0	1.1	0.0
大阪府	0.0	0.3	0.4	0.2	0.2	0.3	0.1	0.1	0.1	0.3	0.3	0.3	0.0	0.2	0.9	0.4
兵庫県	0.3	0.4	0.3	0.0	0.0	0.6	2.0	0.0	0.0	0.2	0.3	0.0	0.4	0.2	0.4	0.5
奈良県	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7
和歌山県	0.0	0.0	0.0	1.7	0.0	0.0	3.1	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
鳥取県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0
島根県	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0
岡山県	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.6
広島県	0.0	0.0	0.0	0.0	0.7	0.0	0.5	0.0	0.8	0.0	0.5	1.9	0.0	0.6	1.0	0.0
山口県	0.0	0.0	0.0	2.1	0.0	0.0	1.4	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.8	0.0
徳島県	0.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	1.6	0.0	1.4	2.5
香川県	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	1.6	0.0	3.3	1.4	0.0	0.0	1.5	0.0
愛媛県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	3.1	0.0	0.0	1.9	0.0
高知県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0
福岡県	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.9	0.0	0.5	0.5	0.0	0.5
佐賀県	0.0	2.4	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
長崎県	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.8	0.8	0.8	0.0
熊本県	0.0	0.0	1.1	0.9	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0
大分県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0
宮崎県	1.4	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	1.9	1.1
鹿児島県	0.0	0.0	0.0	0.0	1.3	1.3	0.0	0.0	0.0	1.6	0.8	1.0	0.9	0.7	2.6	0.8
沖縄県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号7 サルコイドーシス Sarcoidosis

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
女																	
北海道	0.6	0.0	1.1	1.0	0.5	0.9	0.4	0.0	0.4	0.4	0.0	0.0	0.4	0.0	0.3	0.3	0.7
青森県	2.0	0.0	0.0	0.0	0.0	0.0	1.5	2.9	0.0	0.0	0.0	1.2	1.3	1.3	0.0	0.0	0.0
岩手県	0.0	0.0	0.0	1.9	0.0	1.8	0.0	1.7	0.0	0.0	0.0	0.0	0.0	1.4	1.3	0.0	1.3
宮城県	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
秋田県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0
山形県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.4	0.0
福島県	0.8	0.0	0.0	0.0	1.2	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0
茨城県	2.0	0.0	0.0	0.0	0.8	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0
栃木県	0.0	1.7	0.0	1.5	0.0	0.0	1.2	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	1.1	0.0
群馬県	0.0	0.0	1.4	2.5	0.0	1.3	1.2	1.3	0.0	0.0	1.1	1.0	0.0	0.0	1.0	0.0	0.0
埼玉県	0.9	0.0	0.7	0.6	0.5	0.0	0.0	0.0	0.4	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.3
千葉県	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.0	1.0
東京都	0.4	0.5	0.2	0.7	0.0	0.2	0.0	0.2	0.6	0.0	0.4	0.5	0.0	0.3	0.3	0.0	0.3
神奈川県	0.0	0.9	0.0	0.0	0.4	0.0	0.3	0.7	0.0	0.3	0.0	0.9	0.3	0.3	0.0	0.0	0.0
新潟県	0.0	0.0	0.0	0.0	0.7	0.0	1.0	0.0	0.0	0.9	0.0	0.0	0.0	0.8	0.0	0.0	0.8
富山県	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	1.6
石川県	2.2	0.0	0.0	0.0	2.6	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
福井県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
山梨県	0.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	0.0	0.0
長野県	0.9	1.2	0.0	0.0	1.2	1.0	0.0	0.0	1.1	0.0	1.0	0.9	1.0	0.0	0.9	0.0	0.9
岐阜県	1.3	0.0	1.3	0.0	0.0	2.2	3.2	0.0	2.2	0.0	0.0	0.0	1.0	1.0	0.9	0.0	0.0
静岡県	0.0	0.0	0.8	0.0	0.0	0.8	0.0	0.0	0.0	0.6	1.2	0.0	0.6	0.0	0.5	0.0	0.5
愛知県	0.0	0.0	0.4	0.0	0.0	0.0	0.4	0.0	0.4	0.4	0.0	1.0	0.3	0.0	0.3	0.0	0.3
三重県	1.2	0.0	1.5	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
滋賀県	2.3	2.3	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
京都府	1.0	0.0	0.0	0.0	0.6	0.0	0.0	0.9	1.7	0.8	0.8	0.8	0.0	0.0	0.7	0.0	0.0
大阪府	0.0	1.4	0.4	0.3	0.0	0.0	0.0	0.3	0.0	0.3	0.3	0.2	0.2	0.0	0.0	0.2	0.0
兵庫県	0.5	0.0	0.4	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.3	0.0
奈良県	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
和歌山県	0.0	0.0	0.0	1.8	0.0	2.1	0.0	0.0	0.0	2.2	0.0	1.9	1.8	0.0	0.0	0.0	0.0
鳥取県	0.0	0.0	0.0	0.0	0.0	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
島根県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	0.0
岡山県	0.0	1.7	1.4	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0
広島県	1.1	0.9	1.8	0.8	0.0	0.9	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.7	0.0	0.0
山口県	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	1.1	0.0	0.0
徳島県	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	2.5	0.0	0.0	2.3	0.0	0.0	0.0
香川県	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0
愛媛県	1.3	1.6	0.0	1.5	0.0	1.6	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
高知県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	2.4	0.0	0.0	0.0	0.0
福岡県	0.0	0.6	0.5	0.0	0.0	0.5	0.0	0.0	0.5	0.0	0.5	0.4	0.0	0.0	0.4	0.4	0.4
佐賀県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
長崎県	0.0	0.0	0.0	1.6	0.0	0.0	1.4	1.7	0.0	1.2	0.0	0.0	0.0	1.2	0.0	0.0	2.3
熊本県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	1.0
大分県	0.0	0.0	2.2	1.9	1.9	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	1.5	1.5
宮崎県	2.1	0.0	2.4	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	1.6	0.0	1.6	0.0
鹿児島県	0.0	4.5	0.0	0.0	2.6	0.0	1.3	0.0	1.1	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0
沖縄県	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号7 サルコイドーシス Sarcoidosis

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
女																
北海道	0.3	0.3	0.5	0.0	0.3	0.0	0.0	0.8	0.0	1.7	0.3	0.7	0.0	0.9	0.3	0.5
青森県	1.2	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	1.7	0.8	0.7	1.2	1.2
岩手県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.8	0.6	0.9	0.5	1.5	0.6
宮城県	0.0	0.0	0.0	0.9	0.0	0.6	0.0	2.5	0.6	0.0	0.4	0.0	2.0	0.4	0.8	1.1
秋田県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.9	0.0	0.0	0.0	0.9
山形県	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.9	0.0	1.1	0.0	0.0	0.0	1.7	2.1	0.0
福島県	0.0	0.8	0.7	0.0	0.7	0.0	0.0	0.0	0.0	1.7	0.0	0.9	0.0	0.6	0.4	0.0
茨城県	0.6	0.6	0.0	0.0	0.7	0.0	1.1	0.0	0.0	0.0	0.5	0.0	0.9	0.0	0.0	0.5
栃木県	1.8	0.0	0.0	0.9	0.0	0.9	0.8	2.3	1.0	0.0	0.0	0.0	0.0	0.0	0.9	0.5
群馬県	1.0	0.0	1.7	1.7	0.6	0.8	0.9	1.6	0.7	2.2	0.0	0.4	0.6	0.0	0.5	0.0
埼玉県	0.6	0.0	0.3	0.0	0.0	0.2	0.2	0.2	0.0	0.2	0.5	0.0	0.2	0.4	0.2	0.7
千葉県	0.0	0.0	0.8	0.3	0.6	0.3	0.5	0.5	0.2	0.0	0.2	0.2	0.4	0.3	0.2	0.0
東京都	0.6	1.0	1.2	0.3	0.3	0.6	0.9	0.4	0.6	0.4	0.6	0.7	0.5	0.4	0.8	0.9
神奈川県	0.5	0.0	0.2	0.0	0.0	0.2	0.2	0.1	0.0	0.3	0.5	0.5	0.6	0.4	0.5	0.1
新潟県	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.7	0.0	0.4	0.3	0.0	0.0	1.7	0.0	0.7
富山県	0.0	0.0	0.0	1.5	0.0	0.0	0.0	1.7	1.4	0.0	0.0	1.2	1.2	1.2	1.0	0.0
石川県	0.0	1.5	0.0	1.4	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0
福井県	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.0	0.0	0.0	0.0	1.7	0.0	2.3	0.0	0.0
山梨県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	1.1	0.0	0.0	0.0	1.6	1.6
長野県	0.0	0.8	0.0	0.0	0.0	0.8	0.0	0.7	0.9	0.6	0.0	0.0	0.0	1.6	1.1	0.5
岐阜県	0.0	0.8	0.9	1.6	0.0	0.0	0.8	0.7	0.7	0.8	1.5	0.7	0.0	0.6	0.6	0.7
静岡県	0.5	1.0	0.5	0.0	0.9	0.4	0.4	0.0	1.1	0.4	0.3	1.1	0.3	0.8	0.3	0.3
愛知県	0.6	0.3	0.0	1.2	0.7	0.6	0.9	0.5	1.4	0.6	1.0	1.2	1.6	0.8	0.8	0.3
三重県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.8	0.9	0.0	0.0	0.0	2.0	0.9	1.4
滋賀県	1.6	0.0	0.0	1.5	0.0	0.0	0.0	0.9	1.3	1.4	1.2	0.0	2.3	2.2	0.9	1.1
京都府	0.0	0.7	0.7	0.6	0.0	1.2	0.0	0.6	0.0	0.0	0.0	2.3	0.5	0.0	0.3	2.3
大阪府	0.4	0.0	0.5	0.4	0.5	0.2	0.7	0.2	0.4	0.7	0.8	0.6	0.7	0.5	0.7	0.5
兵庫県	0.7	0.6	0.3	0.3	1.5	0.6	0.3	0.3	0.0	0.6	0.3	0.9	0.2	0.9	0.7	0.5
奈良県	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.1	0.0	1.0	1.0	0.9	0.0	0.0	0.0
和歌山県	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0
鳥取県	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	0.0	3.6	5.1	1.8	2.1	3.3	0.0
島根県	0.0	0.0	2.2	0.0	1.9	3.7	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0
岡山県	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.7	0.9	0.0	0.0	0.7	0.0	0.0	0.4	0.7
広島県	0.6	0.0	0.0	0.7	1.2	0.0	0.0	0.6	1.6	0.0	0.0	0.0	1.0	1.2	0.6	0.0
山口県	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.9	0.0	0.0
徳島県	0.0	1.9	0.0	0.0	1.9	1.9	1.8	1.7	0.0	1.6	2.7	0.0	0.0	0.0	0.0	0.0
香川県	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0
愛媛県	1.2	0.0	1.1	0.9	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0
高知県	0.0	0.0	0.0	0.0	0.0	2.1	0.0	1.7	0.0	1.3	0.0	0.0	0.0	0.0	1.0	0.0
福岡県	0.0	0.4	0.3	0.0	0.7	0.6	0.0	0.0	0.3	0.6	0.0	0.3	0.2	1.1	0.2	0.7
佐賀県	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.7
長崎県	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.7	2.2	0.0	2.0	0.0	1.2	2.1	0.0	0.0
熊本県	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.9	0.0	1.2	0.0	0.5	0.0	0.6	0.4
大分県	1.3	1.4	0.0	0.0	0.0	0.0	1.2	0.0	4.1	0.0	0.0	0.0	0.7	0.7	0.6	1.4
宮崎県	0.0	0.0	2.7	0.0	1.4	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
鹿児島県	0.0	0.0	0.0	0.0	1.0	0.7	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.9	0.0
沖縄県	0.0	0.0	1.4	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号8 筋萎縮性側索硬化症 Amyotrophic lateral sclerosis

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
男																	
北海道	4.2	2.6	4.1	2.8	7.6	4.9	7.3	-	-	-	-	-	-	-	-	-	-
青森県	12.3	12.2	5.8	4.5	4.1	6.9	5.3	-	-	-	-	-	-	-	-	-	-
岩手県	1.9	5.6	0.0	3.7	0.0	7.7	4.5	-	-	-	-	-	-	-	-	-	-
宮城県	6.6	2.5	0.8	2.5	4.9	6.5	5.3	-	-	-	-	-	-	-	-	-	-
秋田県	5.2	8.6	3.7	2.1	10.0	2.4	1.8	-	-	-	-	-	-	-	-	-	-
山形県	7.2	4.0	12.9	5.3	9.6	5.7	1.8	-	-	-	-	-	-	-	-	-	-
福島県	5.6	4.6	4.3	4.9	4.8	2.1	7.3	-	-	-	-	-	-	-	-	-	-
茨城県	5.2	1.0	2.7	4.2	6.8	3.8	5.7	-	-	-	-	-	-	-	-	-	-
栃木県	1.9	3.5	0.9	1.3	7.3	2.4	0.0	-	-	-	-	-	-	-	-	-	-
群馬県	1.7	10.2	7.8	8.2	6.7	8.7	12.1	-	-	-	-	-	-	-	-	-	-
埼玉県	2.0	1.8	1.1	1.4	2.9	3.1	4.4	-	-	-	-	-	-	-	-	-	-
千葉県	4.4	2.9	3.7	5.5	3.3	5.0	5.9	-	-	-	-	-	-	-	-	-	-
東京都	2.4	4.4	5.7	3.5	5.1	2.7	5.9	-	-	-	-	-	-	-	-	-	-
神奈川県	2.7	2.9	4.7	5.8	3.8	5.7	2.8	-	-	-	-	-	-	-	-	-	-
新潟県	10.1	4.6	6.6	7.6	5.1	5.8	5.9	-	-	-	-	-	-	-	-	-	-
富山県	0.0	2.2	2.6	4.5	8.7	1.8	6.4	-	-	-	-	-	-	-	-	-	-
石川県	2.7	2.5	1.9	12.6	4.1	12.5	10.3	-	-	-	-	-	-	-	-	-	-
福井県	0.0	4.0	9.8	4.1	4.3	0.0	6.3	-	-	-	-	-	-	-	-	-	-
山梨県	9.7	10.6	6.1	0.0	6.3	0.0	3.1	-	-	-	-	-	-	-	-	-	-
長野県	2.3	5.2	11.8	6.2	9.8	17.6	9.3	-	-	-	-	-	-	-	-	-	-
岐阜県	4.7	6.0	10.3	5.8	5.5	8.4	6.6	-	-	-	-	-	-	-	-	-	-
静岡県	3.4	1.4	6.5	2.6	3.8	4.9	7.9	-	-	-	-	-	-	-	-	-	-
愛知県	2.3	6.1	4.0	4.4	6.2	2.8	5.6	-	-	-	-	-	-	-	-	-	-
三重県	8.4	5.9	10.0	9.1	5.2	5.4	5.0	-	-	-	-	-	-	-	-	-	-
滋賀県	0.0	2.1	6.1	4.7	0.0	4.4	6.0	-	-	-	-	-	-	-	-	-	-
京都府	6.0	0.8	4.3	3.8	5.1	4.3	4.1	-	-	-	-	-	-	-	-	-	-
大阪府	1.7	2.4	3.7	4.2	4.1	6.7	4.0	-	-	-	-	-	-	-	-	-	-
兵庫県	2.3	3.3	4.1	6.8	3.6	4.3	8.3	-	-	-	-	-	-	-	-	-	-
奈良県	0.0	0.0	8.7	11.0	0.0	2.2	1.9	-	-	-	-	-	-	-	-	-	-
和歌山県	15.2	7.1	15.9	11.3	19.4	8.4	14.0	-	-	-	-	-	-	-	-	-	-
鳥取県	0.0	0.0	8.9	18.0	15.9	8.3	3.5	-	-	-	-	-	-	-	-	-	-
島根県	5.9	10.1	9.0	7.1	6.2	10.1	9.1	-	-	-	-	-	-	-	-	-	-
岡山県	5.3	7.0	7.0	8.9	6.9	6.3	7.5	-	-	-	-	-	-	-	-	-	-
広島県	4.2	8.4	5.6	6.2	7.1	9.5	9.2	-	-	-	-	-	-	-	-	-	-
山口県	6.3	4.2	3.3	7.6	3.4	5.7	4.2	-	-	-	-	-	-	-	-	-	-
徳島県	3.7	3.7	3.1	5.8	3.1	4.8	4.8	-	-	-	-	-	-	-	-	-	-
香川県	11.0	3.2	6.4	4.7	7.1	15.0	2.1	-	-	-	-	-	-	-	-	-	-
愛媛県	8.2	2.2	3.6	6.3	3.1	4.9	9.1	-	-	-	-	-	-	-	-	-	-
高知県	7.8	2.3	5.9	0.0	3.7	2.6	0.0	-	-	-	-	-	-	-	-	-	-
福岡県	5.8	6.1	2.9	10.2	4.2	5.8	4.0	-	-	-	-	-	-	-	-	-	-
佐賀県	3.4	8.8	3.7	10.6	2.9	6.4	8.6	-	-	-	-	-	-	-	-	-	-
長崎県	4.2	2.8	3.5	11.8	8.4	7.6	1.6	-	-	-	-	-	-	-	-	-	-
熊本県	2.9	3.1	4.1	7.2	4.1	3.1	3.9	-	-	-	-	-	-	-	-	-	-
大分県	3.8	7.0	9.2	0.0	3.2	2.2	0.0	-	-	-	-	-	-	-	-	-	-
宮崎県	0.0	1.7	2.2	9.9	2.2	4.3	2.6	-	-	-	-	-	-	-	-	-	-
鹿児島県	4.7	6.5	2.8	6.9	7.1	5.4	7.0	-	-	-	-	-	-	-	-	-	-
沖縄県	0.0	0.0	5.6	2.3	4.4	2.1	2.3	-	-	-	-	-	-	-	-	-	-