

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号8 筋萎縮性側索硬化症 Amyotrophic lateral sclerosis

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
男																
北海道	-	-	-	-	-	-	7.7	5.9	10.5	5.9	9.3	6.4	9.8	9.6	7.4	8.2
青森県	-	-	-	-	-	-	7.8	6.5	3.1	8.3	5.6	4.3	3.4	3.8	3.1	4.5
岩手県	-	-	-	-	-	-	15.3	3.3	9.8	9.0	5.9	4.1	5.1	6.8	7.4	7.5
宮城県	-	-	-	-	-	-	8.2	12.6	7.3	5.1	9.0	5.3	7.6	6.9	5.1	7.6
秋田県	-	-	-	-	-	-	17.5	11.2	7.6	7.3	10.7	6.2	11.4	11.1	9.0	6.7
山形県	-	-	-	-	-	-	11.5	7.8	12.6	6.8	6.4	8.1	9.5	8.7	5.9	13.1
福島県	-	-	-	-	-	-	9.9	8.8	8.3	9.8	5.8	8.7	8.8	12.1	8.2	8.3
茨城県	-	-	-	-	-	-	5.1	4.0	8.2	7.5	9.2	6.8	7.7	6.6	6.4	7.5
栃木県	-	-	-	-	-	-	6.6	10.7	7.6	7.0	8.6	5.5	9.8	7.5	8.8	7.3
群馬県	-	-	-	-	-	-	4.3	10.7	11.1	9.3	6.3	11.5	4.6	10.3	11.8	8.2
埼玉県	-	-	-	-	-	-	4.8	5.6	5.1	4.7	6.2	5.3	5.7	6.8	5.1	4.9
千葉県	-	-	-	-	-	-	6.1	7.4	5.0	8.4	4.3	6.3	6.9	3.6	4.5	7.0
東京都	-	-	-	-	-	-	5.3	7.0	6.1	6.1	7.0	6.5	6.3	6.9	7.5	6.5
神奈川県	-	-	-	-	-	-	5.2	7.0	5.7	6.8	5.0	4.5	7.1	4.9	6.9	4.9
新潟県	-	-	-	-	-	-	11.6	8.9	13.1	10.0	16.0	10.3	7.1	10.3	8.0	7.7
富山県	-	-	-	-	-	-	10.8	8.5	7.1	8.0	3.8	11.7	6.3	13.9	2.4	9.3
石川県	-	-	-	-	-	-	9.4	9.5	5.4	6.8	2.6	7.6	7.2	7.9	7.3	11.6
福井県	-	-	-	-	-	-	3.6	12.1	2.3	12.0	0.0	7.4	11.4	7.7	6.0	6.8
山梨県	-	-	-	-	-	-	7.0	7.4	18.7	3.2	9.3	10.5	5.3	8.5	9.0	8.8
長野県	-	-	-	-	-	-	6.5	13.5	9.0	11.0	11.2	9.7	11.6	7.1	9.4	10.2
岐阜県	-	-	-	-	-	-	13.7	5.7	9.6	8.6	7.0	6.8	8.0	9.7	8.0	9.3
静岡県	-	-	-	-	-	-	11.8	7.7	8.2	6.5	8.7	8.3	6.3	11.8	6.9	7.9
愛知県	-	-	-	-	-	-	7.9	6.3	7.8	6.6	6.0	5.4	6.9	7.8	7.7	7.1
三重県	-	-	-	-	-	-	7.7	8.0	10.8	10.7	8.1	4.9	8.5	4.5	9.5	11.3
滋賀県	-	-	-	-	-	-	14.2	18.3	2.0	9.6	6.1	2.9	4.9	7.7	10.7	8.3
京都府	-	-	-	-	-	-	5.9	8.4	9.7	5.8	7.9	6.2	5.7	5.7	8.4	7.0
大阪府	-	-	-	-	-	-	5.6	9.4	5.2	7.6	6.5	6.0	6.8	7.6	6.4	5.2
兵庫県	-	-	-	-	-	-	6.5	6.3	10.0	7.6	7.6	9.6	8.5	8.5	7.1	6.9
奈良県	-	-	-	-	-	-	5.7	10.7	7.6	6.8	7.4	5.2	5.8	4.3	9.8	5.1
和歌山県	-	-	-	-	-	-	12.4	11.8	12.0	14.3	10.3	6.3	9.7	12.7	11.6	6.5
鳥取県	-	-	-	-	-	-	2.9	12.8	2.6	9.7	2.2	3.7	5.8	4.3	12.0	20.1
島根県	-	-	-	-	-	-	3.8	18.9	16.0	14.2	16.8	19.0	8.0	4.6	15.3	13.7
岡山県	-	-	-	-	-	-	8.9	9.2	10.1	6.6	10.2	10.3	10.8	12.7	8.9	5.8
広島県	-	-	-	-	-	-	5.4	8.9	6.1	7.2	9.0	8.5	8.1	9.3	9.2	8.0
山口県	-	-	-	-	-	-	7.6	11.4	14.8	8.9	11.2	13.4	9.2	6.1	10.0	12.7
徳島県	-	-	-	-	-	-	14.2	7.2	9.2	8.6	4.2	5.9	5.2	10.2	8.5	11.6
香川県	-	-	-	-	-	-	4.3	5.4	1.6	2.8	1.3	0.0	2.7	1.3	3.9	5.4
愛媛県	-	-	-	-	-	-	8.3	1.9	3.9	13.3	6.0	9.6	5.1	13.3	7.4	13.0
高知県	-	-	-	-	-	-	9.6	3.7	18.8	8.4	1.6	12.3	0.0	10.4	5.9	12.9
福岡県	-	-	-	-	-	-	9.2	6.0	6.7	8.0	9.4	6.7	7.3	5.2	8.4	8.3
佐賀県	-	-	-	-	-	-	0.0	10.7	3.2	6.0	8.1	17.3	7.8	9.3	9.5	5.2
長崎県	-	-	-	-	-	-	10.1	5.4	9.0	6.1	10.8	4.2	8.5	5.6	5.1	5.2
熊本県	-	-	-	-	-	-	10.5	10.2	6.5	8.4	11.6	6.4	3.6	10.9	6.5	6.6
大分県	-	-	-	-	-	-	7.6	2.6	5.6	5.8	8.2	10.7	4.4	2.3	5.5	2.9
宮崎県	-	-	-	-	-	-	5.4	4.2	6.5	10.9	4.7	10.3	5.7	6.1	2.8	8.9
鹿児島県	-	-	-	-	-	-	9.5	14.9	5.0	8.8	9.0	14.8	5.5	5.5	7.0	12.3
沖縄県	-	-	-	-	-	-	4.6	3.0	0.0	4.1	2.3	3.1	4.2	5.3	4.4	4.5

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号8 筋萎縮性側索硬化症 Amyotrophic lateral sclerosis

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
女																	
北海道	3.1	1.1	3.0	3.6	2.7	1.8	4.9	-	-	-	-	-	-	-	-	-	-
青森県	5.1	0.0	1.7	1.8	4.9	6.0	3.1	-	-	-	-	-	-	-	-	-	-
岩手県	0.0	2.1	1.9	4.4	3.4	1.8	5.0	-	-	-	-	-	-	-	-	-	-
宮城県	3.7	1.0	2.3	3.4	3.7	1.1	3.3	-	-	-	-	-	-	-	-	-	-
秋田県	0.0	0.0	9.6	7.5	7.7	3.9	1.4	-	-	-	-	-	-	-	-	-	-
山形県	0.0	0.0	3.3	6.7	1.8	1.9	1.5	-	-	-	-	-	-	-	-	-	-
福島県	1.2	3.4	0.0	5.4	2.5	1.2	10.1	-	-	-	-	-	-	-	-	-	-
茨城県	0.9	3.2	2.8	1.9	4.6	0.9	2.7	-	-	-	-	-	-	-	-	-	-
栃木県	0.0	2.5	4.0	2.6	2.8	6.2	2.7	-	-	-	-	-	-	-	-	-	-
群馬県	2.9	3.1	1.4	0.0	6.2	1.3	3.8	-	-	-	-	-	-	-	-	-	-
埼玉県	1.2	1.8	1.1	1.1	2.6	2.7	0.5	-	-	-	-	-	-	-	-	-	-
千葉県	1.7	1.3	1.8	2.4	2.3	1.1	3.1	-	-	-	-	-	-	-	-	-	-
東京都	1.5	4.2	3.7	3.8	3.4	4.5	4.0	-	-	-	-	-	-	-	-	-	-
神奈川県	2.5	2.0	1.7	3.3	2.0	2.6	1.9	-	-	-	-	-	-	-	-	-	-
新潟県	1.9	4.5	2.8	3.6	2.8	5.3	5.0	-	-	-	-	-	-	-	-	-	-
富山県	0.0	0.0	0.0	1.7	3.9	0.0	2.0	-	-	-	-	-	-	-	-	-	-
石川県	2.2	4.1	2.0	0.0	4.8	3.8	5.7	-	-	-	-	-	-	-	-	-	-
福井県	2.1	3.1	0.0	0.0	2.8	0.0	0.0	-	-	-	-	-	-	-	-	-	-
山梨県	0.0	0.0	3.0	0.0	8.2	5.6	0.0	-	-	-	-	-	-	-	-	-	-
長野県	1.1	5.5	0.0	2.3	5.0	4.9	4.1	-	-	-	-	-	-	-	-	-	-
岐阜県	4.1	2.7	1.1	3.7	1.2	1.2	2.3	-	-	-	-	-	-	-	-	-	-
静岡県	3.2	4.0	5.9	3.5	1.6	2.9	2.1	-	-	-	-	-	-	-	-	-	-
愛知県	3.7	1.6	2.1	3.6	1.7	3.4	3.1	-	-	-	-	-	-	-	-	-	-
三重県	1.3	2.9	4.1	2.7	5.9	5.5	5.5	-	-	-	-	-	-	-	-	-	-
滋賀県	2.2	0.0	2.2	4.4	0.0	2.0	0.0	-	-	-	-	-	-	-	-	-	-
京都府	1.9	3.0	2.8	4.4	0.9	2.0	3.8	-	-	-	-	-	-	-	-	-	-
大阪府	2.7	1.6	1.7	3.3	2.6	3.9	2.7	-	-	-	-	-	-	-	-	-	-
兵庫県	1.6	1.6	1.5	2.8	1.4	4.0	4.9	-	-	-	-	-	-	-	-	-	-
奈良県	2.3	2.1	0.0	0.0	0.0	0.0	1.9	-	-	-	-	-	-	-	-	-	-
和歌山県	1.8	4.4	11.0	8.4	5.7	9.8	3.7	-	-	-	-	-	-	-	-	-	-
鳥取県	0.0	0.0	0.0	8.2	3.8	3.7	7.2	-	-	-	-	-	-	-	-	-	-
島根県	4.1	3.2	5.1	11.0	11.9	10.3	5.7	-	-	-	-	-	-	-	-	-	-
岡山県	1.3	1.3	1.3	0.0	2.4	2.2	3.5	-	-	-	-	-	-	-	-	-	-
広島県	1.9	0.0	1.8	5.3	1.7	4.4	5.7	-	-	-	-	-	-	-	-	-	-
山口県	3.2	1.8	1.6	1.2	2.8	2.8	5.4	-	-	-	-	-	-	-	-	-	-
徳島県	0.0	5.9	2.7	0.0	0.0	0.0	6.1	-	-	-	-	-	-	-	-	-	-
香川県	2.4	5.4	2.8	0.0	0.0	5.1	6.0	-	-	-	-	-	-	-	-	-	-
愛媛県	1.2	4.2	0.0	4.0	1.6	4.3	4.2	-	-	-	-	-	-	-	-	-	-
高知県	0.0	0.0	0.0	0.0	2.8	0.0	0.0	-	-	-	-	-	-	-	-	-	-
福岡県	1.2	0.6	1.8	4.1	2.7	2.9	3.0	-	-	-	-	-	-	-	-	-	-
佐賀県	0.0	0.0	2.8	5.0	5.1	2.6	7.5	-	-	-	-	-	-	-	-	-	-
長崎県	3.2	1.6	3.1	9.9	5.9	2.8	1.1	-	-	-	-	-	-	-	-	-	-
熊本県	1.0	1.0	1.0	1.2	5.2	3.7	1.3	-	-	-	-	-	-	-	-	-	-
大分県	4.2	5.8	1.2	3.4	7.0	5.5	7.6	-	-	-	-	-	-	-	-	-	-
宮崎県	2.7	0.0	2.3	0.0	0.0	10.8	2.1	-	-	-	-	-	-	-	-	-	-
鹿児島県	4.2	1.6	7.1	5.5	2.6	4.8	6.3	-	-	-	-	-	-	-	-	-	-
沖縄県	0.0	9.5	0.0	0.0	2.3	6.3	4.0	-	-	-	-	-	-	-	-	-	-

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号8 筋萎縮性側索硬化症 Amyotrophic lateral sclerosis

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
女																
北海道	-	-	-	-	-	-	7.1	3.7	7.7	8.2	5.4	5.7	5.7	5.9	6.6	5.5
青森県	-	-	-	-	-	-	2.7	7.7	1.3	5.0	5.7	3.4	2.3	2.3	3.0	2.8
岩手県	-	-	-	-	-	-	6.6	8.3	5.4	9.8	1.9	7.3	2.2	3.5	9.0	1.9
宮城県	-	-	-	-	-	-	8.1	6.2	5.4	5.4	2.4	2.8	6.5	8.0	5.0	3.4
秋田県	-	-	-	-	-	-	5.3	6.9	3.3	4.6	3.9	4.6	4.5	6.0	7.8	3.9
山形県	-	-	-	-	-	-	12.2	3.2	8.5	5.1	12.2	2.5	2.7	5.5	5.4	7.3
福島県	-	-	-	-	-	-	4.3	7.6	3.7	8.7	9.1	12.0	6.6	5.7	5.3	6.4
茨城県	-	-	-	-	-	-	5.1	5.9	6.4	6.8	4.0	6.5	7.4	3.1	5.6	6.3
栃木県	-	-	-	-	-	-	3.5	7.8	10.4	6.6	5.8	7.6	4.1	5.8	10.9	7.4
群馬県	-	-	-	-	-	-	11.0	10.8	8.7	7.6	10.9	5.2	5.9	8.9	7.4	6.4
埼玉県	-	-	-	-	-	-	4.6	5.8	3.9	5.0	6.1	4.4	4.4	3.7	3.9	4.0
千葉県	-	-	-	-	-	-	3.4	5.5	8.1	3.9	5.9	5.8	3.9	7.3	5.1	7.2
東京都	-	-	-	-	-	-	4.7	6.6	5.3	4.9	4.7	5.5	5.3	5.2	4.9	3.9
神奈川県	-	-	-	-	-	-	5.5	5.7	4.4	3.4	6.4	3.8	6.6	4.2	4.5	5.5
新潟県	-	-	-	-	-	-	3.0	9.3	3.9	8.8	3.2	12.0	9.6	9.4	6.9	4.9
富山県	-	-	-	-	-	-	5.0	8.5	2.5	8.2	6.6	7.7	1.7	5.4	4.2	6.8
石川県	-	-	-	-	-	-	6.6	7.6	4.4	11.3	14.2	7.1	4.8	7.1	9.5	5.1
福井県	-	-	-	-	-	-	1.9	9.4	8.7	5.1	4.0	6.8	9.4	7.2	0.9	13.0
山梨県	-	-	-	-	-	-	4.9	6.1	9.5	2.7	3.7	4.3	10.7	11.1	5.1	7.2
長野県	-	-	-	-	-	-	8.4	6.4	14.4	9.7	9.9	6.1	6.1	6.0	10.8	8.4
岐阜県	-	-	-	-	-	-	5.8	7.7	3.8	1.3	8.3	8.1	5.1	6.9	4.8	8.0
静岡県	-	-	-	-	-	-	6.2	4.9	3.2	4.6	9.4	6.8	5.8	5.2	4.8	5.8
愛知県	-	-	-	-	-	-	5.8	5.3	5.7	5.7	4.6	5.9	5.5	6.2	6.2	5.3
三重県	-	-	-	-	-	-	3.7	9.8	4.9	9.1	8.2	9.8	9.8	7.8	3.4	4.8
滋賀県	-	-	-	-	-	-	6.2	7.7	10.5	7.6	10.6	4.5	7.2	8.8	3.3	8.9
京都府	-	-	-	-	-	-	7.5	9.8	10.4	8.1	3.2	8.9	5.6	8.0	6.5	5.1
大阪府	-	-	-	-	-	-	3.7	5.5	3.4	5.0	3.1	4.6	3.7	5.3	4.2	4.7
兵庫県	-	-	-	-	-	-	5.0	6.5	5.0	3.1	5.0	5.0	4.3	5.6	5.1	4.9
奈良県	-	-	-	-	-	-	13.2	5.7	9.2	6.0	6.1	8.5	4.5	4.9	3.1	4.8
和歌山県	-	-	-	-	-	-	5.7	2.9	8.5	4.1	8.0	6.3	4.4	7.0	8.3	7.5
鳥取県	-	-	-	-	-	-	5.3	3.6	12.7	5.7	8.5	3.4	2.1	5.9	12.1	7.3
島根県	-	-	-	-	-	-	7.8	3.3	12.5	7.2	5.8	8.5	10.8	7.2	7.1	4.0
岡山県	-	-	-	-	-	-	4.9	3.1	7.0	11.2	0.7	4.5	3.0	4.1	3.2	4.8
広島県	-	-	-	-	-	-	3.2	2.3	4.3	4.1	4.2	5.0	6.3	2.7	7.5	5.8
山口県	-	-	-	-	-	-	5.0	7.0	7.1	8.2	4.8	6.0	13.7	8.7	6.0	5.6
徳島県	-	-	-	-	-	-	3.4	10.4	8.8	2.8	6.3	6.1	4.0	6.0	3.7	6.8
香川県	-	-	-	-	-	-	5.1	1.1	1.4	4.2	1.3	2.2	1.2	0.8	0.8	3.4
愛媛県	-	-	-	-	-	-	7.2	3.2	6.5	5.8	5.1	3.2	6.7	9.4	4.7	4.7
高知県	-	-	-	-	-	-	5.1	3.8	2.2	13.9	2.1	1.4	5.3	3.5	3.8	3.4
福岡県	-	-	-	-	-	-	6.6	5.2	5.0	6.6	6.1	4.8	6.6	4.3	5.7	5.5
佐賀県	-	-	-	-	-	-	7.8	13.3	6.4	3.6	3.8	4.5	8.0	2.3	5.7	3.4
長崎県	-	-	-	-	-	-	7.5	6.5	7.6	5.7	4.1	4.1	5.4	9.1	9.0	6.0
熊本県	-	-	-	-	-	-	8.6	6.2	8.7	7.3	5.1	4.6	7.3	14.2	4.4	4.2
大分県	-	-	-	-	-	-	5.9	4.9	5.2	8.9	2.4	3.3	6.1	1.7	5.8	6.8
宮崎県	-	-	-	-	-	-	7.7	5.1	5.8	2.5	5.9	8.5	4.1	3.4	6.4	1.8
鹿児島県	-	-	-	-	-	-	5.8	7.0	7.9	7.6	9.4	5.6	7.4	3.3	9.1	8.9
沖縄県	-	-	-	-	-	-	1.1	3.4	6.0	4.5	6.5	4.1	2.0	2.1	6.3	5.7

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号10 特発性血小板減少性紫斑病 Idiopathic thrombocytopenic purpura

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
男																	
北海道	4.8	1.1	0.3	1.8	1.4	1.2	0.8	0.7	1.0	0.7	0.7	1.5	0.4	1.1	1.0	0.0	1.4
青森県	0.0	0.0	6.3	0.0	1.5	2.0	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	2.8
岩手県	0.0	1.7	1.4	6.6	0.0	1.9	1.2	2.0	3.2	0.0	0.0	2.8	0.0	0.0	1.5	0.0	2.6
宮城県	1.4	1.1	2.8	1.6	0.0	0.0	3.6	0.0	1.2	0.0	1.0	1.0	0.0	1.9	2.8	0.9	0.0
秋田県	0.0	1.4	1.4	4.3	0.0	2.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3.2	0.0	0.0
山形県	1.6	0.0	2.0	0.0	0.0	2.3	0.0	0.0	1.9	0.0	1.9	0.0	0.0	1.6	4.9	0.0	1.6
福島県	2.3	2.2	0.9	2.0	0.0	0.0	2.4	0.0	4.8	4.0	0.0	2.1	1.0	1.0	1.0	0.0	1.9
茨城県	0.0	0.0	1.0	0.9	1.6	1.9	2.6	0.0	0.8	0.9	0.0	0.0	2.3	1.5	0.7	1.3	1.3
栃木県	0.0	0.0	2.4	0.9	1.2	1.4	0.0	0.0	1.2	0.0	1.1	1.1	1.1	0.0	1.1	0.0	0.9
群馬県	1.3	1.3	1.5	1.1	1.3	3.0	2.8	0.0	1.2	3.4	0.0	0.0	0.0	1.1	1.0	1.1	0.0
埼玉県	0.5	1.0	0.0	1.8	0.9	1.3	2.2	0.0	1.0	0.8	0.0	0.4	0.4	0.7	1.3	1.2	0.6
千葉県	0.6	1.3	0.6	1.0	0.5	0.6	0.8	1.0	0.0	0.9	0.0	1.2	1.2	0.8	0.8	0.7	0.7
東京都	0.9	1.9	0.7	0.7	2.2	0.7	2.3	1.0	0.6	0.8	0.3	1.3	0.7	1.2	0.2	0.8	0.4
神奈川県	0.8	1.9	2.5	1.7	0.8	0.8	2.7	0.9	0.8	0.6	0.9	0.3	0.6	1.1	1.3	1.2	0.7
新潟県	2.3	2.9	0.0	0.0	0.7	0.0	1.2	0.0	0.0	0.0	1.6	0.9	1.8	0.8	1.6	1.5	1.4
富山県	0.0	0.0	2.0	0.0	2.6	2.4	0.0	4.3	1.9	0.0	2.0	0.0	0.0	0.0	1.8	0.0	0.0
石川県	3.9	1.4	0.0	0.0	0.0	3.5	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.3	0.0
福井県	0.0	0.0	0.0	6.1	2.6	0.0	0.0	0.0	0.0	0.0	2.5	0.0	2.7	2.5	0.0	2.2	2.7
山梨県	0.0	4.6	0.0	2.7	4.9	5.7	3.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0
長野県	2.8	2.0	1.2	3.8	0.0	1.1	2.1	3.3	0.0	0.9	0.0	0.9	2.0	1.0	0.9	0.9	0.0
岐阜県	0.8	0.0	3.0	2.4	2.6	0.0	2.3	1.1	1.2	0.0	0.0	1.1	0.0	2.0	1.0	1.9	0.9
静岡県	0.8	1.4	0.0	1.7	1.8	1.5	1.2	0.0	0.0	0.6	0.0	0.6	0.6	0.0	0.0	0.0	2.1
愛知県	0.0	1.5	2.1	0.9	2.0	0.9	0.9	1.5	0.0	0.7	0.9	0.7	0.7	0.6	1.5	0.9	0.3
三重県	0.0	4.6	0.0	3.0	0.0	0.0	1.8	2.5	0.0	0.0	1.2	1.2	0.0	1.2	1.2	2.3	1.2
滋賀県	0.0	3.1	0.0	0.0	2.1	0.0	0.0	4.1	0.0	1.7	5.6	0.0	1.9	0.0	0.0	1.7	0.0
京都府	3.1	1.4	2.4	0.7	0.0	0.9	3.8	0.9	0.9	1.0	2.6	0.0	0.0	0.8	1.5	0.7	0.0
大阪府	0.8	1.7	0.9	0.5	1.9	1.6	1.5	0.5	1.0	1.2	1.3	1.0	0.5	1.4	0.4	0.9	0.5
兵庫県	1.3	2.0	0.5	0.7	1.2	1.4	1.2	0.8	0.4	2.3	1.2	0.8	0.8	0.8	0.0	1.5	0.0
奈良県	0.0	0.0	0.0	4.7	1.7	0.0	0.0	0.0	0.0	1.4	0.0	1.6	0.0	3.2	0.0	0.0	0.0
和歌山県	2.0	2.1	0.0	0.0	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	3.6	1.9
鳥取県	0.0	0.0	0.0	5.6	0.0	0.0	0.0	0.0	2.9	0.0	0.0	3.3	0.0	0.0	0.0	3.4	0.0
島根県	0.0	2.9	3.0	2.2	2.9	2.9	3.4	0.0	2.3	0.0	0.0	2.7	2.6	0.0	2.5	2.5	0.0
岡山県	0.0	0.9	2.6	0.0	0.0	1.0	1.6	1.2	1.0	1.2	1.0	0.0	1.1	1.1	0.0	0.0	0.0
広島県	0.0	1.6	2.9	0.9	2.3	1.8	0.6	2.5	0.0	0.0	1.4	0.0	0.0	0.7	0.0	0.7	0.0
山口県	1.0	0.0	1.7	3.6	0.0	1.9	1.4	1.5	0.0	0.0	1.3	0.0	1.4	0.0	0.0	0.0	1.2
徳島県	0.0	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	5.1	2.6	0.0	2.5	2.3	2.4
香川県	3.0	2.8	4.6	0.0	2.1	0.0	2.5	0.0	0.0	2.0	0.0	0.0	2.1	0.0	0.0	0.0	1.9
愛媛県	1.3	1.2	4.9	3.5	2.0	0.0	1.4	0.0	1.4	1.4	1.3	1.5	1.4	2.8	2.6	0.0	2.6
高知県	2.2	0.0	0.0	2.8	3.2	0.0	0.0	0.0	3.1	8.5	0.0	2.7	0.0	0.0	2.4	2.7	5.1
福岡県	1.2	3.4	1.9	1.2	0.0	3.6	0.5	1.4	0.0	1.4	1.0	1.4	3.6	0.4	0.0	1.3	0.8
佐賀県	3.6	2.9	0.0	2.1	3.0	2.1	0.0	0.0	2.9	0.0	0.0	0.0	2.5	0.0	2.3	0.0	0.0
長崎県	1.3	0.0	0.0	0.0	1.7	0.0	1.2	0.0	0.0	1.6	1.4	1.3	2.8	4.0	0.0	0.0	1.2
熊本県	2.2	2.2	0.0	2.8	0.0	2.8	1.4	0.0	1.1	1.2	1.2	2.4	0.0	2.3	0.0	1.1	2.0
大分県	0.0	0.0	1.7	1.5	0.0	1.4	2.0	4.2	3.9	2.0	0.0	0.0	3.5	1.7	1.6	0.0	0.0
宮崎県	1.8	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	1.6	3.6	3.8	1.8	0.0	0.0	1.8	0.0
鹿児島県	0.0	1.1	1.3	0.0	2.2	0.0	0.0	1.5	1.3	0.0	0.0	0.0	1.2	1.2	1.1	0.0	3.1
沖縄県	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	0.0	1.7	0.0	1.9	0.0	0.0	0.0	1.5	1.9

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号10 特発性血小板減少性紫斑病 Idiopathic thrombocytopenic purpura

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
男																
北海道	1.5	1.8	1.9	1.1	1.3	1.3	1.5	0.8	0.6	0.8	0.6	0.6	0.5	1.0	0.7	0.9
青森県	1.2	0.0	2.0	0.0	0.0	1.8	0.8	1.1	0.0	0.0	0.0	0.7	0.0	0.0	0.7	1.3
岩手県	0.0	2.2	0.0	2.0	1.0	0.9	2.0	1.1	0.8	0.0	0.9	0.8	0.0	0.7	2.3	2.7
宮城県	3.0	0.9	0.9	2.0	0.7	2.4	0.6	0.7	0.6	0.6	0.7	0.9	0.0	0.4	0.4	0.3
秋田県	0.0	0.0	0.0	2.7	1.1	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.9	0.0	0.0	1.6
山形県	0.0	0.0	0.0	1.3	1.0	0.0	0.9	1.8	0.0	2.2	3.2	0.0	0.0	0.7	1.5	0.0
福島県	0.0	0.0	0.0	1.9	1.8	0.0	0.7	0.7	1.1	1.8	0.0	0.0	1.2	2.5	0.9	1.3
茨城県	0.6	0.0	0.0	1.1	0.6	1.8	1.1	0.0	0.4	0.0	1.1	0.7	0.7	1.9	1.0	0.3
栃木県	0.8	1.8	0.0	0.0	2.1	2.6	0.0	2.2	1.4	0.0	1.5	0.5	1.0	0.6	1.4	1.0
群馬県	1.7	0.0	1.3	1.7	0.0	2.4	0.0	1.8	0.8	1.3	0.5	1.1	1.3	0.0	0.0	1.5
埼玉県	0.8	1.5	0.3	0.5	0.5	0.7	0.9	0.2	0.4	1.1	0.3	0.8	0.3	0.1	0.1	0.1
千葉県	0.0	2.0	0.3	0.9	0.3	1.0	0.8	0.5	0.2	0.4	0.5	1.3	0.3	0.9	0.4	0.4
東京都	1.0	0.5	0.7	0.6	0.9	0.6	0.6	0.7	1.6	0.4	0.7	0.9	0.4	0.3	0.3	0.7
神奈川県	1.4	1.3	1.1	0.6	0.3	1.3	0.8	0.5	0.8	0.5	0.4	0.5	0.4	0.4	0.5	0.3
新潟県	0.0	0.7	0.6	1.1	0.7	1.4	2.8	1.1	0.6	0.0	0.4	0.0	0.9	0.4	0.0	0.0
富山県	0.0	0.0	1.3	0.0	1.5	0.0	2.3	0.0	0.0	1.5	0.0	0.0	0.0	1.2	0.0	0.7
石川県	1.7	1.4	1.2	3.2	0.0	0.0	0.0	0.0	2.2	0.0	0.0	1.2	0.0	0.8	2.8	0.0
福井県	0.0	0.0	0.0	0.0	2.9	2.2	0.0	0.0	1.5	1.7	0.0	0.0	0.0	1.3	0.0	5.5
山梨県	4.6	2.3	4.3	1.9	2.1	3.1	0.0	0.0	0.0	0.0	1.6	1.2	1.5	0.0	1.4	2.1
長野県	0.0	0.0	0.8	2.4	0.0	0.8	0.6	1.7	1.3	0.6	1.1	0.6	1.0	0.0	1.9	1.2
岐阜県	0.9	0.0	0.8	0.9	1.4	0.7	1.5	1.9	1.9	1.2	1.6	1.2	0.0	0.0	0.5	1.5
静岡県	1.5	0.9	1.0	0.5	0.9	1.1	1.3	0.7	0.4	0.3	0.7	0.8	0.3	0.6	0.3	1.4
愛知県	0.8	0.3	0.8	1.0	0.7	0.9	1.8	0.0	1.2	1.0	1.2	0.2	0.6	0.7	0.7	0.8
三重県	1.0	1.0	2.7	0.0	1.1	0.0	1.0	1.7	1.0	1.7	0.0	0.6	1.3	0.7	0.0	0.6
滋賀県	1.8	0.0	1.3	1.6	0.0	1.6	1.5	1.0	0.0	1.0	1.0	2.3	0.0	0.0	0.9	0.0
京都府	0.6	0.8	0.0	0.0	0.0	1.3	2.8	1.3	0.6	1.2	0.5	1.7	2.3	1.0	0.0	0.8
大阪府	0.9	0.3	0.4	0.3	0.7	1.3	0.1	0.6	0.5	1.3	0.7	0.9	0.5	0.2	0.4	0.5
兵庫県	1.3	0.6	0.3	0.3	0.3	0.6	0.6	1.1	2.5	0.5	1.0	0.7	0.6	0.4	0.6	0.2
奈良県	0.0	1.2	2.4	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.9	0.0	0.0	0.0	1.2	0.0
和歌山県	0.0	3.5	1.5	1.4	0.0	1.4	0.0	1.2	1.4	0.0	0.0	2.8	1.1	1.1	2.1	3.3
鳥取県	2.8	0.0	0.0	0.0	0.0	0.0	4.6	2.2	0.0	2.1	2.0	0.0	0.0	1.8	0.0	1.6
島根県	0.0	0.0	0.0	4.3	1.9	5.8	1.9	1.8	3.6	0.0	0.0	1.6	1.5	0.0	1.5	0.0
岡山県	0.9	1.9	0.0	2.8	0.8	2.7	3.2	1.8	0.8	0.7	0.0	0.7	0.6	0.0	1.2	0.6
広島県	2.1	0.0	1.7	1.3	0.6	0.0	1.4	0.0	0.5	0.4	1.8	0.0	0.9	1.5	1.1	0.3
山口県	1.4	3.3	1.0	1.0	1.1	0.0	0.0	2.1	0.0	1.7	1.1	1.7	0.7	0.0	0.0	0.6
徳島県	3.0	0.0	2.3	0.0	0.0	0.0	0.0	1.5	0.0	0.0	1.6	0.0	3.0	1.4	0.0	1.3
香川県	7.1	1.6	0.0	0.0	1.4	1.8	0.0	2.2	1.3	1.3	1.5	1.4	0.0	1.1	0.0	1.0
愛媛県	0.0	1.4	3.5	1.2	0.0	2.0	0.0	0.0	2.0	0.0	0.0	3.4	1.9	1.6	1.5	0.0
高知県	2.3	0.0	0.0	0.0	4.3	2.0	2.1	0.0	1.7	0.0	1.6	1.6	0.0	0.0	0.0	2.7
福岡県	1.1	1.2	0.7	1.3	0.9	0.0	0.3	0.4	1.0	1.5	1.2	0.3	0.6	0.7	0.6	0.4
佐賀県	2.0	0.0	0.0	2.1	0.0	1.8	0.0	0.0	1.6	4.9	0.0	0.0	0.0	0.0	0.0	0.0
長崎県	1.3	0.0	2.5	1.2	0.0	1.1	0.0	0.0	0.0	1.8	0.8	0.7	0.0	0.0	1.4	1.4
熊本県	1.9	1.9	0.0	3.6	0.9	0.8	0.0	2.2	0.9	2.0	0.0	0.0	0.7	2.0	2.5	0.0
大分県	3.3	3.2	1.5	1.3	0.0	0.0	0.0	0.0	1.1	1.2	1.1	1.0	1.0	0.0	1.8	0.0
宮崎県	0.0	0.0	0.0	0.0	0.0	1.2	1.3	0.0	0.0	2.2	0.0	2.1	1.0	0.9	0.0	0.0
鹿児島県	0.0	0.0	0.9	0.9	1.9	3.8	2.6	1.8	0.9	0.0	0.8	2.8	0.7	3.9	1.6	1.7
沖縄県	0.0	0.0	1.8	0.0	0.0	0.0	0.0	1.2	0.0	0.0	2.1	0.0	1.2	0.0	0.7	0.0

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号10 特発性血小板減少性紫斑病 Idiopathic thrombocytopenic purpura

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
女																	
北海道	1.9	2.8	3.5	2.1	4.2	2.3	4.2	3.0	1.1	2.7	1.1	1.8	0.4	2.1	1.3	1.6	1.2
青森県	2.8	0.0	0.0	2.5	1.0	0.0	3.3	2.3	2.6	1.5	1.4	1.2	1.2	1.3	0.0	2.4	0.0
岩手県	3.8	2.0	4.1	1.1	0.0	4.0	5.3	0.0	0.0	0.0	2.9	2.7	1.4	1.4	1.3	2.5	1.4
宮城県	2.2	2.3	0.0	5.8	3.1	2.1	1.9	1.8	1.8	0.0	0.0	2.0	0.9	0.9	2.6	0.8	1.8
秋田県	3.6	2.0	1.9	0.0	0.0	2.7	0.0	3.6	1.6	0.0	1.7	1.5	0.0	0.0	1.5	1.3	1.4
山形県	2.9	1.2	3.4	2.0	1.9	2.0	5.9	2.7	0.0	1.7	0.0	1.7	0.0	0.0	4.5	1.5	5.7
福島県	4.5	0.7	0.0	1.3	1.3	0.0	2.2	0.9	4.4	2.3	3.2	0.0	1.9	3.8	0.9	0.9	1.6
茨城県	2.3	3.1	1.6	3.3	0.8	1.9	2.9	2.5	1.6	0.8	1.5	0.7	0.8	0.0	1.4	2.1	0.0
栃木県	0.0	0.0	1.5	2.9	2.2	0.0	0.0	2.7	2.2	0.0	2.3	2.2	2.2	0.0	0.0	0.0	0.0
群馬県	1.3	3.1	4.4	0.7	2.8	0.0	3.6	1.3	1.2	2.4	2.1	1.2	2.0	3.1	1.0	0.0	0.9
埼玉県	3.3	2.3	2.5	2.6	1.3	1.4	1.6	0.9	0.9	1.6	2.2	1.5	0.4	1.0	1.3	0.3	0.0
千葉県	0.3	1.5	1.6	1.0	2.0	2.2	2.7	2.0	0.5	1.7	1.8	1.7	0.4	1.6	1.5	1.1	1.1
東京都	2.8	2.3	2.2	2.0	2.0	2.1	2.1	1.2	1.2	1.2	1.5	1.2	1.4	0.3	1.3	1.4	1.7
神奈川県	2.4	2.0	1.8	0.8	0.6	2.1	1.6	0.8	2.1	1.8	0.6	0.6	2.8	0.8	1.6	1.1	1.4
新潟県	0.5	0.0	1.4	1.0	0.7	2.2	2.3	0.7	3.6	1.7	1.8	0.0	0.8	3.1	0.0	2.3	1.5
富山県	0.0	1.3	0.0	0.0	2.0	0.0	1.6	0.0	4.3	0.0	0.0	3.7	0.0	1.7	0.0	3.4	1.5
石川県	3.7	0.0	3.1	2.5	7.7	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0
福井県	2.1	3.1	5.2	0.0	9.2	3.7	3.2	2.9	0.0	0.0	0.0	2.5	0.0	0.0	4.5	0.0	0.0
山梨県	0.0	0.0	0.0	2.9	6.3	0.0	6.7	0.0	0.0	0.0	0.0	0.0	0.0	4.7	2.3	0.0	0.0
長野県	2.2	4.9	0.9	0.0	3.0	5.0	4.4	0.0	1.1	2.9	0.9	1.8	0.0	0.9	0.0	1.7	3.4
岐阜県	3.2	2.4	2.5	2.7	0.7	3.4	1.1	1.9	3.3	1.1	0.0	1.0	1.0	1.9	0.0	0.0	1.8
静岡県	4.5	1.7	2.1	0.0	1.6	1.8	3.5	0.7	0.5	0.0	2.4	1.1	1.7	0.6	1.0	0.5	1.6
愛知県	1.5	3.3	2.1	3.6	4.1	2.0	1.5	0.7	2.6	0.0	3.1	0.3	2.2	2.2	2.1	1.4	0.8
三重県	5.0	0.0	1.4	1.9	1.3	1.4	0.0	0.0	1.3	1.0	2.3	0.0	2.3	1.1	1.1	1.1	0.0
滋賀県	0.0	0.0	2.1	3.9	4.2	2.0	2.1	4.0	0.0	3.8	0.0	3.2	0.0	1.7	0.0	1.7	0.0
京都府	0.5	1.7	1.8	1.9	3.5	1.7	2.6	0.0	1.7	2.4	2.4	0.8	0.8	1.5	1.5	0.0	1.3
大阪府	1.8	4.0	2.6	2.8	3.5	1.7	1.9	1.6	1.1	1.1	1.0	1.6	1.4	1.4	0.7	0.8	1.1
兵庫県	3.4	1.2	3.4	2.1	0.6	0.8	2.5	3.5	1.7	0.8	1.5	1.6	0.8	0.7	2.1	2.1	1.5
奈良県	0.0	5.7	2.1	2.0	0.0	0.0	0.0	0.0	1.6	1.8	0.0	0.0	0.0	0.0	0.0	0.0	3.1
和歌山県	7.2	3.5	2.1	0.0	3.8	4.9	3.3	0.0	1.6	2.2	3.8	3.7	1.8	0.0	0.0	1.7	0.0
鳥取県	0.0	0.0	4.4	0.0	0.0	7.2	0.0	3.5	2.8	6.0	6.9	3.1	3.3	0.0	0.0	3.0	0.0
島根県	3.2	0.0	5.6	2.0	0.0	2.0	2.0	6.1	7.5	0.0	2.7	0.0	2.4	2.4	2.3	2.5	2.7
岡山県	1.1	2.6	3.3	1.0	0.0	2.2	4.7	0.0	3.6	2.2	3.4	1.1	1.0	2.0	1.0	2.0	1.7
広島県	2.6	3.6	3.2	2.3	3.7	2.6	1.3	0.6	1.4	0.0	1.5	3.0	0.7	0.7	1.4	1.9	0.0
山口県	0.0	2.7	6.1	3.4	7.2	2.9	1.3	3.4	0.0	3.9	1.1	5.0	4.8	1.2	1.2	1.2	0.0
徳島県	5.5	5.2	0.0	1.9	2.7	2.1	2.8	5.7	2.7	4.7	0.0	5.1	2.4	2.3	0.0	4.6	4.1
香川県	0.0	2.4	6.8	1.9	2.6	2.9	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
愛媛県	1.8	1.2	3.7	1.6	1.2	2.4	0.0	1.2	3.0	2.4	0.0	1.2	1.3	1.3	1.2	1.1	3.5
高知県	2.1	0.0	0.0	0.0	2.9	0.0	0.0	2.1	0.0	0.0	0.0	2.4	0.0	2.3	0.0	2.4	0.0
福岡県	3.1	2.0	3.8	3.3	0.5	0.9	2.5	2.7	2.8	0.4	2.3	1.8	0.4	2.5	0.8	1.1	1.1
佐賀県	2.1	0.0	0.0	0.0	5.4	2.0	7.7	2.5	2.2	0.0	4.8	2.3	4.4	0.0	0.0	0.0	0.0
長崎県	0.0	2.1	6.2	5.6	2.3	2.8	1.0	1.4	0.0	0.0	2.5	0.0	1.2	2.4	1.2	0.0	1.3
熊本県	2.5	3.8	1.5	3.0	1.3	2.3	1.2	0.0	3.8	2.3	0.0	2.2	3.2	3.1	1.0	0.9	3.1
大分県	0.0	3.5	2.0	0.0	5.0	5.8	6.0	1.9	0.0	3.3	0.0	0.0	0.0	1.5	1.5	1.6	1.3
宮崎県	0.0	5.0	0.0	2.2	6.5	6.3	0.0	0.0	2.2	3.7	1.9	3.4	1.7	3.2	1.7	0.0	1.5
鹿児島県	3.9	6.6	1.3	1.8	2.6	2.1	2.4	0.0	3.4	1.2	3.2	4.3	0.0	2.1	1.0	2.1	0.0
沖縄県	0.0	0.0	2.4	7.1	2.3	1.6	0.0	0.0	0.0	0.0	1.8	0.0	3.4	1.7	0.0	1.6	1.4

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号10 特発性血小板減少性紫斑病 Idiopathic thrombocytopenic purpura

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
女																
北海道	0.8	2.2	2.2	1.0	1.2	1.9	1.1	1.2	0.6	1.2	1.0	2.4	0.8	0.6	0.7	0.8
青森県	3.5	2.8	2.6	1.0	1.2	3.1	1.8	0.7	0.6	2.1	2.8	1.0	0.5	0.5	0.0	0.0
岩手県	2.7	1.2	0.0	3.6	1.3	2.0	0.0	2.3	1.5	1.9	1.4	1.3	0.0	0.0	1.0	0.5
宮城県	0.0	1.9	1.1	0.6	1.5	0.0	0.0	0.0	0.4	2.1	0.0	0.7	1.1	0.0	1.1	0.7
秋田県	1.2	0.0	0.0	0.0	0.0	1.1	4.5	0.0	0.7	0.0	0.0	2.7	0.0	0.6	1.6	1.7
山形県	2.5	2.4	1.1	0.0	1.0	0.9	0.0	1.1	1.8	0.0	2.4	0.0	2.8	0.6	0.0	1.8
福島県	0.0	0.9	1.3	0.0	0.0	1.8	0.0	1.7	0.0	2.1	0.0	1.9	1.3	1.5	0.5	1.9
茨城県	1.3	1.3	0.0	0.0	0.7	1.9	0.4	0.0	1.8	1.1	0.0	0.4	0.3	0.3	0.5	1.7
栃木県	1.7	2.2	0.8	1.6	0.7	0.6	0.8	0.6	1.0	1.9	1.0	0.0	0.5	2.2	0.0	0.0
群馬県	1.7	0.8	1.9	1.6	2.2	0.7	0.0	3.0	0.0	0.7	0.7	1.3	1.4	0.8	0.0	0.4
埼玉県	0.3	1.8	1.4	0.6	0.5	0.6	0.4	1.1	1.4	0.5	0.9	0.5	0.5	0.6	0.5	0.9
千葉県	1.9	2.0	0.9	0.6	1.1	1.4	1.3	0.6	1.4	1.2	0.6	1.1	0.3	1.0	0.3	0.1
東京都	1.9	1.6	1.2	0.8	1.3	1.5	1.1	0.7	0.7	1.5	0.5	1.0	1.1	0.8	0.6	0.5
神奈川県	1.3	2.2	1.4	1.2	0.8	1.1	0.7	0.7	0.8	0.7	0.4	0.8	0.4	0.5	1.0	0.6
新潟県	0.0	0.0	0.7	1.4	1.6	2.5	1.1	1.9	0.7	1.1	0.3	1.1	0.6	0.8	0.3	0.3
富山県	0.0	0.0	0.0	1.4	4.9	2.7	0.0	0.8	0.0	1.3	2.0	0.0	1.8	1.2	1.6	0.0
石川県	0.0	1.4	2.2	1.1	1.0	1.3	3.4	0.0	1.8	3.4	1.3	3.9	0.0	2.3	0.6	0.6
福井県	2.3	5.3	0.0	0.0	0.0	3.9	1.8	0.0	1.2	2.3	1.1	0.0	4.5	1.6	0.9	1.3
山梨県	2.1	2.0	1.7	2.0	0.0	0.0	1.7	0.0	0.0	2.0	1.1	1.5	4.9	2.3	0.9	0.9
長野県	2.5	1.0	0.8	2.1	0.0	0.0	1.8	2.3	2.1	1.1	0.0	1.0	1.1	1.1	0.0	1.7
岐阜県	2.4	0.0	0.0	2.0	1.5	0.7	0.5	1.8	0.7	1.5	0.4	3.0	0.8	1.1	1.1	0.0
静岡県	0.6	1.4	1.4	2.0	0.4	1.0	1.4	1.2	0.7	0.6	0.0	0.2	0.9	0.8	1.2	1.1
愛知県	1.3	1.0	0.7	1.8	1.0	1.1	1.9	1.2	1.5	0.7	0.5	1.2	0.6	0.6	0.5	0.6
三重県	0.0	2.2	1.1	3.6	0.0	3.3	0.9	0.6	1.6	0.6	1.7	2.2	0.0	2.5	0.0	1.6
滋賀県	2.9	4.3	4.1	1.1	1.4	0.0	1.5	2.1	0.0	1.9	1.5	0.7	0.7	2.4	1.9	0.0
京都府	2.1	0.7	1.2	0.9	1.2	1.6	0.0	0.6	0.8	2.9	2.4	1.3	0.5	1.4	0.5	1.0
大阪府	1.2	0.7	1.9	1.9	1.9	1.4	2.2	0.7	1.1	1.8	1.2	1.1	0.7	1.0	0.5	0.9
兵庫県	0.8	1.4	2.5	0.9	0.8	0.3	2.0	1.4	1.2	2.0	1.1	0.6	0.4	1.3	1.0	1.0
奈良県	0.0	1.2	0.0	0.0	0.0	2.0	2.4	0.0	1.6	1.0	0.7	1.0	0.0	0.0	0.5	0.5
和歌山県	3.0	4.7	1.9	3.1	2.3	2.6	0.0	0.0	3.2	0.0	2.9	0.8	3.6	1.5	3.2	1.8
鳥取県	0.0	0.0	3.3	0.0	0.0	0.0	1.9	0.0	0.0	1.6	0.0	7.5	3.9	5.0	0.0	0.0
島根県	6.5	6.0	4.2	2.0	0.0	2.8	1.9	0.0	1.3	2.4	1.2	3.8	4.3	0.0	3.0	0.0
岡山県	0.0	0.0	1.5	0.0	0.0	2.7	3.3	0.6	2.4	2.0	2.1	2.4	3.1	0.5	0.9	0.0
広島県	1.2	0.5	2.6	0.5	2.6	0.9	1.1	1.0	0.4	1.5	2.2	0.3	0.9	1.7	0.0	1.0
山口県	2.4	0.0	1.0	0.0	1.7	3.4	2.8	1.0	0.9	1.9	1.6	0.0	2.1	4.2	2.0	0.7
徳島県	2.2	1.9	1.9	0.0	2.0	1.4	0.0	1.7	0.0	1.6	2.7	2.2	0.0	3.6	0.0	0.0
香川県	0.0	1.4	0.0	3.6	1.5	0.0	1.4	0.0	0.0	0.0	0.9	1.8	0.0	2.3	0.0	1.5
愛媛県	1.2	2.4	0.9	1.0	1.9	3.0	2.7	0.0	0.9	0.7	1.1	0.0	2.8	3.1	1.9	1.0
高知県	0.0	0.0	2.9	2.0	0.0	1.7	0.0	1.4	0.0	1.3	2.5	0.0	4.8	2.3	0.0	1.9
福岡県	1.5	1.9	0.3	0.9	1.2	2.0	1.4	1.3	1.3	0.4	0.8	1.9	0.7	0.3	0.2	1.0
佐賀県	1.9	2.2	3.7	0.0	3.5	2.5	0.0	2.9	1.6	1.2	0.0	1.1	2.5	0.0	2.2	0.9
長崎県	1.0	1.9	0.0	1.8	0.9	0.0	1.8	0.0	0.7	2.7	1.8	2.3	0.6	0.0	2.5	0.5
熊本県	3.0	0.9	4.2	2.5	0.7	2.0	3.5	2.0	1.3	0.6	0.5	1.7	2.9	1.2	2.9	0.0
大分県	4.2	2.4	1.2	1.1	2.0	1.2	2.1	0.0	1.1	0.0	0.0	2.2	1.1	2.7	1.4	0.8
宮崎県	0.0	1.2	0.0	1.3	0.0	0.0	2.1	0.0	0.8	0.0	2.4	0.0	0.7	0.0	0.8	4.2
鹿児島県	1.7	0.8	0.9	1.1	1.2	0.0	0.0	0.0	0.7	1.1	2.1	4.8	0.5	1.1	0.0	2.9
沖縄県	0.0	2.8	0.0	0.0	0.0	1.2	0.0	0.0	2.1	0.9	0.0	0.0	2.5	0.0	0.0	0.0

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号11 結節性動脈周囲炎 Polyarteritis nodosa

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
男																	
北海道	0.0	0.9	0.5	1.4	0.3	0.0	0.0	1.3	0.4	0.0	0.0	0.0	0.7	0.4	0.0	0.0	0.7
青森県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0
岩手県	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	1.5	0.0	0.0	0.0
宮城県	1.2	1.5	0.0	0.0	1.2	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.9	1.9	0.0	0.0	0.0
秋田県	0.0	0.0	0.0	1.5	0.0	0.0	0.0	1.4	2.1	0.0	0.0	1.8	0.0	1.7	1.6	0.0	0.0
山形県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0
福島県	0.9	0.0	0.0	0.0	0.0	1.1	0.9	0.0	1.0	0.0	1.1	0.0	1.0	0.0	1.9	0.0	0.9
茨城県	0.0	0.0	0.0	1.2	1.7	0.0	0.9	0.0	0.0	0.9	0.0	0.8	0.0	0.7	0.7	0.7	0.0
栃木県	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.0	0.0	1.0
群馬県	1.2	0.0	1.7	1.2	0.0	2.6	1.2	0.0	2.4	1.3	0.0	0.0	0.0	1.1	1.0	2.0	0.0
埼玉県	0.0	0.9	1.1	0.0	0.5	0.9	0.0	0.9	0.0	0.0	0.8	0.8	0.0	1.7	0.0	0.6	0.3
千葉県	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.3	0.0	1.3	0.4	0.4	0.4	1.1	1.0
東京都	0.5	0.5	0.4	0.0	0.2	0.8	0.6	0.4	0.4	1.0	0.5	0.7	1.2	0.7	0.3	0.3	0.8
神奈川県	0.4	1.6	0.0	0.0	0.2	0.4	0.4	0.0	0.9	0.0	0.6	0.6	0.3	1.3	0.5	1.2	0.0
新潟県	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	1.7	0.0	0.8	0.8	0.8	0.8
富山県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	2.1	4.3	0.0	0.0	0.0	1.9	0.0	0.0	0.0
石川県	0.0	0.0	2.1	1.3	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	1.8	1.6
福井県	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	2.9	2.5	0.0	0.0	0.0	0.0	0.0	0.0	2.0
山梨県	3.0	3.1	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	2.5	0.0
長野県	0.0	0.0	0.9	0.0	1.7	0.0	0.0	1.1	1.2	3.1	0.0	1.1	0.0	1.0	0.0	1.8	0.0
岐阜県	0.0	1.4	0.0	2.2	0.8	1.1	0.0	1.2	0.0	0.0	2.2	0.0	0.0	0.0	1.0	1.0	0.0
静岡県	0.7	0.8	0.0	0.0	0.7	0.0	1.4	1.8	1.3	0.0	0.6	1.2	2.4	1.1	1.6	0.0	0.0
愛知県	0.9	0.3	0.2	1.3	0.9	0.5	0.7	0.4	0.4	0.7	0.0	0.3	0.3	0.3	0.6	0.3	1.2
三重県	0.0	2.8	0.9	1.4	0.0	1.3	3.5	0.0	0.0	1.2	1.0	0.0	1.2	0.0	0.0	0.0	1.2
滋賀県	0.0	0.0	0.0	3.2	0.0	0.0	2.8	1.5	0.0	0.0	1.9	0.0	0.0	0.0	0.0	1.7	0.0
京都府	0.0	1.4	0.0	0.0	0.9	0.7	0.0	0.0	0.0	0.0	0.0	0.8	1.5	0.0	0.0	0.8	0.0
大阪府	0.7	1.2	0.0	0.3	0.0	1.2	0.3	0.0	0.0	0.0	0.5	0.8	0.5	0.2	0.2	0.2	0.6
兵庫県	1.7	0.4	0.0	0.0	1.1	1.6	0.5	0.5	0.5	1.8	0.4	1.2	0.8	1.2	0.0	0.4	0.0
奈良県	0.0	2.3	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	1.7	0.0	1.6	0.0	1.5	0.0	0.0
和歌山県	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
鳥取県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	3.5	0.0	0.0	0.0	3.1	0.0
島根県	0.0	0.0	3.3	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	2.6	2.6	2.5	0.0	0.0
岡山県	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	2.2	0.0	0.0	2.2	1.1	0.0	0.0	1.1	0.0
広島県	0.0	0.0	0.0	0.0	0.8	0.9	0.8	2.2	1.7	0.0	0.0	0.0	1.5	0.0	0.0	0.7	1.3
山口県	0.0	0.0	0.0	0.0	1.6	1.6	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
徳島県	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.5	2.5	4.9
香川県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	2.4	0.0	0.0	2.0	2.0	0.0	0.0
愛媛県	0.0	1.7	1.8	0.0	2.7	1.7	0.0	0.0	0.0	0.0	4.6	5.5	0.0	0.0	0.0	0.0	0.0
高知県	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	2.6	0.0	2.7	0.0	0.0	0.0	0.0	2.5	0.0
福岡県	0.7	0.0	0.0	0.0	0.7	0.0	0.6	0.0	0.0	0.0	0.0	0.9	0.4	0.4	0.4	0.9	0.8
佐賀県	0.0	0.0	0.0	0.0	0.0	2.4	2.6	0.0	0.0	2.9	0.0	0.0	0.0	2.4	0.0	0.0	0.0
長崎県	0.0	3.3	0.0	0.0	2.3	3.2	2.2	0.0	0.0	1.5	1.5	0.0	1.3	0.0	0.0	0.0	0.0
熊本県	0.0	3.5	0.0	1.5	0.0	0.0	0.0	1.5	0.0	1.1	1.3	0.0	0.0	2.3	1.1	0.0	0.0
大分県	0.0	1.5	0.0	0.0	0.0	0.0	1.9	0.0	1.8	1.7	1.8	0.0	0.0	1.7	0.0	1.7	2.9
宮崎県	0.0	0.0	1.8	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.7	7.1	0.0
鹿児島県	0.0	1.2	0.0	0.0	1.0	0.0	2.7	0.0	1.5	1.5	1.2	1.2	0.0	1.2	0.0	0.0	0.0
沖縄県	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号11 結節性動脈周囲炎 Polyarteritis nodosa

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
男																
北海道	0.0	0.3	0.3	1.6	0.0	1.1	0.8	0.7	0.6	1.0	0.4	0.9	2.2	1.3	0.6	0.6
青森県	0.0	0.0	1.3	1.3	0.0	0.0	1.1	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.6	2.3
岩手県	2.5	0.0	0.0	1.5	0.0	0.0	0.0	1.1	0.0	1.0	0.9	1.7	0.0	2.1	0.0	0.9
宮城県	0.0	3.0	3.3	0.6	1.3	2.7	1.2	1.2	2.4	5.5	3.4	0.9	1.9	2.6	3.2	1.5
秋田県	0.0	1.3	0.0	1.6	0.0	0.0	0.0	0.0	1.1	1.0	0.0	1.0	0.0	2.0	0.8	0.0
山形県	0.0	3.0	2.8	1.4	0.0	1.1	1.3	0.0	1.1	0.0	1.0	1.0	3.0	3.7	1.9	0.0
福島県	0.8	3.7	0.8	0.7	0.0	0.0	0.0	0.6	1.6	2.9	1.2	2.1	3.5	0.8	3.0	0.9
茨城県	0.6	0.0	0.5	2.2	0.6	0.4	0.9	0.4	1.9	2.8	0.9	2.1	2.8	1.1	1.6	0.9
栃木県	0.0	0.0	0.8	0.0	1.8	0.9	2.6	0.0	1.7	0.6	1.7	0.8	0.6	2.0	0.6	0.0
群馬県	1.6	0.8	0.0	0.0	0.0	1.8	1.4	0.6	0.7	0.6	2.4	0.5	0.0	2.4	0.0	2.2
埼玉県	0.0	1.1	0.4	0.2	0.4	0.3	1.0	1.1	0.2	0.9	0.8	0.6	0.7	0.7	0.4	0.1
千葉県	0.0	0.0	0.0	0.8	1.4	0.3	1.3	0.3	0.4	1.5	0.9	0.7	0.7	0.0	1.3	0.9
東京都	0.4	0.6	0.7	0.8	0.5	0.6	1.0	0.8	0.9	1.6	0.9	1.3	0.6	0.7	0.5	0.5
神奈川県	0.4	0.0	0.0	0.2	0.4	0.5	0.5	0.3	0.4	0.3	0.7	0.7	0.7	0.9	0.8	0.1
新潟県	0.0	0.0	0.8	0.6	0.0	1.5	0.7	0.0	2.5	1.7	2.6	3.4	0.7	1.6	2.4	0.7
富山県	1.4	0.0	0.0	0.0	4.4	0.0	1.3	0.0	0.0	3.5	1.2	2.4	1.2	2.5	0.0	2.9
石川県	0.0	1.5	1.7	1.6	3.1	2.5	2.5	1.7	2.3	1.3	0.9	0.0	0.0	0.0	3.4	0.0
福井県	0.0	4.0	0.0	0.0	0.0	0.0	1.6	0.0	2.0	0.0	1.4	1.8	3.0	0.0	0.0	0.0
山梨県	0.0	0.0	0.0	0.0	0.0	1.7	1.9	1.6	1.8	5.2	0.0	3.9	0.0	0.0	1.4	2.8
長野県	0.0	0.8	1.6	0.0	0.8	2.2	1.7	0.7	0.7	2.7	0.6	2.3	1.2	1.7	1.0	0.4
岐阜県	0.0	1.7	0.0	0.9	1.7	0.8	0.7	4.1	1.4	1.8	0.6	1.2	1.8	1.1	0.6	1.0
静岡県	0.0	0.0	0.5	0.8	0.0	1.0	1.2	0.0	1.9	1.5	1.0	2.1	0.6	2.4	1.1	1.9
愛知県	0.5	0.5	0.3	0.7	0.9	1.6	0.7	0.9	0.9	1.4	0.8	0.5	1.0	0.6	0.6	0.8
三重県	0.0	1.2	0.0	1.2	0.8	1.0	2.1	0.7	3.0	1.8	1.3	3.3	1.6	2.7	1.0	0.6
滋賀県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	3.9	0.0	2.0	2.0	0.9	0.0
京都府	0.6	1.4	0.8	0.8	0.0	1.2	0.0	1.4	1.3	0.9	1.0	0.9	2.0	2.3	1.3	1.6
大阪府	0.9	0.4	0.4	1.1	0.6	0.8	0.3	0.2	0.9	0.6	0.5	1.4	0.5	0.6	0.7	0.6
兵庫県	0.4	0.8	0.7	0.6	1.6	0.6	0.3	0.2	0.8	1.9	0.8	1.4	0.6	1.1	1.6	0.9
奈良県	0.0	0.0	0.0	0.0	0.0	1.3	2.2	4.2	1.8	1.0	0.9	0.0	1.6	1.9	1.4	0.0
和歌山県	0.0	0.0	1.5	0.0	1.3	0.0	0.0	1.6	3.2	0.0	1.4	3.4	0.0	1.6	0.0	0.0
鳥取県	2.8	3.3	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0
島根県	3.0	2.3	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0
岡山県	3.2	1.0	4.1	0.0	0.0	1.7	2.1	2.2	0.6	1.5	0.0	2.8	0.7	1.3	0.6	1.2
広島県	1.3	1.4	0.0	0.6	0.6	1.1	0.0	0.0	0.0	0.4	0.5	0.8	0.5	1.0	2.6	0.3
山口県	0.0	1.3	0.0	0.0	2.0	0.0	0.0	1.0	0.0	0.8	1.7	0.0	0.0	2.3	0.0	0.9
徳島県	0.0	0.0	1.9	1.9	5.1	0.0	0.0	0.0	3.3	0.0	4.8	0.0	2.1	0.0	1.4	1.3
香川県	1.7	0.0	3.4	1.9	1.5	1.3	2.8	4.4	4.6	1.3	0.0	1.2	1.6	2.4	3.8	1.2
愛媛県	2.3	0.0	0.0	2.1	2.1	0.0	3.2	0.0	0.0	0.0	0.0	4.0	0.9	1.6	1.5	1.6
高知県	2.1	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.8	1.8	0.0	6.3	1.5	2.9	0.0	0.0
福岡県	0.0	1.2	0.8	0.0	0.0	1.1	0.6	2.0	0.5	0.6	1.1	1.1	0.5	1.7	1.3	1.2
佐賀県	0.0	0.0	0.0	1.8	7.7	5.8	4.6	3.1	0.0	3.0	3.0	2.9	1.4	4.8	1.3	0.0
長崎県	1.3	1.3	0.0	1.9	2.3	1.1	2.4	1.9	1.9	1.1	0.8	0.8	2.2	1.4	1.4	0.0
熊本県	1.1	2.0	0.0	2.0	1.9	0.0	1.0	1.6	2.1	1.5	2.1	0.0	0.7	0.6	1.9	2.1
大分県	1.6	1.5	0.0	0.0	0.0	1.3	2.4	1.3	0.0	1.1	1.2	2.1	0.0	1.9	1.1	2.1
宮崎県	0.0	0.0	2.0	1.4	0.0	0.0	1.3	1.3	1.1	2.3	1.1	1.1	0.0	1.1	0.0	0.0
鹿児島県	0.0	0.0	0.0	1.0	0.9	0.0	0.0	1.7	2.5	0.8	3.9	2.8	1.6	1.7	1.5	0.8
沖縄県	0.0	0.0	0.0	1.2	1.6	2.4	0.9	1.7	1.0	1.9	2.5	0.9	1.8	1.5	0.0	0.0

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号11 結節性動脈周囲炎 Polyarteritis nodosa

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
女																	
北海道	1.2	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.0	0.4	0.7	0.7	0.0	0.0
青森県	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
岩手県	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
宮城県	0.0	1.1	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.8	0.8
秋田県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
山形県	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
福島県	0.0	0.0	0.9	0.0	1.2	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.9	0.0	0.9	1.0
茨城県	0.0	0.0	2.1	0.0	0.0	1.7	0.0	0.7	0.0	0.0	1.7	0.0	0.0	0.0	0.0	1.4	0.6
栃木県	1.1	0.0	0.0	0.0	0.0	1.4	0.0	0.0	1.1	0.0	0.0	0.0	1.1	1.1	0.0	0.0	0.0
群馬県	0.0	0.0	1.4	2.3	1.3	0.0	2.1	1.5	0.0	1.1	0.0	0.0	2.2	1.0	1.0	0.0	2.0
埼玉県	0.6	0.9	1.3	0.5	0.5	0.0	0.5	1.3	0.4	0.0	0.0	0.8	0.0	0.3	0.7	0.9	0.4
千葉県	0.0	0.0	0.6	0.0	0.0	0.0	1.3	0.0	0.0	0.5	0.9	0.0	0.4	0.4	0.0	0.4	0.0
東京都	0.3	0.5	0.8	1.0	0.2	0.5	0.2	0.2	0.4	0.4	0.9	0.9	1.1	0.3	1.0	0.7	0.4
神奈川県	1.0	0.5	0.4	0.0	0.2	1.7	0.7	0.0	1.4	0.6	0.3	0.3	0.0	0.6	0.8	0.5	1.0
新潟県	0.0	0.0	0.0	0.9	0.9	0.0	0.0	1.0	1.6	0.0	0.0	0.8	0.0	0.0	0.0	0.7	0.7
富山県	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	1.3	0.0	0.0	0.0	1.6	0.0	1.7	0.0	0.0
石川県	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	1.7	0.0	3.3	0.0
福井県	0.0	2.1	0.0	0.0	2.3	0.0	0.0	2.9	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
山梨県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.5	0.0	0.0	4.7	0.0	0.0	4.5	2.2
長野県	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.9	0.9	0.0	0.0	1.0	1.9	1.8	0.0	0.9	0.0
岐阜県	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0
静岡県	0.0	0.8	0.0	0.0	0.7	0.0	0.0	0.7	0.0	0.6	0.6	0.6	0.6	0.0	1.1	1.1	1.0
愛知県	0.5	0.0	0.0	0.0	0.4	0.8	0.0	0.6	0.0	0.7	0.6	0.0	0.3	0.6	1.8	0.6	0.3
三重県	0.0	1.5	0.0	0.0	0.0	2.3	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0
滋賀県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0
京都府	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.5	0.0	0.0	0.8	1.6	0.0	0.0	0.7	0.7	0.0
大阪府	0.6	0.7	0.0	0.0	0.2	0.6	1.1	0.0	0.6	0.5	0.3	0.2	0.0	0.5	0.2	0.0	1.1
兵庫県	0.5	0.0	0.0	0.5	0.4	0.4	0.0	0.4	0.0	0.4	1.1	0.7	0.4	0.4	1.1	0.3	1.0
奈良県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	1.5	0.0	1.5	0.0	0.0
和歌山県	3.4	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0
鳥取県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.0	3.0
島根県	0.0	0.0	0.0	0.0	2.9	0.0	3.0	0.0	0.0	0.0	0.0	2.4	0.0	2.4	0.0	0.0	0.0
岡山県	0.0	0.0	1.2	0.0	1.3	0.9	0.0	1.2	0.0	0.0	1.1	1.1	1.0	0.0	0.0	1.9	1.9
広島県	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.7	0.7	0.7	0.7
山口県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	1.2	0.0
徳島県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
香川県	0.0	1.7	0.0	2.0	2.5	0.0	2.0	1.6	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	1.7
愛媛県	1.5	1.6	0.0	1.2	1.5	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	1.2	0.0
高知県	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	2.0
福岡県	0.4	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.4	0.9	0.8	1.3	0.0	1.6	0.0	1.2
佐賀県	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	6.4	0.0	2.2	0.0	0.0	4.2	0.0
長崎県	1.7	0.0	0.0	0.0	1.6	2.9	1.4	1.2	2.6	0.0	1.3	1.3	0.0	2.4	1.2	1.2	0.0
熊本県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	2.2	0.0	1.0	1.0	0.0	1.9
大分県	0.0	0.0	0.0	2.1	0.0	1.3	1.5	0.0	0.0	0.0	1.5	4.8	1.5	1.5	1.5	0.0	0.0
宮崎県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.9	1.7	0.0	0.0	3.2	0.0	0.0	1.5
鹿児島県	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	0.0	1.0	0.0	1.1	1.1	0.0	0.0	0.0	0.0
沖縄県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	1.6	0.0	0.0

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号11 結節性動脈周囲炎 Polyarteritis nodosa

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
女																
北海道	0.9	0.3	0.5	0.6	0.6	0.7	0.9	0.9	0.7	0.7	0.7	1.0	1.4	0.3	1.5	0.7
青森県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.7	0.0	0.0
岩手県	1.2	0.0	1.3	1.1	0.0	0.0	0.0	0.9	0.0	1.4	0.6	2.4	0.8	2.1	0.7	1.3
宮城県	0.7	1.4	0.7	0.7	0.7	0.0	0.6	0.6	2.3	3.3	2.2	2.7	4.0	3.0	2.1	0.3
秋田県	0.0	1.3	2.9	0.0	0.0	0.0	1.1	0.0	0.0	1.0	1.8	0.6	1.4	0.0	0.7	0.5
山形県	0.0	0.0	0.0	2.8	0.0	0.0	0.0	1.9	4.6	1.7	2.0	1.0	0.8	0.8	0.0	2.6
福島県	0.0	0.0	0.7	0.6	0.0	0.8	0.7	0.6	0.6	0.6	3.2	0.0	2.3	2.6	0.9	1.3
茨城県	0.0	0.7	1.8	0.0	0.6	0.4	0.5	0.5	1.5	1.7	0.0	0.5	1.6	1.9	1.1	1.7
栃木県	0.0	0.0	0.0	0.8	0.7	0.9	0.8	1.0	0.6	0.0	0.5	0.9	0.0	0.8	0.4	0.0
群馬県	1.7	1.0	0.0	1.4	0.8	0.6	0.0	1.1	0.7	2.0	1.2	3.0	2.3	0.0	0.4	0.0
埼玉県	0.9	0.3	1.0	1.1	1.0	0.6	0.4	0.4	1.3	0.8	0.2	0.9	1.0	0.3	0.4	0.4
千葉県	1.3	0.0	0.3	0.3	1.1	1.3	0.7	0.2	0.4	1.2	1.1	1.4	0.4	1.0	0.3	0.4
東京都	0.3	0.4	0.7	0.7	0.8	0.6	0.0	1.0	0.4	1.3	1.5	0.8	0.9	0.5	0.9	0.8
神奈川県	0.0	1.0	0.4	0.6	1.2	0.2	0.9	0.7	0.7	0.4	0.7	0.3	0.9	0.5	0.5	0.5
新潟県	0.0	0.7	0.0	0.6	1.3	0.4	0.6	1.2	1.4	1.1	0.0	1.0	2.5	1.3	1.6	0.7
富山県	0.0	3.1	2.5	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.5	0.0	1.7	0.0	1.4
石川県	1.6	0.0	0.0	0.0	1.7	1.4	0.0	0.0	4.1	4.3	1.9	0.0	1.1	0.0	1.4	1.2
福井県	0.0	0.0	2.2	0.0	0.0	0.0	1.3	1.3	0.0	1.8	0.0	3.4	2.7	0.0	0.0	1.9
山梨県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	1.7	1.5	1.4	0.0	0.9	0.9
長野県	0.9	0.0	0.7	0.6	1.7	0.9	0.5	0.7	0.5	0.8	0.0	2.8	2.9	1.7	0.0	0.5
岐阜県	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.9	0.7	0.5	0.0	0.6	1.7	0.6	0.3	0.5
静岡県	1.4	0.5	0.0	1.4	1.2	0.0	1.3	0.4	0.0	0.9	0.8	0.6	1.5	1.3	0.6	0.8
愛知県	0.0	0.5	0.4	0.4	0.2	0.2	1.1	0.6	0.4	0.9	1.0	1.3	0.3	1.6	0.5	0.6
三重県	1.0	0.0	1.0	0.9	0.0	0.0	0.6	0.0	2.4	0.0	0.0	0.7	0.5	1.0	1.6	1.2
滋賀県	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	1.1	1.1	2.0	1.2	0.0	1.6	0.0	0.0
京都府	0.7	0.6	0.7	0.5	1.1	0.0	1.5	0.0	1.4	0.4	3.1	0.9	1.2	1.4	0.0	0.5
大阪府	0.6	0.2	0.0	0.5	0.7	0.5	0.2	1.2	1.2	1.2	0.5	0.8	0.8	0.9	0.1	1.3
兵庫県	0.7	0.0	0.6	0.3	0.0	0.9	0.5	0.5	1.0	0.3	1.9	0.7	0.8	1.2	1.8	0.8
奈良県	0.0	0.0	1.2	0.0	0.0	3.4	0.0	0.0	0.0	0.0	2.9	0.9	0.0	2.9	0.0	0.5
和歌山県	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.8	0.0	0.0	0.0
鳥取県	3.2	2.9	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	6.4	1.9	0.0	2.4	0.0	0.0
島根県	2.1	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	1.5	0.0	0.0	2.9	0.0
岡山県	0.9	1.7	0.9	1.7	0.8	1.8	0.0	0.6	0.0	3.5	3.3	0.7	7.0	1.2	0.7	1.9
広島県	0.0	1.3	0.7	1.2	0.0	0.9	1.0	0.5	0.0	1.0	1.0	1.7	0.9	0.4	0.8	0.7
山口県	0.0	0.0	1.3	0.0	1.0	0.0	3.0	1.8	1.1	0.0	0.0	0.8	0.7	0.8	1.4	0.0
徳島県	0.0	0.0	2.2	0.0	0.0	0.0	1.8	3.5	0.0	1.6	3.1	2.2	0.0	3.8	0.0	0.0
香川県	0.0	0.0	0.0	2.9	3.0	4.2	4.9	2.8	0.0	4.1	0.0	0.0	1.2	0.0	0.0	1.1
愛媛県	0.0	1.0	1.1	0.0	0.0	0.9	0.9	2.8	1.8	2.9	0.8	1.5	1.6	2.1	0.0	0.7
高知県	1.9	0.0	0.0	0.0	0.0	5.2	0.0	0.0	0.0	1.5	0.0	1.4	2.4	0.0	3.1	1.0
福岡県	0.7	0.7	0.4	0.0	1.7	1.2	0.6	0.7	1.1	1.1	1.4	0.7	1.1	1.3	0.5	1.8
佐賀県	4.0	2.1	3.8	1.5	0.0	0.0	1.8	0.0	4.8	1.2	1.5	0.0	1.0	1.5	1.3	3.3
長崎県	0.0	1.3	0.0	0.0	0.9	2.6	1.1	0.0	0.8	2.7	0.6	0.0	0.0	0.9	1.2	1.9
熊本県	0.0	0.0	0.8	1.9	0.8	3.3	2.4	1.8	3.9	3.4	1.9	3.9	3.5	4.3	0.6	1.2
大分県	0.0	0.0	0.0	1.5	2.4	0.0	0.0	0.0	0.0	0.0	1.0	0.7	2.1	0.0	0.0	0.6
宮崎県	0.0	0.0	1.4	2.6	0.0	1.2	3.4	1.1	0.0	0.0	0.0	0.7	1.4	1.0	1.6	1.2
鹿児島県	0.9	1.1	0.0	0.9	0.0	0.8	0.0	1.0	2.0	0.7	2.3	1.4	0.6	1.3	5.2	2.3
沖縄県	0.0	0.0	2.8	0.0	2.6	2.6	0.0	0.0	1.1	0.0	2.2	2.1	1.0	0.0	0.9	0.0

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号12 潰瘍性大腸炎 Ulcerative colitis

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
男																	
北海道	3.3	1.7	3.3	3.0	3.1	2.6	1.2	2.5	0.8	1.5	1.2	0.0	1.1	0.7	0.4	0.4	0.6
青森県	3.7	3.1	1.7	0.0	5.5	0.0	1.9	1.9	1.6	0.0	0.0	0.0	1.4	0.0	0.0	1.2	0.0
岩手県	1.3	0.0	2.0	1.7	1.9	6.7	4.1	1.8	0.0	4.8	0.0	0.0	1.5	0.0	0.0	1.3	0.0
宮城県	0.9	7.0	0.0	2.4	1.2	1.3	1.1	0.0	1.2	1.2	0.9	0.0	0.0	0.0	0.9	0.9	0.8
秋田県	0.0	0.0	2.4	2.6	0.0	5.1	2.2	2.5	1.8	0.0	1.8	3.6	1.7	0.0	0.0	0.0	1.5
山形県	0.0	3.8	0.0	3.9	2.4	1.8	6.6	4.5	0.0	1.6	3.6	0.0	0.0	0.0	0.0	1.6	1.4
福島県	5.9	2.0	1.8	2.7	4.9	1.5	1.4	2.5	2.6	1.0	2.2	2.2	2.0	0.0	3.8	0.0	0.9
茨城県	2.6	4.1	1.2	5.1	1.0	0.8	2.9	1.1	2.6	5.3	1.6	1.6	3.1	0.7	0.7	0.0	0.7
栃木県	0.0	7.1	3.5	3.2	3.8	1.5	1.3	0.0	0.0	1.3	1.2	2.2	0.0	1.1	0.0	2.0	0.0
群馬県	0.0	4.2	2.9	4.1	4.2	0.0	0.0	0.0	5.5	1.1	2.3	0.0	1.1	0.0	0.0	0.0	1.0
埼玉県	2.6	3.0	0.9	3.0	2.7	2.2	0.6	1.0	1.4	3.2	0.8	0.0	0.0	2.0	1.6	0.6	0.6
千葉県	1.4	1.3	1.4	3.7	0.4	0.3	3.7	0.0	1.1	0.9	1.3	2.1	1.6	1.2	0.4	0.7	0.3
東京都	2.1	4.1	2.0	1.9	0.8	2.7	1.3	2.5	1.4	1.3	1.8	0.9	0.9	1.7	0.7	1.1	0.5
神奈川県	4.9	2.5	0.4	1.4	1.2	0.9	1.2	0.7	1.1	0.7	0.2	1.2	0.8	1.1	1.3	0.9	0.7
新潟県	1.9	0.0	1.4	3.4	6.3	3.2	2.2	1.1	3.1	1.7	0.0	0.9	3.5	0.0	0.8	0.7	0.0
富山県	4.1	3.4	0.0	0.0	1.6	0.0	5.3	0.0	2.2	6.3	1.7	0.0	1.9	1.9	0.0	0.0	0.0
石川県	9.6	4.0	2.5	2.4	0.0	0.0	0.0	0.0	0.0	2.0	0.0	3.8	3.7	0.0	0.0	0.0	0.0
福井県	0.0	3.3	5.8	8.2	6.4	0.0	9.9	0.0	5.9	0.0	0.0	2.7	2.6	0.0	2.3	7.1	0.0
山梨県	0.0	0.0	4.3	0.0	2.0	0.0	0.0	0.0	5.8	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0
長野県	3.2	0.0	0.0	1.2	3.8	1.6	2.6	3.5	2.3	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0
岐阜県	2.9	1.4	0.0	2.2	3.3	1.6	0.0	2.3	1.4	1.2	1.1	1.1	1.1	1.0	2.1	1.0	0.0
静岡県	2.8	2.5	1.3	1.0	1.8	0.5	0.6	0.0	3.4	1.8	1.3	0.0	1.2	0.0	0.0	0.5	1.1
愛知県	3.1	2.4	1.4	1.6	1.6	3.7	2.1	1.5	1.8	1.1	1.0	0.6	1.0	0.3	0.6	0.3	0.3
三重県	4.7	3.6	1.3	0.0	7.3	0.0	0.0	1.3	2.8	1.2	2.7	1.3	1.2	0.0	0.0	0.0	0.0
滋賀県	6.4	1.8	0.0	1.4	4.3	0.0	4.3	2.2	4.1	2.1	2.0	0.0	3.6	1.8	0.0	1.6	0.0
京都府	2.8	2.0	4.7	3.7	3.7	2.7	1.7	3.2	1.7	0.8	2.5	1.7	0.8	0.0	1.6	0.7	0.7
大阪府	2.1	3.0	2.9	0.8	2.0	3.3	1.2	1.9	1.7	1.0	0.5	1.7	1.2	1.2	1.6	0.4	0.6
兵庫県	2.3	2.8	1.5	2.0	3.6	3.0	2.1	1.8	0.9	2.5	2.2	1.6	0.4	1.2	1.1	0.7	1.4
奈良県	1.4	2.9	0.0	5.2	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	1.6	0.0	1.6	0.0	2.8
和歌山県	2.9	0.0	2.2	2.2	8.2	5.9	0.0	1.8	2.0	0.0	4.3	4.1	0.0	1.9	0.0	0.0	0.0
鳥取県	0.0	0.0	4.5	0.0	4.0	3.8	8.0	8.5	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.2	3.4
島根県	3.4	5.5	4.1	8.0	3.8	2.9	12.1	0.0	3.2	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0
岡山県	0.0	1.7	1.1	0.0	0.0	2.7	1.6	1.2	2.6	2.7	0.0	0.0	0.0	0.0	2.1	0.0	1.0
広島県	0.6	3.3	2.8	3.4	2.9	2.9	2.7	3.0	4.3	3.3	0.0	0.7	0.8	3.6	0.0	0.0	1.3
山口県	4.3	1.7	0.0	6.4	0.0	3.1	4.9	1.7	0.0	0.0	0.0	0.0	0.0	1.3	1.3	1.4	0.0
徳島県	10.0	4.4	4.0	3.2	2.7	0.0	11.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0
香川県	2.3	3.2	5.4	7.1	0.0	4.5	0.0	0.0	2.2	2.0	0.0	0.0	2.0	2.0	0.0	0.0	3.5
愛媛県	5.9	7.4	5.9	6.5	5.9	2.6	0.0	1.4	1.7	0.0	1.6	2.9	1.4	1.4	0.0	0.0	0.0
高知県	2.7	2.7	0.0	2.7	2.6	2.7	3.4	0.0	0.0	0.0	2.8	0.0	0.0	2.5	0.0	0.0	4.6
福岡県	2.3	4.6	4.6	4.6	1.7	0.7	1.6	2.1	1.7	0.5	1.5	1.9	3.1	2.6	0.0	0.8	0.4
佐賀県	9.1	0.0	0.0	7.0	9.3	9.7	0.0	2.4	0.0	10.7	5.0	5.2	2.4	0.0	0.0	0.0	0.0
長崎県	5.6	4.2	2.3	3.1	2.7	4.9	8.3	3.0	0.0	1.6	2.9	2.9	1.4	0.0	0.0	0.0	0.0
熊本県	3.9	4.3	4.3	1.5	0.0	6.3	3.2	3.0	2.9	2.7	2.6	0.0	3.5	0.0	0.0	3.2	4.3
大分県	0.0	6.6	6.2	2.1	2.0	5.8	5.4	1.8	2.1	7.2	3.5	3.5	1.7	3.4	1.7	0.0	0.0
宮崎県	10.4	0.0	4.6	4.7	0.0	2.1	6.7	5.6	10.3	0.0	0.0	1.9	1.8	0.0	5.1	0.0	0.0
鹿児島県	6.1	1.7	3.6	7.7	1.7	4.1	4.8	4.1	1.0	2.7	3.9	2.4	1.2	1.2	1.1	2.2	2.2
沖縄県	0.0	0.0	4.2	0.0	0.0	0.0	2.3	0.0	0.0	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号12 潰瘍性大腸炎 Ulcerative colitis

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
男																
北海道	1.0	0.6	0.3	0.3	0.3	0.6	0.0	0.0	0.2	0.9	0.4	1.1	0.6	0.7	0.2	0.7
青森県	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.7	0.0	0.7	0.0	0.0
岩手県	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	4.6	0.7	0.9	0.0	0.9	0.0	0.0
宮城県	0.0	1.7	0.8	0.0	1.0	0.7	0.7	0.6	0.0	0.0	0.0	1.0	0.0	0.9	0.9	0.0
秋田県	1.3	1.5	0.0	1.1	0.0	1.0	0.0	0.0	0.9	0.0	0.0	0.8	0.0	0.8	0.8	0.0
山形県	0.0	1.8	0.0	0.0	1.0	0.0	1.3	0.0	0.0	1.9	1.0	0.8	0.0	0.9	0.0	0.0
福島県	0.0	0.0	0.8	1.5	1.7	0.6	0.0	1.4	1.3	0.9	2.5	1.1	0.0	2.3	0.0	2.0
茨城県	0.0	0.0	0.0	0.0	1.2	1.1	1.1	0.6	0.9	1.2	0.0	0.8	0.8	1.9	0.3	0.7
栃木県	1.0	0.0	0.9	0.0	0.8	0.0	0.0	0.0	2.1	0.0	0.0	0.5	0.0	0.0	1.1	0.0
群馬県	0.0	1.0	1.7	1.5	3.3	0.0	1.5	1.2	0.0	0.0	0.5	3.6	0.6	1.2	2.5	3.2
埼玉県	0.3	0.8	0.0	0.6	1.3	0.3	0.5	0.9	0.0	0.5	0.4	1.2	0.6	1.0	1.0	0.4
千葉県	0.3	0.6	1.8	0.6	0.3	0.4	1.1	0.8	1.0	1.1	0.4	0.3	0.2	0.4	0.2	0.8
東京都	0.5	0.9	0.3	0.8	0.4	0.6	0.8	0.6	0.3	0.5	0.8	0.7	1.0	0.6	0.9	0.5
神奈川県	0.5	0.5	0.8	0.7	0.7	0.8	0.7	0.6	0.7	1.1	0.5	0.4	0.6	0.2	0.4	1.3
新潟県	0.0	0.0	0.8	0.6	1.2	2.2	1.5	0.0	0.0	0.0	2.0	0.0	0.8	0.4	0.0	0.0
富山県	0.0	1.7	0.0	0.0	1.4	0.0	0.0	1.5	0.0	0.0	0.9	3.1	0.0	0.0	0.0	0.7
石川県	0.0	0.0	0.0	2.1	0.0	0.0	0.0	1.4	0.0	0.0	0.0	1.2	0.0	1.8	1.1	0.0
福井県	2.3	5.6	0.0	2.7	4.4	0.0	0.0	0.0	1.8	0.0	3.9	0.0	0.0	1.3	0.0	0.0
山梨県	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0
長野県	0.0	0.8	0.0	0.7	0.9	0.9	0.0	0.8	0.0	1.8	0.6	0.0	1.2	1.3	0.4	0.5
岐阜県	0.0	0.8	0.0	0.7	0.0	0.7	0.6	0.0	0.0	0.0	0.0	0.7	0.6	0.0	0.5	0.5
静岡県	0.0	1.0	0.5	1.0	0.9	0.0	4.6	1.2	1.2	0.3	0.6	0.0	0.9	1.2	0.9	1.2
愛知県	0.3	0.3	0.2	1.0	0.3	0.2	0.6	0.4	0.7	1.5	0.2	0.2	0.0	0.4	0.7	1.1
三重県	1.2	1.1	4.3	0.0	1.1	0.8	0.8	0.0	0.0	0.7	0.9	0.9	0.7	0.0	0.0	0.6
滋賀県	0.0	0.0	0.0	0.0	0.0	1.5	1.6	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.6	0.0
京都府	0.6	0.9	0.6	0.8	2.4	0.0	0.0	0.5	1.0	1.0	0.5	0.8	0.4	0.6	1.6	0.9
大阪府	1.1	0.7	0.6	0.6	0.6	0.0	0.6	0.7	0.6	0.6	0.7	1.1	0.7	0.5	0.8	0.3
兵庫県	0.7	0.6	0.0	0.0	0.3	0.6	0.6	0.8	0.7	0.5	0.5	0.9	1.3	0.9	0.4	1.4
奈良県	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	0.0	0.8	0.0	2.0	0.8	0.7	0.0
和歌山県	0.0	0.0	0.0	0.0	1.4	2.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0
鳥取県	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	3.7	1.8	0.0
島根県	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
岡山県	0.0	0.0	0.0	0.0	0.7	1.0	0.7	0.9	0.0	1.9	0.7	2.3	0.6	0.0	0.0	0.0
広島県	0.7	0.6	0.7	1.2	0.6	0.0	0.0	0.0	0.4	1.0	2.4	0.9	0.0	0.0	0.8	0.8
山口県	0.0	1.5	0.0	0.0	1.1	2.7	0.0	0.0	2.9	2.5	1.1	0.0	0.0	0.7	1.4	0.0
徳島県	0.0	3.0	0.0	0.0	0.0	1.8	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
香川県	3.7	0.0	0.0	0.0	1.8	4.1	0.0	1.5	0.0	1.3	0.0	4.0	2.1	0.0	0.0	0.0
愛媛県	1.2	1.1	0.0	1.4	0.0	0.9	2.1	0.0	1.1	1.0	0.9	1.7	0.8	3.5	2.7	0.0
高知県	3.0	0.0	0.0	0.0	0.0	2.0	2.0	1.6	1.6	0.0	3.4	0.0	0.0	1.5	1.3	1.3
福岡県	0.8	0.0	0.4	0.4	1.1	0.0	0.7	0.6	1.5	0.9	0.9	0.3	1.6	0.9	0.0	0.2
佐賀県	0.0	0.0	1.9	2.2	0.0	2.8	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	1.4	0.0
長崎県	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	1.6	1.7	2.3	0.0	1.4	3.2	0.0
熊本県	1.0	1.0	0.0	0.0	0.0	0.0	0.8	0.8	0.0	1.5	2.3	0.7	0.7	0.0	2.7	0.0
大分県	1.5	1.4	1.7	0.0	1.4	1.4	0.0	2.4	0.0	0.0	2.3	2.3	1.0	1.0	1.4	1.0
宮崎県	0.0	2.8	0.0	1.3	4.0	0.0	2.6	0.0	1.2	0.0	1.1	1.0	1.0	0.9	0.0	1.8
鹿児島県	0.0	0.0	1.5	3.3	0.0	2.3	1.4	0.9	2.3	0.0	1.5	2.4	0.7	0.7	1.0	0.0
沖縄県	1.5	1.3	0.0	1.2	0.0	1.1	0.0	1.0	1.2	0.0	0.9	0.0	1.5	0.0	0.0	0.0

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号12 潰瘍性大腸炎 Ulcerative colitis

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
女																	
北海道	1.9	2.8	6.1	3.8	3.8	1.7	3.3	2.7	1.8	0.8	2.0	1.5	0.4	2.8	1.7	0.9	1.5
青森県	0.0	0.0	1.7	1.0	7.2	0.0	0.0	1.8	3.1	0.0	1.4	0.0	1.3	2.5	1.2	0.0	0.0
岩手県	10.0	5.6	2.2	2.1	1.8	4.5	3.2	4.6	3.4	0.0	3.0	5.7	0.0	0.0	0.0	0.0	0.0
宮城県	1.8	6.6	1.0	3.9	2.3	0.9	0.0	0.0	3.4	2.2	1.1	0.0	0.9	1.8	0.0	0.9	0.0
秋田県	4.5	1.5	4.2	0.0	2.9	0.0	0.0	6.0	0.0	0.0	1.7	3.5	0.0	0.0	1.6	0.0	2.7
山形県	2.8	10.3	6.6	6.4	6.0	0.0	2.5	7.8	5.5	0.0	0.0	1.8	0.0	1.5	1.5	1.4	0.0
福島県	8.4	3.2	6.5	3.2	2.8	1.2	2.3	1.3	1.0	4.4	1.0	2.9	1.0	1.9	2.7	1.7	0.9
茨城県	3.6	2.0	2.4	2.3	1.0	0.0	1.8	2.6	0.0	2.6	0.7	0.7	0.0	1.5	0.0	0.0	0.0
栃木県	1.6	6.3	1.6	1.5	4.8	2.6	1.1	1.5	1.4	0.0	2.3	0.0	0.0	3.2	0.0	0.0	0.0
群馬県	4.2	3.0	6.5	5.3	2.8	3.5	1.6	1.3	0.0	3.4	0.0	3.3	1.1	1.0	1.0	1.0	0.0
埼玉県	1.3	2.5	3.1	1.2	0.5	2.5	2.5	1.9	2.0	0.8	3.1	0.7	0.4	0.0	1.3	0.3	0.3
千葉県	1.1	4.0	1.4	1.2	0.0	0.6	1.5	0.5	0.6	1.3	0.9	1.3	0.4	0.4	0.7	0.4	1.1
東京都	4.4	3.0	2.3	1.3	2.4	2.3	2.7	0.7	1.5	2.0	0.6	1.9	1.1	1.5	0.7	0.5	0.3
神奈川県	3.8	2.0	3.6	1.4	2.3	2.2	1.3	0.7	1.9	0.0	0.6	0.9	0.9	1.4	1.1	0.5	0.8
新潟県	4.3	4.9	2.8	3.0	2.7	2.9	1.2	3.9	4.0	4.7	4.6	0.8	0.8	3.1	0.0	0.0	0.0
富山県	1.3	0.0	7.4	7.3	0.0	0.0	2.8	2.3	10.9	3.7	4.1	1.9	0.0	0.0	3.2	1.5	0.0
石川県	6.2	0.0	0.0	10.6	2.0	2.3	0.0	4.9	2.4	3.9	0.0	0.0	1.7	1.7	0.0	0.0	2.7
福井県	0.0	0.0	8.0	7.7	9.9	3.7	0.0	0.0	2.2	0.0	2.6	0.0	2.4	0.0	4.5	0.0	0.0
山梨県	7.1	4.0	0.0	5.8	2.8	0.0	2.7	0.0	0.0	0.0	0.0	4.8	2.4	0.0	0.0	4.4	0.0
長野県	3.6	8.2	5.3	2.4	8.6	2.3	1.2	3.5	0.0	1.1	1.1	3.0	0.0	0.9	1.7	0.0	0.0
岐阜県	4.5	1.8	2.4	3.8	0.9	0.0	2.7	3.5	1.2	0.0	1.0	4.1	0.0	0.0	1.0	0.0	0.0
静岡県	1.9	2.7	1.0	3.2	0.0	0.0	1.5	1.5	2.7	2.8	1.8	2.3	0.6	0.6	0.0	0.5	2.4
愛知県	4.2	2.0	2.2	4.5	0.9	3.1	0.9	2.6	0.8	0.7	0.4	1.7	0.6	0.9	1.8	0.6	0.3
三重県	5.6	3.8	9.0	1.9	0.0	1.2	3.1	0.0	0.0	1.4	0.0	3.5	1.1	1.1	3.2	0.0	2.0
滋賀県	0.0	0.0	0.0	7.2	5.3	2.4	4.8	0.0	2.0	4.0	1.8	0.0	3.5	0.0	0.0	3.1	0.0
京都府	1.6	1.4	1.8	3.1	1.3	2.9	1.8	3.7	2.8	3.3	3.4	0.0	0.8	1.5	0.0	1.4	1.3
大阪府	3.5	5.3	2.5	4.8	1.7	3.9	3.0	2.4	1.4	1.7	1.6	2.0	0.5	1.6	1.5	0.6	0.4
兵庫県	4.5	2.9	2.0	4.4	3.4	3.2	3.5	1.3	1.9	1.8	0.9	2.0	1.5	0.7	0.7	0.0	2.0
奈良県	0.0	1.4	2.0	0.0	2.7	3.9	0.0	4.1	2.1	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0
和歌山県	1.3	5.2	6.1	6.1	2.5	2.2	4.2	2.4	0.0	2.1	1.5	3.8	3.6	0.0	0.0	0.0	1.5
鳥取県	0.0	5.5	0.0	0.0	0.0	0.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	0.0	2.9	0.0
島根県	10.6	8.1	6.3	0.0	10.1	2.9	0.0	2.9	0.0	7.3	0.0	0.0	2.5	4.9	0.0	0.0	2.3
岡山県	2.2	1.3	6.9	2.6	1.3	2.9	5.7	0.0	3.7	7.0	0.0	0.0	2.1	2.0	0.0	0.0	0.9
広島県	5.2	2.1	3.8	4.6	0.9	0.9	3.8	2.4	0.9	2.2	3.1	0.7	3.6	1.4	0.0	2.0	0.6
山口県	2.4	5.1	7.0	5.3	5.0	1.9	0.0	1.5	0.0	0.0	0.0	2.3	1.3	1.2	3.4	2.2	1.0
徳島県	4.1	0.0	7.5	10.0	0.0	3.1	2.8	4.8	3.1	0.0	2.7	2.3	4.7	0.0	0.0	2.1	5.9
香川県	9.6	1.9	2.0	2.3	2.6	4.8	4.5	0.0	1.7	0.0	0.0	1.9	2.0	1.9	5.4	0.0	1.9
愛媛県	3.0	3.4	1.8	5.4	3.2	8.6	3.1	1.6	1.4	2.7	6.7	0.0	3.9	2.5	1.2	2.3	0.0
高知県	0.0	11.4	2.0	0.0	11.4	9.5	6.3	7.6	0.0	2.3	2.5	0.0	4.7	4.5	0.0	0.0	2.2
福岡県	1.5	6.8	4.1	2.5	2.1	2.4	2.7	3.2	1.9	1.8	0.5	1.4	2.1	0.8	0.8	0.8	0.7
佐賀県	4.2	0.0	0.0	2.8	4.9	0.0	0.0	2.3	0.0	2.2	5.0	0.0	0.0	2.2	2.0	0.0	1.8
長崎県	12.0	4.8	2.9	1.6	4.6	3.4	4.0	4.2	4.5	4.2	2.8	1.3	0.0	0.0	0.0	1.1	4.3
熊本県	10.1	6.4	3.7	7.5	7.8	5.6	4.1	4.3	7.5	2.4	3.6	4.5	0.0	4.2	2.0	1.9	4.6
大分県	11.1	10.1	9.6	3.9	8.4	6.2	5.1	3.9	7.2	3.5	3.5	1.7	3.2	4.6	0.0	0.0	1.3
宮崎県	1.2	8.2	7.6	5.2	0.0	2.1	2.1	0.0	1.9	1.9	1.9	3.5	1.6	1.6	1.6	0.0	1.5
鹿児島県	11.4	6.6	8.7	7.8	6.4	3.8	8.0	3.9	4.5	2.4	7.1	3.4	2.1	5.2	1.0	1.0	3.8
沖縄県	0.0	2.4	2.4	0.0	4.3	2.2	0.0	2.1	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	1.4

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号12 潰瘍性大腸炎 Ulcerative colitis

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
女																
北海道	1.5	1.1	1.8	0.4	0.0	0.8	0.9	0.7	0.6	0.5	0.8	0.4	0.2	0.9	0.0	0.3
青森県	0.0	0.0	0.0	0.0	3.2	0.0	1.5	0.0	0.0	0.0	0.0	0.8	0.5	1.5	1.7	1.2
岩手県	1.3	0.0	0.0	0.9	0.0	0.8	0.9	1.5	3.1	0.9	0.0	0.0	0.5	0.7	0.7	0.7
宮城県	0.7	0.8	0.8	0.9	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.8	0.0	0.4	0.0	0.6
秋田県	0.0	2.4	0.0	0.0	2.4	0.0	0.0	0.0	1.5	0.7	0.0	0.0	1.4	0.6	0.0	0.5
山形県	0.0	1.2	2.2	0.0	0.0	0.0	2.3	0.8	1.0	0.0	0.0	0.0	1.6	0.0	1.2	0.0
福島県	1.5	0.0	1.4	0.0	0.0	0.7	1.1	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.4	0.0
茨城県	0.8	0.0	0.7	0.6	1.5	1.2	0.0	1.3	0.0	0.3	0.0	0.0	0.7	0.6	0.9	0.5
栃木県	0.9	1.8	0.0	0.0	0.0	0.0	0.8	0.9	0.0	0.7	0.6	1.0	0.0	0.4	0.4	0.0
群馬県	2.8	0.0	0.9	1.7	0.0	1.3	1.7	2.0	0.0	0.5	0.7	0.4	0.0	0.0	0.9	1.4
埼玉県	0.5	1.1	0.3	0.2	0.4	0.2	0.2	0.2	0.3	0.6	0.6	1.2	0.3	0.2	0.1	0.5
千葉県	0.3	1.3	1.2	0.6	0.0	0.4	0.3	0.4	0.2	1.6	0.0	0.9	0.9	0.3	0.5	0.3
東京都	0.2	0.6	0.5	0.4	0.3	0.6	0.2	0.4	0.2	0.2	0.1	0.0	0.6	0.2	0.3	0.5
神奈川県	0.9	1.2	0.9	0.8	0.4	0.8	0.8	0.9	0.5	0.7	0.5	0.2	0.2	0.1	0.2	0.5
新潟県	1.6	0.0	2.3	0.0	1.4	0.7	1.7	0.6	1.8	0.0	0.0	0.9	0.0	0.3	0.0	0.0
富山県	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.7	0.7	2.5	0.0	2.5
石川県	0.0	2.6	1.1	1.9	0.0	3.5	0.0	0.0	0.0	1.3	0.7	0.0	0.0	0.0	0.0	0.0
福井県	0.0	0.0	0.0	0.0	1.5	0.0	0.0	1.8	1.2	0.0	1.1	1.0	1.0	0.0	0.0	0.0
山梨県	0.0	3.7	0.0	3.5	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	1.4	0.9	0.0
長野県	0.0	0.0	0.6	1.4	0.0	0.0	0.0	0.5	0.9	0.0	0.9	0.6	0.8	0.0	0.0	0.0
岐阜県	1.6	0.8	0.0	0.0	0.0	0.6	0.5	1.6	0.8	0.8	0.0	0.0	0.8	0.9	0.3	0.3
静岡県	0.5	0.5	0.9	0.5	0.8	1.5	0.4	0.4	0.4	1.8	0.7	0.7	0.7	0.2	0.4	0.2
愛知県	0.8	0.3	0.5	0.7	0.0	0.4	0.0	0.2	0.5	0.4	0.8	0.6	0.2	0.2	0.6	0.8
三重県	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.8	0.0	0.0	1.4	0.8	0.6	0.0	0.0
滋賀県	0.0	1.4	0.0	0.0	1.0	0.0	1.2	0.0	0.0	0.0	0.0	1.0	1.7	0.0	0.0	0.0
京都府	0.6	0.0	0.0	0.7	0.5	0.9	0.0	1.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.6
大阪府	0.4	0.3	1.0	0.8	1.3	0.8	1.2	0.3	0.5	0.7	0.6	0.3	0.1	0.2	0.3	0.4
兵庫県	1.6	1.0	0.3	0.9	0.9	0.8	0.0	1.1	0.4	0.7	0.3	0.2	0.2	1.2	0.9	0.4
奈良県	1.1	1.1	0.0	2.3	0.0	0.0	0.0	1.0	1.1	0.0	0.9	0.0	0.0	0.0	0.0	0.0
和歌山県	0.0	0.0	0.0	0.0	1.8	1.1	3.0	2.0	0.9	1.6	0.0	0.0	0.0	0.0	0.0	0.0
鳥取県	0.0	2.4	3.5	0.0	0.0	2.0	2.3	0.0	1.7	0.0	2.2	0.0	3.9	0.0	0.0	0.0
島根県	2.3	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.0	0.0	0.0	0.0
岡山県	1.0	0.0	0.9	2.3	0.0	1.3	0.8	0.0	1.7	0.0	0.0	0.0	0.0	0.0	1.0	1.0
広島県	0.6	1.2	0.0	0.6	0.0	0.5	1.4	1.3	1.0	0.5	0.3	0.7	1.2	0.3	0.3	0.0
山口県	2.0	2.3	0.9	1.1	0.0	3.2	0.0	0.0	0.0	0.0	1.7	0.0	0.5	0.0	0.9	0.5
徳島県	2.0	0.0	0.0	2.4	1.4	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	2.1
香川県	0.0	1.8	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0
愛媛県	1.0	1.0	1.4	2.5	0.8	1.1	0.0	0.0	1.6	3.1	0.6	0.8	0.0	0.0	0.7	0.0
高知県	0.0	0.0	0.0	1.9	0.0	2.6	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
福岡県	1.7	0.4	1.5	0.6	1.0	0.2	0.3	0.6	0.3	0.7	0.2	0.9	0.8	0.6	0.0	0.0
佐賀県	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	1.2	1.5	0.0	2.1	0.0	2.0	0.0
長崎県	0.0	1.1	1.4	0.0	0.8	1.8	0.7	2.4	2.1	0.0	0.8	0.6	0.0	0.0	0.9	0.0
熊本県	2.9	0.0	0.8	0.7	0.7	0.9	0.0	0.6	0.0	1.8	2.6	0.5	0.0	1.0	1.9	0.0
大分県	0.0	2.9	2.6	3.1	1.2	1.2	1.8	1.1	0.0	0.8	0.8	1.8	2.4	1.1	0.0	0.0
宮崎県	1.4	0.0	0.0	1.3	2.0	0.0	3.4	1.6	0.0	0.0	0.0	0.0	0.0	1.6	2.7	0.0
鹿児島県	1.8	0.8	3.5	0.8	0.7	0.0	2.0	1.2	1.2	0.0	1.1	0.0	0.8	1.5	0.0	1.0
沖縄県	1.4	0.0	1.3	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.7	0.9

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号18 劇症肝炎 Fulminant hepatitis (acute and subacute hepatic failure/necrosis)

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
男																	
北海道	25.1	30.2	26.9	16.6	19.7	15.1	15.5	10.8	11.4	9.7	8.0	11.5	8.6	10.8	10.2	6.5	7.4
青森県	21.6	15.3	20.4	23.7	16.8	22.2	12.8	13.4	22.9	4.8	10.6	16.2	9.9	4.1	6.6	5.0	2.3
岩手県	23.6	25.9	35.2	29.2	18.7	22.1	17.7	17.4	10.0	15.7	6.6	9.2	10.4	4.3	7.0	4.3	6.9
宮城県	16.9	25.6	23.1	10.6	18.9	11.1	13.2	10.7	11.9	6.6	7.3	11.2	5.9	7.5	8.9	6.6	3.1
秋田県	29.8	28.6	17.7	20.3	20.2	10.7	13.0	12.5	12.4	11.3	12.1	9.0	8.6	10.0	6.4	4.6	8.3
山形県	15.1	17.0	26.0	29.1	28.4	15.5	11.6	16.2	14.7	5.3	5.8	10.4	15.2	6.6	4.7	1.7	7.7
福島県	26.1	31.1	27.9	21.1	13.7	19.4	15.0	9.7	15.0	4.6	10.8	9.6	1.0	4.0	6.6	9.3	9.4
茨城県	29.5	19.1	32.7	20.9	21.0	7.8	12.6	11.2	13.5	8.9	5.5	8.6	6.8	13.3	5.0	4.8	3.4
栃木県	26.1	32.4	20.3	20.3	25.8	20.5	17.2	11.1	9.6	10.9	7.4	6.8	5.5	4.3	9.5	5.1	4.0
群馬県	46.2	30.6	23.9	22.2	15.7	15.8	16.5	11.5	11.6	6.1	2.4	5.7	6.4	2.1	5.2	5.9	2.9
埼玉県	21.0	16.9	13.7	16.3	12.9	12.2	6.3	5.3	5.4	6.8	6.2	6.2	7.0	6.4	3.9	3.8	6.0
千葉県	15.7	14.8	11.7	10.1	11.3	8.6	7.8	9.1	3.8	7.9	6.6	7.2	7.3	8.9	4.8	3.3	3.8
東京都	14.1	14.3	13.2	7.6	9.8	7.7	7.7	4.9	6.3	5.5	5.3	7.1	5.6	2.9	3.6	5.2	4.4
神奈川県	16.7	12.8	11.1	5.6	6.5	6.1	6.0	5.7	3.8	6.2	5.7	5.8	4.7	3.2	4.0	5.8	4.3
新潟県	16.3	26.0	21.4	15.5	20.6	12.5	15.9	9.7	8.2	9.2	7.4	9.4	6.0	3.3	9.6	3.8	5.4
富山県	28.6	18.1	28.0	14.1	18.4	15.5	16.5	6.7	12.9	13.0	4.1	10.0	9.4	3.7	7.2	5.4	3.5
石川県	28.9	40.8	28.7	20.8	25.3	10.3	10.6	15.9	12.2	14.1	10.0	7.8	3.7	14.4	3.5	3.2	4.7
福井県	30.5	17.4	22.9	6.7	25.4	11.4	3.2	15.4	16.5	8.1	3.0	5.2	13.0	5.0	4.9	17.1	5.1
山梨県	28.9	31.3	39.0	6.3	10.8	17.5	14.6	8.8	5.9	20.7	5.5	2.6	7.5	7.4	4.7	0.0	14.0
長野県	26.2	19.7	25.4	19.3	12.9	15.8	14.4	10.2	14.1	9.4	2.9	7.1	10.0	9.6	9.6	8.1	3.4
岐阜県	20.2	24.6	22.1	15.2	16.9	14.1	11.7	17.9	14.1	10.1	7.9	6.5	6.3	2.0	5.9	5.8	5.3
静岡県	21.9	24.1	16.2	16.3	13.9	10.0	11.3	8.9	6.0	11.0	6.7	4.8	3.5	4.0	6.2	4.3	6.0
愛知県	15.9	12.3	11.0	11.5	6.2	12.8	10.8	8.4	6.4	8.9	6.3	6.9	5.1	4.0	5.0	4.6	2.8
三重県	21.9	20.9	32.4	15.2	21.1	5.9	12.4	12.1	15.0	9.5	7.8	10.3	7.3	7.1	4.5	3.4	3.2
滋賀県	27.3	18.2	21.0	18.8	21.1	13.6	15.8	7.8	10.3	5.7	13.4	2.0	1.9	3.5	1.8	13.4	0.0
京都府	14.0	25.0	13.8	17.6	10.3	8.9	5.4	10.5	11.1	7.3	5.8	8.0	8.0	4.0	0.8	5.4	3.5
大阪府	13.9	14.0	9.9	9.2	13.3	8.6	6.5	7.1	6.3	4.9	6.7	6.3	7.4	6.3	6.1	4.3	3.8
兵庫県	24.6	21.0	23.2	17.9	9.3	12.5	13.8	8.0	7.9	10.8	6.9	7.5	9.3	7.4	6.4	4.8	4.9
奈良県	15.5	14.9	10.6	22.1	8.1	11.9	4.1	12.5	19.4	3.6	4.9	5.3	8.2	6.3	9.1	4.5	0.0
和歌山県	34.4	25.2	27.3	17.9	14.9	20.4	7.5	9.2	25.1	6.4	10.2	6.0	5.9	5.8	3.8	14.3	0.0
鳥取県	20.8	3.3	27.0	14.9	0.0	0.0	18.5	8.4	3.7	14.6	7.5	14.8	3.4	13.5	6.7	3.4	10.1
島根県	18.6	20.5	23.2	25.0	26.4	24.0	30.0	15.1	12.6	13.6	5.7	5.5	8.2	10.5	13.0	5.2	5.9
岡山県	13.6	19.3	27.8	18.4	14.0	15.8	14.0	12.9	10.1	10.5	13.9	7.9	5.5	8.6	6.3	7.3	7.0
広島県	22.8	21.9	20.9	15.6	16.7	16.1	13.6	11.0	4.8	8.2	12.5	11.5	8.2	6.6	5.6	6.2	4.8
山口県	23.6	24.4	10.3	14.7	14.1	17.4	17.8	4.4	7.7	11.5	9.5	13.6	8.1	6.6	10.3	10.2	7.3
徳島県	32.0	40.8	35.8	29.0	32.5	21.0	19.6	29.7	20.5	24.6	5.1	5.2	17.9	17.5	2.5	11.3	13.9
香川県	32.4	34.7	14.8	7.6	11.7	14.9	19.5	17.9	7.4	13.6	4.6	21.2	8.3	0.0	12.1	7.5	14.7
愛媛県	32.0	30.0	25.9	23.0	17.4	18.7	19.9	11.9	9.1	15.1	11.7	8.3	10.0	2.8	9.5	3.9	11.2
高知県	47.8	44.2	41.5	44.7	13.5	8.9	22.1	19.9	10.0	12.5	10.2	10.3	10.3	12.6	10.0	7.2	5.3
福岡県	27.9	29.4	29.8	21.0	18.0	19.7	10.0	16.0	11.6	10.3	6.2	8.4	10.5	6.2	11.5	5.0	6.8
佐賀県	41.3	35.0	31.3	37.7	22.3	17.0	33.6	28.4	21.6	13.7	15.9	7.1	4.9	4.8	6.9	2.4	2.1
長崎県	31.6	23.6	24.0	26.1	15.8	22.2	14.2	5.8	10.5	14.6	7.1	9.8	12.0	9.2	8.9	5.1	7.0
熊本県	26.0	25.9	28.6	32.9	31.1	17.2	14.8	7.6	16.2	12.5	3.7	12.2	4.7	9.2	7.8	8.0	5.1
大分県	44.9	28.6	25.6	25.9	20.1	24.1	10.2	23.8	15.8	16.2	16.3	16.2	13.8	8.4	13.1	1.6	9.7
宮崎県	60.7	34.6	37.1	27.0	23.1	17.8	23.5	11.1	13.8	20.8	12.0	11.4	14.7	7.2	14.0	7.0	6.3
鹿児島県	38.9	47.6	34.2	38.9	24.0	29.2	32.0	18.2	18.4	18.0	12.9	27.1	8.4	21.0	9.2	4.4	6.7
沖縄県	0.0	21.7	15.7	13.3	15.0	14.2	3.9	11.4	1.9	5.7	2.0	5.6	5.4	5.2	0.0	0.0	6.0

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号18 劇症肝炎 Fulminant hepatitis (acute and subacute hepatic failure/necrosis)

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
男																
北海道	7.3	7.3	4.6	3.6	4.1	4.7	2.8	5.2	3.4	3.0	2.1	3.6	2.6	3.4	2.0	2.2
青森県	6.1	2.0	5.1	7.1	8.5	7.6	1.9	2.0	5.8	6.3	1.7	4.9	5.9	0.6	4.2	2.8
岩手県	2.7	8.5	5.9	6.2	5.5	6.8	2.2	5.5	2.5	3.6	3.9	4.6	4.8	4.1	4.8	2.9
宮城県	6.8	5.3	2.1	2.1	2.7	3.3	1.9	5.1	1.5	1.0	2.4	2.5	4.1	0.7	0.8	5.2
秋田県	4.0	3.9	3.8	11.8	3.6	3.7	3.4	4.2	8.3	3.5	2.4	3.8	3.1	0.0	6.6	3.3
山形県	4.9	4.2	4.3	4.3	6.8	5.4	6.4	7.5	3.4	2.1	1.1	1.8	2.2	3.2	0.0	2.1
福島県	6.5	5.4	7.2	5.2	5.9	5.2	4.9	1.8	4.6	1.7	5.6	3.6	4.4	3.3	0.0	1.4
茨城県	4.0	4.5	1.1	7.2	4.4	4.2	3.5	3.0	1.3	2.5	1.5	2.1	2.6	2.4	1.9	2.5
栃木県	8.2	1.7	1.9	2.4	0.0	4.7	3.4	1.5	0.6	1.2	2.3	3.2	1.7	1.6	0.5	0.5
群馬県	2.9	5.1	3.5	5.0	6.0	6.4	3.6	2.8	2.3	2.5	1.7	1.8	2.1	1.1	0.8	1.8
埼玉県	2.7	3.6	2.6	3.1	3.7	2.0	2.3	1.3	1.9	2.4	2.1	1.1	1.9	1.4	1.4	1.1
千葉県	3.9	2.9	5.1	3.6	2.3	3.8	3.4	1.0	2.3	0.9	2.8	2.1	1.6	1.6	0.6	0.9
東京都	3.5	3.9	2.8	2.8	4.3	2.8	1.8	2.1	2.4	2.1	1.9	1.2	2.0	1.4	2.0	1.7
神奈川県	1.6	3.4	2.2	3.5	2.2	2.7	1.8	1.7	1.7	2.9	1.7	2.1	1.1	1.2	0.6	1.6
新潟県	4.1	3.2	3.9	5.5	7.2	6.9	2.8	1.3	4.1	4.1	2.2	2.0	0.4	3.6	0.7	1.8
富山県	9.9	8.5	3.3	8.3	3.2	4.1	3.0	5.2	2.3	6.9	2.5	2.5	2.0	3.8	1.0	3.1
石川県	3.3	4.2	8.6	4.1	1.3	0.0	0.0	2.2	4.6	1.3	2.2	2.3	2.3	8.5	6.3	0.7
福井県	6.6	2.0	0.0	1.8	2.6	8.3	3.7	0.0	3.9	0.0	0.0	5.0	7.5	4.3	3.2	0.0
山梨県	6.8	2.5	6.5	4.5	3.5	5.2	3.4	2.9	8.1	0.0	3.6	0.0	1.9	2.5	3.7	3.8
長野県	4.0	8.2	2.5	6.0	2.6	1.4	0.6	2.8	7.2	4.5	1.8	3.7	2.2	1.3	2.6	1.1
岐阜県	3.4	2.6	5.1	3.5	3.9	1.6	0.7	5.6	2.7	1.2	2.9	1.3	2.7	1.6	2.0	2.5
静岡県	6.5	3.7	4.2	4.2	1.9	2.0	4.2	1.4	4.3	1.6	4.7	1.8	2.0	0.9	1.5	0.5
愛知県	4.4	4.2	3.1	4.4	1.9	2.6	1.5	2.1	1.8	1.4	0.8	1.0	2.7	0.9	1.9	1.5
三重県	3.4	3.3	3.3	1.9	4.4	1.2	4.9	0.8	3.1	3.0	2.1	1.9	0.8	2.8	4.2	3.1
滋賀県	5.1	5.7	6.1	1.2	2.3	0.0	6.7	1.0	3.2	3.0	2.0	2.0	3.2	4.3	1.8	2.1
京都府	5.2	7.9	4.9	1.7	4.1	1.8	1.0	3.3	2.7	4.0	2.5	1.5	0.9	2.2	2.2	0.4
大阪府	5.3	4.5	4.9	3.3	3.5	2.8	2.9	3.6	2.7	1.6	2.3	2.3	3.1	1.9	2.6	1.9
兵庫県	3.7	7.1	4.0	4.8	2.0	2.5	3.1	1.0	2.9	4.3	4.7	4.6	1.2	3.6	2.1	3.5
奈良県	1.2	0.0	2.8	1.0	4.9	0.0	2.8	1.1	5.6	5.2	3.6	1.6	1.6	0.7	1.5	0.8
和歌山県	14.9	5.2	5.2	2.0	6.8	1.4	2.7	3.0	6.8	0.0	1.2	5.3	4.4	1.6	1.1	3.2
鳥取県	3.3	6.2	2.6	5.0	0.0	2.4	5.6	0.0	0.0	4.7	4.2	0.0	0.0	4.8	3.5	0.0
島根県	4.9	12.1	2.2	4.4	0.0	0.0	9.6	3.0	8.8	12.2	2.5	7.1	5.1	1.5	3.4	5.1
岡山県	11.0	2.7	2.9	5.6	2.6	2.1	4.7	2.6	4.3	2.6	0.0	2.2	4.3	1.7	2.4	2.8
広島県	5.1	6.9	2.6	5.6	2.1	3.5	3.1	0.5	0.5	3.1	3.4	3.0	3.4	3.8	3.7	2.5
山口県	10.6	10.1	3.5	6.7	3.2	1.8	3.1	8.8	0.8	1.9	3.8	3.4	3.9	3.4	7.0	0.8
徳島県	15.7	9.4	10.2	5.8	11.2	6.8	2.8	8.4	1.7	5.2	1.5	1.5	4.5	1.5	0.0	1.2
香川県	2.0	8.5	1.5	4.5	6.0	6.9	1.4	1.6	0.0	1.3	1.5	4.8	0.0	0.0	4.7	2.0
愛媛県	8.9	3.9	2.5	7.3	9.6	1.9	10.3	5.5	0.9	4.1	3.7	3.9	1.9	3.2	2.9	2.8
高知県	17.5	10.9	3.3	2.0	6.4	4.1	6.2	0.0	6.6	9.3	5.5	9.2	4.9	1.5	5.2	10.0
福岡県	6.0	8.6	5.0	3.6	4.5	6.4	4.4	2.8	4.7	3.3	3.4	5.2	3.2	1.2	0.9	2.1
佐賀県	8.8	4.5	2.2	9.5	1.8	6.2	5.2	4.1	4.8	3.1	1.5	2.9	4.4	0.0	2.5	6.5
長崎県	3.9	7.4	4.7	3.6	8.6	5.9	3.8	9.0	0.8	4.9	4.9	2.3	5.1	0.7	5.4	2.6
熊本県	2.2	3.0	2.7	1.9	4.2	1.6	4.4	2.7	3.2	0.9	2.3	0.7	3.0	4.9	2.5	3.9
大分県	4.4	2.7	2.7	5.5	4.0	1.4	5.0	5.3	3.4	2.4	2.8	5.3	3.1	3.0	8.1	2.1
宮崎県	12.8	13.3	1.3	8.4	0.0	0.0	8.5	5.0	3.6	8.9	6.0	4.5	2.0	5.3	1.1	3.2
鹿児島県	6.4	12.2	5.6	6.4	9.0	6.3	7.4	3.2	8.8	7.8	5.1	4.6	3.7	3.3	6.7	0.6
沖縄県	4.4	5.8	1.3	0.0	3.7	5.6	2.5	2.0	1.2	0.9	4.0	4.0	6.3	0.8	2.7	4.0

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号18 劇症肝炎 Fulminant hepatitis (acute and subacute hepatic failure/necrosis)

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
女																	
北海道	26.7	28.1	21.6	26.6	17.4	14.9	16.5	15.4	10.3	7.8	6.5	7.5	8.0	7.9	8.5	5.9	6.0
青森県	15.5	13.2	42.9	11.4	18.7	8.0	12.2	15.6	15.0	11.8	7.2	9.7	7.8	8.8	2.4	4.8	2.5
岩手県	23.3	29.1	26.9	21.3	12.8	24.5	17.5	17.0	8.6	11.1	5.8	8.9	11.0	10.8	2.7	2.4	7.3
宮城県	27.8	20.9	26.1	12.0	13.8	14.8	9.2	12.9	10.7	7.7	10.3	6.9	7.5	9.1	6.1	4.8	1.6
秋田県	26.2	50.7	18.9	15.8	11.2	16.6	13.1	5.1	15.6	12.7	9.1	0.0	4.7	6.1	4.4	4.4	4.1
山形県	24.5	34.6	42.7	20.4	27.8	24.7	30.1	14.8	13.5	22.1	11.9	13.2	0.0	10.7	3.0	7.2	8.4
福島県	19.2	46.2	16.1	24.9	16.2	21.1	14.3	11.5	15.4	10.8	12.4	8.0	3.9	8.4	3.6	1.7	4.1
茨城県	26.8	23.8	23.9	35.7	15.8	10.0	15.5	13.0	10.8	9.9	8.2	7.8	4.6	5.9	5.7	2.8	3.3
栃木県	27.7	20.3	25.0	18.8	28.3	18.5	11.9	9.6	8.7	13.0	12.1	7.8	5.4	4.3	5.1	6.0	3.0
群馬県	31.1	33.6	27.2	24.7	8.7	17.1	16.3	14.6	16.2	8.4	4.6	6.7	4.3	3.1	4.0	7.6	4.0
埼玉県	20.1	14.9	18.3	8.8	9.5	11.9	7.5	10.8	3.8	4.6	4.0	4.6	3.3	3.1	3.9	2.8	2.4
千葉県	13.2	23.8	12.6	11.9	9.2	3.7	12.0	5.9	5.8	5.4	4.5	4.8	5.7	3.5	4.8	3.9	1.2
東京都	18.1	17.9	11.4	11.7	6.4	8.9	9.8	6.6	6.1	4.3	6.0	4.2	4.3	4.6	4.6	2.3	6.6
神奈川県	16.6	15.6	12.8	8.0	6.1	5.5	4.8	3.5	3.3	4.0	6.1	3.3	3.2	5.0	2.6	3.2	3.3
新潟県	18.9	23.3	19.2	20.3	18.6	10.7	7.0	4.3	10.1	1.9	5.2	4.3	7.3	5.5	1.5	2.3	1.4
富山県	20.9	35.6	13.2	21.8	19.3	14.1	13.5	8.7	15.1	12.1	7.6	7.1	7.2	6.9	12.9	4.6	6.3
石川県	31.8	18.4	22.7	23.2	24.5	7.1	7.5	10.8	10.8	13.7	8.0	5.6	7.0	1.7	6.6	9.1	3.1
福井県	44.3	32.9	31.2	22.6	15.9	13.2	12.3	6.1	15.2	6.0	10.8	10.4	4.9	9.5	9.2	2.2	4.2
山梨県	23.2	14.5	32.0	19.0	7.2	15.6	3.1	8.0	3.2	16.7	12.9	0.0	4.8	9.4	2.4	0.0	2.0
長野県	23.6	22.3	27.2	22.4	14.3	11.2	14.3	20.8	8.0	4.2	6.7	5.7	8.5	6.4	1.7	2.5	3.2
岐阜県	22.7	27.2	30.7	18.0	24.8	23.8	9.1	4.9	15.1	12.4	11.5	9.2	8.9	5.8	5.6	8.9	4.4
静岡県	17.2	16.6	15.6	18.2	11.6	10.7	10.4	6.7	5.2	1.3	5.0	7.2	5.2	1.1	1.6	1.5	2.9
愛知県	25.4	15.4	19.7	18.0	10.7	11.3	10.7	5.9	9.3	7.5	9.3	6.1	3.5	5.3	4.1	4.0	2.1
三重県	22.7	12.9	14.5	17.2	15.8	15.5	4.4	18.7	10.1	9.2	15.7	9.5	5.7	5.6	6.3	5.4	5.0
滋賀県	17.9	25.4	28.0	6.4	16.9	23.6	9.6	29.6	15.7	16.1	9.2	3.8	3.6	3.4	3.4	3.3	7.5
京都府	22.8	13.2	28.5	20.3	16.0	3.0	14.2	4.6	7.1	11.5	5.8	3.2	4.7	4.5	4.4	5.6	5.3
大阪府	15.5	11.6	15.2	12.5	9.6	8.1	7.0	9.9	5.4	5.9	5.9	5.8	6.2	6.2	3.3	3.4	3.4
兵庫県	18.9	18.6	16.9	18.4	12.1	8.1	10.5	8.4	10.3	8.1	7.7	6.7	5.8	5.5	6.4	3.1	5.9
奈良県	13.6	14.7	16.9	16.1	10.7	14.9	13.6	16.5	7.2	7.1	10.2	5.0	3.1	7.4	1.4	5.4	1.4
和歌山県	20.5	32.2	16.8	24.1	8.8	13.2	22.0	14.4	4.5	12.3	9.8	5.8	11.0	5.3	12.0	10.3	6.5
鳥取県	20.8	12.0	11.2	17.3	17.3	7.6	19.2	7.3	7.1	14.8	6.4	13.1	3.2	0.0	3.0	2.8	6.3
島根県	45.1	20.7	25.7	20.4	23.4	23.8	23.4	26.3	23.1	8.5	5.5	12.5	2.5	2.4	2.3	4.8	4.4
岡山県	16.8	20.4	17.5	20.4	15.9	9.2	6.2	2.3	4.6	6.6	6.7	5.5	6.3	7.1	3.0	6.6	5.3
広島県	28.3	15.7	29.0	22.4	11.6	13.8	16.0	9.9	7.9	9.1	10.1	6.6	5.7	9.7	5.9	2.6	3.8
山口県	27.3	23.2	26.7	23.1	21.0	14.8	16.5	12.7	1.3	13.0	5.2	7.7	13.6	10.7	3.5	6.7	3.1
徳島県	21.0	15.6	24.3	20.1	19.1	25.1	22.8	13.8	10.5	7.0	9.3	14.9	12.0	13.8	6.6	8.5	0.0
香川県	30.8	27.9	23.1	24.9	20.2	20.4	11.9	6.9	7.1	9.1	6.5	16.2	2.0	5.7	12.8	3.6	1.6
愛媛県	16.2	31.5	19.3	16.8	19.8	18.5	12.1	6.4	14.0	14.6	13.9	4.0	3.9	7.5	7.2	8.0	5.8
高知県	31.2	41.4	48.8	25.9	35.0	12.1	14.2	19.1	10.6	18.0	5.2	7.2	7.0	2.3	13.4	4.3	4.0
福岡県	26.5	24.9	29.9	17.3	14.5	17.1	13.9	10.8	10.2	10.0	2.7	6.5	6.3	4.9	6.7	6.0	3.0
佐賀県	29.1	47.2	22.8	28.6	38.8	12.3	23.4	11.2	2.8	11.5	9.9	21.0	20.1	10.8	14.8	6.2	3.9
長崎県	35.0	32.2	28.3	27.2	29.9	20.0	9.0	12.0	8.1	19.1	9.0	11.5	5.0	8.4	9.3	3.4	7.6
熊本県	23.8	25.3	23.1	19.3	24.8	13.3	16.1	19.2	12.2	8.5	16.1	7.6	5.4	10.4	5.0	3.7	3.9
大分県	41.0	22.2	36.9	23.4	16.7	25.5	17.8	7.3	19.8	13.4	8.5	9.8	9.3	7.6	4.4	7.2	8.5
宮崎県	35.3	38.8	29.0	32.2	14.0	17.8	15.4	16.3	19.0	13.1	11.1	7.0	6.8	8.1	1.5	7.6	2.9
鹿児島県	36.3	41.8	35.6	36.1	23.7	25.5	24.3	20.9	20.4	17.6	18.8	12.1	17.1	12.5	11.0	6.1	9.4
沖縄県	0.0	20.1	8.7	10.0	6.5	7.9	8.6	2.0	10.4	3.8	2.0	1.9	3.5	6.7	1.6	3.3	12.6

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号18 劇症肝炎 Fulminant hepatitis (acute and subacute hepatic failure/necrosis)

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
女																
北海道	7.2	4.0	5.4	5.0	4.3	4.3	1.9	3.3	2.7	0.5	2.8	3.1	2.2	2.5	1.7	1.4
青森県	6.5	4.2	2.1	2.1	6.1	2.6	4.2	1.5	1.8	2.9	0.6	0.5	3.1	1.2	0.5	3.7
岩手県	4.6	8.3	10.4	3.6	3.5	3.3	4.3	5.6	1.1	2.0	0.0	3.1	4.3	1.4	1.1	1.8
宮城県	5.3	3.0	1.4	0.7	1.7	2.7	2.1	3.1	2.3	2.1	0.7	2.0	1.2	1.1	0.6	1.8
秋田県	4.3	2.8	3.4	2.2	3.0	3.8	3.3	3.1	3.0	2.3	3.3	1.8	1.8	1.1	2.8	0.0
山形県	3.8	3.8	1.7	1.4	2.3	3.1	0.9	3.2	0.8	1.0	4.6	0.0	0.8	1.9	3.3	0.6
福島県	1.5	2.2	3.2	3.9	3.5	3.0	2.1	3.9	5.2	3.0	1.8	1.4	2.9	1.5	1.0	1.7
茨城県	3.1	1.1	1.6	3.6	3.8	2.9	2.6	2.3	0.0	3.0	2.0	1.7	1.1	0.3	2.7	1.1
栃木県	5.6	2.5	2.5	2.7	3.1	2.4	2.5	0.6	1.2	1.6	1.7	1.4	0.4	0.4	0.9	0.0
群馬県	3.7	1.8	1.2	2.2	2.5	2.1	1.9	1.6	1.1	3.9	1.1	1.7	0.9	0.4	1.0	2.9
埼玉県	1.9	1.5	3.7	2.3	3.2	1.2	2.0	2.1	1.5	1.0	1.8	0.5	0.5	1.9	0.5	0.9
千葉県	2.4	4.1	2.5	2.8	1.8	2.5	1.7	2.0	1.7	1.8	1.0	1.2	1.2	1.1	0.5	1.0
東京都	2.1	2.2	1.7	2.5	2.1	2.3	2.0	1.9	1.4	2.0	1.7	0.8	1.9	1.5	1.0	0.7
神奈川県	3.0	1.7	2.4	0.4	1.0	1.6	2.2	1.2	0.5	1.7	1.7	0.9	0.5	1.1	1.2	0.5
新潟県	4.7	0.8	3.7	1.6	4.9	4.1	2.4	2.4	1.3	0.0	3.6	1.3	2.2	0.9	0.3	1.4
富山県	4.0	2.7	3.3	2.5	4.3	4.2	4.0	1.6	2.5	1.5	0.0	2.7	2.4	0.0	1.2	1.5
石川県	1.4	4.8	0.0	5.0	2.5	5.4	3.1	6.2	0.8	0.8	1.4	4.0	4.6	2.7	0.6	1.9
福井県	0.0	5.8	3.6	2.5	3.5	3.2	5.3	0.0	2.4	2.4	1.5	2.5	0.0	3.3	0.0	0.0
山梨県	6.7	0.0	3.7	3.5	0.0	0.0	1.3	3.0	3.3	1.1	5.8	1.1	1.0	0.9	0.9	2.6
長野県	4.6	4.0	1.6	3.5	3.6	2.2	2.6	0.5	3.2	1.7	2.3	1.7	1.8	2.4	4.1	2.5
岐阜県	4.6	4.9	2.9	2.0	1.8	4.4	1.9	1.3	1.9	1.5	2.8	1.0	2.2	1.3	1.9	2.6
静岡県	2.0	2.5	2.7	4.1	0.8	1.9	2.6	3.0	1.7	1.7	0.9	1.2	0.6	2.0	1.2	2.5
愛知県	2.9	2.4	3.3	2.7	3.2	2.5	2.1	1.8	1.7	1.2	1.4	1.0	1.3	1.3	0.9	1.2
三重県	1.9	5.6	2.3	1.6	0.0	2.2	1.3	3.1	2.8	3.1	0.0	1.4	1.2	1.2	1.2	1.9
滋賀県	0.0	4.2	2.3	2.5	3.1	2.0	1.5	0.9	3.1	1.6	1.5	1.4	1.4	0.0	0.0	2.8
京都府	3.0	3.9	2.8	3.0	2.7	3.1	2.5	0.8	3.8	1.3	0.7	1.0	0.9	1.1	1.3	4.4
大阪府	4.5	2.3	3.8	2.4	2.0	2.5	3.1	2.5	2.1	2.0	2.2	1.8	1.1	1.6	1.6	1.7
兵庫県	4.9	4.6	3.2	3.8	2.9	2.7	2.9	2.6	2.5	2.1	1.2	2.2	2.3	1.4	1.3	1.3
奈良県	5.5	3.8	0.0	3.0	2.0	1.1	0.0	0.8	0.0	1.7	1.7	1.6	0.0	0.6	0.0	0.0
和歌山県	8.0	4.6	4.0	10.7	3.0	0.0	5.3	4.4	3.4	3.1	2.2	0.8	6.1	4.1	0.0	0.7
鳥取県	0.0	2.4	8.4	5.2	0.0	6.8	1.9	4.1	0.0	0.0	3.7	3.0	2.8	0.0	2.9	3.9
島根県	4.2	3.9	2.2	3.4	1.6	3.0	0.0	4.2	2.7	5.3	3.0	2.9	1.1	1.4	0.0	3.7
岡山県	1.6	2.8	1.6	3.1	1.3	5.3	1.8	4.3	2.8	2.0	2.1	2.7	2.0	1.4	1.3	3.5
広島県	4.4	5.6	3.9	4.1	3.3	0.8	2.3	3.4	1.6	2.4	0.8	3.4	1.8	0.8	1.2	2.1
山口県	5.7	2.7	4.7	1.1	4.4	0.7	1.4	2.5	0.9	1.2	0.6	4.9	1.6	2.1	1.5	0.9
徳島県	10.2	6.3	6.7	3.5	9.9	3.0	5.1	3.1	1.2	5.0	4.4	2.6	1.6	5.2	0.9	1.8
香川県	8.2	3.1	4.6	4.2	3.6	6.4	2.6	1.1	3.0	3.7	0.0	0.0	2.2	0.8	0.8	1.3
愛媛県	6.9	4.4	6.1	8.0	2.8	4.2	4.3	3.5	3.7	5.8	2.6	3.2	3.6	1.8	0.0	1.7
高知県	9.7	4.0	5.6	1.7	4.3	4.9	5.9	1.4	2.9	3.0	2.5	8.8	3.4	1.1	4.3	3.2
福岡県	4.6	2.7	1.9	3.2	3.3	2.0	2.6	2.3	2.0	1.9	2.8	1.9	2.5	1.0	2.5	0.7
佐賀県	6.5	3.9	1.6	10.5	1.8	8.5	3.5	0.0	4.5	2.3	1.5	7.4	2.4	5.7	2.4	1.8
長崎県	3.1	7.9	2.7	0.8	4.9	1.8	4.0	3.9	4.5	3.1	2.0	3.4	2.6	0.0	3.7	2.4
熊本県	6.4	2.5	5.0	0.0	4.9	0.0	0.0	1.9	2.3	4.7	2.3	1.2	1.8	0.9	3.0	1.8
大分県	11.5	2.4	5.0	3.3	4.1	1.0	2.2	4.4	6.0	4.5	1.8	1.8	1.4	1.7	1.2	1.2
宮崎県	1.3	1.6	3.6	6.9	5.3	3.2	9.8	0.9	5.2	1.1	2.6	2.2	1.4	1.5	0.0	2.6
鹿児島県	10.3	7.4	7.3	4.8	9.5	5.5	5.3	2.8	5.4	4.6	2.7	4.8	5.7	4.3	2.8	2.1
沖縄県	5.7	5.9	9.2	5.9	1.3	1.3	3.1	4.2	2.1	0.0	3.1	3.8	2.7	1.2	1.5	1.6

表6 特定疾患治療研究対象疾患の都道府県別の年齢調整死亡率(/100万)

疾患番号18 劇症肝炎 Fluminant hepatitis (viral hepatitis with hepatic coma)

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
男																	
北海道	-	-	-	-	-	-	-	16.6	15.8	14.2	11.8	15.6	15.0	18.4	14.9	11.9	10.2
青森県	-	-	-	-	-	-	-	18.3	14.4	12.3	10.4	18.2	13.8	13.7	12.1	14.9	10.5
岩手県	-	-	-	-	-	-	-	21.1	13.9	15.2	9.5	15.3	7.5	10.1	12.5	12.5	10.6
宮城県	-	-	-	-	-	-	-	9.7	11.9	11.8	10.9	5.7	10.5	11.2	7.1	10.8	11.6
秋田県	-	-	-	-	-	-	-	15.9	12.9	20.9	10.5	11.9	20.4	11.7	10.0	13.0	7.7
山形県	-	-	-	-	-	-	-	15.0	7.6	10.3	13.8	11.6	18.1	11.5	4.8	9.6	7.6
福島県	-	-	-	-	-	-	-	19.3	14.5	23.0	14.5	14.4	22.2	6.9	23.4	7.5	10.1
茨城県	-	-	-	-	-	-	-	10.7	15.6	12.5	15.0	12.2	7.5	11.1	7.2	6.9	9.3
栃木県	-	-	-	-	-	-	-	10.6	12.3	16.0	6.8	19.0	11.0	10.8	11.5	9.1	9.2
群馬県	-	-	-	-	-	-	-	10.6	10.6	15.5	12.6	14.3	10.9	6.3	7.2	9.1	11.8
埼玉県	-	-	-	-	-	-	-	8.1	7.0	12.1	8.9	7.7	7.3	10.1	9.7	5.3	4.2
千葉県	-	-	-	-	-	-	-	8.2	9.3	9.6	8.8	8.0	5.1	5.0	4.8	9.4	2.7
東京都	-	-	-	-	-	-	-	8.4	10.9	8.6	6.2	7.7	9.0	7.9	7.2	8.5	6.5
神奈川県	-	-	-	-	-	-	-	9.2	9.9	10.0	8.2	7.6	10.6	6.6	7.6	4.9	9.1
新潟県	-	-	-	-	-	-	-	10.3	13.8	8.4	6.0	5.1	5.9	10.0	2.4	4.1	8.2
富山県	-	-	-	-	-	-	-	12.2	5.4	5.8	12.0	17.4	16.9	24.1	7.2	7.4	3.3
石川県	-	-	-	-	-	-	-	16.0	11.3	5.9	18.4	9.4	12.9	5.4	7.1	10.3	8.6
福井県	-	-	-	-	-	-	-	19.5	4.8	4.9	17.8	15.6	2.7	2.5	17.5	21.4	16.2
山梨県	-	-	-	-	-	-	-	23.5	0.0	15.9	12.3	12.3	10.1	17.2	9.6	7.5	11.3
長野県	-	-	-	-	-	-	-	6.7	13.4	7.1	11.0	8.9	8.8	8.7	9.4	8.1	8.3
岐阜県	-	-	-	-	-	-	-	2.4	12.1	9.5	9.7	9.6	9.4	7.1	9.0	1.9	4.9
静岡県	-	-	-	-	-	-	-	11.1	6.4	8.1	11.5	8.9	11.7	8.0	7.9	11.5	7.6
愛知県	-	-	-	-	-	-	-	7.9	7.2	9.9	5.6	9.8	7.9	9.6	7.0	6.7	6.4
三重県	-	-	-	-	-	-	-	6.8	3.8	7.2	8.6	11.1	10.7	8.3	6.9	8.0	2.3
滋賀県	-	-	-	-	-	-	-	18.1	3.7	3.7	5.8	12.7	3.5	8.8	5.1	8.2	6.9
京都府	-	-	-	-	-	-	-	2.7	10.5	9.4	11.6	9.7	13.6	12.7	14.6	11.5	6.7
大阪府	-	-	-	-	-	-	-	12.2	12.1	8.8	10.9	11.2	11.7	11.2	9.6	7.9	10.4
兵庫県	-	-	-	-	-	-	-	7.3	7.5	5.8	9.8	13.5	10.7	11.7	9.2	5.3	12.2
奈良県	-	-	-	-	-	-	-	13.5	7.7	9.3	12.1	10.3	11.1	11.1	7.6	18.3	1.8
和歌山県	-	-	-	-	-	-	-	21.3	11.5	14.5	3.6	13.9	9.7	5.8	9.5	9.5	5.3
鳥取県	-	-	-	-	-	-	-	13.8	11.3	7.3	10.5	10.3	6.9	13.5	6.5	0.0	2.9
島根県	-	-	-	-	-	-	-	17.0	16.2	7.6	7.7	14.0	2.7	5.2	7.9	12.8	5.3
岡山県	-	-	-	-	-	-	-	5.4	9.0	13.0	9.2	10.0	9.8	9.7	16.1	5.1	9.3
広島県	-	-	-	-	-	-	-	9.0	10.6	10.6	6.1	15.0	8.9	13.1	5.8	7.8	5.0
山口県	-	-	-	-	-	-	-	21.9	8.0	18.6	13.1	12.3	8.1	13.1	9.1	10.6	11.3
徳島県	-	-	-	-	-	-	-	14.8	10.2	13.5	8.4	18.2	20.5	5.0	7.6	9.8	17.2
香川県	-	-	-	-	-	-	-	1.6	10.3	11.5	7.9	8.4	6.3	6.1	10.3	11.9	12.5
愛媛県	-	-	-	-	-	-	-	11.7	5.8	2.8	7.5	15.6	4.2	9.6	6.9	5.2	5.5
高知県	-	-	-	-	-	-	-	22.6	14.4	18.8	10.5	22.8	12.7	27.6	12.2	11.7	14.1
福岡県	-	-	-	-	-	-	-	9.5	8.1	12.1	8.5	9.6	10.4	9.3	9.5	8.1	4.8
佐賀県	-	-	-	-	-	-	-	2.9	10.3	9.7	24.6	11.8	17.3	9.6	11.8	14.5	6.5
長崎県	-	-	-	-	-	-	-	7.4	15.4	11.2	10.7	5.6	9.3	7.9	10.2	9.2	5.3
熊本県	-	-	-	-	-	-	-	11.0	11.1	5.6	11.1	12.1	5.8	14.9	6.8	7.8	5.4
大分県	-	-	-	-	-	-	-	14.3	9.3	12.5	16.0	10.5	10.3	3.4	5.0	15.4	10.1
宮崎県	-	-	-	-	-	-	-	9.4	6.8	11.4	11.4	12.9	12.7	14.3	17.8	13.9	10.4
鹿児島県	-	-	-	-	-	-	-	14.5	14.7	21.2	16.7	21.1	18.9	10.5	13.8	6.8	7.4
沖縄県	-	-	-	-	-	-	-	7.9	10.6	5.5	7.6	5.3	15.8	3.4	15.2	8.1	9.8