

表 8

Table 8

解剖数, 解剖率

Number of autopsies and autopsy rates

表8 特定疾患治療研究対象疾患の解剖数、解剖率

## 疾患番号1 ベーチェット病 Behçet's disease/Behçet's syndrome

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	58	40	18	8	4	4	13.8	10.0	22.2
1980	78	54	24	8	7	1	10.3	13.0	4.2
1981	71	43	28	6	4	2	8.5	9.3	7.1
1982	67	46	21	9	7	2	13.4	15.2	9.5
1983	77	47	30	10	6	4	13.0	12.8	13.3
1984	62	48	14	12	9	3	19.4	18.8	21.4
1985	50	31	19	3	1	2	6.0	3.2	10.5
1986	49	31	18	5	5	0	10.2	16.1	-
1987	54	33	21	9	8	1	16.7	24.2	4.8
1988	52	35	17	11	6	5	21.2	17.1	29.4
1989	66	46	20	6	4	2	9.1	8.7	10.0
1990	44	26	18	3	0	3	6.8	-	16.7
1991	57	34	23	6	3	3	10.5	8.8	13.0
1992	54	33	21	5	3	2	9.3	9.1	9.5
1993	63	42	21	3	2	1	4.8	4.8	4.8
1994	44	26	18	3	2	1	6.8	7.7	5.6
1995	64	35	29	14	8	6	21.9	22.9	20.7
1996	54	34	20	6	5	1	11.1	14.7	5.0
1997	51	29	22	3	0	3	5.9	-	13.6
1998	69	47	22	7	4	3	10.1	8.5	13.6
1999	45	25	20	3	1	2	6.7	4.0	10.0
2000	52	35	17	4	4	0	7.7	11.4	0.0
2001	43	27	16	6	3	3	14.0	11.1	18.8
2002	54	43	11	8	8	0	14.8	18.6	-
2003	48	23	25	5	3	2	10.4	13.0	8.0
2004	67	45	22	7	6	1	10.4	13.3	4.5

表8 特定疾患治療研究対象疾患の解剖数、解剖率

## 疾患番号2 多発性硬化症 Multiple sclerosis

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	70	32	38	5	2	3	7.1	6.3	7.9
1980	78	33	45	10	4	6	12.8	12.1	13.3
1981	68	29	39	2	1	1	2.9	3.4	2.6
1982	61	28	33	4	3	1	6.6	10.7	3.0
1983	86	32	54	8	5	3	9.3	15.6	5.6
1984	61	29	32	8	4	4	13.1	13.8	12.5
1985	81	28	53	8	5	3	9.9	17.9	5.7
1986	69	27	42	5	2	3	7.2	7.4	7.1
1987	62	25	37	10	2	8	16.1	8.0	21.6
1988	60	22	38	9	2	7	15.0	9.1	18.4
1989	64	25	39	7	4	3	10.9	16.0	7.7
1990	64	25	39	6	0	6	9.4	0.0	15.4
1991	46	12	34	3	1	2	6.5	8.3	5.9
1992	48	22	26	1	0	1	2.1	-	3.8
1993	59	23	36	3	1	2	5.1	4.3	5.6
1994	60	19	41	2	0	2	3.3	-	4.9
1995	63	19	44	13	5	8	20.6	26.3	18.2
1996	76	28	48	8	3	5	10.5	10.7	10.4
1997	67	22	45	7	4	3	10.4	18.2	6.7
1998	68	19	49	6	1	5	8.8	5.3	10.2
1999	70	23	47	4	2	2	5.7	8.7	4.3
2000	52	17	35	5	1	4	9.6	5.9	11.4
2001	57	16	41	3	0	3	5.3	-	7.3
2002	69	14	55	6	2	4	8.7	14.3	7.3
2003	75	24	51	5	3	2	6.7	12.5	3.9
2004	85	24	61	5	2	3	5.9	8.3	4.9

表8 特定疾患治療研究対象疾患の解剖数、解剖率

## 疾患番号3 重症筋無力症 Myasthenia gravis

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	77	34	43	5	2	3	6.5	5.9	7.0
1980	85	35	50	9	2	7	10.6	5.7	14.0
1981	74	22	52	9	2	7	12.2	9.1	13.5
1982	68	27	41	5	4	1	7.4	14.8	2.4
1983	78	26	52	6	4	2	7.7	15.4	3.8
1984	59	18	41	2	1	1	3.4	5.6	2.4
1985	65	26	39	8	5	3	12.3	19.2	7.7
1986	44	24	20	2	1	1	4.5	4.2	5.0
1987	56	21	35	6	1	5	10.7	4.8	14.3
1988	57	19	38	2	1	1	3.5	5.3	2.6
1989	57	23	34	5	2	3	8.8	8.7	8.8
1990	59	23	36	3	1	2	5.1	4.3	5.6
1991	40	11	29	2	0	2	5.0	-	6.9
1992	44	9	35	1	0	1	2.3	-	2.9
1993	68	25	43	5	3	2	7.4	12.0	4.7
1994	54	21	33	4	1	3	7.4	4.8	9.1
1995	52	26	26	8	5	3	15.4	19.2	11.5
1996	46	14	32	5	0	5	10.9	-	15.6
1997	50	16	34	8	3	5	16.0	18.8	14.7
1998	50	17	33	7	1	6	14.0	5.9	18.2
1999	46	16	30	3	1	2	6.5	6.3	6.7
2000	39	13	26	2	0	2	5.1	-	7.7
2001	58	20	38	3	1	2	5.2	5.0	5.3
2002	57	15	42	7	3	4	12.3	20.0	9.5
2003	46	15	31	1	1	0	2.2	6.7	-
2004	51	11	40	2	1	1	3.9	9.1	2.5

表8 特定疾患治療研究対象疾患の解剖数、解剖率

## 疾患番号4 全身性エリテマトーデス Systemic lupus erythematosus

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	416	43	373	57	6	51	13.7	14.0	13.7
1980	485	56	429	64	6	58	13.2	10.7	13.5
1981	426	49	377	60	5	55	14.1	10.2	14.6
1982	457	54	403	68	10	58	14.9	18.5	14.4
1983	425	48	377	58	12	46	13.6	25.0	12.2
1984	432	42	390	57	8	49	13.2	19.0	12.6
1985	435	54	381	66	12	54	15.2	22.2	14.2
1986	354	45	309	33	5	28	9.3	11.1	9.1
1987	367	47	320	54	7	47	14.7	14.9	14.7
1988	358	59	299	53	12	41	14.8	20.3	13.7
1989	403	60	343	43	7	36	10.7	11.7	10.5
1990	374	52	322	42	9	33	11.2	17.3	10.2
1991	373	59	314	52	13	39	13.9	22.0	12.4
1992	371	57	314	40	6	34	10.8	10.5	10.8
1993	351	59	292	38	7	31	10.8	11.9	10.6
1994	355	47	308	34	5	29	9.6	10.6	9.4
1995	358	59	299	64	14	50	17.9	23.7	16.7
1996	357	66	291	56	13	43	15.7	19.7	14.8
1997	368	78	290	55	13	42	14.9	16.7	14.5
1998	348	60	288	42	10	32	12.1	16.7	11.1
1999	355	69	286	37	9	28	10.4	13.0	9.8
2000	338	59	279	57	9	48	16.9	15.3	17.2
2001	287	59	228	41	12	29	14.3	20.3	12.7
2002	328	68	260	41	6	35	12.5	8.8	13.5
2003	337	69	268	42	7	35	12.5	10.1	13.1
2004	282	54	228	32	10	22	11.3	18.5	9.6

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号5 スモン SMON

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-
1995	9	3	6	0	0	0	-	-	-
1996	13	0	13	0	0	0	-	-	-
1997	5	1	4	0	0	0	-	-	-
1998	7	2	5	0	0	0	-	-	-
1999	5	0	5	0	0	0	-	-	-
2000	1	1	0	0	0	0	-	-	-
2001	5	0	5	0	0	0	-	-	-
2002	6	0	6	0	0	0	-	-	-
2003	2	0	2	0	0	0	-	-	-
2004	6	0	6	0	0	0	-	-	-

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号5 薬物誘発性多発ニューロパチー Drug-induced polyneuropathy (スモンを含む)

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-
1995	9	3	6	0	0	0	-	-	-
1996	13	0	13	0	0	0	-	-	-
1997	5	1	4	0	0	0	-	-	-
1998	7	2	5	0	0	0	-	-	-
1999	5	0	5	0	0	0	-	-	-
2000	1	1	0	0	0	0	-	-	-
2001	5	0	5	0	0	0	-	-	-
2002	6	0	6	0	0	0	-	-	-
2003	2	0	2	0	0	0	-	-	-
2004	6	0	6	0	0	0	-	-	-

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号6 再生不良性貧血 Aplastic anemia

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	885	435	450	74	37	37	8.4	8.5	8.2
1980	869	433	436	75	36	39	8.6	8.3	8.9
1981	851	433	418	80	46	34	9.4	10.6	8.1
1982	870	425	445	80	44	36	9.2	10.4	8.1
1983	881	412	469	76	43	33	8.6	10.4	7.0
1984	876	455	421	77	43	34	8.8	9.5	8.1
1985	936	458	478	77	45	32	8.2	9.8	6.7
1986	882	409	473	79	32	47	9.0	7.8	9.9
1987	896	436	460	68	36	32	7.6	8.3	7.0
1988	903	469	434	71	40	31	7.9	8.5	7.1
1989	920	447	473	61	37	24	6.6	8.3	5.1
1990	900	436	464	82	36	46	9.1	8.3	9.9
1991	877	422	455	70	32	38	8.0	7.6	8.4
1992	877	401	476	49	27	22	5.6	6.7	4.6
1993	766	351	415	39	21	18	5.1	6.0	4.3
1994	896	395	501	50	29	21	5.6	7.3	4.2
1995	874	374	500	52	21	31	5.9	5.6	6.2
1996	881	400	481	60	26	34	6.8	6.5	7.1
1997	919	408	511	73	28	45	7.9	6.9	8.8
1998	875	348	527	60	19	41	6.9	5.5	7.8
1999	852	358	494	68	31	37	8.0	8.7	7.5
2000	812	374	438	61	32	29	7.5	8.6	6.6
2001	775	316	459	59	34	25	7.6	10.8	5.4
2002	789	337	452	48	32	16	6.1	9.5	3.5
2003	757	328	429	47	30	17	6.2	9.1	4.0
2004	787	336	451	40	19	21	0.1	5.7	4.7

表8 特定疾患治療研究対象疾患の解剖数、解剖率

## 疾患番号7 サルコイドーシス Sarcoidosis

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	26	11	15	5	2	3	19.2	18.2	20.0
1980	28	13	15	7	1	6	25.0	7.7	40.0
1981	25	11	14	3	1	2	12.0	9.1	14.3
1982	25	10	15	4	1	3	16.0	10.0	20.0
1983	34	9	25	1	0	1	2.9	-	4.0
1984	16	5	11	3	0	3	18.8	-	27.3
1985	23	10	13	5	2	3	21.7	20.0	23.1
1986	34	13	21	9	4	5	26.5	30.8	23.8
1987	26	16	10	5	3	2	19.2	18.8	20.0
1988	30	11	19	4	1	3	13.3	9.1	15.8
1989	33	8	25	8	1	7	24.2	12.5	28.0
1990	33	11	22	2	1	1	6.1	9.1	4.5
1991	47	14	33	11	6	5	23.4	42.9	15.2
1992	36	12	24	3	1	2	8.3	8.3	8.3
1993	52	20	32	5	0	5	9.6	-	15.6
1994	48	20	28	11	5	6	22.9	25.0	21.4
1995	70	34	36	16	9	7	22.9	26.5	19.4
1996	65	22	43	17	7	10	26.2	31.8	23.3
1997	61	20	41	12	4	8	19.7	20.0	19.5
1998	64	25	39	19	6	13	29.7	24.0	33.3
1999	69	27	42	12	4	8	17.4	14.8	19.0
2000	83	31	52	17	5	12	20.5	16.1	23.1
2001	73	20	53	13	3	10	17.8	15.0	18.9
2002	92	34	58	13	3	10	14.1	8.8	17.2
2003	100	42	58	17	8	9	17.0	19.0	15.5
2004	81	29	52	13	4	9	16.0	13.8	17.3

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号8 筋萎縮性側索硬化症 Amyotrophic lateral sclerosis

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-
1995	1031	579	452	87	56	31	8.4	9.7	6.9
1996	1166	658	508	130	78	52	11.1	11.9	10.2
1997	1144	634	510	125	79	46	10.9	12.5	9.0
1998	1179	666	513	131	76	55	11.1	11.4	10.7
1999	1181	673	508	137	89	48	11.6	13.2	9.4
2000	1202	666	536	131	68	63	10.9	10.2	11.8
2001	1225	692	533	119	80	39	9.7	11.6	7.3
2002	1337	761	576	128	77	51	9.6	10.1	8.9
2003	1338	749	589	120	74	46	9.0	9.9	7.8
2004	1370	786	584	123	74	49	9.0	9.4	8.4

表8 特定疾患治療研究対象疾患の解剖数、解剖率

## 疾患番号9 強皮症 Systemic sclerosis

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	139	24	115	18	2	16	12.9	8.3	13.9
1980	152	20	132	27	4	23	17.8	20.0	17.4
1981	148	33	115	23	4	19	15.5	12.1	16.5
1982	140	27	113	15	0	15	10.7	-	13.3
1983	144	33	111	20	7	13	13.9	21.2	11.7
1984	170	38	132	17	4	13	10.0	10.5	9.8
1985	149	32	117	26	8	18	17.4	25.0	15.4
1986	149	26	123	27	4	23	18.1	15.4	18.7
1987	165	27	138	18	1	17	10.9	3.7	12.3
1988	176	35	141	16	1	15	9.1	2.9	10.6
1989	159	42	117	19	5	14	11.9	11.9	12.0
1990	177	39	138	22	6	16	12.4	15.4	11.6
1991	168	33	135	18	2	16	10.7	6.1	11.9
1992	176	44	132	20	7	13	11.4	15.9	9.8
1993	195	51	144	19	5	14	9.7	9.8	9.7
1994	233	58	175	34	9	25	14.6	15.5	14.3
1995	81	20	61	13	6	7	16.0	30.0	11.5
1996	94	26	68	6	1	5	6.4	3.8	7.4
1997	72	26	46	9	2	7	12.5	7.7	15.2
1998	73	11	62	7	1	6	9.6	9.1	9.7
1999	70	12	58	13	2	11	18.6	16.7	19.0
2000	58	13	45	8	4	4	13.8	30.8	8.9
2001	35	9	26	4	1	3	11.4	11.1	11.5
2002	25	7	18	4	1	3	16.0	14.3	16.7
2003	31	6	25	0	0	0	-	-	-
2004	14	4	10	1	1	0	7.1	25.0	0.0

表8 特定疾患治療研究対象疾患の解剖数、解剖率

## 疾患番号10 特発性血小板減少性紫斑病 Idiopathic thrombocytopenic purpura

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	122	43	79	9	3	6	7.4	7.0	7.6
1980	130	40	90	10	4	6	7.7	10.0	6.7
1981	126	53	73	12	6	6	9.5	11.3	8.2
1982	134	43	91	8	2	6	6.0	4.7	6.6
1983	136	51	85	11	4	7	8.1	7.8	8.2
1984	125	50	75	8	3	5	6.4	6.0	6.7
1985	142	58	84	11	8	3	7.7	13.8	3.6
1986	132	57	75	10	6	4	7.6	10.5	5.3
1987	135	56	79	15	7	8	11.1	12.5	10.1
1988	134	53	81	10	5	5	7.5	9.4	6.2
1989	164	71	93	11	5	6	6.7	7.0	6.5
1990	169	60	109	7	1	6	4.1	1.7	5.5
1991	161	60	101	13	8	5	8.1	13.3	5.0
1992	161	70	91	13	9	4	8.1	12.9	4.4
1993	142	53	89	11	5	6	7.7	9.4	6.7
1994	200	84	116	10	5	5	5.0	6.0	4.3
1995	182	75	107	11	3	8	6.0	4.0	7.5
1996	146	62	84	11	4	7	7.5	6.5	8.3
1997	175	78	97	7	3	4	4.0	3.8	4.1
1998	196	78	118	11	4	7	5.6	5.1	5.9
1999	165	70	95	9	4	5	5.5	5.7	5.3
2000	202	75	127	18	11	7	8.9	14.7	5.5
2001	174	64	110	15	11	4	8.6	17.2	3.6
2002	183	72	111	9	5	4	4.9	6.9	3.6
2003	165	77	88	5	2	3	3.0	2.6	3.4
2004	188	83	105	2	1	1	1.1	1.2	1.0

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号11 結節性動脈周囲炎 Polyarteritis nodosa

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	47	26	21	14	10	4	29.8	38.5	19.0
1980	50	28	22	10	6	4	20.0	21.4	18.2
1981	46	27	19	8	5	3	17.4	18.5	15.8
1982	62	28	34	11	5	6	17.7	17.9	17.6
1983	65	37	28	14	10	4	21.5	27.0	14.3
1984	63	36	27	15	8	7	23.8	22.2	25.9
1985	74	44	30	10	5	5	13.5	11.4	16.7
1986	69	27	42	9	4	5	13.0	14.8	11.9
1987	73	38	35	12	9	3	16.4	23.7	8.6
1988	70	32	38	11	6	5	15.7	18.8	13.2
1989	71	34	37	14	7	7	19.7	20.6	18.9
1990	82	49	33	15	11	4	18.3	22.4	12.1
1991	85	40	45	15	5	10	17.6	12.5	22.2
1992	107	57	50	16	12	4	15.0	21.1	8.0
1993	117	59	58	17	8	9	14.5	13.6	15.5
1994	127	68	59	24	14	10	18.9	20.6	16.9
1995	132	75	57	23	13	10	17.4	17.3	17.5
1996	140	74	66	37	21	16	26.4	28.4	24.2
1997	170	87	83	41	21	20	24.1	24.1	24.1
1998	217	115	102	46	30	16	21.2	26.1	15.7
1999	210	103	107	38	22	16	18.1	21.4	15.0
2000	232	128	104	52	36	16	22.4	28.1	15.4
2001	224	97	127	26	12	14	11.6	12.4	11.0
2002	244	129	115	41	22	19	16.8	17.1	16.5
2003	208	116	92	40	27	13	19.2	23.3	14.1
2004	187	87	100	35	15	20	18.7	17.2	20.0

表8 特定疾患治療研究対象疾患の解剖数、解剖率

## 疾患番号12 潰瘍性大腸炎 Ulcerative colitis

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	186	82	104	9	6	3	4.8	7.3	2.9
1980	185	89	96	17	10	7	9.2	11.2	7.3
1981	180	87	93	14	10	4	7.8	11.5	4.3
1982	156	71	85	11	6	5	7.1	8.5	5.9
1983	160	63	97	14	6	8	8.8	9.5	8.2
1984	131	69	62	15	9	6	11.5	13.0	9.7
1985	147	59	88	10	6	4	6.8	10.2	4.5
1986	116	51	65	9	6	3	7.8	11.8	4.6
1987	87	44	43	6	4	2	6.9	9.1	4.7
1988	111	45	66	6	3	3	5.4	6.7	4.5
1989	93	35	58	2	2	0	2.2	5.7	-
1990	97	46	51	10	3	7	10.3	6.5	13.7
1991	94	33	61	5	3	2	5.3	9.1	3.3
1992	99	46	53	10	1	9	10.1	2.2	17.0
1993	102	59	43	4	3	1	3.9	5.1	2.3
1994	100	43	57	5	2	3	5.0	4.7	5.3
1995	98	46	52	1	1	0	1.0	2.2	-
1996	98	45	53	10	7	3	10.2	15.6	5.7
1997	96	52	44	8	5	3	8.3	9.6	6.8
1998	116	65	51	7	4	3	6.0	6.2	5.9
1999	109	64	45	11	7	4	10.1	10.9	8.9
2000	109	67	42	13	11	2	11.9	16.4	4.8
2001	106	58	48	15	9	6	14.2	15.5	12.5
2002	119	72	47	6	6	0	5.0	8.3	-
2003	115	67	48	14	11	3	12.2	16.4	6.3
2004	111	63	48	6	4	2	5.4	6.3	4.2

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号13 大動脈炎症候群(高安病) Aortic arch syndrome [Takayasu]

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	45	13	32	6	1	5	13.3	7.7	15.6
1980	70	19	51	8	0	8	11.4	-	15.7
1981	70	16	54	8	3	5	11.4	18.8	9.3
1982	38	6	32	4	0	4	10.5	-	12.5
1983	50	12	38	10	3	7	20.0	25.0	18.4
1984	63	15	48	5	2	3	7.9	13.3	6.3
1985	60	11	49	9	2	7	15.0	18.2	14.3
1986	51	9	42	10	2	8	19.6	22.2	19.0
1987	57	11	46	7	2	5	12.3	18.2	10.9
1988	60	10	50	9	2	7	15.0	20.0	14.0
1989	48	11	37	3	0	3	6.3	-	8.1
1990	52	12	40	4	1	3	7.7	8.3	7.5
1991	57	11	46	10	3	7	17.5	27.3	15.2
1992	77	11	66	7	0	7	9.1	-	10.6
1993	49	10	39	3	2	1	6.1	20.0	2.6
1994	74	7	67	3	1	2	4.1	14.3	3.0
1995	14	4	10	2	0	2	14.3	-	20.0
1996	60	12	48	7	3	4	11.7	25.0	8.3
1997	65	12	53	12	2	10	18.5	16.7	18.9
1998	48	10	38	7	2	5	14.6	20.0	13.2
1999	48	4	44	5	1	4	10.4	25.0	9.1
2000	54	6	48	8	1	7	14.8	16.7	14.6
2001	43	8	35	5	2	3	11.6	25.0	8.6
2002	51	7	44	5	1	4	9.8	14.3	9.1
2003	51	7	44	8	2	6	15.7	28.6	13.6
2004	39	8	31	7	3	4	17.9	37.5	12.9

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号14 バージェー病(ビュルガー病) Thromboangitis obliterans [Buerger]

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	29	25	4	0	0	0	-	-	-
1980	32	27	5	4	3	1	12.5	11.1	20.0
1981	32	24	8	1	1	0	3.1	4.2	-
1982	44	33	11	0	0	0	-	-	-
1983	44	33	11	1	1	0	2.3	3.0	-
1984	46	33	13	2	2	0	4.3	6.1	-
1985	41	34	7	1	1	0	2.4	2.9	-
1986	34	24	10	1	1	0	2.9	4.2	-
1987	28	20	8	0	0	0	-	-	-
1988	33	25	8	3	3	0	9.1	12.0	-
1989	43	35	8	1	1	0	2.3	2.9	-
1990	41	26	15	0	0	0	-	-	-
1991	30	17	13	0	0	0	-	-	-
1992	36	28	8	1	1	0	2.8	3.6	-
1993	25	21	4	1	1	0	4.0	4.8	-
1994	28	20	8	0	0	0	-	-	-
1995	25	15	10	0	0	0	-	-	-
1996	31	27	4	1	1	0	3.2	3.7	-
1997	32	20	12	0	0	0	-	-	-
1998	20	13	7	1	1	0	5.0	7.7	-
1999	16	11	5	0	0	0	-	-	-
2000	21	16	5	1	1	0	4.8	6.3	-
2001	29	24	5	1	1	0	3.4	4.2	-
2002	20	12	8	0	0	0	-	-	-
2003	12	9	3	0	0	0	-	-	-
2004	16	9	7	0	0	0	-	-	-

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号15 天疱瘡 Pemphigus

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	41	16	25	2	0	2	4.9	-	8.0
1980	49	30	19	2	2	0	4.1	6.7	-
1981	34	20	14	0	0	0	-	-	-
1982	33	17	16	1	1	0	3.0	5.9	-
1983	40	21	19	2	0	2	5.0	-	10.5
1984	30	14	16	0	0	0	-	-	-
1985	21	10	11	0	0	0	-	-	-
1986	27	15	12	1	0	1	3.7	-	8.3
1987	29	16	13	1	1	0	3.4	6.3	-
1988	23	9	14	1	1	0	4.3	11.1	-
1989	18	7	11	0	0	0	-	-	-
1990	24	10	14	0	0	0	-	-	-
1991	28	13	15	1	1	0	3.6	7.7	-
1992	34	14	20	3	0	3	8.8	-	15.0
1993	27	13	14	1	0	1	3.7	-	7.1
1994	25	13	12	0	0	0	-	-	-
1995	35	10	25	0	0	0	-	-	-
1996	30	13	17	0	0	0	-	-	-
1997	23	10	13	1	0	1	4.3	-	7.7
1998	39	15	24	4	0	4	10.3	-	16.7
1999	25	12	13	0	0	0	-	-	-
2000	25	7	18	0	0	0	-	-	-
2001	26	9	17	0	0	0	-	-	-
2002	20	4	16	1	0	1	5.0	-	6.3
2003	17	8	9	1	1	0	5.9	12.5	-
2004	15	9	6	0	0	0	-	-	-

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号16 脊髄小脳変性症 Spinocerebellar degeneration

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	110	55	55	10	6	4	9.1	10.9	7.3
1980	121	72	49	7	4	3	5.8	5.6	6.1
1981	147	87	60	6	4	2	4.1	4.6	3.3
1982	164	89	75	14	6	8	8.5	6.7	10.7
1983	183	99	84	17	10	7	9.3	10.1	8.3
1984	219	131	88	12	7	5	5.5	5.3	5.7
1985	251	126	125	11	8	3	4.4	6.3	2.4
1986	263	138	125	15	6	9	5.7	4.3	7.2
1987	275	157	118	16	10	6	5.8	6.4	5.1
1988	303	164	139	18	10	8	5.9	6.1	5.8
1989	354	190	164	21	8	13	5.9	4.2	7.9
1990	394	216	178	27	15	12	6.9	6.9	6.7
1991	372	209	163	20	10	10	5.4	4.8	6.1
1992	421	254	167	17	10	7	4.0	3.9	4.2
1993	484	264	220	24	13	11	5.0	4.9	5.0
1994	507	270	237	23	10	13	4.5	3.7	5.5
1995	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-
1998	-	-	-	-	-	-	-	-	-
1999	-	-	-	-	-	-	-	-	-
2000	-	-	-	-	-	-	-	-	-
2001	-	-	-	-	-	-	-	-	-
2002	-	-	-	-	-	-	-	-	-
2003	-	-	-	-	-	-	-	-	-
2004	-	-	-	-	-	-	-	-	-

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号17 クローン病(限局性腸炎) Crohn's disease [regional enteritis]

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	42	28	14	8	4	4	19.0	14.3	28.6
1980	53	34	19	11	9	2	20.8	26.5	10.5
1981	41	25	16	5	4	1	12.2	16.0	6.3
1982	40	18	22	2	1	1	5.0	5.6	4.5
1983	48	26	22	8	3	5	16.7	11.5	22.7
1984	37	21	16	4	2	2	10.8	9.5	12.5
1985	42	21	21	6	3	3	14.3	14.3	14.3
1986	33	18	15	3	3	0	9.1	16.7	-
1987	44	29	15	12	9	3	27.3	31.0	20.0
1988	34	18	16	7	5	2	20.6	27.8	12.5
1989	32	15	17	7	5	2	21.9	33.3	11.8
1990	43	25	18	5	3	2	11.6	12.0	11.1
1991	32	18	14	0	0	0	-	-	-
1992	40	27	13	5	4	1	12.5	14.8	7.7
1993	38	18	20	5	5	0	13.2	27.8	-
1994	38	23	15	5	3	2	13.2	13.0	13.3
1995	42	26	16	4	4	0	9.5	15.4	-
1996	42	24	18	10	8	2	23.8	33.3	11.1
1997	48	27	21	9	5	4	18.8	18.5	19.0
1998	38	27	11	7	6	1	18.4	22.2	9.1
1999	55	29	26	4	2	2	7.3	6.9	7.7
2000	45	28	17	4	3	1	8.9	10.7	5.9
2001	46	30	16	6	4	2	13.0	13.3	12.5
2002	37	25	12	4	4	0	10.8	16.0	-
2003	60	31	29	4	2	2	6.7	6.5	6.9
2004	35	21	14	2	2	0	5.7	9.5	-

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号18 劇症肝炎 Fulminant hepatitis (acute and subacute hepatic failure/necrosis)

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	977	491	486	52	29	23	5.3	5.9	4.7
1980	919	475	444	74	43	31	8.1	9.1	7.0
1981	903	470	433	68	38	30	7.5	8.1	6.9
1982	802	388	414	66	33	33	8.2	8.5	8.0
1983	834	466	368	61	37	24	7.3	7.9	6.5
1984	763	418	345	55	31	24	7.2	7.4	7.0
1985	744	376	368	43	22	21	5.8	5.9	5.7
1986	703	386	317	45	24	21	6.4	6.2	6.6
1987	615	337	278	47	25	22	7.6	7.4	7.9
1988	625	336	289	53	28	25	8.5	8.3	8.7
1989	623	335	288	40	19	21	6.4	5.7	7.3
1990	596	357	239	49	28	21	8.2	7.8	8.8
1991	518	263	255	35	18	17	6.8	6.8	6.7
1992	546	302	244	38	25	13	7.0	8.3	5.3
1993	529	285	244	25	17	8	4.7	6.0	3.3
1994	502	268	234	27	15	12	5.4	5.6	5.1
1995	487	252	235	24	12	12	4.9	4.8	5.1
1996	447	225	222	29	14	15	6.5	6.2	6.8
1997	462	260	202	24	15	9	5.2	5.8	4.5
1998	455	244	211	25	19	6	5.5	7.8	2.8
1999	430	237	193	36	24	12	8.4	10.1	6.2
2000	445	249	196	24	14	10	5.4	5.6	5.1
2001	445	247	198	25	16	9	5.6	6.5	4.5
2002	388	216	172	20	11	9	5.2	5.1	5.2
2003	383	219	164	18	13	5	4.7	5.9	3.0
2004	416	221	195	17	13	4	4.1	5.9	2.1