

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号18 劇症肝炎 Fulminant hepatitis (viral hepatitis with hepatic coma)

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	1004	567	437	107	59	48	10.7	10.4	11.0
1980	973	548	425	114	64	50	11.7	11.7	11.8
1981	1066	584	482	140	77	63	13.1	13.2	13.1
1982	988	545	443	110	62	48	11.1	11.4	10.8
1983	1059	622	437	129	70	59	12.2	11.3	13.5
1984	1086	605	481	159	89	70	14.6	14.7	14.6
1985	1073	591	482	140	76	64	13.0	12.9	13.3
1986	1005	556	449	122	79	43	12.1	14.2	9.6
1987	960	522	438	131	78	53	13.6	14.9	12.1
1988	893	495	398	139	80	59	15.6	16.2	14.8
1989	847	458	389	113	61	52	13.3	13.3	13.4
1990	798	433	365	129	61	68	16.2	14.1	18.6
1991	757	423	334	104	57	47	13.7	13.5	14.1
1992	727	393	334	72	39	33	9.9	9.9	9.9
1993	703	374	329	89	53	36	12.7	14.2	10.9
1994	650	351	299	72	32	40	11.1	9.1	13.4
1995	912	533	379	102	57	45	11.2	10.7	11.9
1996	849	483	366	110	57	53	13.0	11.8	14.5
1997	884	511	373	112	63	49	12.7	12.3	13.1
1998	814	475	339	107	62	45	13.1	13.1	13.3
1999	828	488	340	112	67	45	13.5	13.7	13.2
2000	817	499	318	97	54	43	11.9	10.8	13.5
2001	750	438	312	94	51	43	12.5	11.6	13.8
2002	718	433	285	79	54	25	11.0	12.5	8.8
2003	716	446	270	75	45	30	10.5	10.1	11.1
2004	676	409	267	72	39	33	10.7	9.5	12.4

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号19 悪性関節リウマチ Malignant rheumatoid arthritis

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-
1995	274	115	159	23	10	13	8.4	8.7	8.2
1996	539	199	340	36	16	20	6.7	8.0	5.9
1997	551	224	327	40	17	23	7.3	7.6	7.0
1998	575	215	360	52	23	29	9.0	10.7	8.1
1999	570	230	340	33	15	18	5.8	6.5	5.3
2000	605	229	376	40	18	22	6.6	7.9	5.9
2001	584	236	348	38	20	18	6.5	8.5	5.2
2002	629	218	411	40	18	22	6.4	8.3	5.4
2003	578	203	375	29	9	20	5.0	4.4	5.3
2004	594	238	356	27	17	10	4.5	7.1	2.8

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号20(1) 進行性核上性麻痺 Progressive supranuclear ophthalmoplegia

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-
1995	87	49	38	4	3	1	4.6	6.1	2.6
1996	108	71	37	17	12	5	15.7	16.9	13.5
1997	112	69	43	11	7	4	9.8	10.1	9.3
1998	122	69	53	14	8	6	11.5	11.6	11.3
1999	160	107	53	13	10	3	8.1	9.3	5.7
2000	163	100	63	13	10	3	8.0	10.0	4.8
2001	194	121	73	10	8	2	5.2	6.6	2.7
2002	164	110	54	9	7	2	5.5	6.4	3.7
2003	239	160	79	10	10	0	4.2	6.3	0.0
2004	244	173	71	6	4	2	2.5	2.3	2.8

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号20(2) 大脳皮質基底核変性症 Degenerative disease of basal ganglia, unspecified

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-
1995	5	3	2	0	0	0	-	-	-
1996	7	4	3	3	2	1	42.9	50.0	33.3
1997	8	3	5	2	2	0	25.0	66.7	-
1998	9	5	4	1	1	0	11.1	20.0	-
1999	17	9	8	2	1	1	11.8	11.1	12.5
2000	26	11	15	0	0	0	-	-	-
2001	26	12	14	3	3	0	11.5	25.0	-
2002	29	15	14	3	2	1	10.3	13.3	7.1
2003	29	15	14	0	0	0	-	-	-
2004	37	21	16	0	0	0	-	-	-

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号20(3) パーキンソン病 Parkinson's disease/Paralysis agitans

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	1164	563	601	24	9	15	2.1	1.6	2.5
1980	1257	620	637	16	11	5	1.3	1.8	0.8
1981	1311	614	697	23	11	12	1.8	1.8	1.7
1982	1248	597	651	15	10	5	1.2	1.7	0.8
1983	1491	710	781	20	12	8	1.3	1.7	1.0
1984	1568	782	786	30	17	13	1.9	2.2	1.7
1985	1551	733	818	25	17	8	1.6	2.3	1.0
1986	1512	700	812	19	9	10	1.3	1.3	1.2
1987	1619	747	872	36	24	12	2.2	3.2	1.4
1988	1735	826	909	24	12	12	1.4	1.5	1.3
1989	1695	761	934	26	13	13	1.5	1.7	1.4
1990	1719	810	909	32	17	15	1.9	2.1	1.7
1991	1767	830	937	22	12	10	1.2	1.4	1.1
1992	1813	844	969	26	13	13	1.4	1.5	1.3
1993	1925	899	1026	30	18	12	1.6	2.0	1.2
1994	2159	980	1179	32	18	14	1.5	1.8	1.2
1995	2435	1104	1331	52	26	26	2.1	2.4	2.0
1996	2302	1093	1209	40	24	16	1.7	2.2	1.3
1997	2510	1141	1369	42	28	14	1.7	2.5	1.0
1998	2490	1161	1329	42	26	16	1.7	2.2	1.2
1999	2652	1213	1439	57	30	27	2.1	2.5	1.9
2000	2816	1349	1467	53	27	26	1.9	2.0	1.8
2001	2986	1421	1565	65	44	21	2.2	3.1	1.3
2002	3047	1477	1570	50	28	22	1.6	1.9	1.4
2003	3172	1488	1684	46	27	19	1.5	1.8	1.1
2004	3275	1586	1689	56	36	20	1.7	2.3	1.2

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号21 アミロイドーシス Amyloidosis

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	70	41	29	15	10	5	21.4	24.4	17.2
1980	74	38	36	18	12	6	24.3	31.6	16.7
1981	100	55	45	20	12	8	20.0	21.8	17.8
1982	117	50	67	25	8	17	21.4	16.0	25.4
1983	132	66	66	39	22	17	29.5	33.3	25.8
1984	130	67	63	30	18	12	23.1	26.9	19.0
1985	144	75	69	41	25	16	28.5	33.3	23.2
1986	155	85	70	44	29	15	28.4	34.1	21.4
1987	159	73	86	35	20	15	22.0	27.4	17.4
1988	168	96	72	42	21	21	25.0	21.9	29.2
1989	186	86	100	40	21	19	21.5	24.4	19.0
1990	202	98	104	45	22	23	22.3	22.4	22.1
1991	210	115	95	39	22	17	18.6	19.1	17.9
1992	213	108	105	37	19	18	17.4	17.6	17.1
1993	229	133	96	39	23	16	17.0	17.3	16.7
1994	246	110	136	30	10	20	12.2	9.1	14.7
1995	257	125	132	53	31	22	20.6	24.8	16.7
1996	257	131	126	61	39	22	23.7	29.8	17.5
1997	270	135	135	61	36	25	22.6	26.7	18.5
1998	289	157	132	59	36	23	20.4	22.9	17.4
1999	292	149	143	66	37	29	22.6	24.8	20.3
2000	341	160	181	71	38	33	20.8	23.8	18.2
2001	314	155	159	72	43	29	22.9	27.7	18.2
2002	328	168	160	65	37	28	19.8	22.0	17.5
2003	286	158	128	58	34	24	20.3	21.5	18.8
2004	336	182	154	44	31	13	13.1	17.0	8.4

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号22 後縦靭帯骨化症 Ossification of the posterior longitudinal ligament

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-
1995	33	19	14	1	1	0	3.0	5.3	-
1996	33	28	5	1	0	1	3.0	-	20.0
1997	50	38	12	0	0	0	-	-	-
1998	27	24	3	0	0	0	-	-	-
1999	29	22	7	1	1	0	3.4	4.5	-
2000	37	28	9	1	1	0	2.7	3.6	-
2001	37	29	8	0	0	0	-	-	-
2002	37	32	5	1	1	0	2.7	3.1	-
2003	30	24	6	1	1	0	3.3	4.2	-
2004	49	40	9	3	2	1	6.1	5.0	11.1

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号23 ハンチントン病 Huntington's disease/Huntington's chorea/Hereditary chorea

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	18	9	9	2	0	2	11.1	-	22.2
1980	12	7	5	1	1	0	8.3	14.3	-
1981	16	10	6	3	3	0	18.8	30.0	-
1982	15	5	10	2	0	2	13.3	-	20.0
1983	27	13	14	2	1	1	7.4	7.7	7.1
1984	12	5	7	2	1	1	16.7	20.0	14.3
1985	27	13	14	4	1	3	14.8	7.7	21.4
1986	22	11	11	1	1	0	4.5	9.1	-
1987	12	6	6	1	1	0	8.3	16.7	-
1988	11	6	5	0	0	0	-	-	-
1989	12	5	7	0	0	0	-	-	-
1990	18	9	9	2	2	0	11.1	22.2	-
1991	13	8	5	1	0	1	7.7	-	20.0
1992	12	0	12	0	0	0	-	-	-
1993	18	8	10	1	1	0	5.6	12.5	-
1994	27	11	16	1	1	0	3.7	9.1	-
1995	20	9	11	2	1	1	10.0	11.1	9.1
1996	13	9	4	2	1	1	15.4	11.1	25.0
1997	24	11	13	3	1	2	12.5	9.1	15.4
1998	22	8	14	2	1	1	9.1	12.5	7.1
1999	25	15	10	1	0	1	4.0	-	10.0
2000	27	13	14	2	0	2	7.4	-	14.3
2001	19	9	10	2	1	1	10.5	11.1	10.0
2002	29	20	9	4	3	1	13.8	15.0	11.1
2003	19	10	9	2	1	1	10.5	10.0	11.1
2004	26	15	11	3	2	1	11.5	13.3	9.1

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号24 モヤモヤ病(ウイリス動脈輪閉塞症) Moyamoya disease

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	49	15	34	8	1	7	16.3	6.7	20.6
1980	38	10	28	2	2	0	5.3	20.0	-
1981	51	16	35	11	5	6	21.6	31.3	17.1
1982	54	21	33	7	4	3	13.0	19.0	9.1
1983	76	25	51	15	6	9	19.7	24.0	17.6
1984	77	25	52	9	3	6	11.7	12.0	11.5
1985	72	23	49	8	4	4	11.1	17.4	8.2
1986	59	17	42	11	7	4	18.6	41.2	9.5
1987	80	29	51	6	3	3	7.5	10.3	5.9
1988	75	20	55	9	2	7	12.0	10.0	12.7
1989	63	28	35	9	4	5	14.3	14.3	14.3
1990	73	23	50	11	5	6	15.1	21.7	12.0
1991	63	17	46	6	0	6	9.5	0.0	13.0
1992	86	30	56	13	4	9	15.1	13.3	16.1
1993	95	38	57	4	0	4	4.2	-	7.0
1994	80	26	54	7	4	3	8.8	15.4	5.6
1995	67	22	45	5	3	2	7.5	13.6	4.4
1996	65	19	46	6	3	3	9.2	15.8	6.5
1997	51	14	37	3	0	3	5.9	0.0	8.1
1998	52	23	29	4	3	1	7.7	13.0	3.4
1999	74	17	57	7	1	6	9.5	5.9	10.5
2000	69	29	40	5	3	2	7.2	10.3	5.0
2001	50	16	34	2	1	1	4.0	6.3	2.9
2002	74	25	49	2	0	2	2.7	-	4.1
2003	59	28	31	1	1	0	1.7	3.6	-
2004	54	20	34	0	0	0	-	-	-

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号25 ウェゲナー肉芽腫症 Wegener's granulomatosis

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	45	24	21	7	3	4	15.6	12.5	19.0
1980	36	18	18	8	5	3	22.2	27.8	16.7
1981	36	23	13	9	6	3	25.0	26.1	23.1
1982	36	20	16	11	7	4	30.6	35.0	25.0
1983	37	20	17	8	4	4	21.6	20.0	23.5
1984	39	20	19	7	3	4	17.9	15.0	21.1
1985	42	21	21	9	5	4	21.4	23.8	19.0
1986	34	19	15	6	4	2	17.6	21.1	13.3
1987	38	21	17	12	6	6	31.6	28.6	35.3
1988	43	23	20	10	4	6	23.3	17.4	30.0
1989	39	17	22	8	3	5	20.5	17.6	22.7
1990	32	18	14	7	2	5	21.9	11.1	35.7
1991	45	27	18	4	1	3	8.9	3.7	16.7
1992	36	21	15	5	3	2	13.9	14.3	13.3
1993	56	26	30	14	7	7	25.0	26.9	23.3
1994	54	32	22	5	4	1	9.3	12.5	4.5
1995	40	23	17	10	7	3	25.0	30.4	17.6
1996	25	12	13	6	3	3	24.0	25.0	23.1
1997	41	22	19	14	8	6	34.1	36.4	31.6
1998	28	20	8	15	10	5	53.6	50.0	62.5
1999	38	26	12	9	8	1	23.7	30.8	8.3
2000	38	20	18	5	2	3	13.2	10.0	16.7
2001	40	24	16	15	7	8	37.5	29.2	50.0
2002	33	20	13	9	8	1	27.3	40.0	7.7
2003	51	33	18	13	6	7	25.5	18.2	38.9
2004	30	23	7	4	4	0	13.3	17.4	-

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号26 拡張型心筋症 Dilated cardiomyopathy

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	500	339	161	111	72	39	22.2	21.2	24.2
1980	705	441	264	123	95	28	17.4	21.5	10.6
1981	802	495	307	165	126	39	20.6	25.5	12.7
1982	876	575	301	172	117	55	19.6	20.3	18.3
1983	979	584	395	194	133	61	19.8	22.8	15.4
1984	1156	758	398	196	144	52	17.0	19.0	13.1
1985	1328	838	490	214	148	66	16.1	17.7	13.5
1986	1446	922	524	223	150	73	15.4	16.3	13.9
1987	1494	919	575	241	168	73	16.1	18.3	12.7
1988	1742	1106	636	257	188	69	14.8	17.0	10.8
1989	1841	1154	687	201	144	57	10.9	12.5	8.3
1990	1999	1317	682	293	220	73	14.7	16.7	10.7
1991	2137	1394	743	218	156	62	10.2	11.2	8.3
1992	2292	1473	819	235	158	77	10.3	10.7	9.4
1993	2412	1576	836	223	167	56	9.2	10.6	6.7
1994	2640	1691	949	231	163	68	8.8	9.6	7.2
1995	2060	1379	681	365	269	96	17.7	19.5	14.1
1996	2025	1356	669	297	227	70	14.7	16.7	10.5
1997	2136	1429	707	321	231	90	15.0	16.2	12.7
1998	2098	1462	636	343	263	80	16.3	18.0	12.6
1999	2203	1445	758	342	232	110	15.5	16.1	14.5
2000	2070	1459	611	335	266	69	16.2	18.2	11.3
2001	2089	1392	697	337	246	91	16.1	17.7	13.1
2002	2128	1459	669	255	187	68	12.0	12.8	10.2
2003	2192	1472	720	267	188	79	12.2	12.8	11.0
2004	2127	1440	687	252	184	68	11.8	12.8	9.9

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号27(1) 線条体黒質変性症 Striatonigral degeneration

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-
1995	8	5	3	3	2	1	37.5	40.0	33.3
1996	11	3	8	2	0	2	18.2	-	25.0
1997	7	3	4	1	1	0	14.3	33.3	-
1998	12	2	10	2	0	2	16.7	-	20.0
1999	15	9	6	4	2	2	26.7	22.2	33.3
2000	14	4	10	2	0	2	14.3	-	20.0
2001	11	3	8	1	0	1	9.1	-	12.5
2002	22	10	12	4	2	2	18.2	20.0	16.7
2003	28	9	19	4	0	4	14.3	-	21.1
2004	31	15	16	1	1	0	3.2	6.7	-

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号28 表皮水疱症 Epidermolysis bullosa

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-
1995	3	1	2	1	0	1	33.3	-	50.0
1996	5	4	1	1	0	1	20.0	-	100.0
1997	2	0	2	0	0	0	-	-	-
1998	4	1	3	1	0	1	25.0	-	33.3
1999	2	0	2	0	0	0	-	-	-
2000	1	1	0	0	0	0	-	-	-
2001	4	3	1	1	1	0	25.0	33.3	-
2002	1	0	1	0	0	0	-	-	-
2003	1	0	1	0	0	0	-	-	-
2004	2	0	2	0	0	0	-	-	-

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号29 膿疱性乾癬 Generalised pustular psoriasis

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-
1995	2	2	0	0	0	0	-	-	-
1996	1	0	1	0	0	0	-	-	-
1997	1	0	1	0	0	0	-	-	-
1998	2	2	0	0	0	0	-	-	-
1999	2	1	1	0	0	0	-	-	-
2000	1	1	0	0	0	0	-	-	-
2001	3	3	0	0	0	0	-	-	-
2002	0	0	0	0	0	0	-	-	-
2003	1	1	0	0	0	0	-	-	-
2004	2	0	2	0	0	0	-	-	-

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号30 脊柱管狭窄症 Spinal stenosis

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-
1995	18	12	6	0	0	0	-	-	-
1996	27	18	9	0	0	0	-	-	-
1997	22	14	8	1	1	0	4.5	7.1	-
1998	24	13	11	0	0	0	-	-	-
1999	27	18	9	0	0	0	-	-	-
2000	31	21	10	0	0	0	-	-	-
2001	33	16	17	2	1	1	6.1	6.3	5.9
2002	42	32	10	1	1	0	2.4	3.1	-
2003	45	29	16	1	0	1	2.2	-	6.3
2004	49	24	25	3	3	0	6.1	12.5	-

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号31 原発性胆汁性肝硬変 Primary biliary cirrhosis

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-
1995	237	30	207	30	6	24	12.7	20.0	11.6
1996	229	35	194	26	7	19	11.4	20.0	9.8
1997	238	32	206	33	6	27	13.9	18.8	13.1
1998	262	34	228	26	2	24	9.9	5.9	10.5
1999	288	39	249	25	3	22	8.7	7.7	8.8
2000	265	39	226	27	6	21	10.2	15.4	9.3
2001	323	55	268	35	7	28	10.8	12.7	10.4
2002	321	44	277	30	7	23	9.3	15.9	8.3
2003	332	51	281	31	8	23	9.3	15.7	8.2
2004	392	59	333	18	8	10	4.6	13.6	3.0

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号32 重症急性膵炎 Severe acute pancreatitis

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-
1995	109	76	33	13	9	4	11.9	11.8	12.1
1996	150	106	44	25	17	8	16.7	16.0	18.2
1997	170	119	51	23	18	5	13.5	15.1	9.8
1998	179	116	63	34	26	8	19.0	22.4	12.7
1999	202	132	70	18	15	3	8.9	11.4	4.3
2000	198	127	71	34	20	14	17.2	15.7	19.7
2001	221	151	70	28	24	4	12.7	15.9	5.7
2002	204	119	85	24	17	7	11.8	14.3	8.2
2003	260	163	97	27	19	8	10.4	11.7	8.2
2004	225	150	75	30	23	7	13.3	15.3	9.3

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号33 特発性大腿骨頭壊死症 Idiopathic aseptic necrosis of the head of femur

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-
1995	0	0	0	0	0	0	-	-	-
1996	0	0	0	0	0	0	-	-	-
1997	1	0	1	0	0	0	-	-	-
1998	0	0	0	0	0	0	-	-	-
1999	0	0	0	0	0	0	-	-	-
2000	1	0	1	1	0	1	100.0	-	100.0
2001	0	0	0	0	0	0	-	-	-
2002	0	0	0	0	0	0	-	-	-
2003	0	0	0	0	0	0	-	-	-
2004	0	0	0	0	0	0	-	-	-

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号34 混合性結合組織病 Mixed connective tissue disease (MCTD)

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-
1995	47	7	40	9	1	8	19.1	14.3	20.0
1996	44	6	38	5	0	5	11.4	-	13.2
1997	50	3	47	10	0	10	20.0	-	21.3
1998	50	9	41	9	2	7	18.0	22.2	17.1
1999	47	3	44	4	0	4	8.5	-	9.1
2000	50	5	45	4	1	3	8.0	20.0	6.7
2001	59	13	46	8	1	7	13.6	7.7	15.2
2002	62	7	55	11	2	9	17.7	28.6	16.4
2003	59	2	57	7	0	7	11.9	-	12.3
2004	61	7	54	6	0	6	9.8	-	11.1

表8 特定疾患治療研究対象疾患の解剖数、解剖率

疾患番号35 原発性免疫不全症候群 Primary immunodeficiency syndrome

年次	死亡数			解剖数			解剖率 (%)		
	総数	男	女	総数	男	女	総数	男	女
1972	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-
1978	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-
1995	2	0	2	0	0	0	-	-	-
1996	3	2	1	2	1	1	66.7	50.0	100.0
1997	6	3	3	2	2	0	33.3	66.7	-
1998	2	2	0	2	2	0	100.0	100.0	-
1999	4	1	3	0	0	0	-	-	-
2000	0	0	0	0	0	0	-	-	-
2001	2	1	1	0	0	0	-	-	-
2002	3	1	2	1	1	0	33.3	100.0	-
2003	2	2	0	1	1	0	50.0	50.0	-
2004	2	1	1	0	0	0	-	-	-