

	大学付属病院	研修指定病院・一般病院	研修指定病院・精神病院	研修指定病院群主病院	特になし	合計
	研修医数	%	研修医数	%	研修医数	%
医療上の安全確認の基本的な考え方を理解し、実施できる	260 (14.8)	78 (13.1)	8 (72.7)	4 (10.3)	3 (14.3)	345 (14.2)
確実に行える、自信がある	1001 (56.8)	363 (60.9)	2 (18.2)	20 (51.3)	9 (42.9)	1401 (57.7)
だいたいできる、たぶんできる	422 (24.0)	122 (20.5)	1 (9.1)	14 (35.9)	6 (28.6)	566 (23.3)
あまり自信がない、ひとりでできない	51 (2.9)	20 (3.4)	1 (9.1)	1 (2.6)	2 (9.5)	74 (3.0)
未回答	28 (1.6)	13 (2.2)	2 (18.2)	6 (15.4)	1 (4.8)	43 (1.8)
医療事故防止及び事故後の対応について、マニュアルなどに沿って行動できる	268 (15.2)	78 (13.1)	2 (18.2)	6 (15.4)	3 (14.3)	357 (14.7)
確実に行える、自信がある	974 (55.3)	353 (59.2)	5 (45.5)	21 (53.8)	12 (57.1)	1365 (56.2)
だいたいできる、たぶんできる	446 (25.3)	140 (23.5)	3 (27.3)	11 (28.2)	4 (19.0)	604 (24.9)
あまり自信がない、ひとりでできない	59 (3.3)	21 (3.5)	1 (9.1)	1 (2.6)	1 (4.8)	83 (3.4)
未回答	15 (0.9)	4 (0.7)	2 (18.2)	6 (15.4)	1 (4.8)	20 (0.8)
院内感染対策(Standard Precautionsを含む)の基本を理解し、実施できる	241 (13.7)	91 (15.3)	5 (45.5)	26 (66.7)	3 (14.3)	341 (14.0)
確実に行える、自信がある	958 (54.4)	365 (61.2)	5 (45.5)	26 (66.7)	8 (38.1)	1362 (56.1)
だいたいできる、たぶんできる	492 (27.9)	124 (20.8)	5 (45.5)	6 (15.4)	5 (23.8)	632 (26.0)
あまり自信がない、ひとりでできない	57 (3.2)	11 (1.8)	1 (9.1)	1 (2.6)	4 (19.0)	74 (3.0)
未回答	14 (0.8)	5 (0.8)	2 (18.2)	10 (25.6)	1 (4.8)	20 (0.8)
高齢者の聴力・視力・認知面での障害の有無に配慮した、病歴聴取を行うことができる	323 (18.3)	99 (16.6)	6 (54.5)	23 (59.0)	3 (14.3)	437 (18.0)
確実に行える、自信がある	1064 (60.4)	368 (61.7)	6 (54.5)	23 (59.0)	10 (47.6)	1471 (60.6)
だいたいできる、たぶんできる	492 (27.9)	124 (20.8)	2 (18.2)	5 (12.8)	3 (14.3)	442 (18.2)
あまり自信がない、ひとりでできない	40 (2.3)	13 (2.2)	1 (9.1)	1 (2.6)	4 (19.0)	59 (2.4)
未回答	14 (0.8)	5 (0.8)	2 (18.2)	6 (15.4)	1 (4.8)	20 (0.8)
高齢者の症状が非特異的、非典型的であることを理解して、身体所見をとることができる	241 (13.7)	91 (15.3)	5 (45.5)	26 (66.7)	3 (14.3)	341 (14.0)
確実に行える、自信がある	958 (54.4)	365 (61.2)	5 (45.5)	26 (66.7)	8 (38.1)	1362 (56.1)
だいたいできる、たぶんできる	492 (27.9)	124 (20.8)	5 (45.5)	6 (15.4)	5 (23.8)	632 (26.0)
あまり自信がない、ひとりでできない	57 (3.2)	11 (1.8)	1 (9.1)	1 (2.6)	4 (19.0)	74 (3.0)
未回答	14 (0.8)	5 (0.8)	2 (18.2)	7 (17.9)	1 (4.8)	20 (0.8)
高齢者の身体的、精神的、社会的活動性をできるだけ良好に維持するような治療法を提示することができる	204 (11.6)	77 (12.9)	1 (9.1)	7 (17.9)	3 (14.3)	292 (12.0)
確実に行える、自信がある	908 (51.5)	327 (54.9)	5 (45.5)	18 (46.2)	7 (33.3)	1265 (52.1)
だいたいできる、たぶんできる	552 (31.3)	167 (28.0)	4 (36.4)	13 (33.3)	5 (23.8)	741 (30.5)
あまり自信がない、ひとりでできない	80 (4.5)	19 (3.2)	1 (9.1)	1 (2.6)	5 (23.8)	106 (4.4)
未回答	18 (1.0)	6 (1.0)	2 (18.2)	1 (2.6)	1 (4.8)	25 (1.0)

基本的な臨床知識、技術、態度

	大学付属病院		研修指定病院・一般病院		研修指定病院・精神病院		研修指定病院群主病院		特になし		合計	
	研修医数	%	研修医数	%	研修医数	%	研修医数	%	研修医数	%		
診療ガイドラインやクリティカルパスを理解し活用できる。	454	(25.8)	145	(24.3)	1	(9.1)	10	(25.6)	4	(19.0)	614	(25.3)
確実にできる、自信がある	943	(53.5)	368	(61.7)	8	(72.7)	23	(59.0)	12	(57.1)	1354	(55.7)
だいたいできる、たぶんできる	310	(17.6)	74	(12.4)	1	(9.1)	6	(15.4)	2	(9.5)	393	(16.2)
あまり自信がない、ひとりでは不安である	41	(2.3)	3	(.5)	1	(9.1)			2	(9.5)	47	(1.9)
できない	14	(.8)	6	(1.0)					1	(4.8)	21	(.9)
未回答												

症状・病態の経験数

	大学付属病院		研修指定病院・一般病院		研修指定病院・精神病院		研修指定病院群主病院		特になし		合計	
	研修医数	%	研修医数	%	研修医数	%	研修医数	%	研修医数	%		
不眠	102	(5.8)	15	(2.5)			3	(7.7)	4	(19.0)	124	(5.1)
	213	(12.1)	68	(11.4)			3	(7.7)	2	(9.5)	286	(11.8)
	131	(7.4)	59	(9.9)			4	(10.3)	1	(4.8)	195	(8.0)
	1265	(71.8)	449	(75.3)	11	(100.0)	29	(74.4)	13	(61.9)	1767	(72.7)
未回答	51	(2.9)	5	(.8)					1	(4.8)	57	(2.3)
合計	1762	(100.0)	596	(100.0)	11	(100.0)	39	(100.0)	21	(100.0)	2429	(100.0)
浮腫	68	(3.9)	7	(1.2)					3	(14.3)	78	(3.2)
	358	(20.3)	71	(11.9)	8	(72.7)	4	(10.3)	2	(9.5)	443	(18.2)
	312	(17.7)	96	(16.1)	3	(27.3)	12	(30.8)	3	(14.3)	426	(17.5)
	978	(55.5)	417	(70.0)			23	(59.0)	12	(57.1)	1430	(58.9)
未回答	46	(2.6)	5	(.8)					1	(4.8)	52	(2.1)
合計	118	(6.7)	10	(1.7)	2	(18.2)	1	(2.6)	2	(9.5)	133	(5.5)
リンパ節腫脹	521	(29.6)	144	(24.2)	7	(63.6)	8	(20.5)	9	(42.9)	689	(28.4)
	383	(21.7)	146	(24.5)	2	(18.2)	9	(23.1)	1	(4.8)	541	(22.3)
	688	(39.0)	291	(48.8)			21	(53.8)	8	(38.1)	1008	(41.5)
未回答	52	(3.0)	5	(.8)					1	(4.8)	58	(2.4)
合計	56	(3.2)	6	(1.0)			1	(2.6)	3	(14.3)	66	(2.7)
発疹	377	(21.4)	66	(11.1)			5	(45.5)	2	(9.5)	455	(18.7)
	377	(21.4)	105	(17.6)	3	(27.3)	4	(10.3)	1	(4.8)	490	(20.2)
	904	(51.3)	416	(69.8)	3	(27.3)	29	(74.4)	14	(66.7)	1366	(56.2)
未回答	48	(2.7)	3	(.5)					1	(4.8)	52	(2.1)
合計	18	(1.0)	3	(.5)					2	(9.5)	23	(.9)
発熱	69	(3.9)	9	(1.5)			1	(2.6)	2	(9.5)	81	(3.3)
	60	(3.4)	7	(1.2)	1	(9.1)					68	(2.8)
	1574	(89.3)	574	(96.3)	10	(90.9)	38	(97.4)	16	(76.2)	2212	(91.1)
未回答	41	(2.3)	3	(.5)					1	(4.8)	45	(1.9)
合計	29	(1.6)	3	(.5)					2	(9.5)	34	(1.4)
頭痛	127	(7.2)	22	(3.7)					2	(9.5)	151	(6.2)
	200	(11.4)	31	(5.2)	2	(18.2)	5	(12.8)	1	(4.8)	239	(9.8)
	1365	(77.5)	537	(90.1)	9	(81.8)	34	(87.2)	15	(71.4)	1960	(80.7)
未回答	41	(2.3)	3	(.5)					1	(4.8)	45	(1.9)

合計

症状・病態の経緯数

	大学付属病院		研修指定病院-一般病院		研修指定病院-精神病院		研修指定病院-精神病院		研修指定病院群主病院		特におし		合計			
	研修医数	%	研修医数	%	研修医数	%	研修医数	%	研修医数	%	研修医数	%	研修医数	%		
めまい	71 (4.0)	7 (1.2)	59 (9.9)	3 (27.3)	7 (17.9)	2 (9.5)	80 (3.3)	438 (24.9)	59 (9.9)	3 (27.3)	4 (19.0)	511 (21.0)	361 (20.5)	65 (10.9)	4 (10.3)	438 (18.0)
視力障害、視野狭窄	46 (2.6)	5 (0.8)	64 (10.7)	3 (27.3)	5 (12.8)	1 (4.8)	52 (2.1)	846 (48.0)	460 (77.2)	3 (27.3)	11 (52.4)	1348 (55.5)	46 (2.6)	5 (0.8)	24 (61.5)	1197 (49.3)
結膜の充血	217 (12.3)	44 (7.4)	225 (37.8)	5 (45.5)	14 (35.9)	9 (42.9)	996 (41.0)	345 (19.6)	64 (10.7)	3 (27.3)	5 (23.8)	422 (17.4)	845 (48.0)	311 (52.2)	11 (52.4)	1197 (49.3)
胸痛	69 (3.9)	7 (1.2)	7 (1.2)	2 (18.2)	3 (7.7)	1 (4.8)	372 (15.3)	464 (26.3)	54 (9.1)	7 (17.9)	3 (14.3)	381 (15.7)	309 (17.5)	54 (9.1)	6 (15.4)	475 (19.6)
動悸	44 (2.5)	4 (0.7)	4 (0.7)	1 (9.1)	30 (76.9)	14 (66.7)	1398 (57.6)	309 (17.5)	876 (49.7)	1 (9.1)	14 (35.9)	54 (2.2)	876 (49.7)	477 (80.0)	1 (4.8)	54 (2.2)
呼吸困難	63 (3.6)	4 (0.7)	4 (0.7)	4 (36.4)	3 (7.7)	3 (14.3)	70 (2.9)	45 (2.6)	4 (0.7)	4 (36.4)	2 (9.5)	102 (4.2)	358 (20.3)	40 (6.7)	5 (12.8)	523 (21.5)
咳・痰	31 (1.8)	2 (0.3)	2 (0.3)	4 (36.4)	2 (5.1)	1 (4.8)	50 (2.1)	31 (1.8)	140 (7.9)	1 (9.1)	2 (9.5)	35 (1.4)	295 (16.7)	55 (9.2)	1 (4.8)	357 (14.7)
嘔気・嘔吐	148 (8.2)	18 (3.0)	18 (3.0)	2 (18.2)	39 (100.0)	16 (76.2)	2068 (85.1)	145 (8.2)	1404 (79.7)	2 (18.2)	1 (4.8)	170 (7.0)	1449 (82.2)	556 (93.3)	1 (4.8)	2068 (85.1)
未回答	40 (2.3)	5 (0.8)	5 (0.8)	8 (72.7)	39 (100.0)	16 (76.2)	46 (1.9)	40 (2.3)	1404 (79.7)	8 (72.7)	1 (4.8)	45 (1.9)	40 (2.3)	2 (0.3)	1 (4.8)	46 (1.9)

合計

症状・病態の経験数

	大学付属病院		研修指定病院-一般病院		研修指定病院-精神病院		研修指定病院群主病院		特になし		合計	
	研修医数	%	研修医数	%	研修医数	%	研修医数	%	研修医数	%		
ショック	180	(10.2)	21	(3.5)	4	(36.4)	1	(2.6)	3	(14.3)	209	(8.6)
1~5例	647	(36.7)	121	(20.3)	7	(63.6)	4	(10.3)	8	(38.1)	787	(32.4)
6~10例	369	(20.9)	158	(26.5)			10	(25.6)	2	(9.5)	539	(22.2)
11例~	525	(29.8)	290	(48.7)			24	(61.5)	7	(33.3)	846	(34.8)
未回答	41	(2.3)	6	(1.0)					1	(4.8)	48	(2.0)
意識障害	100	(5.7)	7	(1.2)					2	(9.5)	109	(4.5)
1~5例	500	(28.4)	74	(12.4)	6	(54.5)	3	(7.7)	4	(19.0)	587	(24.2)
6~10例	340	(19.3)	76	(12.8)	2	(18.2)	6	(15.4)	2	(9.5)	426	(17.5)
11例~	780	(44.3)	432	(72.5)	3	(27.3)	30	(76.9)	12	(57.1)	1257	(51.7)
未回答	42	(2.4)	7	(1.2)					1	(4.8)	50	(2.1)
脳血管障害	204	(11.6)	23	(3.9)	1	(9.1)			4	(19.0)	232	(9.6)
1~5例	520	(29.5)	74	(12.4)	9	(81.8)	4	(10.3)	4	(19.0)	611	(25.2)
6~10例	351	(19.9)	75	(12.6)			5	(12.8)	2	(9.5)	433	(17.8)
11例~	644	(36.5)	420	(70.5)	1	(9.1)	30	(76.9)	10	(47.6)	1105	(45.5)
未回答	43	(2.4)	4	(.7)					1	(4.8)	48	(2.0)
急性心不全	355	(20.1)	42	(7.0)	4	(36.4)			3	(14.3)	404	(16.6)
1~5例	592	(33.6)	100	(16.8)	6	(54.5)	9	(23.1)	8	(38.1)	715	(29.4)
6~10例	306	(17.4)	110	(18.5)	1	(9.1)	10	(25.6)	1	(4.8)	428	(17.6)
11例~	465	(26.4)	341	(57.2)			20	(51.3)	8	(38.1)	834	(34.3)
未回答	44	(2.5)	3	(.5)					1	(4.8)	48	(2.0)
急性冠症候群	507	(28.8)	57	(9.6)	9	(81.8)	1	(2.6)	5	(23.8)	579	(23.8)
1~5例	496	(28.1)	93	(15.6)	2	(18.2)	13	(33.3)	6	(28.6)	610	(25.1)
6~10例	258	(14.6)	102	(17.1)			9	(23.1)	1	(4.8)	370	(15.2)
11例~	452	(25.7)	339	(56.9)			16	(41.0)	8	(38.1)	815	(33.6)
未回答	49	(2.8)	5	(.8)					1	(4.8)	55	(2.3)
急性腹症	209	(11.9)	13	(2.2)	2	(18.2)			2	(9.5)	226	(9.3)
1~5例	497	(28.2)	76	(12.8)	9	(81.8)	4	(10.3)	4	(19.0)	590	(24.3)
6~10例	328	(18.6)	104	(17.4)			11	(28.2)	2	(9.5)	445	(18.3)
11例~	684	(38.8)	399	(66.9)			24	(61.5)	12	(57.1)	1119	(46.1)
未回答	44	(2.5)	4	(.7)					1	(4.8)	49	(2.0)
急性消化管出血	340	(19.3)	32	(5.4)	6	(54.5)			3	(14.3)	381	(15.7)
1~5例	668	(37.9)	96	(16.1)	5	(45.5)	10	(25.6)	7	(33.3)	786	(32.4)
6~10例	327	(18.6)	159	(26.7)			14	(35.9)	4	(19.0)	504	(20.7)
11例~	385	(21.9)	306	(51.3)			15	(38.5)	6	(28.6)	712	(29.3)
未回答	42	(2.4)	3	(.5)					1	(4.8)	46	(1.9)
外傷	186	(10.6)	32	(5.4)	1	(9.1)	1	(2.6)	5	(23.8)	225	(9.3)
1~5例	441	(25.0)	102	(17.1)	4	(36.4)	5	(12.8)	4	(19.0)	556	(22.9)
6~10例	244	(13.8)	63	(10.6)	3	(27.3)	9	(23.1)	1	(4.8)	320	(13.2)
11例~	849	(48.2)	396	(66.4)	3	(27.3)	24	(61.5)	10	(47.6)	1282	(52.8)
未回答	42	(2.4)	3	(.5)					1	(4.8)	46	(1.9)

	症状・病態の経験数										合計	
	大学付属病院		研修指定病院・一般病院		研修指定病院・精神病院		研修指定病院群主病院		特になし			
	研修医数	%	研修医数	%	研修医数	%	研修医数	%	研修医数	%		
急性中毒	426	(24.2)	67	(11.2)	2	(18.2)	16	(41.0)	6	(28.6)	501	(20.6)
1~5例	768	(43.6)	192	(32.2)	8	(72.7)	15	(38.5)	5	(23.8)	989	(40.7)
6~10例	254	(14.4)	125	(21.0)	1	(9.1)	8	(20.5)	4	(19.0)	399	(16.4)
11例~	271	(15.4)	209	(35.1)					5	(23.8)	493	(20.3)
未回答	43	(2.4)	3	(.5)					1	(4.8)	47	(1.9)
0例	246	(14.0)	38	(6.4)	2	(18.2)	1	(2.6)	6	(28.6)	293	(12.1)
1~5例	726	(41.2)	155	(26.0)	8	(72.7)	11	(28.2)	7	(33.3)	907	(37.3)
6~10例	329	(18.7)	147	(24.7)	1	(9.1)	14	(35.9)	2	(9.5)	493	(20.3)
11例~	415	(23.6)	252	(42.3)			13	(33.3)	5	(23.8)	685	(28.2)
未回答	46	(2.6)	4	(.7)					1	(4.8)	51	(2.1)

	症状・病態の経験数										合計	
	大学付属病院		研修指定病院・一般病院		研修指定病院・精神病院		研修指定病院群主病院		特になし			
	研修医数	%	研修医数	%	研修医数	%	研修医数	%	研修医数	%		
熱傷	546	(31.0)	112	(18.8)	6	(54.5)	6	(15.4)	10	(47.6)	680	(28.0)
1~5例	733	(41.6)	204	(34.2)	5	(45.5)	14	(35.9)	6	(28.6)	962	(39.6)
6~10例	196	(11.1)	118	(19.8)			6	(15.4)	2	(9.5)	322	(13.3)
11例~	245	(13.9)	157	(26.3)			13	(33.3)	2	(9.5)	417	(17.2)
未回答	42	(2.4)	5	(.8)					1	(4.8)	48	(2.0)
0例	511	(29.0)	88	(14.8)			4	(10.3)	8	(38.1)	611	(25.2)
1~5例	737	(41.8)	222	(37.2)	6	(54.5)	17	(43.6)	4	(19.0)	986	(40.6)
6~10例	220	(12.5)	126	(21.1)	2	(18.2)	8	(20.5)	4	(19.0)	360	(14.8)
11例~	251	(14.2)	157	(26.3)	3	(27.3)	10	(25.6)	4	(19.0)	425	(17.5)
未回答	43	(2.4)	3	(.5)					1	(4.8)	47	(1.9)

	疾患の経験数										合計	
	大学付属病院		研修指定病院・一般病院		研修指定病院・精神病院		研修指定病院群主病院		特になし			
	研修医数	%	研修医数	%	研修医数	%	研修医数	%	研修医数	%		
貧血(鉄欠乏性貧血、二次性貧血)	47	(2.7)	3	(.5)	6	(54.5)	4	(10.3)	2	(9.5)	52	(2.1)
1~5例	307	(17.4)	63	(10.6)	5	(45.5)	5	(12.8)	4	(19.0)	384	(15.8)
6~10例	275	(15.6)	87	(14.6)			30	(76.9)	14	(66.7)	372	(15.3)
11例~	1089	(61.8)	438	(73.5)					1	(4.8)	1571	(64.7)
未回答	44	(2.5)	5	(.8)			39	(100.0)	21	(100.0)	50	(2.1)
0例	1762	(100.0)	596	(100.0)	2	(18.2)	1	(2.6)	4	(19.0)	2429	(100.0)
1~5例	195	(11.1)	23	(3.9)	7	(63.6)	5	(12.8)	5	(23.8)	225	(9.3)
6~10例	533	(30.2)	72	(12.1)	1	(9.1)	6	(15.4)	1	(4.8)	622	(25.6)
11例~	329	(18.7)	88	(14.8)	1	(9.1)	27	(69.2)	10	(47.6)	425	(17.5)
未回答	654	(37.1)	407	(68.3)					1	(4.8)	1099	(45.2)
0例	51	(2.9)	6	(1.0)					1	(4.8)	58	(2.4)

	大学付属病院		研修指定病院・一般病院		研修指定病院・精神病院		研修指定病院・精神病院		研修指定病院群主病院		特になし	
	研修医数	%	研修医数	%	研修医数	%	研修医数	%	研修医数	%	研修医数	%
湿疹・皮膚炎群(接触皮膚炎、アトピー性皮膚炎)	90	(5.1)	12	(2.0)	7	(63.6)	7	(17.9)	4	(19.0)	106	(4.4)
0例												
1~5例	526	(29.9)	122	(20.5)					3	(14.3)	665	(27.4)
6~10例	359	(20.4)	131	(22.0)	1	(9.1)	9	(23.1)	5	(23.8)	505	(20.8)
11例~	741	(42.1)	328	(55.0)	3	(27.3)	23	(59.0)	8	(38.1)	1103	(45.4)
未回答	46	(2.6)	3	(.5)					1	(4.8)	50	(2.1)
0例	91	(5.2)	11	(1.8)	4	(36.4)			3	(14.3)	109	(4.5)
1~5例	573	(32.5)	85	(14.3)	4	(36.4)	6	(15.4)	3	(14.3)	671	(27.6)
6~10例	361	(20.5)	127	(21.3)	1	(9.1)	9	(23.1)	4	(19.0)	502	(20.7)
11例~	694	(39.4)	370	(62.1)	2	(18.2)	24	(61.5)	10	(47.6)	1100	(45.3)
未回答	43	(2.4)	3	(.5)					1	(4.8)	47	(1.9)
0例	203	(11.5)	28	(4.7)	2	(18.2)	2	(5.1)	7	(33.3)	242	(10.0)
1~5例	728	(41.3)	179	(30.0)	5	(45.5)	12	(30.8)	6	(28.6)	930	(38.3)
6~10例	310	(17.6)	157	(26.3)	2	(18.2)	13	(33.3)	1	(4.8)	483	(19.9)
11例~	472	(26.8)	228	(38.3)	2	(18.2)	12	(30.8)	6	(28.6)	720	(29.6)
未回答	49	(2.8)	4	(.7)					1	(4.8)	54	(2.2)
0例	354	(20.1)	57	(9.6)	2	(18.2)	4	(10.3)	7	(33.3)	424	(17.5)
1~5例	649	(36.8)	136	(22.8)	8	(72.7)	10	(25.6)	5	(23.8)	808	(33.3)
6~10例	245	(13.9)	79	(13.3)	1	(9.1)	6	(15.4)	1	(4.8)	332	(13.7)
11例~	471	(26.7)	321	(53.9)			19	(48.7)	7	(33.3)	818	(33.7)
未回答	43	(2.4)	3	(.5)					1	(4.8)	47	(1.9)
0例	530	(30.1)	87	(14.6)	5	(45.5)	7	(17.9)	9	(42.9)	638	(26.3)
1~5例	628	(35.6)	146	(24.5)	5	(45.5)	10	(25.6)	3	(14.3)	792	(32.6)
6~10例	174	(9.9)	106	(17.8)	1	(9.1)	6	(15.4)	2	(9.5)	289	(11.9)
11例~	382	(21.7)	255	(42.8)			16	(41.0)	6	(28.6)	659	(27.1)
未回答	48	(2.7)	2	(.3)					1	(4.8)	51	(2.1)
0例	298	(16.9)	49	(8.2)	5	(45.5)	6	(15.4)	4	(19.0)	362	(14.9)
1~5例	619	(35.1)	170	(28.5)	5	(45.5)	10	(25.6)	8	(38.1)	812	(33.4)
6~10例	325	(18.4)	150	(25.2)	1	(9.1)	9	(23.1)	5	(23.8)	490	(20.2)
11例~	475	(27.0)	223	(37.4)			14	(35.9)	3	(14.3)	715	(29.4)
未回答	45	(2.6)	4	(.7)					1	(4.8)	50	(2.1)
0例	478	(27.1)	79	(13.3)	6	(54.5)	10	(25.6)	5	(23.8)	578	(23.8)
1~5例	695	(39.4)	211	(35.4)	5	(45.5)	13	(33.3)	5	(23.8)	929	(38.2)
6~10例	245	(13.9)	131	(22.0)	10	(25.6)	10	(25.6)	6	(28.6)	392	(16.1)
11例~	298	(16.9)	171	(28.7)			6	(15.4)	4	(19.0)	479	(19.7)
未回答	46	(2.6)	4	(.7)					1	(4.8)	51	(2.1)
0例	221	(12.5)	25	(4.2)	2	(18.2)			3	(14.3)	251	(10.3)
1~5例	530	(30.1)	77	(12.9)	7	(63.6)	6	(15.4)	7	(33.3)	627	(25.8)
6~10例	331	(18.8)	96	(16.1)	2	(18.2)	5	(12.8)	2	(9.5)	436	(17.9)
11例~	636	(36.1)	395	(66.3)			28	(71.8)	8	(38.1)	1067	(43.9)
未回答	44	(2.5)	3	(.5)					1	(4.8)	48	(2.0)

	大学付属病院		研修指定病院・一般病院		研修指定病院・精神病院		研修指定病院群主病院		特になし		合計
	研修医数	%	研修医数	%	研修医数	%	研修医数	%	研修医数	%	
小腸・大腸疾患(イレウス、急性虫垂炎、痔核・痔漏)	148 (8.4)		10 (1.7)		9 (81.8)		3 (7.7)		2 (9.5)		160 (6.6)
1~5例	497 (28.2)		72 (12.1)		9 (81.8)		3 (7.7)		4 (19.0)		585 (24.1)
6~10例	371 (21.1)		85 (14.3)		2 (18.2)		11 (28.2)		3 (14.3)		472 (19.4)
11例~	701 (39.8)		424 (71.1)				25 (64.1)		11 (52.4)		1161 (47.8)
未回答	45 (2.6)		5 (0.8)						1 (4.8)		51 (2.1)
肝疾患(ウイルス性肝炎、急性・慢性肝炎、肝硬変、肝嚢、アルコール性肝嚢、薬物性肝嚢)	128 (7.3)		6 (1.0)		7 (63.6)		1 (2.6)		3 (14.3)		138 (5.7)
1~5例	473 (26.8)		84 (14.1)		7 (63.6)		7 (17.9)		5 (23.8)		576 (23.7)
6~10例	353 (20.0)		138 (23.2)		3 (27.3)		8 (20.5)		2 (9.5)		504 (20.7)
11例~	764 (43.4)		366 (61.4)		1 (9.1)		23 (59.0)		10 (47.6)		1164 (47.9)
未回答	44 (2.5)		2 (0.3)						1 (4.8)		47 (1.9)
横隔膜・膈壁・膈膜(膈膜炎、急性腹症、ヘルニア)	322 (18.3)		21 (3.5)		3 (27.3)		2 (5.1)		3 (14.3)		351 (14.5)
1~5例	625 (35.5)		154 (25.8)		8 (72.7)		6 (15.4)		9 (42.9)		802 (33.0)
6~10例	283 (16.1)		138 (23.2)				11 (28.2)		1 (4.8)		433 (17.8)
11例~	480 (27.2)		281 (47.1)				20 (51.3)		7 (33.3)		788 (32.4)
未回答	52 (3.0)		2 (0.3)						1 (4.8)		55 (2.3)
腎不全(急性・慢性腎不全、透析)	155 (8.8)		14 (2.3)		6 (54.5)		1 (2.6)		3 (14.3)		179 (7.4)
1~5例	616 (35.0)		154 (25.8)		5 (45.5)		15 (38.5)		7 (33.3)		797 (32.8)
6~10例	403 (22.9)		146 (24.5)				8 (20.5)		3 (14.3)		560 (23.1)
11例~	541 (30.7)		279 (46.8)				15 (38.5)		7 (33.3)		842 (34.7)
未回答	47 (2.7)		3 (0.5)						1 (4.8)		51 (2.1)
泌尿器科的腎・尿路疾患(尿路結石、尿路感染症)	182 (10.3)		10 (1.7)		9 (81.8)		1 (2.6)		4 (19.0)		197 (8.1)
1~5例	623 (35.4)		105 (17.6)		9 (81.8)		8 (20.5)		4 (19.0)		749 (30.8)
6~10例	372 (21.1)		105 (17.6)		1 (9.1)		6 (15.4)		4 (19.0)		488 (20.1)
11例~	533 (30.2)		370 (62.1)		1 (9.1)		24 (61.5)		8 (38.1)		936 (38.5)
未回答	52 (3.0)		6 (1.0)						1 (4.8)		59 (2.4)
妊娠分娩(正常妊娠、流産、早産、正常分娩、産科出血、乳腺炎、産褥)	1120 (63.6)		229 (38.4)		8 (72.7)		12 (30.8)		10 (47.6)		1379 (56.8)
1~5例	337 (19.1)		141 (23.7)		3 (27.3)		14 (35.9)		10 (47.6)		495 (20.4)
6~10例	72 (4.1)		62 (10.4)						4 (19.0)		138 (5.7)
11例~	188 (10.7)		162 (27.2)				13 (33.3)		6 (28.6)		369 (15.2)
未回答	45 (2.6)		2 (0.3)						1 (4.8)		48 (2.0)
男性生殖器疾患(前立腺疾患、勃起障害、精巣腫瘍)	765 (43.4)		158 (26.5)		8 (72.7)		16 (41.0)		10 (47.6)		957 (39.4)
1~5例	606 (34.4)		233 (39.1)		2 (18.2)		14 (35.9)		6 (28.6)		861 (35.4)
6~10例	148 (8.4)		96 (16.1)		1 (9.1)		6 (15.4)		2 (9.5)		253 (10.4)
11例~	196 (11.1)		104 (17.4)				3 (7.7)		2 (9.5)		305 (12.6)
未回答	47 (2.7)		5 (0.8)						1 (4.8)		53 (2.2)
糖代謝異常(糖尿病、糖尿病の合併症、低血糖)	35 (2.0)		5 (0.8)						3 (14.3)		43 (1.8)
1~5例	247 (14.0)		40 (6.7)		3 (27.3)		1 (2.6)		2 (9.5)		293 (12.1)
6~10例	253 (14.4)		68 (11.4)		5 (45.5)		5 (12.8)		3 (14.3)		334 (13.8)
11例~	1166 (66.2)		469 (78.7)		3 (27.3)		32 (82.1)		12 (57.1)		1682 (69.2)
未回答	61 (3.5)		14 (2.3)				1 (2.6)		1 (4.8)		77 (3.2)

疾患の経験数

	大学付属病院				研修指定病院・一般病院				研修指定病院・精神病院				研修指定病院群主病院				特になし				合計	
	研修医数	%	研修医数	%	研修医数	%	研修医数	%	研修医数	%	研修医数	%	研修医数	%	研修医数	%	研修医数	%	研修医数	%	研修医数	%
痲呆(血管性痲呆を含む)	268	(15.2)	27	(4.5)	6	(54.5)	1	(2.6)	5	(23.8)	301	(12.4)	470	(26.7)	112	(18.8)	7	(17.9)	4	(19.0)	599	(24.7)
	300	(17.0)	81	(13.6)	2	(18.2)	4	(10.3)	2	(9.5)	389	(16.0)	662	(37.6)	361	(60.6)	26	(66.7)	9	(42.9)	1061	(43.7)
	62	(3.5)	15	(2.5)			1	(2.6)	1	(4.8)	79	(3.3)	305	(17.3)	52	(8.7)	4	(10.3)	7	(33.3)	368	(15.2)
うつ病	660	(37.5)	196	(32.9)	1	(9.1)	15	(38.5)	6	(28.6)	878	(36.1)	660	(37.5)	196	(32.9)	15	(38.5)	6	(28.6)	878	(36.1)
	290	(16.5)	137	(23.0)	5	(45.5)	9	(23.1)	3	(14.3)	444	(18.3)	290	(16.5)	137	(23.0)	9	(23.1)	3	(14.3)	444	(18.3)
	446	(25.3)	198	(33.2)	5	(45.5)	10	(25.6)	4	(19.0)	663	(27.3)	446	(25.3)	198	(33.2)	10	(25.6)	4	(19.0)	663	(27.3)
統合失調症(精神分裂病)	61	(3.5)	13	(2.2)			1	(2.6)	1	(4.8)	76	(3.1)	61	(3.5)	13	(2.2)	1	(2.6)	1	(4.8)	76	(3.1)
	575	(32.6)	135	(22.7)			10	(25.6)	10	(47.6)	730	(30.1)	575	(32.6)	135	(22.7)	10	(25.6)	10	(47.6)	730	(30.1)
	701	(39.8)	270	(45.3)			19	(48.7)	7	(33.3)	997	(41.0)	701	(39.8)	270	(45.3)	19	(48.7)	7	(33.3)	997	(41.0)
	194	(11.0)	96	(16.1)	1	(9.1)	4	(10.3)	3	(14.3)	295	(12.1)	194	(11.0)	96	(16.1)	4	(10.3)	3	(14.3)	295	(12.1)
	228	(12.9)	82	(13.8)	10	(90.9)	5	(12.8)	1	(4.8)	328	(13.5)	228	(12.9)	82	(13.8)	5	(12.8)	1	(4.8)	328	(13.5)
身体表現性障害、ストレス関連障害	64	(3.6)	13	(2.2)			1	(2.6)	1	(4.8)	79	(3.3)	64	(3.6)	13	(2.2)	1	(2.6)	1	(4.8)	79	(3.3)
	670	(38.0)	161	(27.0)	2	(18.2)	11	(28.2)	8	(38.1)	850	(35.0)	670	(38.0)	161	(27.0)	11	(28.2)	8	(38.1)	850	(35.0)
	605	(34.3)	238	(39.9)			15	(38.5)	4	(19.0)	864	(35.6)	605	(34.3)	238	(39.9)	15	(38.5)	4	(19.0)	864	(35.6)
	173	(9.8)	84	(14.1)	5	(45.5)	7	(17.9)	4	(19.0)	273	(11.2)	173	(9.8)	84	(14.1)	7	(17.9)	4	(19.0)	273	(11.2)
	236	(13.4)	92	(15.4)	4	(36.4)	5	(12.8)	4	(19.0)	341	(14.0)	236	(13.4)	92	(15.4)	5	(12.8)	4	(19.0)	341	(14.0)
	78	(4.4)	21	(3.5)			1	(2.6)	1	(4.8)	101	(4.2)	78	(4.4)	21	(3.5)	1	(2.6)	1	(4.8)	101	(4.2)
	121	(6.9)	10	(1.7)	2	(18.2)			2	(9.5)	135	(5.6)	121	(6.9)	10	(1.7)	4	(10.3)	2	(9.5)	135	(5.6)
ウイルス感染症(インフルエンザ、麻疹、風疹、水痘、ヘルペス、流行性耳下腺炎)	453	(25.7)	74	(12.4)	6	(54.5)	4	(10.3)	5	(23.8)	542	(22.3)	453	(25.7)	74	(12.4)	6	(54.5)	4	(10.3)	5	(23.8)
	272	(15.4)	64	(10.7)	3	(27.3)	7	(17.9)	13	(61.9)	346	(14.2)	272	(15.4)	64	(10.7)	7	(17.9)	13	(61.9)	346	(14.2)
	847	(48.1)	433	(72.7)			27	(69.2)	1	(4.8)	1320	(54.3)	847	(48.1)	433	(72.7)	27	(69.2)	1	(4.8)	1320	(54.3)
	69	(3.9)	15	(2.5)			1	(2.6)	2	(9.5)	86	(3.5)	69	(3.9)	15	(2.5)	1	(2.6)	2	(9.5)	86	(3.5)
細菌感染症(ブドウ球菌、MRSA、群連鎖球菌、クラミジア)	67	(3.8)	3	(.5)	1	(9.1)			2	(9.5)	73	(3.0)	67	(3.8)	3	(.5)	1	(9.1)	2	(9.5)	73	(3.0)
	257	(14.6)	45	(7.6)	6	(54.5)	3	(7.7)	2	(9.5)	313	(12.9)	257	(14.6)	45	(7.6)	3	(7.7)	2	(9.5)	313	(12.9)
	231	(13.1)	59	(9.9)	3	(27.3)	5	(12.8)	1	(4.8)	299	(12.3)	231	(13.1)	59	(9.9)	5	(12.8)	1	(4.8)	299	(12.3)
	1141	(64.8)	474	(79.5)	1	(9.1)	30	(76.9)	15	(71.4)	1661	(68.4)	1141	(64.8)	474	(79.5)	30	(76.9)	15	(71.4)	1661	(68.4)
	66	(3.7)	15	(2.5)			1	(2.6)	1	(4.8)	83	(3.4)	66	(3.7)	15	(2.5)	1	(2.6)	1	(4.8)	83	(3.4)
結核	693	(39.3)	154	(25.8)	6	(54.5)	9	(23.1)	11	(52.4)	873	(35.9)	693	(39.3)	154	(25.8)	9	(23.1)	11	(52.4)	873	(35.9)
	793	(45.0)	305	(51.2)	5	(45.5)	23	(59.0)	7	(33.3)	1133	(46.6)	793	(45.0)	305	(51.2)	23	(59.0)	7	(33.3)	1133	(46.6)
	133	(7.5)	71	(11.9)			4	(10.3)	2	(9.5)	208	(8.6)	133	(7.5)	71	(11.9)	4	(10.3)	2	(9.5)	208	(8.6)
	78	(4.4)	53	(8.9)			2	(5.1)	1	(4.8)	135	(5.6)	78	(4.4)	53	(8.9)	2	(5.1)	1	(4.8)	135	(5.6)
	65	(3.7)	13	(2.2)	4	(36.4)	1	(2.6)	7	(33.3)	80	(3.3)	65	(3.7)	13	(2.2)	1	(2.6)	7	(33.3)	80	(3.3)
慢性関節リウマチ	428	(24.3)	71	(11.9)	7	(63.6)	6	(15.4)	11	(52.4)	516	(21.2)	428	(24.3)	71	(11.9)	6	(15.4)	11	(52.4)	516	(21.2)
	776	(44.0)	301	(50.5)			22	(56.4)	2	(9.5)	1117	(46.0)	776	(44.0)	301	(50.5)	22	(56.4)	2	(9.5)	1117	(46.0)
	247	(14.0)	110	(18.5)			8	(20.5)	2	(9.5)	365	(15.0)	247	(14.0)	110	(18.5)	8	(20.5)	2	(9.5)	365	(15.0)
	247	(14.0)	102	(17.1)			2	(5.1)	1	(4.8)	353	(14.5)	247	(14.0)	102	(17.1)	2	(5.1)	1	(4.8)	353	(14.5)
未回答	64	(3.6)	12	(2.0)			1	(2.6)			78	(3.2)	64	(3.6)	12	(2.0)	1	(2.6)			78	(3.2)

疾患の経験数

	大学付属病院		研修指定病院・一般病院		研修指定病院・精神病院		研修指定病院・精神病院		研修指定病院群主病院		特になし		研修医数 %	
	研修医数	%	研修医数	%	研修医数	%	研修医数	%	研修医数	%	研修医数	%		
アレルギー疾患	142	(8.1)	28	(4.7)	1	(9.1)	1	(2.6)	1	(2.6)	5	(23.8)	177	(7.3)
1~5例	624	(35.4)	185	(31.0)	8	(72.7)	17	(43.6)	5	(23.8)	5	(23.8)	839	(34.5)
6~10例	264	(15.0)	100	(16.8)	2	(18.2)	3	(7.7)	2	(9.5)	2	(9.5)	371	(15.3)
11例~	653	(37.1)	265	(44.5)	17	(43.6)	17	(43.6)	8	(38.1)	8	(38.1)	943	(38.8)
未回答	79	(4.5)	18	(3.0)	7	(63.6)	1	(2.6)	1	(4.8)	1	(4.8)	99	(4.1)
熱傷	579	(32.9)	119	(20.0)	7	(63.6)	7	(17.9)	10	(47.6)	10	(47.6)	722	(29.7)
0例	704	(40.0)	208	(34.9)	4	(36.4)	13	(33.3)	5	(23.8)	5	(23.8)	934	(38.5)
1~5例	154	(8.7)	99	(16.6)	3	(7.7)	3	(7.7)	5	(23.8)	5	(23.8)	256	(10.5)
6~10例	260	(14.8)	156	(26.2)	15	(38.5)	15	(38.5)	5	(23.8)	5	(23.8)	436	(17.9)
11例~	65	(3.7)	14	(2.3)	1	(2.6)	1	(2.6)	1	(4.8)	1	(4.8)	81	(3.3)
未回答	866	(49.1)	153	(25.7)	10	(90.9)	7	(17.9)	10	(47.6)	10	(47.6)	1046	(43.1)
小児がいらいれん性疾患	507	(28.8)	158	(26.5)	1	(9.1)	10	(25.6)	3	(14.3)	3	(14.3)	679	(28.0)
0例	127	(7.2)	87	(14.6)	4	(10.3)	4	(10.3)	1	(4.8)	1	(4.8)	219	(9.0)
1~5例	197	(11.2)	184	(30.9)	17	(43.6)	17	(43.6)	6	(28.6)	6	(28.6)	404	(16.6)
6~10例	65	(3.7)	14	(2.3)	1	(2.6)	1	(2.6)	1	(4.8)	1	(4.8)	81	(3.3)
11例~	745	(42.3)	126	(21.1)	9	(81.8)	5	(12.8)	9	(42.9)	9	(42.9)	894	(36.8)
未回答	429	(24.3)	100	(16.8)	2	(18.2)	9	(23.1)	2	(9.5)	2	(9.5)	542	(22.3)
小児ウイルス感染症(麻疹、流行性耳下腺炎、水痘、突発性発疹、インフルエンザ)	156	(8.9)	68	(11.4)	9	(81.8)	2	(18.2)	5	(23.1)	5	(23.1)	230	(9.5)
0例	366	(20.8)	289	(48.5)	2	(18.2)	19	(48.7)	8	(38.1)	8	(38.1)	682	(28.1)
1~5例	66	(3.7)	13	(2.2)	9	(81.8)	1	(2.6)	1	(4.8)	1	(4.8)	81	(3.3)
6~10例	759	(43.1)	122	(20.5)	2	(18.2)	3	(7.7)	8	(38.1)	8	(38.1)	901	(37.1)
11例~	421	(23.9)	97	(16.3)	2	(18.2)	12	(30.8)	3	(14.3)	3	(14.3)	535	(22.0)
未回答	169	(9.6)	73	(12.2)	9	(81.8)	4	(10.3)	1	(4.8)	1	(4.8)	247	(10.2)
小児喘息	351	(19.9)	291	(48.8)	2	(18.2)	19	(48.7)	8	(38.1)	8	(38.1)	669	(27.5)
0例	62	(3.5)	13	(2.2)	2	(18.2)	1	(2.6)	1	(4.8)	1	(4.8)	77	(3.2)
1~5例	313	(17.8)	30	(5.0)	2	(18.2)	1	(2.6)	6	(28.6)	6	(28.6)	352	(14.5)
6~10例	487	(27.6)	102	(17.1)	5	(45.5)	7	(17.9)	6	(28.6)	6	(28.6)	607	(25.0)
11例~	322	(18.3)	98	(16.4)	3	(27.3)	10	(25.6)	6	(28.6)	6	(28.6)	433	(17.8)
未回答	571	(32.4)	353	(59.2)	1	(9.1)	20	(51.3)	8	(38.1)	8	(38.1)	953	(39.2)
老年症候群(誤嚥、転倒、失禁、褥瘡)	69	(3.9)	13	(2.2)	1	(9.1)	1	(2.6)	1	(4.8)	1	(4.8)	84	(3.5)
0例	250	(14.2)	29	(4.9)	1	(9.1)	1	(2.6)	6	(28.6)	6	(28.6)	287	(11.8)
1~5例	409	(23.2)	67	(11.2)	6	(54.5)	6	(15.4)	3	(14.3)	3	(14.3)	491	(20.2)
6~10例	253	(14.4)	87	(14.6)	1	(9.1)	7	(17.9)	2	(9.5)	2	(9.5)	350	(14.4)
11例~	784	(44.5)	398	(66.8)	3	(27.3)	24	(61.5)	9	(42.9)	9	(42.9)	1218	(50.1)
未回答	66	(3.7)	15	(2.5)	3	(27.3)	1	(2.6)	1	(4.8)	1	(4.8)	83	(3.4)

研修の種類	大学付属病院			研修指定病院・一般病院			研修プログラムを管理している病院			研修指定病院・精神病院			研修指定病院群主病院			特になし			合計
	研修医数	%		研修医数	%		研修医数	%		研修医数	%		研修医数	%		研修医数	%		
ストリート方式	582	(33.0)		83	(13.9)		6	(54.5)		2	(5.1)		6	(28.6)		679	(28.0)		
ローテーション方式	782	(44.4)		278	(46.6)		3	(27.3)		16	(41.0)		9	(42.9)		1088	(44.8)		
総合診療方式	205	(11.6)		172	(28.9)		1	(9.1)		16	(41.0)		2	(9.5)		396	(16.3)		
その他	176	(10.0)		55	(9.2)		1	(9.1)		5	(12.8)		4	(19.0)		241	(9.9)		
未回答	17	(1.0)		8	(1.3)											25	(1.0)		
合計	1762	(100.0)		596	(100.0)		11	(100.0)		39	(100.0)		21	(100.0)		2429	(100.0)		
当直回数	226	(12.8)		64	(10.7)		1	(9.1)		1	(2.6)		2	(9.5)		294	(12.1)		
	405	(23.0)		149	(25.0)		5	(45.5)		7	(17.9)		4	(19.0)		570	(23.5)		
	501	(28.4)		249	(41.8)		3	(27.3)		17	(43.6)		8	(38.1)		778	(32.0)		
	216	(12.3)		80	(13.4)					9	(23.1)		3	(14.3)		308	(12.7)		
	70	(4.0)		24	(4.0)					2	(5.1)					96	(4.0)		
	45	(2.6)		6	(1.0)					1	(2.6)					52	(2.1)		
	284	(16.1)		24	(4.0)		2	(18.2)		1	(2.6)		4	(19.0)		315	(13.0)		
	15	(.9)								1	(2.6)					16	(.7)		
アルバイトの回数	534	(30.3)		41	(6.9)		5	(45.5)		2	(5.1)		1	(4.8)		583	(24.0)		
	376	(21.3)		6	(1.0)		1	(9.1)								383	(15.8)		
	48	(2.7)														48	(2.0)		
	301	(17.1)		97	(16.3)		1	(9.1)					2	(9.5)		401	(16.5)		
	494	(28.0)		452	(75.8)		4	(36.4)					17	(81.0)		1002	(41.3)		
	9	(.5)											1	(4.8)		12	(.5)		
	474	(26.9)		292	(49.0)		2	(18.2)					8	(38.1)		792	(32.6)		
	310	(17.6)		92	(15.4)		2	(18.2)					1	(4.8)		415	(17.1)		
卒業臨床研修終了後の予定	725	(41.1)		91	(15.3)		7	(63.6)		5	(12.8)		6	(28.6)		834	(34.3)		
	34	(1.9)		40	(6.7)								1	(4.8)		75	(3.1)		
	42	(2.4)		23	(3.9)					2	(5.1)		1	(4.8)		68	(2.8)		
	58	(3.3)		9	(1.5)											67	(2.8)		
	22	(1.2)		11	(1.8)					1	(2.6)					34	(1.4)		
	3	(.2)		1	(.2)											4	(.2)		
	43	(2.4)		12	(2.0)					3	(7.7)		2	(9.5)		60	(2.5)		
	18	(1.0)		14	(2.3)					1	(2.6)		2	(9.5)		35	(1.4)		
	33	(1.9)		11	(1.8)					1	(2.6)					45	(1.9)		

	研修プログラムを管理している病院												合計
	大学付属病院		研修指定病院・一般病院		研修指定病院・精神病院		研修指定病院群主病院		特になし				
	平均値	有効数	平均値	有効数	平均値	有効数	平均値	有効数	平均値	有効数	平均値	有効数	
入院担当症例数	171	1,487	188	488	57	9	170	34	155	17	175	2,035	
外科系の研修(助手としての手術件数)	104	924	85	346	21	4	64	27	44	10	97	1,311	
外科系の研修(術者としての手術件数)	19	908	16	349	0	1	10	27	4	9	18	1,294	