

使用量順	規格先	H12-SEQ	第2品目名(オrijinalの正式英名)	第2品目名 使用量(kg)	判断指标 照番号	含量% (GC)	含量% (GC以外)	比重 (20℃)	屈折率 (20℃)	酸価	融点 (℃)	旋光度 (°)	IR*	MS*	NMR*	
33	JFEEMA	2306	4-methyl-5-thiazoleethanol acetate	2473.123	1	98.0以上	97	1.166-1.172	1.505-1.512	1.0以下			-	4-5	1.6	
	JEGFA	2306	4-methyl-5-thiazoleethanol acetate					1.145-1.149	1.505-1.515	n/a						
	流通子一タ	2306	4-methyl-5-thiazoleethanol acetate			99.8		1.168	1.509	0.14						
	流通子一タ	2306	4-methyl-5-thiazoleethanol acetate			98.0		1.167-1.171	1.507-1.512	1.0						
	流通子一タ	2306	4-methyl-5-thiazoleethanol acetate			98.0		1.167-1.171	1.507-1.512	1.0						
	流通子一タ	2306	4-methyl-5-thiazoleethanol acetate			98.0		1.167-1.171	1.507-1.512	1.0						
	流通子一タ	2306	4-methyl-5-thiazoleethanol acetate			98.0		1.167-1.171	1.507-1.512	1.0						
	流通子一タ	2306	4-methyl-5-thiazoleethanol acetate			98.0		1.167-1.171	1.507-1.512	1.0						
	流通子一タ	2306	4-methyl-5-thiazoleethanol acetate			98.0		1.167-1.171	1.507-1.512	1.0						
	流通子一タ	2306	4-methyl-5-thiazoleethanol acetate			98		1.168-1.172	1.507-1.512	<1.0						
	流通子一タ	2306	4-methyl-5-thiazoleethanol acetate			98				1						
	流通子一タ	2306	4-methyl-5-thiazoleethanol acetate			98		1.167-1.171	1.507-1.512							
	流通子一タ	2306	4-methyl-5-thiazoleethanol acetate			98		1.167-1.171	1.507-1.512							
	流通子一タ	2306	4-methyl-5-thiazoleethanol acetate			98		1.162-1.172	1.505-1.515							
	流通子一タ	2306	4-methyl-5-thiazoleethanol acetate			98		1.068-1.072	1.507-1.512	1						
	流通子一タ	2306	4-methyl-5-thiazoleethanol acetate			98		1.167-1.171	1.507-1.512	<1.0						
	流通子一タ	2306	4-methyl-5-thiazoleethanol acetate			>98		1.167-1.171	1.507-1.512	<1.0						
	流通子一タ	2306	4-methyl-5-thiazoleethanol acetate			>95										
	流通子一タ	2306	4-methyl-5-thiazoleethanol acetate				98	1.167-1.171	1.507-1.512	<1						
	流通子一タ	2306	4-methyl-5-thiazoleethanol acetate													
	流通子一タ	2306	4-methyl-5-thiazoleethanol acetate													
	流通子一タ	2306	4-methyl-5-thiazoleethanol acetate													
	流通子一タ	2306	4-methyl-5-thiazoleethanol acetate					1.1670-1.1700	1.506-1.511							

