

|  |  |  |       |           |      |
|--|--|--|-------|-----------|------|
| 吉岡淳子 猪原登志子、野村啓子、小林いけい 渡部仁美 小野孝彦 深津敦司 武曾恵理 小西憲子   | 維持透析5年後に不明熱を呈しANCAとの関連が考えられた血液透析患者の1症例   | 透析会誌   | 36(2) | 147-151   | 2003 |
| Kanagawa S, Morinobu A, Koshiha M, Kageyama G, Hayashi N, Yoshino S, Tokano Y, <u>Hashimoto H</u> , Kumagai S.   | Association of the TAP2*Bky2 allele with presence of SS-A/Ro and other autoantibodies in Japanese patients with systemic lupus erythematosus.  | Lupus 12                                       |       | 258-265   | 2003 |
| Yamada M, Yagita H, Inoue H, Takanashi T, Matsuda H, Munechika E, Kanamaru Y, Shirato I, Tomino Y, Matushima K, Okumura K, <u>Hashimoto H</u> .        | Selective accumulation of CCR4+ T lymphocytes into renal tissue of patients with lupus nephritis.  | Arthritis Rheum 46                             |       | 735-740   | 2003 |
| Tokano Y, Ogasawara H, Ando S, Kobayashi S, Sekigawa I, Takasaki Y, Iida N, <u>Hashimoto H</u> .   | Cyclosporin A therapy for interstitial pneumonitis associated with rheumatic disease.  | Mod Rheumatol 12                               |       | 305-310   | 2003 |
| Kogure T, Takasaki Y, Takeuchi K, Yamada H, Nawata M, Ikeda K, Matsushita M, Matsudaira R, Kaneda K, Terasawa K, <u>Hashimoto H</u> .                  | Autoimmune responses to proliferating cell nuclear antigen multiprotein complexes involved in cell proliferation are strongly associated with their structure and biologic function in patients with systemic lupus erythematosus. | Arthritis Rheum 46                             |       | 2946-2956 | 2003 |
| Bando H, Tamura N, Kobayashi S, Ohyanagi M, Ichimura Y, Tajima M, Haruta K, <u>Hashimoto H</u> .   | Endothelial cell-binding antibodies in patients with systemic lupus erythematosus.   | Mod Rheumatol 13                               |       | 44-49     | 2003 |
| Kusaai M, Fukazawa T, Hirashima M, Morita Y, Yamaji C, Takai S, Takasaki Y, <u>Hashimoto H</u> .   | A case of inclusion body myositis with systemic sclerosis.   | Mod Rheumatol 13                               |       | 87-89     | 2003 |
| Ikeda K, Takasaki Y, Hirokawa K, Takeuchi K, <u>Hashimoto H</u> .  | Clinical significance of antibodies to TS1-RNA in patients with mixed connective tissue disease.   | J Rheum 30                                     |       | 998-1005  | 2003 |
| Kobayashi S, Yano T, Matsumoto Y, Numano F, Nakajima N, Yasuda K, Yutani C, Nakayama T, Tamakoshi A, Kawamura T, Ohno Y, Inaba Y, <u>Hashimoto H</u> . | Clinical and epidemiologic analysis of giant cell (temporal) arteritis from a nationwide survey in 1998 in Japan: The first government-supported nationwide survey.  | Arthritis Rheum (Arthritis Care & Research) 49 |       | 594-598   | 2003 |
| Tsuchiya N, Kobayashi S, Kawasaki A, Kyogoku C, Arimura Y, Yoshida M, Tokunaga K, <u>Hashimoto H</u> .   | Genetic background of Japanese patients with antineutrophil cytoplasmic antibody-associated vasculitis: association of HLA-DRB1*0901 with microscopic polyangiitis.  | J Rheum 30                                     |       | 1534-1539 | 2003 |

|   |   |                              |  |           |      |
|---|---|------------------------------|--|-----------|------|
| Nakiri Y, Kaneko H, Morimoto S, Suzuki J, Tokano Y, <u>Hashimoto H.</u>   | Expression of NKB1 on peripheral T cells in patients with rheumatoid arthritis.   | Cin Rheumatol 13             |  | 305-308   | 2003 |
| takaya M, Tamura N, Kato K, Kobayashi S, Haruta K, Tajima M, Hara M, Yang K, Tsuda H, <u>Hashimoto H.</u>                           | CD154 expression and mRNA stability of activated CD4-positive T cells in patients with systemic lupus erythematosus.                                    | Mod Rheumatol 13             |  | 220-226   | 2003 |
| Kobayashi S, Yano T, Inaba Y, <u>Hashimoto H.</u> , Matsumoto Y, Tamakoshi A, Kawamura T, Ohno Y.                                   | Ocular involvements of Japanese patients with giant cell arteritis from the first nation-wide survey. (letter)  | Arthritis Care and Health 49 |  | 867-868   | 2003 |
| Kobayashi S, Ishizuka S, Tamura N, Takaya M, Kaneda K, <u>Hashimoto H.</u>  | Churg-Stauss syndrome (CSS) in a patient receiving pranlukast.  | Cin Rheumatol 22             |  | 491-492   | 2003 |
| Matsudaira R, Takeuchi K, Takasaki Y, Yano T, Matsushita M, <u>Hashimoto H.</u>   | Relationships between autoantibody responses to deletion mutants of ki antigen and clinical manifestations of lupus.                                    | J Rheum 30                   |  | 1208-1214 | 2003 |
| 橋本博史  | 全身性エリテマトーデスの病態と治療・病像の変貌と今後の課題   | 日内科誌 92                      |  | 1638-1649 | 2003 |
| 橋本博史  | 血管炎-アレルギー性肉芽腫性血管炎を中心として   | アレルギー 52                     |  | 481-484   | 2003 |
| 橋本博史  | 血管炎の分類とANCA関連血管炎  | リウマチ科 29                     |  | 217-221   | 2003 |
| 橋本博史  | アレルギー肉芽腫性血管炎  | アレルギー科 15                    |  | 537-543   | 2003 |
| 橋本博史  | 血管炎症候群の臨床   | 医学のあゆみ 206                   |  | 127-129   | 2003 |
| Kondo H, Abe T, <u>Hashimoto H.</u> , Uchida S, Irimajiri S, Hara M, Sugawara S.  | Efficacy and safety of tacrolimus (FK506) in treatment of rheumatoid arthritis: A randomized, double blind, placebo controlled                          | J Rheum 31                   |  | 243-251   | 2004 |
| Matsushita M, Takasaki Y, Takeuchi K, Yamada H, Matsudaira R, <u>Hashimoto H.</u>   | Autoimmune response to proteasome activator 28 $\alpha$ in patients with connective tissue diseases.  | J Rheum 31                   |  | 252-259   | 2004 |
| Miyashita R, Tsuchiya N, Hikami K, Kuroki K, Fukazawa T, Bijl M, Kallenberg C G M, <u>Hashimoto H.</u> , Yabe T, Tokunaga K         | Molecular genetic analyses of human NKG2C (KLRC2) gene deletion.  | Inter Immunol 16             |  | 163-168   | 2004 |
| Chiba A, Oki S, Miyamoto K, <u>Hashimoto H.</u> , Yamamura T, Miyake S.   | Suppression of collagen-induced arthritis by natural killer T cell activation with OCH, a sphingosine-truncated analog of $\alpha$ -galactosylceramide. | Arthritis Rheum 50           |  | 305-313   | 2004 |
| Hara M, Kinoshita M, Saito E, <u>Hashimoto H.</u> , Miyasaka N, Yoshida T, Ichikawa Y, Koike T, Ichiakwa Y, Okada J, Kashiwazaki S. | Prospective study of high-dose intravenous immunoglobulin for the treatment of steroid-resistant polymyositis and dermatomyositis.                      | Inter Immunol 13             |  | 319-325   | 2004 |

|   |  |                                 |           |      |
|---|--|---------------------------------|-----------|------|
| Takasaki Y, Kaneda K, matsushita M, Yamada H, Nawata M, Matsudaira R, Asano M, Mineki R, Shind N, <u>Hashimoto H.</u>   | Glyceraldehyde 3-phosphate dehydrogenase is a novel autoantigen leading autoimmune responses to proliferating cell nuclear antigen multiprotein complexes in lupus patients. | Inter Immunol 16                | 1295-1304 | 2004 |
| Murashima A, Fukazawa T, Hirashima M, Takasaki Y, Oonishi M, Nijima S, Yamashiro Y, Yamataka A, Miyano T, <u>Hashimoto H.</u>   | Long term prognosis of children born to lupus patients.  | Ann rheum dis 63                | 50-53     | 2004 |
| Takasaki Y, Yamanaka K, Takasaki C, Matsushita M, Yamada H, Nawata M, Matsudaira R, Ikeda K, Kaneda K, <u>Hashimoto H.</u>  | Anticyclic citrullinated peptide antibodies in patients with mixed connective tissue disease.  | Mod Rheumatol 14                | 367-375   | 2004 |
| Kaneda K, Takasaki Y, Takeuchi K, Yamada H, Nawata M, Matsushita M, Matsudaira R, Ikeda K, Yamanaka K, <u>Hashimoto H.</u>  | Autoimmune response to proteins of proliferating cell nuclear antigen multiprotein complexes in patients with connective tissue diseases.                                    | J Rheum 31                      | 2142-2150 | 2004 |
| Hitomi Y, Tsuchiya N, Kawasaki A, Ohashi J, Suzuki T, Kyogoku C, Fukazawa T, Bejrachandra S, Siriboonrit U, Chandanayingyong D, Suthioinitharm P, Tsao B P, <u>Hashimoto H.</u> , Honda Z, Tokunaga K | CD72 polymorphisms associated with alternative splicing modify susceptibility to human systemic lupus erythematosus through epistatic interaction with FCGR2B.               | Human Molecular Genetics 13(23) | 2907-2917 | 2004 |
| 橋本博史  | 血管炎症候群-結節性多発動脈炎と顕微鏡的多発血管炎を中心に  | 臨床と研究 81                        | 250-256   | 2004 |
| 橋本博史  | 全身性エリテマトーデス  | 薬局 55                           | 589-596   | 2004 |
| 橋本博史  | 血管炎の新しい薬物療法  | 呼吸器科 4                          | 550-554   | 2004 |
| 橋本博史  | 血管炎症候群   | 臨床と研究 81                        | 56-62     | 2004 |
| 橋本博史  | 全身性エリテマトーデスの難治性病態と治療-腎病変と血液学的病   | 都医会誌                            | 73-81     | 2004 |
| 橋本博史  | 血管炎の病態と治療-ANCA関連血管炎を中心として、シンポジウム4リウマチ・膠原病の最新進歩   | 第26回日本医学学会総会誌 2                 | 73        | 2004 |
| Kumagai S, Kawana S, Atsumi T, Inokuma S, Okada Y, Kanai Y, Kaburagi J, Kameda H, Suwa A, Hagiwara H, Hirohata S, Makino H, <u>Hashimoto H.</u>   | Vertebral fracture and bone mineral density in women receiving high dose glucocorticoids for treatment of autoimmune disease.  | J Rheumatol 32                  | 863-869   | 2005 |
| Matsumoto T, Morizane T, Aoki Y, Yamasaki S, Nakajima M, Enomoto N, Kobayashi S, <u>Hashimoto H.</u>  | Autoimmune hepatitis in primary sjogren's syndrome : Pathological study of the livers and labial salivary glands in 17patients with primary sjogren's syndrome.              | Pathol Inter 55                 | 70-76     | 2005 |
| Ogasawara M, Imanishi T, Moriawaki K, Gaudieri S, Tsuda H, <u>Hashimoto H.</u> , Shiroishi T, Gojobori T, Koide T.  | Length variation of CAG/CAA triplet in 50 genes among 16 inbred mouse strains.   | Gene 349                        | 107-109   | 2005 |

|  |  |                                 |  |           |      |
|--|--|---------------------------------|--|-----------|------|
| Tamiya G, Shinya M, Imanishi T, Ikuta T, Makino S, Okamoto K, Furugaki K, Matsumoto T, Mano S, Ando S, Nozaki Y, Yukawa W, Nakashige R, Yamaguchi D, Ishibashi H, Yonekura M, Nakami Y, Takayama S, Endo T, Saruwatari T, Yagura M, Yoshioka Y, Fujimoto K, Oka A, Chiku S, Samuel E.V. Linsen, Marius J. Giphart, Jerzy K Kulski, Fukazawa T, <u>Hashimoto H</u> , Kimura M, Hoshina Y, Suzuki Y, Hotta T, Mochida J, Minezaki T, Komai K, Shiozawa S, Taniguchi A, Yamanaka H, | Whole genome association study of rheumatoid arthritis using 27 039 microsatellites.   | Human Molecular Genetics 14(16) |  | 2305-2321 | 2005 |
| Zhong B, Tajima M, Takahara H, Nochi H, Tamoto K, Tamura N, Kobayashi S, Tamura Y, Ikeda M, Akimoto T, Yoshino S, <u>Hashimoto H</u> .   | Inhibitory effect of mizoribine on matrix metalloproteinase-1 production in synovial fibroblasts and THP-1 macrophages.  | Mod Rheumatol 15                |  | 264-268   | 2005 |
| Tokano Y, Morimoto S, Amano H, Kawanishi T, Yano T, Tomyo M, Sugawara M, Kobayashi S, Tsuda H, Takasaki Y, <u>Hashimoto H</u> .  | The relationship between initial clinical manifestation and long-term prognosis of patients with systemic lupus erythematosus.                                       | Mod Rheumatol 15                |  | 275-282   | 2005 |
| Tsuchiya N, Kobayashi S, <u>Hashimoto H</u> , Ozaki S, Tokunaga K.   | SHORT COMMUNICATION Association of HLA-DRB1*0901-DQB1*0303 haplotype with microscopic polyangiitis in Japanese.  | Genes and Immunity 7            |  | 81-84     | 2006 |
| Akimoto T, Kobayashi S, Tamura N, Ohsawa T, Kawano T, Tanaka M, <u>Hashimoto H</u> .   | Risk factors for recurrent thrombosis: Prospective study of a cohort of Japanese systemic lupus erythematosus.   | Angiology 56(5)                 |  | 601-609   | 2005 |
| 橋本博史   | アレルギー性肉芽腫性血管炎  | 日本臨床 63 (5)                     |  | 165-171   | 2005 |
| 橋本博史   | 顕微鏡的多発血管炎  | 日本臨床 63 (5)                     |  | 330-332   | 2005 |
| 橋本博史   | 血管炎の基礎と臨床  | 医学のあゆみ 214 (1)                  |  | 1         | 2005 |
| 橋本博史   | 血管病変を診る：血管炎を診る   | Heart View                      |  | 1210-1215 | 2005 |
| 橋本博史   | 膠原病・リウマチ診療の新展開   | 日内会誌 94 (10)                    |  | 2035-2037 | 2005 |
| Fuse K, M Kodama, M Ito, Y Okura, K Kato, H Hanawa, S Aoki, Y Aizawa.  | Polarity of helper T cell subsets represents disease nature and clinical course of experimental autoimmune myocarditis in rats.                                      | Clin Exp Immunol 118            |  | 654-662   | 2003 |
| Kashimura T, Kodama M, Hotta Y, Hosoya J, Yoshida K, Ozawa T, Watanabe R, Okura Y, Kato K, Hnawa H, Kuwano R, Aizawa Y.  | Spatiotemporal changes of coxsackievirus and adenovirus receptor in rat hearts during postnatal development and in cultured cardiomyocytes of neonatal rat. Virchows | Vircho archives 444             |  | 283-292   | 2003 |

|  |   |   |     |         |      |
|--|---|---|-----|---------|------|
| Fuse K, M Kodama, M Ito, Y Okura, K Kato, H Hanawa, S Aoki, Y Aizawa.  | Polarity of helper T cell subsets represents disease nature and clinical course of experimental autoimmune myocarditis in rats. | Clin Exp Immunol  | 134 | 403-408 | 2003 |
| Kenichi Watanabe, Yuki Saito, Meilei Ma, Mir Wahed, Yuichi Abe, Kenichi Hirabayashi, Gurusamy Narasimman, Juan Wen, Palaniyandi Suresh, Fadia Ali, Ken Shirai, Mayako Soga, Yusuke Nagai, Mikio Nakazawa, Go Hasegawa, Makoto Naito, Hitoshi Tachikawa, Makoto Kodama, Yoshifusa Aizawa, Kenichi Yamaguchi, Toshihiro Takahashi. | Comparative effects of perindopril with enalapril in rats with dilated cardiomyopathy.  | Journal of Cardiovascular Pharmacology  | 42  | 105-109 | 2003 |
| Takeshi Kashimura, Manabu Hayashi, Makoto Kodama, Mikio Nakazawa, Satoru Abe, Tsuyoshi Yoshida, Hitoshi Tachikawa, Haruo Hanawa, Kiminori Kato, Kenichi  | Effects of Imidapril and TA-606 on Rat Dilated Cardiomyopathy after Myocarditis.  | Japanese Heart Journal  | 44  | 735-744 | 2003 |
| Juan Wen, Mikio Nakazawa, Kenichi Watanabe, Meilei Ma, Mir II Wahed, Go Hasegawa, Makoto Naito, Tadashi Yamamoto, Koichi Fuse, Kiminori Kato, Makoto Kodama, Yoshifusa Aizawa.   | Quinapril inhibits progression of heart failure and fibroses in rats with dilated cardiomyopathy after myocarditis.             | Molecular and Cellular Biochemistry   | 251 | 77-82   | 2003 |
| Kenichi Watanabe, Makoto Kodama, Yoshifusa Aizawa  | Immune-mediated myocarditis and interleukin-10.   | Inflammation and Cardiac Diseases, Edited by Giora Z Feuerstein, Peter Libby and Douglas L Mann, Birkhauser |     | 189-202 | 2003 |
| Kazama R, Okura Y, Hoyano M, Toba K, Ochiai Y, Ishihara N, Kuroha T, Yoshida T, Namura O, Sogawa M, Nakamura Y, Yoshimura N, Nishikura K, Kato K, Hanawa H, Tamura Y, Morimoto S, Kodama M, Aizawa   | Therapeutic role of pericardiocentesis for acute necrotizing eosinophilic myocarditis with cardiac tamponade.                   | Mayo Clinic Proceedings   | 78  | 901-907 | 2003 |
| Seitaro Maruyama, Kiminori Kato, Makoto Kodama, Yuji Okura, Satoru Hirono, Koichi Fuse, Haruo Hanawa, Osamu Nakagawa, Mikio Nakazawa, Takashi Miida, Eishin Taoita, Tadashi Yamamoto, Ikuo Inoue, Yoshifusa Aizawa.  | FR167653 suppresses the progression of experimental autoimmune myocarditis.   | Molecular and Cellular Biochemistry   | 246 | 39-44   | 2003 |

|   |  |   |    |           |      |
|---|--|---|----|-----------|------|
| Yuji Okura, William G Dec, Joshua M Hare, Makoto Kodama, Gerald R Berry, Henry D Tazelaar, Kent R Bailey, Leslie T Cooper.  | A clinical and histopathologic comparison of cardiac sarcoidosis and idiopathic giant cell myocarditis.  | Journal of the American College of Cardiology | 41 | 322-329   | 2003 |
| Hitoshi Tachikawa, Makoto Kodama, Liu Hui, Tsuyoshi Yoshida, Manabu Hayashi, Satoru Abe, Takeshi Kashimura, Kiminori Kato, Haruo Hanawa, Kenichi Watanabe, Mikio Nakazawa, Yoshifusa Aizawa.  | Angiotensin II type 1 receptor blocker, valsartan, prevented cardiac fibrosis in rat cardiomyopathy after autoimmune myocarditis.  | Journal of Cardiovascular Pharmacology        | 41 | 105-110   | 2003 |
| Kenichi Watanabe, Wen Juan, Gurusamy Narasimman, Meilei Ma, Mikio Inoue, Yuki Saito, Mir II Wahed, Mikio Nakazawa, Go Hasegawa, Makoto Naito, Hitoshi Tachikawa, Naohito Tanabe, Makoto Kodama, Yoshifusa Aizawa, Tadashi Yamamoto, Kenichi Yamaguchi, Toshihiro Takahashi.                       | Comparative effects of angiotensin II receptor blockade (candesartan) with angiotensin-converting enzyme inhibitor (quinapril) in rats with dilated cardiomyopathy.                  | Journal of Cardiovascular Pharmacology        | 41 | 93-97     | 2003 |
| Kenichi Watanabe, Wen Juan, Gurusamy Narasimman, Meilei Ma, Mikio Inoue, Yuki Saito, Mir II Wahed, Mikio Nakazawa, Go Hasegawa, Makoto Naito, Hitoshi Tachikawa, Naohito Tanabe, Makoto Kodama, Yoshifusa Aizawa, Tadashi Yamamoto, Kenichi Yamaguchi, Toshihiro Takahashi.                       | Betaxolol improves the survival rate and changes natriuretic peptide expression in rats with heart failure.  | Journal of Cardiovascular Pharmacology        | 41 | 99-103    | 2004 |
| Satoru Abe, Yuji Okura, Makoto Hoyano, Ryu Kazama, Satoru Watanabe, Takuya Ozawa, Takashi Saigawa, Manabu Hyashi, Tsuyoshi Tachikawa, Ken Kashimura, Keisuke Suzuki, Masayuki Nagahashi, Junzo Watanabe, Kouji Shimada, Go Hasegawa, Kiminori Kato, Haruo Hnawa, Makoto Kodama, Yoshifusa Aizawa, | Plasma Levels of Cytokines and Neurohumoral Factors in a Case of Fulminant Myocarditis Successfully Treated with Intravenous Immunoglobulin and Percutaneous Cardiopulmonary Support | Circulation Journal                           | 68 | 1223-1226 | 2004 |
| Takeshi Kashimura, Takao Yanagawa, Makoto Kodama, Ritsuo Watanabe, Yuji Okura, Kiminori Kato, Haruo Yoshida T, Hanawa H, Toba K, Watanabe H, Watanabe R, Yoshida K, Abe S, Kato Kodama M, Aizawa Y  | Successful induction of $\beta$ -blocker therapy for a patient with peripartum cardiomyopathy complicated with significant aortic stenosis.  | Acta Medica et Biologica                      | 51 | 37-42     | 2004 |

|   |   |   |     |           |      |
|---|---|---|-----|-----------|------|
| Abe Y, Watanabe K, Sato S, Nagai Y, Kamal FA, Wahed MI, Wen J, Narasimman G, Ma M, Suresh P, Takahashi T, Tachikawa H, Kashimura T, Tanabe N, Kodama M, Aizawa Y, Yamaguchi K, Miyazaki M, Kakemi M.                | Hemodynamic effects of carvedilol infusion and the contribution of the sympathetic nervous system in rats with heart failure.   | Pharmacology.                               | 72  | 213-219   | 2004 |
| Abe S, Okura Y, Hoyano M, Kazama R, Watanabe S, Ozawa T, Saigawa T, Hayashi M, Yoshida T, Tachikawa H, Kashimura T, Suzuki K, Nagahashi M, Watanabe J, Shimada K, Hasegawa G, Kato K, Hanawa H, Kodama M, Aizawa Y, | Plasma concentrations of cytokines and neurohumoral factors in a case of fulminant myocarditis successfully treated with intravenous immunoglobulin and percutaneous cardiopulmonary support.   | Circ J.                                     | 68  | 1223-1226 | 2004 |
| Kodama M, Kato K, Hirono S, Okura Y, Hanawa H, Yoshida T, Hayashi M, Tachikawa H, Kashimura T, Watanabe K, Aizawa Y.  | Linkage Between Mechanical and Electrical Alternans in Patients with Chronic Heart Failure. Expression of immunological molecules by cardiomyocytes and inflammatory and interstitial cells in rat autoimmune myocarditis                     | Journal of Cardiovascular Electrophysiology | 15  | 295-299   | 2004 |
| Hanawa H, Watanabe R, Hayashi M, Yoshida T, Abe S, Komura S, Lui H, Elnaggar R, Chang H, Okura Y, Kato K, Kodama M, Maruyama H, Miyazaki J, Aizawa Y.   | A Novel Method to Assay Proteins in Blood Plasma after Intravenous Injection of Plasmid DNA. The effect of hydrodynamics-based delivery of an IL-13-Ig fusion gene for experimental autoimmune myocarditis in rats and its possible mechanism | Tohoku J. Exp. Med                          | 202 | 155-161   | 2004 |
| Nasuno A, Toba K, Ozawa T, Hanawa H, Osman Y, Hotta Y, Yoshida K, Saigawa T, Kato K, Kuwano R, Watanabe K, Aizawa Y.  | Expression of coxsackievirus and adenovirus receptor in neointima of the rat carotid artery.  | Cardiovascular Pathology                    | 13  | 79-84     | 2004 |
| Wahed MI, Watanabe K, Ma M, Yamaguchi K, Takahashi T, Tachikawa H, Kodama M, Aizawa Y.  | Effects of Eplerenone, a Selective Aldosterone Blocker, on the Progression of Left Ventricular Dysfunction and Remodeling in Rats with Dilated Cardiomyopathy.  | Pharmacology.                               | 73  | 81-88     | 2004 |
| Wahed MI, Watanabe K, Ma M, Nakazawa M, Takahashi T, Hasegawa G, Naito M, Yamamoto T, Kodama M, Aizawa Y.   | Effects of pranidipine, a novel calcium channel antagonist, on the progression of left ventricular dysfunction and remodeling in rats with heart failure.   | Pharmacology.                               | 72  | 26-32     | 2004 |
| Elnaggar R, Hanawa H, Liu H, Yoshida T, Hayashi M, Watanabe R, Abe S, Toba K, Yoshida K, Chang H, Minagawa S, Okura Y, Kato K, Kodama M, Maruyama H, Miyazaki J, Aizawa Y.  | The effect of hydrodynamics-based delivery of an IL-13-Ig fusion gene for experimental autoimmune myocarditis in rats and its possible mechanism.   | Eur J Immunol.                              | 35  | 1995-2005 | 2005 |

|  |  |                         |        |           |      |
|--|--|-------------------------|--------|-----------|------|
| Liu H, Hanawa H, Yoshida T, Elnaggar R, Hayashi M, MD RW, Toba K, Yoshida K, Chang H, Okura Y, Kato K, Kodama M, Maruyama H, Miyazaki J, Nakazawa M, Aizawa Y. | Effect of hydrodynamics-based gene delivery of plasmid DNA encoding interleukin-1 receptor antagonist-Ig for treatment of rat autoimmune myocarditis: possible mechanism for lymphocytes and noncardiac cells. | Circulation.            | 111    | 1593-1600 | 2005 |
| Tsuyoshi Yoshida, Haruo Hanawa, Ken Toba, Hiroshi Watanabe, Ritsuo Watanabe, Kaori Yoshida, Satoru Abe, Kiminori Kato Kodama, Yoshifusa Aizawa                 | Expression of immunological molecules by cardiomyocytes and inflammatory and interstitial cells in rat autoimmune myocarditis  | Cardiovascular Research | 68     | 278-288   | 2005 |
| Shirai K, Watanabe K, Ma M, Wahed MI, Inoue M, Saito Y, Suresh PS, Kashimura T, Tachikawa H, Kodama M,   | Effects of angiotensin-II receptor blocker candesartan cilexetil in rats with dilated cardiomyopathy.  | Mol Cell Biochem.       | 269    | 137-142   | 2005 |
| Tachikawa H, Kodama M, Watanabe K, Takahashi T, Ma M, Kashimura T, Ito M, Hirono S, Okura Y, Kato K, Hanawa H, Aizawa Y.                                       | Amiodarone improves cardiac sympathetic nerve function to hold norepinephrine in the heart, prevents left ventricular remodeling, and improves cardiac function in rat dilated cardiomyopathy.                 | Circulation.            | 111    | 894-899   | 2005 |
| Koichi Fuse, Makoto Kodama, Yuji Okura, Masahiro Ito, Kiminori Kato, Haruo Hanawa, Yoshifusa Aizawa.   | Short-term prognostic value of initial serum levels of interleukin-10 in patients with acute myocarditis.  | Eur J Heart Fail.       | 7      | 109-112   | 2005 |
| Abe S, Hanawa H, Hayashi M, Yoshida T, Komura S, Watanabe R, Liu H, Chang H, Kato K, Kodama M, Maruyama H, Nakazawa M, Miyazaki J,                             | Prevention of experimental autoimmune myocarditis by hydrodynamics-based naked plasmid DNA encoding CTLA4-Ig gene delivery   | J Card Fail.            | 11     | 557-564   | 2005 |
| 佐地 勉, 菌部友良, 上村茂, 赤木禎治, 鮎澤 衛  | 川崎病急性期治療のガイドライン  | 日小循環誌                   | 20, 1  | 54-62     | 2004 |
| Onouchi Y, Onoue S, Tamari M, et al,   | (19 <sup>th</sup> place): CD40 ligand gene and Kawasaki disease. Eur J of Human  | Gene                    | 12     | 1062-1068 | 2004 |
| 佐地 勉, (ゲスト)川崎富作  | 川崎病と闘う日々ー川崎富作先生に聞くPart1.心臓   |                         | 37     | 161-168   | 2005 |
| 佐地 勉, 菌部友良, 上村茂, 赤木禎治, 鮎澤 衛  | 川崎病急性期治療のガイドライン  | 日小循環誌                   | 20, 1  | 54-62     | 2004 |
| Onouchi Y, Onoue S, Tamari M, et al,   | (19 <sup>th</sup> place): CD40 ligand gene and Kawasaki disease. Eur J of Human  | Gene                    | 12     | 1062-1068 | 2004 |
| 佐地 勉, (ゲスト)川崎富作  | 川崎病と闘う日々ー川崎富作先生に聞くPart1.心臓   |                         | 37     | 161-168   | 2005 |
| Naohito Ohno   | Chemistry and Biology of Angiitis Inducer, <i>Candida albicans</i> Water-Soluble Mannoprotein-b-Glucan Complex (CAWS)  | Microbiol. Immunol.     | 47(7)  | 479-490   | 2003 |
| 大野尚仁   | 血管炎を誘導する真菌糖蛋白質の免疫活性化   | 医学のあゆみ                  | 206(2) | 150-152   | 2003 |
| Noriko N. Miura, Yoshiyuki Adachi, Toshiro Yadomae, Hiroshi Tamura, Shigenori Tanaka, and Naohito Ohno   | Antibody to Soluble 1,3/1,6- $\beta$ -D-Glucan, SCG in Sera of Naive DBA/2 Mice  | Biol Pharm Bull.        | 26(8)  | 1225-1228 | 2003 |



|  |  |  |          |           |      |
|--|--|--|----------|-----------|------|
| Kiyoshi Kurihara, Yuko Shingo, Noriko N. Miura, Shuichi Horie, Yukio Usui, Yoshiyuki Adachi, Toshiro Yadomae, and Naohito Ohno                         | Effect of CAWS, a Mannoprotein- $\beta$ -glucan Complex of <i>Candida albicans</i> , on Leukocyte, Endothelial Cell, and Platelet Functions in Vitro                                   | <i>Biol. Pharm. Bul</i>                | 26(2)    | 233-240   | 2003 |
| Toshie Harada, Noriko N. Miura, Yoshiyuki Adachi, Mitsuhiro Nakajima, Toshiro Yadomae, and Naohito Ohno  | Granulocyte-Macrophage Colony-Stimulating Factor (GM-CSF) Regulates Cytokine Induction by 1,3- $\beta$ -D-Glucan SCG in DBA/2 Mice In  | <i>J. Interferon Cytokine Res</i>      | 24       | 478-489   | 2004 |
| Ken-ichi Ishibashi, Noriko N. Miura, Yoshiyuki Adachi, Norihiko Ogura, Hiroshi Tamura, Shigenori Tanaka, and Naohito Ohno                              | DNA Array Analysis of Altered Gene Expression in Human Leukocytes Stimulated with Soluble and Particulate Forms of <i>Candida</i> Cell Wall $\beta$ -Glucan,                           | <i>Int. Immunopharmacol</i>            | 4        | 387-401   | 2004 |
| Noriko N. Miura, Yuko Shingo, Yoshiyuki Adachi, Akiko I. Okawara, Toshiaki Oharaseki, Kei Takahashi, Shiro Naoe, Kazuo Suzuki, and Naohito Ohno        | Induction of Coronary Arteritis with Administration of CAWS ( <i>Candida albicans</i> Water-Soluble Fraction) Depending on Mouse Strains   | <i>Immunopharmacol and Immunotoxic</i> | 26       | 527-543   | 2004 |
| Naohito Ohno   | Induced by Mannoprotein- $\beta$ -Glucan Complex, CAWS, Obtained from <i>Candida albicans</i>  | <i>Jpn. J. Infect. Dis</i>             | 57       | 9-10      | 2004 |
| Ken-ichi Ishibashi, Masaharu Yoshida, Iwao Nakabayashi, Hiroyasu Shinohara, Noriko N. Miura, Yoshiyuki Adachi, and Naohito Ohno                        | Role of Anti- $\beta$ -Glucan Antibody in Host Defense against Fungi   | <i>FEMS Immunol. Med. Microbiol</i>    | 44       | 99-109    | 2005 |
| Shunsuke Hida, Noriko N. Miura, Yoshiyuki Adachi, and Naohito Ohno   | Effect of <i>Candida albicans</i> Cell Wall Glucan as Adjuvant for Induction of Autoimmune Arthritis in Mice   | <i>J. Autoimmun.</i>                   | 25       | 93-101    | 2005 |
| Namekawa, S., Hamada, F., Sawado, T., Ishii, S., Nara, T., Ishizuka, T., Ohuchi, T., Arai, T., and Sakaguchi K   | Dissociation of DNA polymerase $\alpha$ -primase complex during meiosis in <i>Coprinus cinereus</i>  | <i>Eur. J. Biochem</i>                 | 270      | 2137-2146 | 2003 |
| 新井孝夫   | ノクローナル抗体をもちいたポリグルタミン酸化チューブリンの神経細胞内局在   | 実験医学                                   | 22       | 1876-1877 | 2004 |
| 大内敬、新井孝夫   | リポソームを用いたモノクローナル抗体の生細胞導入法の開発とその応用  | ナノバイオテクノロジーの最前線 (監修: 植田充美) シーエム        |          | 258-265   | 2003 |
| Okada, Y., Suzuki, A., Takagi S., Hirai, H., Saitoh R., Adachi, A., Yanagisawa, T., Ueki M., Fujii T. and Arai, T                                      | Polyglutamylolation of tubulin during differentiation of neural precursor cells.   | <i>Bioimages</i>                       | 12       | 71-83     | 2004 |
| Maruyama, K., Ohuchi, T., Yoshida, K., Shibata, Y., Sugawara E. and Arai, T  | Protective properties of neoechinulin A against SIN-1-induced neuronal cell death.   | <i>J. Biochem. (Tokyo)</i>             | 136      | 81-87     | 2004 |
| Toshiyuki Matsuoka Kaoru Kato, Nao Hoshino Tiichiro Matsunaga, Noriko Saito, Masahiro Yamada, Naoki Shimajo, Yoichi Kono, Takao Arai, and Kazuo Suzuki | Disorganization of Actin Polymerization in Neutrophils of Patient with Leukocyte Adhesion Dysfunction: A Bioimaging Analysis System using a Polarized Microscopic System LC-Pol Scope, | <i>Bioimages</i> ,                     | in press |           |      |

|   |   |                                   |           |           |      |
|---|---|-----------------------------------|-----------|-----------|------|
| Aoki, T., Kamisuki, S., Kimoto, M., Onishi, K., Takakusagi, Y., Kuramochi, K., Takeda, Y., Nakazaki, A., Kuroiwa, K., Ohuchi, T., Sugawara, F., Arai, T. and Kobayashi, S | Total synthesis of (-)-neoechinulin.  | Synlett                           | in press. |           | 2006 |
| 高橋 啓、直江 史郎  | 分子誘導型モデル動物—Candida Albicans菌体成分による動脈炎誘発モデル  | 医学のあゆみ                            | 206       | 147-9     | 2003 |
| 高橋 啓、大原関 利章、直江 史郎   | カンジダ菌体抽出物によるマウス系統的動脈炎誘発モデルの特徴はなにか   | 小児内科                              | 35        | 1500-2    | 2003 |
| 高橋 啓、大原関利章、村田久雄、直江史郎  | カンジダ菌体抽出物によるマウス系統的血管炎誘発モデルと川崎病  | 脈管学                               | 43        | 673-8     | 2003 |
| K.Takahashi,T. Oharaseki, M.Wakayama,Y.Yokouchi, Naoe and H. Murata   | Histopathological features of murine systemic vasculitis caused by Candida albicans extract – an animal model of Kawasaki Disease         | Inflamm. res.                     | 53        | Jul-72    | 2004 |
| Nagi-Miura N, Shingo Y, Adachi Y, Ishida-Okawara A, Oharaseki T, Takahashi K, Naoe S, Suzuki K, Ohno N  | Induction of coronary arteritis with administration of CAWS (Candida albicans water-soluble fraction) depending on mouse strains.         | Immunopharmacol<br>Immunotoxicol. | 26        | 527-43    | 2004 |
| T. Oharaseki, Y. Kameoka, F. Kura, A. S. Persad, K. Suzuki, S. Naoe   | Susceptibility loci to coronary arteritis in animal model of Kawasaki disease induced with Candida albicans-derived substances            | Microbiol.<br>Immunol             | 49        | 181-9     | 2005 |
| Takahashi K, Oharaseki T, Naoe S, M Wakayama, Y. Yokouchi   | Neutrophilic involvement in the damage to coronary arteries in acute stage of Kawasaki Disease  | Periatr Int                       | 47        | 305-10    | 2005 |
| H Rowley, SC. Baker, ST Shulman, LM Fox, K. Takahashi. FL Garcia, SE Crawford, P Chou, JM   | A Cytoplasmic inclusion bodies are detected by synthetic antibody in ciliated bronchial epithelium during acute Kawasaki disease          | JID                               | 192       | 1757-66   | 2005 |
| Aratani. Y., Kura, F., Watanabe, H., Akagawa, H., Takano, Y., Suzuki, K., Dinauer, M.C., Maeda N. and Koyama H.   | In vivo role of myeloperoxidase for the host defense.   | Jpn J Infect Dis.                 | 57        | S15       | 2004 |
| Komatsu, J., Koyama, H., Maeda, N., and Aratani, Y:   | Earlier onset of neutrophil-mediated inflammation in the ultraviolet-exposed skin of mice deficient in myeloperoxidase and NADPH oxidase. | Inflamm. Res .                    | In press. |           | 2006 |
| Aringazin AK, Dahnovsky Y, Krevchik VD, Semenov MB, Ovchinnikov A A, and Yamamoto K.  | Two-dimension tunnel correlations with dissipation II   | Phys Rev B                        | 68        | 155426-37 | 2003 |
| Komoto A, Hanaki K, Maeno S, Wakano JY, Yamaguchi Y, and Yamamoto K.  | Growth dynamics of <i>Bacillus circulans</i> colony   | J. Theoretical Biol.              | 225       | 91-97     | 2003 |
| Takeuchi F, Futamura Y, Yoshikura H, and Yamamoto K.  | Statistics of Trinucleotides in Coding Sequences and Evolution  | J. Theoretical Biol.              | 222       | 139-149   | 2003 |

|  |   |   |              |           |      |
|--|---|---|--------------|-----------|------|
| Kitagawa J, Futamura Y, Yamamoto K.  | Analysis of the conformational energy landscape of human snRNA with a metric based on tree representation of RNA structures | Nucleic Acids Res.  | 31           | 2006-13   | 2003 |
| K. Hanaki, A. Momo, T. Oku, A. Komoto, S. Maenosono, Y. Yamaguchi, K. Yamamoto   | Semiconductor quantum dot / albumin complex is a long-life and highly photostable endosome marker                           | B.B.R.C   | 302          | 496-501   | 2003 |
| Hoshino A, Hanaki K, Suzuki K, and Yamamoto K.   | Applications of T-lymphoma labeled with fluorescent quantum dots to cell tracing markers in mouse body                      | Biochem Biophys Res Commun  | 314          | 46-53     | 2004 |
| Akiyoshi Hoshino, Kouki Fujioka, Taisuke Oku, Masakazu Suga, Yu F. Sasaki, Toshihiro Ohta, Masato Yasuhara, Kazuo Suzuki, and Kenji Yamamoto | Physicochemical Properties and Cellular Toxicity of Nanocrystal Quantum Dots Depend on Their Surface Modification           | Nano Letters  | Vol.4, No.11 | 2169-2169 | 2004 |
| Akiyoshi Hoshino, Kouki Fujioka, Taisuke Oku, Masakazu Suga, Yukio Yamaguchi, Kazuo Suzuki, Masato Yasuhara, and Yamamoto Kenji              | Quantum Dots Targeted to the Assigned Organelle in Living Cells   | Microbiol. Immunol.   | 48(12)       | 985-994   | 2004 |
| Amane Shiohara, Akiyoshi Hoshino, Ken-ichi Hanaki, Kazuo Suzuki, and Kenji Yamamoto  | On the Cyto-Toxicity Caused by Quantum Dots   | Microbiol. Immunol.   | 48(9)        | 669-675   | 2004 |
| A. Aringazin A.K., Dahnovsky Yu., Krevchik V.D., Semenov M.B., Veremyev V.A., Ovchinnikov A. A., Yamamoto K.                                 | Two-dimensional tunnel bifurcations with dissipation I  | Hadronic Journal  | 27           | 115-150   | 2004 |
| Wayne Dawson, Kazuya Fujiwara, Yasuhiro Futamura, Kenji Yamamoto, Gota Kawai.  | A new paradigm for finding optimal RNA secondary structures by thermodynamics alone.  | Nucleosides, Nucleotides & Nucleic Acids,   |              |           | 2005 |
| Yasuhiro Futamura and Kenji Yamamoto   | Hydrothermal Synthesis of Olygoglycines with Adiabatic Expansion Cooling  | Viva Origino  | In press     |           | 2005 |
| Tomomasa Goto, Yasuhiro Futamura, Yukio Yamaguchi, Kenji Yamamoto.   | Condensation Reactions of Amino Acids under Hydrothermal Conditions with Adiabatic Expansion Cooling.                       | Journal of Chemical Engineering of Japan  | 38           | 295-299   | 2005 |
| Amane Shiohara, Noriyoshi Manabe, Kazumi Omata and Kenji Yamamoto  | Novel surface processing with sulfonic acid for quantum dot and its characteristics   | Novel surface processing with sulfonic acid for quantum dot and its characteristics | In press     |           | 2005 |

|  |   |  |  |         |      |
|--|---|--|--|---------|------|
| Kenji Yamamoto   | Nanotechnology and Trends in Drug Delivery Systems with Self-Assembled Carriers.                                    | Biomedical Nanotechnology (Ed. By Neelina H. Malsch) Taylor & Francis. |  | 29-40   | 2005 |
| Yu.I. Dahnovsky, V.D. Krevchik, E.I. Kudryashov, V.G. Mayorov, M.B. Semenov, V.Ch. Zhukovsky K. Yamamoto | One - dimensional quantum dissipative tunneling in structures with quantum dots                                     | UT Rearch Institute Press  |  | 348-360 | 2005 |
| A.K. Aringazin, Yu.I. Dahnovsky, V.D. Krevchik, M.B. Semenov, A.A., V.A. Veremeyev, K. Yamamoto          | Two-dimensional tunnel correlations with dissipation  | UT Rearch Institute Press  |  |         | 2005 |
| Wayne Dawson, Kenji Yamamoto   | Harnessing the biophysical principles of chaperons to process specialized materials for nanotechnology applications | UT Rearch Institute Press  |  |         | 2005 |