

### Ⅲ. 研究成果の刊行に関する一覧表

#### 雑誌

| 著者氏名            | 論文タイトル名            | 書籍全体の編集者名   | 書籍名        | 出版社名  | 出版地 | 出版年  | ページ     |
|-----------------|--------------------|-------------|------------|-------|-----|------|---------|
| 竹下達也            | 飲酒                 | 分子予防環境医学研究会 | 分子予防環境医学   | 本の泉社  | 東京  | 2003 | 361-367 |
| 和田安彦            | 老化                 | 分子予防環境医学研究会 | 分子予防環境医学   | 本の泉社  | 東京  | 2003 | 337-347 |
| 井上悠輔、小泉昭夫       | 遺伝情報管理システム         | 分子予防環境医学研究会 | 分子予防環境医学   | 本の泉社  | 東京  | 2003 | 674-686 |
| 原田浩二、井上佳代子、小泉昭夫 | 難分解性環境汚染物質         | 分子予防環境医学研究会 | 分子予防環境医学   | 本の泉社  | 東京  | 2003 | 638-647 |
| 佐藤一博、日下幸則       | 職業性アレルギー、金属アレルギーなど | 室内空気質健康影響協会 | 室内空気質と健康影響 | ぎょうせい | 東京  | 2004 | 197-207 |

#### 論文

| 発表者氏名  | 論文タイトル名  | 発表誌名                    | 巻号   | ページ     | 出版年  |
|--|--|-------------------------|------|---------|------|
| Ogawa K, Tsubono Y, Nishino Y, Watanabe Y, Ohkubo T, Watanabe T, Nakatsuka N, Takahashi N, Kawamura M, Tsuji I, Hisamichi S. | Validation of a food-frequency questionnaire for cohort studies in rural Japan | Public Health Nutrition | 6(2) | 147-157 | 2003 |

|   |   |  |      |         |      |
|---|---|--|------|---------|------|
| Kim ES, Ko YS, Kim J, Matsuda-Inoguchi N, Nakatsuka H, Watanabe T, Shimbo S, Ikeda M.                                 | Food composition table-based estimation of energy and major nutrient intake in comparison with chemical analysis: a validation study in Korea | The Tohoku Journal of Experimental Medicine  | 200  | 7-15    | 2003 |
| Kim ES, Kim JS, Yim MH, Jenong Y, Ko YS, Watanabe T, Nakatsuka H, Nakatsuka S, Matsuda-Inoguchi N, Shimbo S, Ikeda M. | Dietary taurine intake and serum taurine levels of women on Jeju Island   | Advance in Experimental Medicine and Biology | 526  | 277-283 | 2003 |
| 中塚晴夫、松山恒博   | 表計算ソフトによる栄養計算プログラムの開発   | 健康・体力・栄養                                     | 2(1) | 22-31   | 2003 |
| 松山恒博、半沢真理子、中塚晴夫   | 表計算ソフトを利用した学校給食管理用プログラムの開発  | 健康・体力・栄養                                     | 2(1) | 32-41   | 2003 |
| Iwasaki Y, Sakamoto M, Nakai K, Oka T, Dakeishi M, Iwata T, Satoh H, Murata K.  | Estimation of daily mercury intake from seafood in Japanese women: Akita cross-sectional study  | Tohoku Journal of Experimental Medicine      | 200  | 67-73   | 2003 |
| Murata K, Sakai T, Morita Y, Iwata T, Dakeishi M.   | Critical dose of lead affecting delta-aminolevulinic acid levels  | Journal of Occupational Health               | 45   | 209-214 | 2003 |
| 嶽石美和子、小野崎幾之助、坂井公、森田陽子、岩田豊人、村田勝敬   | 仏壇製造に従事する女性労働者における有機溶剤曝露による自律神経機能への影響   | 産業衛生学雑誌                                      | 45   | 194-196 | 2003 |
| 村田勝敬、嶽石美和子、佐藤洋  | メチル水銀基準摂取量のゆくえ  | 公衆衛生   | 67   | 531-533 | 2003 |

|   |  |  |        |           |      |
|---|--|--|--------|-----------|------|
| 村田勝敬  | 鯨と環境保健   | 秋田県公衆衛生学雑誌                                 | 1      | 47-49     | 2003 |
| Kikuchi Y, Nomiyama T, Kumagai N, Dekio F, Uemura T, Takebayashi T, Nishiwaki Y, Matsumoto Y, Sano Y, Hosoda K, Watanabe S, Sakura H, Omae K. | Uptake of Cadmium in Meals from the Digestive Tract of Young Non-smoking Japanese Female Volunteers  | Journal of Occupational Health             | 45     | 43-52     | 2003 |
| Narita M, Kitagawa K, Nagai Y, Hougaku H, Hashimoto H, Sakaguchi M, Yang X, Takeshita T, Morimoto K, Matsumoto M, Hori M.                     | Effects of aldehyde dehydrogenase genotypes on carotid atherosclerosis   | Ultrasound in Medicine and Biology         | 29(10) | 1415-1419 | 2003 |
| Nishibayashi H, Nakayama S, Yamamoto K, Miyazaki Y, Yasunaga Y, Shinomura Y, Takeshita T, Takeuchi T, Morimoto K, Matsuzawa Y.                | Helicobacter pylori-induced enlarged-fold gastritis is associated with increased mutagenicity of gastric juice, increased oxidative DNA damage, and an increased risk of gastric carcinoma | Journal of Gastroenterology and Hepatology | 18     | 1384-1391 | 2003 |
| Kumagai S, Koda S, Oda H.   | Exposure evaluation of dioxins in municipal waste incinerator workers  | Industrial Health                          | 41     | 167-174   | 2003 |
| Yasutake A, Matsumoto M, Yamaguchi M, Hachiya N.  | Current hair mercury levels in Japanese: Survey in Five Districts  | Tohoku Journal of Experimental Medicine    | 199    | 161-169   | 2003 |

|  |  |  |       |         |      |
|--|--|--|-------|---------|------|
| 蜂谷紀之, 安武章, 山口雅子, 宮本清香, 衛藤光明  | 魚介類を介したメチル水銀曝露のリスクについて(2) 日本人集団の曝露状況   | 日本リスク研究会第16回研究発表会講演論文集                                 | 16    | 273-276 | 2003 |
| Sasaki K, Harada K, Saito N, Tsutsui T, Nakanishi S, Tsuzuki H, Koizumi A. | Impact of airborne perfluorooctane sulfonate on the human body burden and the ecological system                                | Bulletin of Environmental Contamination and Toxicology | 71(2) | 408-413 | 2003 |
| Saito N, Sasaki K, Nakatome K, Harada K, Yoshinaga T, Koizumi A.           | Perfluorooctane sulfonate concentrations in surface water in Japan   | Archives of Environmental Contamination and Toxicology | 45(2) | 149-158 | 2003 |
| Harada K, Saito N, Sasaki K, Inoue K, Koizumi A.                           | Perfluorooctane sulfonate contamination of drinking water in the Tama River, Japan: Estimated effects on resident serum levels | Bulletin of Environmental Contamination and Toxicology | 71(1) | 31-36   | 2003 |
| Hirai T, Fujimine Y, Watanabe S, Hata J, Watanabe S.                       | Concentration of polybrominated Diphenyl Ethers (PBDES) in human sample in Japanese  | Organohalogen Compounds                                | 61    | 151-154 | 2003 |

|  |   |   |    |           |      |
|--|---|---|----|-----------|------|
| Hirai T, Fujimine Y, Watanabe S, Nakano T.   | Analysis of all 209 polychlorinated biphenyls congeners in human pooled blood sample in Japan   | Organohalogen Compounds                                     | 63 | 417-420   | 2003 |
| Ihara H, Fujii S, Nagare H, Moriya M, Songprasert P, Shimizu Y.                            | Development of a distributed model for water quality and quantity in a river and its application for a river in Japan                                   | CD Proceedings of IWA 2003 Asia-Pacific Regional Conference | —  | CD-1Q5A01 | 2003 |
| Takebayashi T, Nishiwaki Y, Nomiyama T, Uemura T, Yamauchi T, Tanaka S, Sakurai H, Omae K. | Lack of Relationship between Occupational Exposure to Carbon Disulfide and Endocrine Dysfunction: A Six-year Cohort Study of the Japanese Rayon Workers | Journal of Occupational Health                              | 45 | 111-118   | 2003 |
| Miyaki K, Hosoda K, Hirata M, Tanaka A, Nishiwaki Y, Takebayashi T, Inoue N, Omae K.       | Biological Monitoring of Indium by Means of Graphite Furnace Atomic Absorption Spectrophotometry in Workers Exposed to Particles of Indium Compounds    | Journal of Occupational Health                              | 45 | 228-230   | 2003 |
| Tobita Y, Kusaka Y, Ohtaki H, Hashizume K.   | Factors affecting the estimated maximal oxygen uptake: a follow-up study of participants in the total health promotion plan                             | Environmental Health and Preventive Medicine                | 8  | 173-177   | 2003 |

|  |   |  |    |           |      |
|--|---|--|----|-----------|------|
| Seo A, Lee J-H, Kusaka Y.                                  | Estimation of trunk muscle parameters for a biomechanical model by age, height and weight                         | Journal of Occupational Health               | 45 | 197-201   | 2003 |
| Sakurazawa H, Iwasaki A, Higashi T, Nakayama T, Kusaka Y.  | Assessment of exposure to magnetic fields in occupational settings  | Journal of Occupational Health               | 45 | 104-110   | 2003 |
| Saito Y, Kusaka Y, Shimada M.                              | Effects of exercise intensity on circulating leukocyte subpopulations   | Environmental Health and Preventive Medicine | 8  | 18-22     | 2003 |
| Nakamoto I, Morimoto K, Takeshita T, Toda M.               | Correlation between saliva glycosylated and blood glycosylated proteins   | Environmental Health and Preventive Medicine | 8  | 95-99     | 2003 |
| 藤井滋穂、松澤正貴、永禮英明、清水芳久  | 硝化反応のBODに及ぼす影響の実験による評価検討  | 環境工学研究論文集                                    | 40 | 531-540   | 2003 |
| 藤井滋穂、松澤正貴、永禮英明、清水芳久  | 桂川下流水質汚濁状態の変遷解析   | 環境技術研究協会研究発表会                                | 3  | 165-168   | 2003 |
| Sakamoto M, Kubota M, Liu X-J, Murata K, Nakai K, Satoh H. | Maternal and fetal mercury and n-3 polyunsaturated fatty acids as a risk and benefit of fish consumption to fetus | Environmental Science and Technology         | 38 | 3860-3863 | 2004 |

|  |   |   |     |           |      |
|--|---|---|-----|-----------|------|
| Dakeishi M, Iwata T, Ishii N, Murata K.  | Effects of alcohol consumption on hepatocellular injury in Japanese men   | Tohoku Journal of Experimental Medecine                         | 202 | 31-39     | 2004 |
| Nakai K, Suzuki K, Oka T, Murata K, Sakamoto M, Okamura K, Hosokawa T, Sakai T, Nakamura T, Saito Y, Kurokawa N, Kameo S, Satoh H. | The Tohoku Study of Child Development: a cohort study of effects of perinatal exposure to methylmercury and environmental persistent organic pollutants on neurobehavioral development in Japanese children | Tohoku Journal of Experimental Medecine                         | 202 | 227-237   | 2004 |
| Ishii N, Iwata I, Dakeishi M, Murata K.  | Effects of shift work on autonomic and neuromotor functions in female nurses.   | Journal of Occupational Health                                  | 46  | 352-358   | 2004 |
| Murata K, Sakamoto M, Nakai K, Weihe P, Dakeishi M, Iwata T, Liu X-J, Ohno T, Kurosawa T, Kamiya K, Satoh H.                       | Effects of methylmercury on neuro-development in Japanese children in the relation to the Madeiran study.   | International Archives of Occupational and Environmental Health | 77  | 571-579   | 2004 |
| 村田勝敬   | 妊婦は魚を食べない方がよいか  | 総合臨床  | 53  | 2750-2752 | 2004 |
| Watanabe T, Shimbo S, Nakatuska H, Koizumi A, Higashikawa K, Matsuda-Inoguchi N, Ikeda M.  | Gender-related difference, geographical variation and time trend in dietary cadmium intake in Japan   | Science of the Total Environment                                | 329 | 17-27     | 2004 |

|   |  |   |      |         |      |
|---|--|---|------|---------|------|
| Shimbo S, Z-W Zahng, Matsuda-Inoguchi N, Higashikawa K, Nakatuska H, Watanabe T, Ikeda M. | Effects of life away from home and physical exercise and nutrient intake and blood/serum parameters among girl students in Japan | Tohoku Journal of Experimental Medecine | 203  | 275-286 | 2004 |
| Matusda-Inoguchi N, Shimbo S, Nakatsuka H, Watanabe T, Higashikawa K, Ikeda M.            | Effects of revision of Japanese food composition on estimation of nutrient intakes, with reference to age-dependent differences  | Public Health Nutrition                 | 7(7) | 901-909 | 2004 |
| Nishiwaki Y, Takebayashi T, O' Uchi T, Nomiya T, Uemura T, Sakurai H, Omae K.             | Six year observational cohort study of the effect of carbon disulphide on brain MRI in rayon manufacturing workers               | Occupational Environmental Medecine     | 61   | 225-232 | 2004 |
| Takebayashi T, Nishiwaki Y, Uemura T, Nakashima H, Nomiya T, Sakurai H, Omae K.           | A six year follow up study of the subclinical effects of carbon disulphide exposure on the cardiovascular system                 | Occupational Environmental Medecine     | 61   | 127-134 | 2004 |
| 村嶋恵、菊地有利子、野見山哲生、熊谷奈美、大前和幸、渡邊昌、赤倉スタディグループ  | 健康な若年女性におけるカドミウムと鉄の摂取と排泄に及ぼす食習慣の影響   | 日本衛生学雑誌                                 | 59   | 31-37   | 2004 |
| 浜口伝博、大前和幸   | KL-6, SP-D, SP-Aの産業医学における有用性   | 産業医学ジャーナル                               | 27   | 76-79   | 2004 |
| Sato K, Kusaka Y, Suganuma N, Nagasawa S, Deguchi Y.                                      | Occupational allergy in medical doctors  | Journal of Occupational Health          | 46   | 165-170 | 2004 |



|   |   |   |     |         |      |
|---|---|---|-----|---------|------|
| Yokota K, Johyama Y, Yamaguchi K, Takeshita T, Morimoto K.  | The Relationship of Atopy, Smoking, and Sensitization to Methyltetrahydrophthalic Anhydride                                 | International Journal of Immunopathology and Pharmacology | 17  | 83-90   | 2004 |
| Ohata H, Kitauchi S, Yoshimura N, Mugitani K, Iwane M, Nakamura H, Yoshikawa A, Yanaoka K, Atii K, Tamai H, Shimizu Y, Takeshita T, Mohara O, Ichinose M. | Progression of chronic atrophic gastritis associated with Helicobacter Pylori infection increases risk of gastric cancer    | International Journal of Cancer                           | 109 | 138-143 | 2004 |
| Yoshimura N, Takijiri T, Kinoshita H, Danjoh S, Kasamatsu T, Morioka S, Sakata K, Hashimoto T, Takeshita T.   | Characteristics and course of bone mineral densities among fast bone losers in a rural Japanese community: the Miyama Study | Osteoporosis International                                | 15  | 139-144 | 2004 |
| 熊谷信二、織田肇、田淵武夫、赤阪進、小坂博、吉田仁、甲田茂樹、毛利一平   | 自治体焼却施設における堆積粉塵中ダイオキシン類濃度と労働者の血清中ダイオキシン類濃度との関係  | 産業衛生学会雑誌  | 46  | 1-9     | 2004 |
| 蜂谷紀之  | リスクコミュニケーションツールとしての毛髪水銀   | 公衆衛生  | 68  | 528     | 2004 |

|  |  |   |     |         |      |
|--|--|---|-----|---------|------|
| Tanaka S, Fujii S, Yamada K, Nishikawa H, Unehara K, Rokudai K.  | Succession analysis of botanical communities in reed plantation fields on Lake Biwa shore              | Proceeding of Joint KU-KAIST-NTU-NTS Symposium in Environmental Engineering | 13  | 247-259 | 2004 |
| Kitpati S, Fujii S, Shimizu Y.                                   | Analysis of vertical water quality distribution by statistical approach in Lake Biwa                   | Proceeding of Joint KU-KAIST-NTU-NTS Symposium in Environmental Engineering | 13  | 222-234 | 2004 |
| Murata K, Weihe P, Budtz-Jørgensen E, Jørgensen PJ, Grandjean P. | Delayed brainstem auditory evoked potential latencies in 14-year-old children exposed to methylmercury | Journal of Pediatrics   | 144 | 177-183 | 2004 |
| Grandjean P, Murata K, Budtz-Jørgensen E, Weihe P.               | Cardiac autonomic activity in methylmercury neurotoxicity: 14-year follow-up of a Faroese birth cohort | Journal of Pediatrics   | 144 | 169-176 | 2004 |
| Yasutake A, Matsumoto M, Yamaguchi M, Hachiya N.                 | Current hair mercury in Japanese for estimation of methylmercury exposure                              | Journal of Health Science   | 50  | 120-125 | 2004 |

|  |   |                                |          |         |      |
|--|---|--------------------------------|----------|---------|------|
| Saito N, Harada K, Inoue K, Sasaki K, Yoshinaga T, Koizumi A.  | Perfluorooctanoate and perfluorooctane sulfonate concentrations in surface water in Japan   | Journal of Occupational Health | 46(1)    | 49-59   | 2004 |
| Harada K, Saito N, Inoue K, Yoshinaga T, Watanabe T, Sasaki S, Kamiyama S, Koizumi A.  | The influence of time, sex and geographic factors on levels of perfluorooctane sulfonate and perfluorooctanoate in human serum over the last 25 years   | Journal of Occupational Health | 46(2)    | 141-147 | 2004 |
| 村田勝敬、嶽石美和子   | 胎児性メチル水銀曝露の小児発達影響と臨界濃度－セイシェルおよびフェロー諸島の研究を中心に－   | 日本衛生学雑誌                        | 60       | 4-14    | 2005 |
| 嶽石美和子、村田勝敬   | 環境疫学における小児の神経生理機能の評価法   | 医学のあゆみ                         | 212      | 243-246 | 2005 |
| 岩田豊人、村田勝敬  | 環境有害因子に曝露された小児の神経運動機能の評価  | 医学のあゆみ                         | 212      | 247-250 | 2005 |
| Nishiike T, Nishimura Y, Wada Y, Iguchi H.   | Production of Nitric Oxide Elevates Nitrosotiol Formation Resulting in Decreased Glutathione in Macrophages Exposed to Asbestos or Asbestos Substitutes | Archives of Toxicology         | 79       | 83-89   | 2005 |
| Nakayama S, Harada K, Inoue K, Sasaki K, Benjamin S, Saito N, Koizumi A.   | Distribution of perfluorooctanoic acid (PFOA) and perfluorooctane sulfonate (PFOS) in Japan and their toxicities  | Environ Sci                    | In press |         | 2005 |
| Eslami B, Koizumi A, Ohta S, Inoue K, Aozasa O, Harada K, Yoshinaga T, Date C, Fujii S, Fujimine Y, Hachiya N, Hirose I, Koda S, Kusaka Y, | Large-Scale Evaluation of the Current Level of Polybrominated Diphenyl Ethers (PBDEs) in Breast Milk from 13 Regions of Japan                           | Chemosphere                    | In press |         | 2005 |

|  |  |  |        |         |      |
|--|--|--|--------|---------|------|
| Murata K, Nakatsuka H, Omae K, Saito N, Shimbo S, Takenaka K, Takeshita T, Todoriki H, Wada Y, Watanabe T, Ikeda M.  |  |  |        |         |      |
| Koizumi A, Yoshinaga T, Harada K, Inoue K, Morikawa A, Muroi J, Inoue S, Eslami B, Fujii S, Fujimine Y, Hachiya N, Koda S, Kusaka Y, Murata K, Nakatsuka H, Omae K, Saito N, Shimbo S, Takenaka K, Takeshita T, Todoriki H, Wada Y, Watanabe T, Ikeda M. | Assessment of human exposure to polychlorinated biphenyls and polybrominated diphenyl ethers in Japan using archived samples from the early 1980s and mid-1990s.   | Environ Res                              | 99     | 31-39   | 2005 |
| Harada K, Inoue K, Morikawa A, Yoshinaga T, Saito N, Koizumi A.  | Renal clearance of perfluorooctane Sulfonate and perfluorooctanoate in humans and their species-specific excretion   | Environm ental Research                  | 99     | 253-261 | 2005 |
| Morikawa A, Kamei N, Harada K, Inoue K, Yoshinaga T, Saito N, Koizumi A.   | The bioconcentration factor of perfluorooctane Sulfonate is significantly larger than that of perfluorooctanoate in wild turtles ( <i>Trachemys scripta elegans</i> and <i>Chinemys reevesii</i> turtles): an Ai river ecological study in Japan | Ecotoxic ology and Environm ental Safety | Jul 22 | On line | 2005 |
| Wada Y, Koizumi A, Yoshinaga T, Harada K, Inoue K, Morikawa A, Muroi J, Inoue S, Eslami B, Hirose I,   | Secular trends and geographical variations in the dietary intake of polybrominated diphenyl ethers (PBDEs) using   | J Occup Health                           | 47     | 236-241 | 2005 |

|   |   |                               |          |         |      |
|---|---|-------------------------------|----------|---------|------|
| Hirosawa A, Fujii S, Fujimine Y, Hachiya N, Koda S, Kusaka Y, Murata K, Nakatsuka H, Omae K, Saito N, Shimbo S, Takenaka K, Takeshita T, Todoriki H, Watanabe T, Ikeda M. | archived samples from the early 1980s and mid 1990s in Japan.   |                               |          |         |      |
| Harada K, Xu F, Ono K, Iijima T, Koizumi A.   | Effect of PFOS and PFOA on L-type Ca <sup>2+</sup> currents in guinea-pig ventricular myocytes                    | BBRC                          | 329      | 487-494 | 2005 |
| Harada K, Nakanishi S, Saito N, Tsutsui T, Koizumi A.   | Airborne Perfluorooctanoate may be a substantial source contamination in Kyoto area, Japan                        | Bull Environ Contam Toxicol   | 74       | 64-69   | 2005 |
| 小泉昭夫, 原田浩二  | PFOS および PFOA 問題の 2005 年までの動き   | MATERIAL STAGE                | 2        | 44-49   | 2005 |
| Iwata T, Mori H, Dakeishi M, Onozaki I, Murata K.   | Effects of mixed organic solvents on neuromotor functions among workers in Buddhist altar manufacturing factories | J Occup Healthl               | 47       | 143-148 | 2005 |
| Murata K, Sakamoto M, Nakai K, Dakeishi M, Iwata T, Liu XJ, Satoh H.  | Subclinical effects of prenatal methyl mercury exposure on cardiac autonomic function in Japanese children        | Int Arch Occup Environ Health | In press |         | 2005 |
| Dakeishi M, Nakai K, Sakamoto M, Iwata T, Suzuki K, Liu X-J, Ohno T, Kurosawa T, Satoh H, Murata K.   | Effects of hair treatment on hair mercury - the best biomarker of methylmercury exposure                          | Environ Health Prev Med       | 10       | 208-212 | 2005 |
| Ishii N, Dakeishi M, Iwata T, Sasaki M, Murata K.   | Cardiac autonomic imbalance in female nurses with shift work  | Auton Neurosci                | 122      | 94-99   | 2005 |

|   |   |                              |          |         |      |
|---|---|------------------------------|----------|---------|------|
| Karita K, Yano E, Dakesihi M, Iwata T, Murata K.  | Benchmark dose of lead inducing anemia at the workplace   | Risk Anal                    | 25       | 957-962 | 2005 |
| Iwata T, Yano E, Karita K, Dakeishi M, Murata K.  | Critical dose of lead affecting postural balance in workers   | AM J Ind Med                 | 48       | 319-325 | 2005 |
| Sakamoto M, Murata K, Nakai K, Satoh H.   | Difference in methylmercury exposure to fetus and breast-feeding offspring: a mini-review   | Kor J Environ Health         | 31       | 179-186 | 2005 |
| 村田勝敬、嶽石美和子、岩田豊人   | 小児の神経発達から見た食の安全性  | 秋田公衆衛生学会雑誌                   | 3        | 7-15    | 2005 |
| Ikeda M, Shimbo S, Watanabe T, Yamagami T.  | Correlation among cadmium levels in river sediments, in rice, in daily foods, and in urine of residents in eleven prefecture in Japan     | Int Arc Occup Environ Health | In press |         | 2005 |
| Matsuda-Inoguchi N, Shimbo S, Nakatsuka H, Watanabe T, Higashikawa K, Ikeda M.                | Effects of revision of Japanese food composition tables on estimation of nutrient intakes, with references to age-dependent difference    | J Public Health Nutrition    | In press |         | 2005 |
| 渡辺孝男, 中塚晴夫, 新保慎一郎, 西村亜希子  | 小児期のカドミウム摂取量と尿中カドミウム排泄量に関する研究   | 環境保健レポート                     | 69       | 215-222 | 2005 |
| Nishida N, Tanaka M, Hayashi N, Nagata H, Takeshita T, Nakayama K, Morimoto K, Shizukuishi S. | Determination of smoking and obesity as periodontitis risks using classification and regression tree method                               | J Periodontol                | 76       | 923-928 | 2005 |
| Morimoto K, Takeshita T, Nanno M, Tokudome S, Nakayama K.                                     | Modulation of natural killer cell activity by supplementation of fermented milk containing <i>Lactobacillus casei</i> in habitual smokers | Prev Med                     | 40       | 589-594 | 2005 |

|  |   |                           |          |           |      |
|--|---|---------------------------|----------|-----------|------|
| Sakata K, Hoshiyama Y, Morioka S, Hashimoto T, Takeshita T, Tamakoshi A; JACC Study Group.   | Smoking, alcohol drinking and esophageal cancer: findings from the JACC Study   | J Epidemiol               | 15       | S212-S219 | 2005 |
| Ohata H, Oka M, Yanaoka K, Shimizu Y, Mukobayashi C, Mugitani K, Iwane M, Nakamura H, Tamai H, Arie K, Nakata H, Yoshimura N, Takeshita T, Miki K, Mohara O, Ichinose M. | Gastric cancer screening of a high-risk population in Japan using serum pepsinogen and barium digital radiography     | Cancer Science            | 96       | 713-720   | 2005 |
| Kouadio K, Zheng KC, Tuekpe MK, Todoriki H, Ariizumi M.  | Airway inflammatory and immunological events in a rat model exposed to toluene diisocyanate                           | Food Chem Toxicol         | 43       | 1281-1288 | 2005 |
| Okubo H, Sasaki S, Hirota N, Notsu A, Todoriki H.  | The influence of age and body mass index to relative accuracy of energy intake among Japanese adults                  | Public Health Nutr        | In press |           | 2005 |
| Sato Y, Tamaki J, Kitayama F, Kusaka Y, Koderu Y, Koutani A, Iki M.  | Development of a Food-Frequency Questionnaire to Measure the Sietary Calcium Intake of Adult Japanese Women           | Tohoku J Exp Med          | 207      | 217-222   | 2005 |
| 齋藤憲光、佐々木和明、八重樫香  | 有機フッ素系化合物による環境汚染とその分析法  | ぶんせき                      | 6        | 299-307   | 2005 |
| Qiu Y, Fujii S, Tanaka S, Lien NPH, Koizumi A.   | Removal Characteristics of Perfluorooctane Sulfonate and Perfluorooctane Acid by Granular Activated Carbon Adsorption | Environmental Engineering | 14       | 89-97     | 2005 |
| Iwata T, Nakai K, Sakamoto M, Dakeishi M, Satoh H, Murata K.   | Factors affecting hand tremor and postural sway in children   | Environ Health Prev Med   | 11       | 15-21     | 2006 |

|  |  |                             |     |         |      |
|--|--|-----------------------------|-----|---------|------|
| Matsubara E, Harada K, Inoue K, Koizumi A.   | Effects of Perfluorinated amphiphiles on backward swimming in <i>Paramecium caudatum</i>   | BBRC                        | 339 | 554-561 | 2006 |
| Harada K, Nakanishi S, Sasaki K, Furuyama K, Nakayama S, Saito N, Yamakawa K, Koizumi A. | Particle Size Distribution and Respiratory Deposition Estimates of Airborne Perfluorooctanoate and Perfluorooctanesulfonate in Kyoto Area, Japan | Bull Environ Contam Toxicol | 76  | 306-310 | 2006 |