

呼吸数 呼吸数ポイント

| 解析内容 | パーセンタイル | | | | | | | | | | |
|------|---------|------|-----|------|-----|-----|-----|-----|-----|-----|-----|
| | 平均値 | 標準偏差 | 最小値 | 最大値 | 5 | 10 | 25 | 50 | 75 | 90 | 95 |
| 0 | 66% | 22% | 0% | 98% | 13% | 39% | 57% | 72% | 81% | 87% | 91% |
| 1 | 18% | 12% | 0% | 77% | 0% | 5% | 10% | 16% | 26% | 32% | 38% |
| 2 | 1% | 3% | 0% | 23% | 0% | 0% | 0% | 0% | 1% | 3% | 5% |
| 3 | 3% | 4% | 0% | 20% | 0% | 0% | 0% | 1% | 4% | 8% | 10% |
| 4 | 12% | 24% | 0% | 100% | 0% | 0% | 0% | 2% | 10% | 42% | 80% |




【図の説明】

: 0
 : 3
 : 1
 : 4
 : 2

呼吸数 呼吸数_ポイント(特定)

| 解析内容 | 平均値 | 標準偏差 | 最小値 | 最大値 | パーセンタイル | | | | | | | | | |
|------|-----|------|-----|------|---------|-----|-----|-----|-----|-----|-----|--|--|--|
| | | | | | 5 | 10 | 25 | 50 | 75 | 90 | 95 | | | |
| 0 | 64% | 24% | 0% | 91% | 21% | 23% | 55% | 72% | 81% | 91% | 91% | | | |
| 1 | 24% | 17% | 0% | 77% | 5% | 8% | 12% | 23% | 28% | 44% | 57% | | | |
| 2 | 2% | 5% | 0% | 23% | 0% | 0% | 0% | 0% | 2% | 3% | 11% | | | |
| 3 | 4% | 5% | 0% | 20% | 0% | 0% | 0% | 2% | 7% | 10% | 14% | | | |
| 4 | 6% | 18% | 0% | 100% | 0% | 0% | 0% | 2% | 3% | 11% | 13% | | | |




【図の説明】



呼吸数 呼吸数_ポイント(その他)

| 解析内容 | 平均値 | 標準偏差 | 最小値 | 最大値 | パーセンタイル | | | | | | | | | |
|------|-----|------|-----|------|---------|-----|-----|-----|-----|-----|-----|--|--|--|
| | | | | | 5 | 10 | 25 | 50 | 75 | 90 | 95 | | | |
| 0 | 66% | 22% | 0% | 98% | 8% | 39% | 57% | 72% | 81% | 86% | 90% | | | |
| 1 | 17% | 10% | 0% | 40% | 0% | 4% | 10% | 16% | 24% | 31% | 33% | | | |
| 2 | 1% | 2% | 0% | 19% | 0% | 0% | 0% | 0% | 1% | 3% | 5% | | | |
| 3 | 2% | 3% | 0% | 15% | 0% | 0% | 0% | 0% | 3% | 7% | 9% | | | |
| 4 | 14% | 25% | 0% | 100% | 0% | 0% | 0% | 2% | 11% | 48% | 89% | | | |




その他病院(110施設)

【図の説明】



PA02 PaO2_ポイント

| 解析内容 | パーセンタイル | | | | | | | | | | 最大値 | 最小値 | 標準偏差 | 平均値 |
|------|---------|----|-----|-----|-----|-----|------|------|----|-----|-----|-----|------|-----|
| | 5 | 10 | 25 | 50 | 75 | 90 | 95 | | | | | | | |
| 0 | 0% | 8% | 36% | 63% | 82% | 96% | 100% | 100% | 0% | 30% | 58% | | | |
| 1 | 0% | 0% | 0% | 2% | 5% | 9% | 14% | 80% | 0% | 8% | 4% | | | |
| 2 | - | - | - | - | - | - | - | - | - | - | - | | | |
| 3 | 0% | 0% | 0% | 0% | 1% | 3% | 5% | 8% | 0% | 2% | 1% | | | |
| 4 | 0% | 2% | 10% | 34% | 59% | 88% | 100% | 100% | 0% | 31% | 38% | | | |



【図の説明】


：0
：3

：1
：4

：2

PAO2 PaO2_ポイント(特定)

| 解析内容 | 平均値 | 標準偏差 | 最小値 | 最大値 | パーセンタイル | | | | | | | | | |
|------|-----|------|-----|------|---------|-----|-----|-----|-----|-----|-----|--|--|--|
| | | | | | 5 | 10 | 25 | 50 | 75 | 90 | 95 | | | |
| 0 | 72% | 26% | 0% | 100% | 7% | 49% | 65% | 77% | 90% | 95% | 99% | | | |
| 1 | 2% | 2% | 0% | 8% | 0% | 0% | 0% | 1% | 3% | 5% | 7% | | | |
| 2 | - | - | - | - | - | - | - | - | - | - | - | | | |
| 3 | 1% | 2% | 0% | 8% | 0% | 0% | 0% | 0% | 1% | 3% | 6% | | | |
| 4 | 25% | 27% | 0% | 100% | 0% | 0% | 5% | 19% | 33% | 47% | 93% | | | |



【図の説明】


■ :0
■ :3

■ :1
■ :4

■ :2

PA02 PaO2_ポイント(その他)

| 解析内容 | パーセンタイル | | | | | | | | | | 最大値 | 最小値 | 標準偏差 | 平均値 |
|------|---------|----|-----|-----|-----|-----|------|------|----|----|-----|-----|------|-----|
| | 5 | 10 | 25 | 50 | 75 | 90 | 95 | | | | | | | |
| 0 | 0% | 8% | 33% | 52% | 79% | 96% | 99% | 100% | 0% | 0% | 30% | 54% | | |
| 1 | 0% | 0% | 0% | 2% | 5% | 9% | 16% | 80% | 0% | 0% | 9% | 4% | | |
| 2 | - | - | - | - | - | - | - | - | - | - | - | - | | |
| 3 | 0% | 0% | 0% | 0% | 1% | 3% | 4% | 8% | 0% | 0% | 2% | 1% | | |
| 4 | 0% | 2% | 11% | 41% | 63% | 90% | 100% | 100% | 0% | 0% | 31% | 41% | | |



その他病院(110施設)

【図の説明】

■ :0
■ :3

■ :1
■ :4

■ :2

動脈PH 動脈血pHポイント

| 解析内容 | パーセンタイル | | | | | | | | | | 最大値 | 最小値 | 標準偏差 | 平均値 |
|------|---------|----|-----|-----|-----|-----|-----|--|--|--|------|-----|------|-----|
| | 5 | 10 | 25 | 50 | 75 | 90 | 95 | | | | | | | |
| 0 | 1% | 8% | 38% | 60% | 78% | 85% | 88% | | | | 98% | 0% | 26% | 56% |
| 1 | 0% | 0% | 0% | 3% | 7% | 10% | 12% | | | | 18% | 0% | 4% | 4% |
| 2 | 0% | 0% | 2% | 6% | 10% | 15% | 19% | | | | 38% | 0% | 7% | 7% |
| 3 | 0% | 0% | 0% | 2% | 5% | 8% | 13% | | | | 33% | 0% | 5% | 3% |
| 4 | 0% | 0% | 4% | 20% | 49% | 83% | 96% | | | | 100% | 0% | 30% | 30% |



141施設

【図の説明】


0 : 0
3 : 3

1 : 1
4 : 4

2 : 2

動脈PH 動脈血pHポイント(特定)

| 解析内容 | 平均値 | 標準偏差 | 最小値 | 最大値 | パーセンタイル | | | | | | | | | |
|------|-----|------|-----|------|---------|----|-----|-----|-----|-----|-----|--|--|--|
| | | | | | 5 | 10 | 25 | 50 | 75 | 90 | 95 | | | |
| 0 | 66% | 27% | 0% | 96% | 1% | 7% | 62% | 74% | 84% | 88% | 90% | | | |
| 1 | 5% | 5% | 0% | 18% | 0% | 0% | 1% | 4% | 8% | 13% | 15% | | | |
| 2 | 7% | 5% | 0% | 17% | 0% | 1% | 4% | 8% | 11% | 14% | 15% | | | |
| 3 | 3% | 4% | 0% | 13% | 0% | 0% | 0% | 2% | 5% | 8% | 9% | | | |
| 4 | 19% | 32% | 0% | 100% | 0% | 0% | 0% | 7% | 19% | 89% | 98% | | | |




【図の説明】



動脈PH 動脈血pH_ポイント(その他)

| 解析内容 | 平均値 | 標準偏差 | 最小値 | 最大値 | パーセンタイル | | | | | | | | | |
|------|-----|------|-----|------|---------|-----|-----|-----|-----|-----|-----|--|--|--|
| | | | | | 5 | 10 | 25 | 50 | 75 | 90 | 95 | | | |
| 0 | 53% | 26% | 0% | 98% | 2% | 11% | 36% | 56% | 74% | 85% | 88% | | | |
| 1 | 4% | 4% | 0% | 18% | 0% | 0% | 0% | 3% | 6% | 9% | 12% | | | |
| 2 | 7% | 7% | 0% | 38% | 0% | 0% | 2% | 5% | 10% | 16% | 20% | | | |
| 3 | 4% | 5% | 0% | 33% | 0% | 0% | 0% | 2% | 5% | 8% | 14% | | | |
| 4 | 33% | 29% | 0% | 100% | 0% | 1% | 7% | 26% | 54% | 77% | 92% | | | |



【図の説明】

■ : 0
■ : 3

■ : 1
■ : 4

□ : 2

血清HCO3 血清HCO3_ポイント

| 解析内容 | パーセンタイル | | | | | | | | | | |
|------|---------|------|-----|------|----|-----|-----|-----|-----|-----|------|
| | 平均値 | 標準偏差 | 最小値 | 最大値 | 5 | 10 | 25 | 50 | 75 | 90 | 95 |
| 0 | 47% | 24% | 0% | 91% | 0% | 10% | 29% | 48% | 67% | 76% | 82% |
| 1 | 2% | 5% | 0% | 50% | 0% | 0% | 0% | 0% | 3% | 5% | 7% |
| 2 | 15% | 11% | 0% | 54% | 0% | 0% | 6% | 14% | 22% | 30% | 37% |
| 3 | 4% | 5% | 0% | 33% | 0% | 0% | 0% | 2% | 5% | 9% | 11% |
| 4 | 32% | 31% | 0% | 100% | 0% | 1% | 6% | 24% | 49% | 88% | 100% |



【図の説明】


0 : 0
1 : 3

1 : 1
4 : 4

2 : 2

血清HCO3 血清HCO3_ポイント(特定)

| 解析内容 | 平均値 | 標準偏差 | 最小値 | 最大値 | パーセンタイル | | | | | | | | | |
|------|-----|------|-----|------|---------|-----|-----|-----|-----|-----|-----|--|--|--|
| | | | | | 5 | 10 | 25 | 50 | 75 | 90 | 95 | | | |
| 0 | 58% | 24% | 0% | 90% | 1% | 32% | 47% | 64% | 73% | 79% | 84% | | | |
| 1 | 4% | 9% | 0% | 50% | 0% | 0% | 0% | 2% | 4% | 7% | 9% | | | |
| 2 | 19% | 13% | 0% | 54% | 0% | 0% | 10% | 17% | 23% | 38% | 41% | | | |
| 3 | 2% | 2% | 0% | 7% | 0% | 0% | 0% | 2% | 5% | 5% | 6% | | | |
| 4 | 17% | 29% | 0% | 100% | 0% | 0% | 2% | 6% | 14% | 49% | 98% | | | |




【図の説明】



血清HCO3 血清HCO3_ポイント(その他)

| 解析内容 | 平均値 | 標準偏差 | 最小値 | 最大値 | パーセンタイル | | | | | | | | | |
|------|-----|------|-----|------|---------|-----|-----|-----|-----|-----|-----|--|--|--|
| | | | | | 5 | 10 | 25 | 50 | 75 | 90 | 95 | | | |
| 0 | 44% | 24% | 0% | 91% | 1% | 10% | 27% | 46% | 63% | 75% | 81% | | | |
| 1 | 2% | 3% | 0% | 22% | 0% | 0% | 0% | 0% | 3% | 5% | 7% | | | |
| 2 | 14% | 10% | 0% | 45% | 0% | 0% | 6% | 12% | 21% | 26% | 33% | | | |
| 3 | 4% | 5% | 0% | 33% | 0% | 0% | 0% | 2% | 6% | 10% | 11% | | | |
| 4 | 36% | 30% | 0% | 100% | 0% | 3% | 11% | 32% | 56% | 88% | 99% | | | |



その他病院(110施設)

【図の説明】


0 : 0
1 : 3

2 : 1
3 : 4

4 : 2

血清NA 血清Na_ポイント

| 解析内容 | 平均値 | 標準偏差 | 最小値 | 最大値 | パーセンタイル | | | | | | | | | |
|------|-----|------|-----|------|---------|-----|-----|-----|-----|------|------|------|--|--|
| | | | | | 5 | 10 | 25 | 50 | 75 | 90 | 95 | | | |
| 0 | 86% | 19% | 0% | 100% | 52% | 73% | 85% | 92% | 96% | 100% | 100% | 100% | | |
| 1 | 1% | 1% | 0% | 7% | 0% | 0% | 0% | 0% | 1% | 2% | 3% | 3% | | |
| 2 | 4% | 5% | 0% | 25% | 0% | 0% | 0% | 3% | 6% | 10% | 12% | 12% | | |
| 3 | 0% | 1% | 0% | 5% | 0% | 0% | 0% | 0% | 0% | 2% | 2% | 2% | | |
| 4 | 8% | 19% | 0% | 100% | 0% | 0% | 0% | 1% | 6% | 18% | 48% | 48% | | |



【図の説明】


0 : 0
3 : 3

1 : 1
4 : 4

2 : 2

血清NA 血清Na_ポイント(特定)

| 解析内容 | パーセンタイル | | | | | | | | | | 最大値 | 最小値 | 標準偏差 | 平均値 |
|------|---------|-----|-----|-----|-----|-----|-----|--|--|--|-----|-----|------|-----|
| | 5 | 10 | 25 | 50 | 75 | 90 | 95 | | | | | | | |
| 0 | 74% | 77% | 90% | 93% | 96% | 98% | 99% | | | | | | | |
| 1 | 0% | 0% | 0% | 0% | 0% | 2% | 2% | | | | | | | |
| 2 | 0% | 0% | 2% | 4% | 6% | 11% | 20% | | | | | | | |
| 3 | 0% | 0% | 0% | 0% | 0% | 1% | 2% | | | | | | | |
| 4 | 0% | 0% | 0% | 0% | 2% | 8% | 13% | | | | | | | |



【図の説明】


■ :0
□ :3

▨ :1
■ :4

□ :2

血清NA 血清Na_ポイント(その他)

| 解析内容 | 平均値 | 標準偏差 | 最小値 | 最大値 | パーセンタイル | | | | | | | | | |
|------|-----|------|-----|------|---------|-----|-----|-----|-----|------|------|------|--|--|
| | | | | | 5 | 10 | 25 | 50 | 75 | 90 | 95 | | | |
| 0 | 86% | 19% | 0% | 100% | 47% | 71% | 84% | 91% | 96% | 100% | 100% | 100% | | |
| 1 | 1% | 1% | 0% | 6% | 0% | 0% | 0% | 0% | 1% | 2% | 3% | 3% | | |
| 2 | 4% | 5% | 0% | 25% | 0% | 0% | 0% | 3% | 6% | 10% | 12% | 12% | | |
| 3 | 0% | 1% | 0% | 5% | 0% | 0% | 0% | 0% | 0% | 2% | 2% | 2% | | |
| 4 | 9% | 20% | 0% | 100% | 0% | 0% | 0% | 2% | 7% | 21% | 52% | 52% | | |



その他病院(110施設)

【図の説明】


■ :0
■ :3

■ :1
■ :4

■ :2

血清K 血清Kポイント

| 解析内容 | パーセンタイル | | | | | | | | | | 最大値 | 最小値 | 標準偏差 | 平均値 |
|------|---------|-----|-----|-----|-----|-----|-----|--|--|--|------|-----|------|-----|
| | 5 | 10 | 25 | 50 | 75 | 90 | 95 | | | | | | | |
| 0 | 25% | 62% | 72% | 81% | 87% | 92% | 93% | | | | 100% | 0% | 19% | 76% |
| 1 | 2% | 3% | 7% | 11% | 15% | 20% | 23% | | | | 35% | 0% | 7% | 11% |
| 2 | 0% | 0% | 0% | 1% | 3% | 5% | 6% | | | | 11% | 0% | 2% | 2% |
| 3 | 0% | 0% | 0% | 0% | 2% | 3% | 4% | | | | 25% | 0% | 3% | 1% |
| 4 | 0% | 0% | 0% | 3% | 8% | 22% | 60% | | | | 100% | 0% | 20% | 10% |



【図の説明】


:0
:3

:1
:4

:2

血清K 血清K_ポイント(特定)

| 解析内容 | 平均値 | 標準偏差 | 最小値 | 最大値 | パーセンタイル | | | | | | | | | |
|------|-----|------|-----|------|---------|-----|-----|-----|-----|-----|-----|--|--|--|
| | | | | | 5 | 10 | 25 | 50 | 75 | 90 | 95 | | | |
| 0 | 79% | 17% | 2% | 100% | 64% | 68% | 72% | 83% | 88% | 90% | 92% | | | |
| 1 | 12% | 8% | 0% | 35% | 3% | 4% | 7% | 11% | 16% | 23% | 24% | | | |
| 2 | 2% | 3% | 0% | 11% | 0% | 0% | 0% | 1% | 3% | 5% | 7% | | | |
| 3 | 1% | 2% | 0% | 7% | 0% | 0% | 0% | 0% | 2% | 3% | 4% | | | |
| 4 | 6% | 17% | 0% | 95% | 0% | 0% | 0% | 2% | 3% | 8% | 14% | | | |




【図の説明】



血清K 血清Kポイント(その他)

| 解析内容 | 平均値 | 標準偏差 | 最小値 | 最大値 | パーセンタイル | | | | | | | | | |
|------|-----|------|-----|------|---------|-----|-----|-----|-----|-----|-----|--|--|--|
| | | | | | 5 | 10 | 25 | 50 | 75 | 90 | 95 | | | |
| 0 | 75% | 20% | 0% | 100% | 25% | 61% | 72% | 80% | 87% | 92% | 93% | | | |
| 1 | 11% | 7% | 0% | 34% | 2% | 3% | 7% | 10% | 15% | 20% | 22% | | | |
| 2 | 2% | 2% | 0% | 11% | 0% | 0% | 0% | 1% | 3% | 5% | 6% | | | |
| 3 | 1% | 3% | 0% | 25% | 0% | 0% | 0% | 0% | 2% | 3% | 5% | | | |
| 4 | 11% | 20% | 0% | 100% | 0% | 0% | 0% | 4% | 9% | 25% | 61% | | | |



その他病院(110施設)

【図の説明】


0 : 0
1 : 3

2 : 1
3 : 4

4 : 2

血清CR 血清Cr_pポイント

| 解析内容 | パーセンタイル | | | | | | | | | | |
|------|---------|------|-----|------|-----|-----|-----|-----|-----|-----|-----|
| | 平均値 | 標準偏差 | 最小値 | 最大値 | 5 | 10 | 25 | 50 | 75 | 90 | 95 |
| 0 | 55% | 17% | 0% | 84% | 13% | 36% | 49% | 57% | 65% | 72% | 76% |
| 1 | - | - | - | - | - | - | - | - | - | - | - |
| 2 | 31% | 17% | 0% | 100% | 13% | 15% | 21% | 28% | 37% | 49% | 61% |
| 3 | 5% | 7% | 0% | 67% | 0% | 0% | 2% | 4% | 7% | 10% | 13% |
| 4 | 9% | 7% | 0% | 30% | 0% | 2% | 3% | 8% | 13% | 20% | 25% |



【図の説明】

0 : 0
1 : 3


2 : 1
3 : 4

4 : 2

140施設

血清CR 血清Cr_ポイント(特定)

| 解析内容 | 平均値 | 標準偏差 | 最小値 | 最大値 | パーセンタイル | | | | | | | | | |
|------|-----|------|-----|-----|---------|-----|-----|-----|-----|-----|-----|---|--|--|
| | | | | | 5 | 10 | 25 | 50 | 75 | 90 | 95 | | | |
| 0 | 52% | 16% | 0% | 79% | 24% | 41% | 49% | 53% | 62% | 68% | 71% | | | |
| 1 | - | - | - | - | - | - | - | - | - | - | - | - | | |
| 2 | 33% | 14% | 13% | 71% | 14% | 15% | 23% | 33% | 41% | 50% | 55% | | | |
| 3 | 5% | 7% | 0% | 37% | 0% | 1% | 2% | 3% | 8% | 10% | 11% | | | |
| 4 | 9% | 5% | 2% | 27% | 3% | 3% | 5% | 8% | 11% | 14% | 15% | | | |



【図の説明】

: 0
 : 1
 : 2
 : 3
 : 4