

9. Iguchi, A., Iyoda, S., Terajima, J., Watanabe, H., and Osawa, R. Spontaneous recombination between homologous prophage regions causes large-scale inversions within the *Escherichia coli* O157:H7 chromosome. *Gene* 10(372):199-207. (2006)
10. Hayashi, S., Okura, M., and Osawa, R. Soft agar-coated filter method for early detection of viable and thermostable direct hemolysin (TDH)- or TDH-related hemolysin-producing *Vibrio parahaemolyticus* in seafood. *App, Environ, Microbiol* 72(2): 4576-4582. (2006)
11. Sultan, Z., Miyoshi, S., Shinoda, S. (2006) Presence of LuxS/AI-2 based quorum-sensing system in *Vibrio mimicus*: LuxO controls protease activity. *Microbiol. Immunol.* 50(5), 4017-417.
12. Osaki T, Hanawa T, Manzoku T, Fukuda M, Kawakami H, Suzuki H, Yamaguchi H, Yen X, Taguchi H, Kurata S, Kamiya S: Mutation of *luxS* affects motility and infectivity of *Helicobacter pylori* in gastric mucosa of Mongolian gerbil model. *J Med Microbiol* 55(11):1477-1485, 2006.
13. Yamasaki E., Wada A., Kumatori A., Nakagawa I., Funao J., Nakayama M., Hisatsune J., Kimura M., Moss J., Hirayama T. *Helicobacter pylori* vacuolating cytotoxin induces activation of the proapoptotic protein Bax, leading to cytochrome c release and cell death, independent of vacuolation *J. Biol. Chem.* 281, 11250-11259 (2006)
14. Nakayama M, Hisatsune J, Yamasaki E, Nishi Y, Wada A, Kurazono H, Sap J, Yahiro K, Moss J, Hirayama T: *Helicobacter pylori* VacA clustering in lipid rafts, mediated by receptor, RPTP $\beta$ , is required for intoxication in AZ-521 cells. *Infect Immun.* 74, 6571-6580 (2006)
15. K. Shima, Y. Wu, N. Sugimoto, M. Asakura, K. Nishimura, and S. Yamasaki. Comparison of the PCR-restriction fragment length polymorphism (PCR-RFLP) to pulsed-field gel electrophoresis: effect of repeated subculture and prolonged storage on RFLP patterns of Shiga toxin-producing *Escherichia coli* O157:H7. *J. Clin. Microbiol.*, 44: 3963-3968, 2006.
16. L. Shi, K. Fujihara, T. Sato, H. Ito, P. Garg, R. Chakrabarty, T. Ramamurthy, G.B. Nair, Y. Takeda and S. Yamasaki. Distribution and characterization of integrons in

various serogroups of *Vibrio cholerae* strains isolated from diarrheal patients between 1992 and 2000 in Kolkata, India, *J. Med. Microbiol.*, 55:573-583, 2006.

17. Tobe, T., Beatsn, S.A., Taniuchi, H., Abe, H., Bailey, C. M., Fivian, A., Younis, R., Matthews, S., Marches, O., Frankel, G., Hayashi, T. and Pallen, M. J.: An extensive repertoire of type III secretion effectors in *Escherichia coli* O157 and the role of lambdoid phages in their dissemination. *Proc Natl Acad Sci USA*, 103:14941-14946, 2006.
18. Hayashi, T.: Breaking the barrier between commensalism and pathogenicity. *Science*. 313: 772-773, 2006.
19. Vuddhakul, V., S. Soboon, W. Sunghiran, S. Kaewpiboon, A. Chowdhury, M. Ishibashi, Y. Nakaguchi, and M. Nishibuchi. 2006. Distribution of virulent and pandemic strains of *Vibrio parahaemolyticus* in three molluscan shellfish species (*Meretrix meretrix*, *Perna viridis*, and *Anadara granosa*) and their association with foodborne disease in southern Thailand. *J. Food. Prot.* 69(11):2615-2620.
20. Yahiro, K., N. Morinaga, M. Satoh, G. Matsuura, T. Tomonaga, F. Nomura, J. Moss, and M. Noda. Identification and characterization of receptors for vacuolating activity of subtilase cytotoxin. *Mol Microbiol.* 62:480-490 2006.
21. Takahashi, A., S. Kanamaru, H. Kurazono, Y. Kunishima, T. Tsukamoto, O. Ogawa, S. Yamamoto: *Escherichia coli* from uncomplicated and complicated cystitis and from asymptomatic bacteriuria possess similar phylogeny, virulence genes and O serogroup profiles. *J. Clin. Microbiol.* 44: 4589-4592, 2006.
22. Meraz, I. M., Arikawa, K., Ogasawara, J., Hase, A., and Nishikawa, Y. Epithelial cells secrete interleukin-8 in response to adhesion and invasion of diffusely adhering *Escherichia coli* lacking Afa/Dr genes. *Microbiol. Immunol.* 50: 159-169. 2006
23. Ikigai, H., H. Oturu, K. Yamamoto and T. Shimamura Structural requirements of cholesterol for binding to *Vibrio cholerae* hemolysin. *Microbiol. Immunol.* 2006, 50, 751-757
24. Yamanaka H, Tsuji T, Katamine S, Sakaguchi S. et al Enhanced mucosal immunogenicity of prion protein following fusion with B subunit of *Escherichia coli* heat-labile enterotoxin. *Vaccine*, 24(15):2815-23. 2006.

25. Takahashi H, Sasaki K, Ohara N, Tsuji T. et al. Mutant *Escherichia coli* enterotoxin as a mucosal adjuvant induces specific Th1 responses of CD4(+) and CD8(+) T cells to nasal killed-bacillus calmette-guerin in mice. 24(17):3591-8. *Vaccine*. 2006
26. Kakita M, Takahashi T, Komiya T, Iba Y, Tsuji T, Kurosawa Y, Takahashi M. Isolation of a human antibody with strong neutralizing activity against diphtheria toxin. *Infect. Immun.* 74, 3682-3683.2006.
27. Yamamoto, T., Dohmae, S., Saito, K., Otsuka, T., Takano, T., Chiba, M., Fujikawa, K., Tanaka, M. Molecular characteristics and in vitro susceptibility to antimicrobial agents including DX-619, a Des-F(6)-Quinolone, of Panton-Valentine leucocidin-positive methicillin-resistant *Staphylococcus aureus* from the community and hospitals. *Antimicrob. Agents Chemother.* 50:4077-4086, 2006
28. Iwakura, N., Kojio, S., Shibuya, M., Ozaki, K., Takano, M., Nakayama, T., Nakagawa, S., Taneike, I., Yamamoto, T.: Caspase-3 activation and apoptosis induction in THP-1 human monocytic cells by clinical and environmental isolates of *Vibrio vulnificus*. *Acta Med. Biol.* 54: 43-50, 2006
29. Sasaki Y., A. Kai, Y. Hayashi, T. Shinkai, Y. Noguchi, M. Hasegawa, K. Sadamasu, K. Mori, Y. Tabei, M. Nagashima, S. Morozumi, and T. Yamamoto : Multiple viral infections and genomic divergence among Noroviruses during an outbreak of acute gastroenteritis, 2006, *J Clin. Microbiol.* 44: 790-797.
30. Itoh Y, Kawamura Y, Kasai H, Shah MM, Nhung PH, Yamada M, Sun X, Koyama, T, Ohkusu K, Ezaki T: *dnaJ* and *gyrB* gene sequence relationship among species and strains of the genus *Streptococcus*. *Systematic and Applied Microbiology* 29:368-374, 2006