

- 1 Lu, L., Horstmann, H., Ng, C., and Hong, W. (2001). Regulation of Golgi
2 structure and function by ARF-like protein 1 (Arl1). *Journal of Cell*
3 *Science* **114**, 4543-55.
- 4 Lu, L., Tai, G., and Hong, W. (2004). Autoantigen Golgin-97, an effector of
5 Arl1 GTPase, participates in traffic from the endosome to the trans-
6 golgi network. *Molecular Biology of the Cell* **15**, 4426-43.
- 7 Luaces, A. L., and Barrett, A. J. (1988). Affinity purification and biochemical
8 characterization of histolysin, the major cysteine proteinase of
9 *Entamoeba histolytica*. *Biochemical Journal* **250**, 903-9.
- 10 Luaces, A. L., Pico, T., and Barrett, A. J. (1992). The ENZYMEBA test:
11 detection of intestinal *Entamoeba histolytica* infection by immuno-
12 enzymatic detection of histolysin. *Parasitology* **105**, 203-5.
- 13 Lushbaugh, W. B., Hofbauer, A. F., and Pittman, F. E. (1984). Proteinase
14 activities of *Entamoeba histolytica* cytotoxin. *Gastroenterology* **87**, 17-
15 27.
- 16 Lushbaugh, W. B., Hofbauer, A. F., and Pittman, F. E. (1985). *Entamoeba*
17 *histolytica*: purification of cathepsin B. *Experimental Parasitology* **59**,
18 328-36.
- 19 MacFarlane, R. C., and Singh, U. (2006). Identification of differentially
20 expressed genes in virulent and nonvirulent *Entamoeba* species:
21 potential implications for amebic pathogenesis. *Infection and Immunity*
22 **74**, 340-51.
- 23 Machida, Y. J., Hamlin, J. L., and Dutta, A. (2005). Right place, right time, and
24 only once: replication initiation in metazoans. *Cell* **123**, 13-24.
- 25 MacKelvie, S. H., Andrews, P. D., and Stark, M. J. (1995). The *Saccharomyces*
26 *cerevisiae* gene SDS22 encodes a potential regulator of the mitotic
27 function of yeast type 1 protein phosphatase. *Molecular and Cellular*
28 *Biology* **15**, 3777-85.
- 29 Mai, Z., Ghosh, S., Frisardi, M., Rosenthal, B., Rogers, R., and Samuelson, J.
30 (1999). Hsp60 is targeted to a cryptic mitochondrion-derived organelle

- 1 ("Crypton") in the microaerophilic protozoan parasite *Entamoeba*
2 *histolytica*. *Molecular and Cellular Biology* **19**, 2198-2205.
- 3 Maiorano, D., Lutzmann, M., and Mechali, M. (2006). MCM proteins and
4 DNA replication. *Current Opinion in Cell Biology* **18**, 130-6
- 5 Majoros, W. H., Pertea, M., and Salzberg, S. L. (2004). TigrScan and
6 GlimmerHMM: two open source ab initio eukaryotic gene-finders.
7 *Bioinformatics* **20**, 2878-9.
- 8 Makioka, A., Kumagai, M., Takeuchi, T., and Nozaki, T. (2006).
9 Characterization of protein geranylgeranyltransferase I from the enteric
10 protist *Entamoeba histolytica*. *Molecular and Biochemical Parasitology*
11 **145**, 216-25.
- 12 Mallet, L., Renault, G., and Jacquet, M. (2000). Functional cloning of the
13 adenylate cyclase gene of *Candida albicans* in *Saccharomyces*
14 *cerevisiae* within a genomic fragment containing five other genes,
15 including homologues of CHS6 and SAP185. *Yeast* **16**, 959-66.
- 16 Mallik, R., and Gross, S. P. (2004). Molecular motors: strategies to get along.
17 *Current Biology* **14**, R971-82.
- 18 Mandal, P. K., Bagchi, A., Bhattacharya, A., and Bhattacharya, S. (2004). An
19 *Entamoeba histolytica* LINE/SINE pair inserts at common target sites
20 cleaved by the restriction enzyme-like LINE-encoded endonuclease.
21 *Eukaryotic Cell* **3**, 170-179.
- 22 Mann, B. J., Torian, B. E., Vedvick, T. S., and Petri, W. A., Jr. (1991).
23 Sequence of a cysteine -rich galactose-specific lectin of *Entamoeba*
24 *histolytica*. *Proceedings of the National Academy of Sciences USA* **88**,
25 3248-3252.
- 26 Marino, G., Uria, J. A., Puente, X. S., Quesada, V., Bordallo, J., and Lopez-
27 Otin, C. (2003). Human autophagins, a family of cysteine proteinases
28 potentially implicated in cell degradation by autophagy. *Journal of*
29 *Biological Chemistry* **278**, 3671-8.
- 30 Marion, S., Wilhelm, C., Voigt, H., Bacri, J. C., and Guillen, N. (2004).
31 Overexpression of myosin IB in living *Entamoeba histolytica* enhances

- 1 cytoplasm viscosity and reduces phagocytosis. *Journal of Cell Science*
2 **117**, 3271-9.
- 3 Marsh, J. J., and Lebherz, H. G. (1992). Fructose-bisphosphate aldolases: an
4 evolutionary history. *Trends in Biochemical Sciences* **17**, 110-3.
- 5 Martin, W., and Müller, M. (1998). The hydrogen hypothesis for the first
6 eukaryote. *Nature* **392**, 37-41.
- 7 Masai, H., and Arai, K. (2002). Cdc7 kinase complex: a key regulator in the
8 initiation of DNA replication. *Journal of Cellular Physiology* **190**, 287-
9 96.
- 10 Massague, J., Blain, S. W., and Lo, R. S. (2000). TGFbeta signaling in growth
11 control, cancer, and heritable disorders. *Cell* **103**, 295-309.
- 12 Maurer-Stroh, S., Washietl, S., and Eisenhaber, F. (2003). Protein
13 prenyltransferases: anchor size, pseudogenes and parasites. *Biological*
14 *Chemistry* **384**, 977-89.
- 15 Mayer, A., Wickner, W., and Haas, A. (1996). Sec18p (NSF)-driven release of
16 Sec17p (alpha-SNAP) can precede docking and fusion of yeast
17 vacuoles. *Cell* **85**, 83-94.
- 18 Mazzucco, A., Benchimol, M., and De Souza, W. (1997). Endoplasmic
19 reticulum and Golgi-like elements in *Entamoeba*. *Micron* **28**, 241-247.
- 20 McCarty, D. R., and Chory, J. (2000). Conservation and innovation in plant
21 signaling pathways. *Cell* **103**, 201-9.
- 22 McCoy, J. J., Mann, B. J., Vedvick, T. S., Pak, Y., Heimark, D. B., and Petri,
23 W. A., Jr. (1993). Structural analysis of the light subunit of the
24 *Entamoeba histolytica* galactose-specific adherence lectin. *Journal of*
25 *Biological Chemistry* **268**, 24223-24231.
- 26 McLaughlin, J., and Faubert, G. (1977). Partial purification and some properties
27 of a neutral sulfhydryl and an acid proteinase from *Entamoeba*
28 *histolytica*. *Canadian Journal of Microbiology* **23**, 420-5.
- 29 McTaggart, S. J. (2006). Isoprenylated proteins. *Cellular and Molecular Life*
30 *Sciences* **63**, 255-67.

- 1 Mehlotra, R. K. (1996). Antioxidant defense mechanisms in parasitic protozoa.
2 *Critical Reviews in Microbiology* **22**, 295-314.
- 3 Memon, A. R. (2004). The role of ADP-ribosylation factor and SAR1 in
4 vesicular trafficking in plants. *Biochimica et Biophysica Acta* **1664**, 9-
5 30.
- 6 Merchant, A. M., Kawasaki, Y., Chen, Y., Lei, M., and Tye, B. K. (1997). A
7 lesion in the DNA replication initiation factor Mcm10 induces pausing
8 of elongation forks through chromosomal replication origins in
9 *Saccharomyces cerevisiae*. *Molecular and Cellular Biology* **17**, 3261-
10 71.
- 11 Meyer, C., Zizioli, D., Lausmann, S., Eskelinen, E. L., Hamann, J., Saftig, P.,
12 von Figura, K., and Schu, P. (2000). mu1A-adaptin-deficient mice:
13 lethality, loss of AP-1 binding and rerouting of mannose 6-phosphate
14 receptors. *EMBO Journal* **19**, 2193-203.
- 15 Meza, I., Sabanero, M., Cázares, F., and Bryan, J. (1983). Isolation and
16 characterization of actin from *Entamoeba histolytica*. *Journal of*
17 *Biological Chemistry* **258**, 3936-3941.
- 18 Mira, A., Pushker, R., Legault, B. A., Moreira, D., and Rodriguez-Valera, F.
19 (2004). Evolutionary relationships of *Fusobacterium nucleatum* based
20 on phylogenetic analysis and comparative genomics. *BMC Evolutionary*
21 *Biology* **4**, 50.
- 22 Mishra, C., Semino, C. E., McCreath, K. J., de la Vega, H., Jones, B. J., Specht,
23 C. A., and Robbins, P. W. (1997). Cloning and expression of two chitin
24 deacetylase genes of *Saccharomyces cerevisiae*. *Yeast* **13**, 327-36.
- 25 Moody-Haupt, S., Patterson, J. H., Mirelman, D., and McConville, M. J.
26 (2000). The major surface antigens of *Entamoeba histolytica*
27 trophozoites are GPI-anchored proteophosphoglycans. *Journal of*
28 *Molecular Biology* **297**, 409-420.
- 29 Morgan, D. O. (1995). Principles of CDK regulation. *Nature* **374**, 131-4.
- 30 Morgan, D. O. (1996). The dynamics of cyclin dependent kinase structure.
31 *Current Opinion in Cell Biology* **8**, 767-72.

- 1 Motley, A., Bright, N. A., Seaman, M. N., and Robinson, M. S. (2003).
2 Clathrin-mediated endocytosis in AP-2-depleted cells. *Journal of Cell*
3 *Biology* **162**, 909-18.
- 4 Müller, M. (1986). Reductive activation of nitroimidazoles in anaerobic
5 microorganisms. *Biochemical Pharmacology* **35**, 37-41.
- 6 Mullikin, J. C., and Ning, Z. (2003). The phusion assembler. *Genome Research*
7 **13**, 81-90.
- 8 Munford, R. S., Sheppard, P. O., and O'Hara, P. J. (1995). Saposin-like proteins
9 (SAPLIP) carry out diverse functions on a common backbone structure.
10 *Journal of Lipid Research* **36**, 1653-63.
- 11 Muñoz, M. de L., Moreno, M. A., Pérez-García, J. N., Tovar, G. R., and
12 Hernández, V. I. (1991). Possible role of calmodulin in the secretion of
13 *Entamoeba histolytica* electron-dense granules containing collagenase.
14 *Molecular Microbiology* **5**, 1707-1714.
- 15 Munro, S. (2004). Organelle identity and the organization of membrane traffic.
16 *Nature Cell Biology* **6**, 469-72.
- 17 Myers, E. W., Sutton, G. G., Delcher, A. L., Dew, I. M., Fasulo, D. P.,
18 Flanagan, M. J., Kravitz, S. A., Mobarry, C. M., Reinert, K. H.,
19 Remington, K. A., Anson, E. L., Bolanos, R. A., Chou, H. H., Jordan, C.
20 M., Halpern, A. L., Lonardi, S., Beasley, E. M., Brandon, R. C., Chen,
21 L., Dunn, P. J., Lai, Z., Liang, Y., Nusskern, D. R., Zhan, M., Zhang,
22 Q., Zheng, X., Rubin, G. M., Adams, M. D., and Venter, J. C. (2000). A
23 whole-genome assembly of *Drosophila*. *Science* **287**, 2196-204.
- 24 Nakada-Tsukui, K., Saito-Nakano, Y., Ali, V., and Nozaki, T. (2005). A
25 retromerlike complex is a novel Rab7 effector that is involved in the
26 transport of the virulence factor cysteine protease in the enteric
27 protozoan parasite *Entamoeba histolytica*. *Molecular Biology of the Cell*
28 **16**, 5294-303.
- 29 Nakamura, H. (2005). Thioredoxin and its related molecules: update 2005.
30 *Antioxidants & Redox Signalling* **7**, 823-8.

- 1 Nakamura, M., Yamada, M., Hirota, Y., Sugimoto, K., Oka, A., and Takanami,
2 M. (1981). Nucleotide sequence of the *asnA* gene coding for asparagine
3 synthetase of *E. coli* K-12. *Nucleic Acids Research* **9**, 4669-76.
- 4 Nakatsu, F., and Ohno, H. (2003). Adaptor protein complexes as the key
5 regulators of protein sorting in the post-Golgi network. *Cell Structure*
6 *and Function* **28**, 419-29.
- 7 Nebreda, A. R. (2006). CDK activation by non-cyclin proteins. *Current*
8 *Opinion in Cell Biology* **18**, 192-8.
- 9 Nesbo, C. L., L'Haridon, S., Stetter, K. O., and Doolittle, W. F. (2001).
10 Phylogenetic analyses of two "archaeal" genes in *Thermotoga maritima*
11 reveal multiple transfers between archaea and bacteria. *Molecular*
12 *Biology and Evolution* **18**, 362-75.
- 13 Nickel, R., Jacobs, T., Urban, B., Scholze, H., Bruhn, H., and Leippe, M.
14 (2000). Two novel calcium-binding proteins from cytoplasmic granules
15 of the protozoan parasite *Entamoeba histolytica*. *FEBS Letters* **486**, 112-
16 6.
- 17 Nixon, J. E. J., Wang, A., Field, J., Morrison, H. G., McArthur, A. G., Sogin,
18 M. L., Loftus, B. J., and Samuelson, J. (2002). Evidence for lateral
19 transfer of genes encoding ferredoxins, nitroreductases, NADH oxidase,
20 and alcohol dehydrogenase 3 from anaerobic prokaryotes to *Giardia*
21 *lamblia* and *Entamoeba histolytica*. *Eukaryotic Cell* **1**, 181-190.
- 22 Novick, P., and Zerial, M. (1997). The diversity of Rab proteins in vesicle
23 transport. *Current Opinion in Cell Biology* **9**, 496-504.
- 24 Nozaki, T., Arase, T., Shigeta, Y., Asai, T., Leustek, T., and Takeuchi, T.
25 (1998a). Cloning and bacterial expression of adenosine-5'-triphosphate
26 sulfurylase from the enteric protozoan parasite *Entamoeba histolytica*.
27 *Biochimica et Biophysica Acta* **1429**, 284-91.
- 28 Nozaki, T., Asai, T., Kobayashi, S., Ikegami, F., Noji, M., Saito, K., and
29 Takeuchi, T. (1998b). Molecular cloning and characterization of the
30 genes encoding two isoforms of cysteine synthase in the enteric

- 1 protozoan parasite *Entamoeba histolytica*. *Molecular and Biochemical*
2 *Parasitology* **97**, 33-44.
- 3 Nozaki, T., Asai, T., Sanchez, L. B., Kobayashi, S., Nakazawa, M., and
4 Takeuchi, T. (1999). Characterization of the gene encoding serine
5 acetyltransferase, a regulated enzyme of cysteine biosynthesis from the
6 protist parasites *Entamoeba histolytica* and *Entamoeba dispar*.
7 Regulation and possible function of the cysteine biosynthetic pathway in
8 *Entamoeba*. *Journal of Biological Chemistry* **274**, 32445-52.
- 9 Nozaki, T., Ali, V., and Tokoro, M. (2005). Sulfur-containing amino acid
10 metabolism in parasitic protozoa. *Advances in Parasitology* **60**, 1-99.
- 11 Ochman, H., Lawrence, J. G., and Groisman, E. A. (2000). Lateral gene transfer
12 and the nature of bacterial innovation. *Nature* **405**, 299-304.
- 13 Okada, M., Huston, C. D., Mann, B. J., Petri, W. A., Jr., Kita, K., and Nozaki,
14 T. (2005). Proteomic analysis of phagocytosis in the enteric protozoan
15 parasite *Entamoeba histolytica*. *Eukaryotic Cell* **4**, 827-31.
- 16 Ooi, C. E., Dell'Angelica, E. C., and Bonifacino, J. S. (1998). ADP-
17 Ribosylation factor 1 (ARF1) regulates recruitment of the AP-3 adaptor
18 complex to membranes. *Journal of Cell Biology* **142**, 391-402.
- 19 Opperdoes, F. R., and Michels, P. A. (2001). Enzymes of carbohydrate
20 metabolism as potential drug targets. *International Journal for*
21 *Parasitology* **31**, 482-90.
- 22 Ortner, S., Plaimauer, B., Binder, M., Scheiner, O., Wiedermann, G., and
23 Duchêne, M. (1995). Molecular analysis of two hexokinase isoenzymes
24 from *Entamoeba histolytica*. *Molecular and Biochemical Parasitology*.
25 **73**, 189-198.
- 26 Ortner, S., Binder, M., Scheiner, O., Wiedermann, G., and Duchêne, M.
27 (1997a). Molecular and biochemical characterization of
28 phosphoglucomutases from *Entamoeba histolytica* and *Entamoeba*
29 *dispar*. *Molecular and Biochemical Parasitology* **90**, 121-129.
- 30 Ortner, S., Clark, C. G., Binder, M., Scheiner, O., Wiedermann, G., and
31 Duchêne, M. (1997b). Molecular biology of the hexokinase isoenzyme

- 1 pattern that distinguishes pathogenic *Entamoeba histolytica* from
2 nonpathogenic *Entamoeba dispar*. *Molecular and Biochemical*
3 *Parasitology*. **86**, 85-94.
- 4 Ostoa-Saloma, P., Carrero, J. C., Petrossian, P., Herion, P., Landa, A., and
5 Laclette, J. P. (2000). Cloning, characterization and functional
6 expression of a cyclophilin of *Entamoeba histolytica*. *Molecular and*
7 *Biochemical Parasitology*. **107**, 219-225.
- 8 Otomo, T., Tomchick, D. R., Otomo, C., Panchal, S. C., Machius, M., and
9 Rosen, M. K. (2005). Structural basis of actin filament nucleation and
10 processive capping by a formin homology 2 domain. *Nature* **433**, 488-
11 94.
- 12 Parsons, M. (2004). Glycosomes: parasites and the divergence of peroxisomal
13 purpose. *Molecular Microbiology* **53**, 717-24.
- 14 Pasqualato, S., Renault, L., and Cherfils, J. (2002). Arf, Arl, Arp and Sar
15 proteins: a family of GTP-binding proteins with a structural device for
16 'front-back' communication. *EMBO Reports* **3**, 1035-41.
- 17 Patil, C., and Walter, P. (2001). Intracellular signaling from the endoplasmic
18 reticulum to the nucleus: the unfolded protein response in yeast and
19 mammals. *Current Opinion in Cell Biology* **13**, 349-55.
- 20 Peng, R., De Antoni, A., and Gallwitz, D. (2000). Evidence for overlapping and
21 distinct functions in protein transport of coat protein Sec24p family
22 members. *Journal of Biological Chemistry* **275**, 11521-8.
- 23 Pereira-Leal, J. B., and Seabra, M. C. (2001). Evolution of the Rab family of
24 small GTP-binding proteins. *Journal of Molecular Biology* **313**, 889-
25 901.
- 26 Petoukhov, M. V., Svergun, D. I., Konarev, P. V., Ravasio, S., van den Heuvel,
27 R. H., Curti, B., and Vanoni, M. A. (2003). Quaternary structure of
28 *Azospirillum brasilense* NADPH-dependent glutamate synthase in
29 solution as revealed by synchrotron radiation x-ray scattering. *Journal*
30 *of Biological Chemistry* **278**, 29933-9.

- 1 Petri, W. A. Jr (2002). Pathogenesis of amebiasis. *Current Opinion in*
2 *Microbiology* **5**, 443-447.
- 3 Petri, W. A., Jr., Smith, R. D., Schlesinger, P. H., Murphy, C. F., and Ravdin, J.
4 I. (1987). Isolation of the galactose-binding lectin that mediates the in
5 vitro adherence of *Entamoeba histolytica*. *Journal of Clinical*
6 *Investigation* **80**, 1238-44.
- 7 Petri, W. A., Jr., Chapman, M. D., Snodgrass, T., Mann, B. J., Broman, J., and
8 Ravdin, J. I. (1989). Subunit structure of the galactose and N-acetyl-D-
9 galactosamine-inhibitable adherence lectin of *Entamoeba histolytica*.
10 *Journal of Biological Chemistry* **264**, 3007-3012.
- 11 Petri, W. A., Haque, R., and Mann, B. J. (2002). The bittersweet interface of
12 parasite and host: lectin-carbohydrate interactions during human
13 invasion by the parasite *Entamoeba histolytica*. *Annual Review of*
14 *Microbiology* **56**, 39-64.
- 15 Pillai, D. R., Britten, D., Ackers, J. P., Ravdin, J. I., and Kain, K. C. (1997). A
16 gene homologous to *hgl2* of *Entamoeba histolytica* is present and
17 expressed in *Entamoeba dispar*. *Molecular and Biochemical*
18 *Parasitology* **87**, 101-105.
- 19 Pillutla, R. C., Yue, Z., Maldonado, E., and Shatkin, A. J. (1998). Recombinant
20 human mRNA cap methyltransferase binds capping enzyme/RNA
21 polymerase IIo complexes. *Journal of Biological Chemistry* **273**, 21443-
22 6
- 23 Poirier, M. A., Xiao, W., Macosko, J. C., Chan, C., Shin, Y. K., and Bennett,
24 M. K. (1998). The synaptic SNARE complex is a parallel four-stranded
25 helical bundle. *Nature Structural Biology* **5**, 765-9.
- 26 Poole, L. B., Chae, H. Z., Flores, B. M., Reed, S. L., Rhee, S. G., and Torian, B.
27 E. (1997). Peroxidase activity of a TSA-like antioxidant protein from a
28 pathogenic amoeba. *Free Radical Biology & Medicine* **23**, 955-9.
- 29 Poon, R. Y., Lew, J., and Hunter, T. (1997). Identification of functional
30 domains in the neuronal Cdk5 activator protein. *Journal of Biological*
31 *Chemistry* **272**, 5703-8.

- 1 Pritham, E. J., Feschotte, C., and Wessler, S. R. (2005). Unexpected diversity
2 and differential success of DNA transposons in four species of
3 *Entamoeba* protozoans. *Molecular Biology and Evolution* **22**, 1751-63.
- 4 Purdy, J. E., Pho, L. T., Mann, B. J., and Petri, W. A., Jr. (1996). Upstream
5 regulatory elements controlling expression of the *Entamoeba histolytica*
6 lectin. *Molecular and Biochemical Parasitology* **78**, 91-103.
- 7 Que, X., and Reed, S. L. (2000). Cysteine proteinases and the pathogenesis of
8 amebiasis. *Clinical Microbiology Reviews* **13**, 196-206.
- 9 Quevillon, E., Spielmann, T., Brahimi, K., Chattopadhyay, D., Yeramian, E.,
10 and Langsley, G. (2003). The *Plasmodium falciparum* family of Rab
11 GTPases. *Gene* **306**, 13-25.
- 12 Quon, D. V., Delgadillo, M. G., and Johnson, P. J. (1996). Transcription in the
13 early diverging eukaryote *Trichomonas vaginalis*: an unusual RNA
14 polymerase II and alpha-amanitin-resistant transcription of protein-
15 coding genes. *Journal of Molecular Evolution* **43**, 253-62.
- 16 Radhakrishna, H., and Donaldson, J. G. (1997). ADP-ribosylation factor 6
17 regulates a novel plasma membrane recycling pathway. *Journal of Cell*
18 *Biology* **139**, 49-61.
- 19 Ramakrishnan, G., Lee, S., Mann, B. J., and Petri, W. A., Jr. (2000).
20 *Entamoeba histolytica*: deletion of the GPI anchor signal sequence on
21 the Gal/GalNAc lectin light subunit prevents its assembly into the lectin
22 heterodimer. *Experimental Parasitology* **96**, 57-60.
- 23 Ramakrishnan, G., Gilchrist, C. A., Musa, H., Torok, M. S., Grant, P. A.,
24 Mann, B. J., and Petri, W. A., Jr. (2004). Histone acetyltransferases and
25 deacetylase in *Entamoeba histolytica*. *Molecular and Biochemical*
26 *Parasitology* **138**, 205-16.
- 27 Ramos, F., and Wiame, J. M. (1982). Occurrence of a catabolic L-serine (L-
28 threonine) deaminase in *Saccharomyces cerevisiae*. *European Journal*
29 *of Biochemistry* **123**, 571-6.
- 30 Ramos, M. A., Mercado, G., C., Salgado, L. M., Sanchez-Lopez, R., Stock, R.
31 P., Lizardi, P. M., and Alagón, A. (1997). *Entamoeba histolytica*

- 1 contains a gene encoding a homologue to the 54kDa subunit of the
2 signal recognition particle. *Molecular and Biochemical Parasitology* **88**,
3 225-235.
- 4 Ramponi, G., and Stefani, M. (1997). Structure and function of the low Mr
5 phosphotyrosine protein phosphatases. *Biochimica et Biophysica Acta*
6 **1341**, 137-56.
- 7 Randazzo, P. A., Terui, T., Sturch, S., Fales, H. M., Ferrige, A. G., and Kahn,
8 R. A. (1995). The myristoylated amino terminus of ADP-ribosylation
9 factor 1 is a phospholipid- and GTP-sensitive switch. *Journal of*
10 *Biological Chemistry* **270**, 14809-15.
- 11 Ravdin, J. I., and Guerrant, R. L. (1981). Role of adherence in cytopathogenic
12 mechanisms of *Entamoeba histolytica*. Study with mammalian tissue
13 culture cells and human erythrocytes. *Journal of Clinical Investigation*
14 **68**, 1305-13.
- 15 Ravdin, J. I., and Guerrant, R. L. (1982). Separation of adherence, cytolytic,
16 and phagocytic events in the cytopathogenic mechanisms of *Entamoeba*
17 *histolytica*. *Archivos de Investigacion Medica (Mexico)* **13** (Suppl 3),
18 123-8.
- 19 Ravdin, J. I., Murphy, C. F., Guerrant, R. L., and Long-Krug, S. A. (1985).
20 Effect of antagonists of calcium and phospholipase A on the
21 cytopathogenicity of *Entamoeba histolytica*. *Journal of Infectious*
22 *Diseases* **152**, 542-9.
- 23 Reed, S. I. (1992). The role of p34 kinases in the G1 to S-phase transition.
24 *Annual Review of Cell Biology* **8**, 529-61.
- 25 Reed, S. L., Keene, W. E., and McKerrow, J. H. (1989). Thiol proteinase
26 expression and pathogenicity of *Entamoeba histolytica*. *Journal of*
27 *Clinical Microbiology* **27**, 2772-7.
- 28 Reed, S., Bouvier, J., Sikes Pollack, A., Engel, J. C., Brown, M., Hirata, K.,
29 Que, X., Eakin, A., Hagblom, P., Gillin, F., and McKerrow, J. H.
30 (1993). Cloning of a virulence factor of *Entamoeba histolytica*.

- 1 Pathogenic strains possess a unique cysteine proteinase gene. *Journal of*
2 *Clinical Investigation* **91**, 1532-1540.
- 3 Reeves, R. E. (1968). A new enzyme with the glycolytic function of pyruvate
4 kinase. *Journal of Biological Chemistry* **243**, 3202-4.
- 5 Reeves, R. E. (1970). Phosphopyruvate carboxylase from *Entamoeba*
6 *histolytica*. *Biochimica et Biophysica Acta* **220**, 346-9.
- 7 Reeves, R. E. (1984). Metabolism of *Entamoeba histolytica* Schaudinn, 1903.
8 *Advances in Parasitology* **23**, 105-142.
- 9 Reeves, R. E., and South, D. J. (1974). Phosphoglycerate kinase (GTP). An
10 enzyme from *Entamoeba histolytica* selective for guanine nucleotides.
11 *Biochemical and Biophysical Research Communications* **58**, 1053-7.
- 12 Reeves, R. E., Montalvo, F. E., and Lushbaugh, T. S. (1971). Nicotinamide-
13 adenine dinucleotide phosphate-dependent alcohol dehydrogenase.
14 Enzyme from *Entamoeba histolytica* and some enzyme inhibitors.
15 *International Journal for Biochemistry* **2**, 55-64.
- 16 Reeves, R. E., Serrano, R., and South, D. J. (1976). 6-phosphofructokinase
17 (pyrophosphate). Properties of the enzyme from *Entamoeba histolytica*
18 and its reaction mechanism. *Journal of Biological Chemistry* **251**, 2958-
19 62.
- 20 Reeves, R. E., Warren, L. G., Susskind, B., and Lo, H. S. (1977). An energy-
21 conserving pyruvate-to-acetate pathway in *Entamoeba histolytica*.
22 Pyruvate synthase and a new acetate thiokinase. *Journal of Biological*
23 *Chemistry* **252**, 726-31.
- 24 Reid, M. F., and Fewson, C. A. (1994). Molecular characterization of microbial
25 alcohol dehydrogenases. *Critical Reviews in Microbiology* **20**, 13-56.
- 26 Rhee, S. G., Chae, H. Z., and Kim, K. (2005). Peroxiredoxins: A historical
27 overview and speculative preview of novel mechanisms and emerging
28 concepts in cell signaling. *Free Radical Biology & Medicine* **38**, 1543-
29 52.

- 1 Richards, T. A., Hirt, R. P., Williams, B. A., and Embley, T. M. (2003).
2 Horizontal gene transfer and the evolution of parasitic protozoa. *Protist*
3 **154**, 17-32.
- 4 Roberg, K. J., Crotwell, M., Espenshade, P., Gimeno, R., and Kaiser, C. A.
5 (1999). LST1 is a SEC24 homologue used for selective export of the
6 plasma membrane ATPase from the endoplasmic reticulum. *Journal of*
7 *Cell Biology* **145**, 659-72.
- 8 Rodriguez-Romero, A., Hernandez-Santoyo, A., del Pozo Yauner, L.,
9 Kornhauser, A., and Fernandez-Velasco, D. A. (2002). Structure and
10 inactivation of triosephosphate isomerase from *Entamoeba histolytica*.
11 *Journal of Molecular Biology* **322**, 669-75.
- 12 Rodriguez, M. A., Baez-Camargo, M., Delgadillo, D. M., and Orozco, E.
13 (1996). Cloning and expression of an *Entamoeba histolytica* NADP⁺-
14 dependent alcohol dehydrogenase gene. *Biochimica et Biophysica Acta*
15 **1306**, 23-26.
- 16 Rodríguez, M. A., García-Pérez, R. M., García-Rivera, G., López-Reyes, I.,
17 Mendoza, L., Ortiz-Navarrete, V., and Orozco, E. (2000). An
18 *Entamoeba histolytica* Rab-like encoding gene and protein: function and
19 cellular location. *Molecular and Biochemical Parasitology* **108**, 199-
20 206.
- 21 Rohmer, M., Knani, M., Simonin, P., Sutter, B., and Sahm, H. (1993).
22 Isoprenoid biosynthesis in bacteria: a novel pathway for the early steps
23 leading to isopentenyl diphosphate. *Biochemical Journal* **295**, 517-24.
- 24 Rosenbaum, R. M., and Wittner, M. (1970). Ultrastructure of bacterized and
25 axenic trophozoites of *Entamoeba histolytica* with particular reference
26 to helical bodies. *Journal of Cell Biology* **45**, 367-82.
- 27 Rotte, C., Stejskal, F., Zhu, G., Keithly, J. S., and Martin, W. (2001). Pyruvate :
28 NADP⁺ oxidoreductase from the mitochondrion of *Euglena gracilis* and
29 from the apicomplexan *Cryptosporidium parvum*: a biochemical relic
30 linking pyruvate metabolism in mitochondriate and amitochondriate
31 protists. *Molecular Biology and Evolution* **18**, 710-20.

- 1 Rowe, J., Calegari, F., Taverna, E., Longhi, R., and Rosa, P. (2001). Syntaxin
2 1A is delivered to the apical and basolateral domains of epithelial cells:
3 the role of munc-18 proteins. *Journal of Cell Science* **114**, 3323-32.
- 4 Roy, S. W., and Gilbert, W. (2005). The pattern of intron loss. *Proceedings of*
5 *the National Academy of Sciences USA* **102**, 713-8
- 6 Rusnak, F., and Mertz, P. (2000). Calcineurin: form and function. *Physiological*
7 *Reviews* **80**, 1483-521.
- 8 Saavedra, E., Olivos, A., Encalada, R., and Moreno-Sanchez, R. (2004).
9 *Entamoeba histolytica*: kinetic and molecular evidence of a previously
10 unidentified pyruvate kinase. *Experimental Parasitology* **106**, 11-21.
- 11 Saavedra, E., Encalada, R., Pineda, E., Jasso-Chavez, R., and Moreno-Sanchez,
12 R. (2005). Glycolysis in *Entamoeba histolytica*. Biochemical
13 characterization of recombinant glycolytic enzymes and flux control
14 analysis. *FEBS Journal* **272**, 1767-83.
- 15 Saavedra Lira, E., Robinson, O., and Pérez Montfort, R. (1992). Partial
16 nucleotide sequence of the enzyme pyruvate, orthophosphate dikinase of
17 *Entamoeba histolytica* HM-1:IMSS. *Archives of Medical Research* **23**,
18 39-40.
- 19 Sahoo, N., Labruyere, E., Bhattacharya, S., Sen, P., Guillen, N., and
20 Bhattacharya, A. (2004). Calcium binding protein 1 of the protozoan
21 parasite *Entamoeba histolytica* interacts with actin and is involved in
22 cytoskeleton dynamics. *Journal of Cell Science* **117**, 3625-34.
- 23 Said-Fernandez, S., and Lopez-Revilla, R. (1988). Free fatty acids released
24 from phospholipids are the major heat-stable hemolytic factor of
25 *Entamoeba histolytica* trophozoites. *Infection and Immunity* **56**, 874-9.
- 26 Saito-Nakano, Y., Nakazawa, M., Shigeta, Y., Takeuchi, T., and Nozaki, T.
27 (2001). Identification and characterization of genes encoding novel Rab
28 proteins from *Entamoeba histolytica*. *Molecular and Biochemical*
29 *Parasitology* **116**, 219-22.
- 30 Saito-Nakano, Y., Yasuda, T., Nakada-Tsukui, K., Leippe, M., and Nozaki, T.
31 (2004). Rab5-associated vacuoles play a unique role in phagocytosis of

- 1 the enteric protozoan parasite *Entamoeba histolytica*. *Journal of*
2 *Biological Chemistry* **279**, 49497-507.
- 3 Saito-Nakano, Y., Loftus, B. J., Hall, N., and Nozaki, T. (2005). The diversity
4 of Rab GTPases in *Entamoeba histolytica*. *Experimental Parasitology*
5 **110**, 244-52.
- 6 Salzberg, S. L., White, O., Peterson, J., and Eisen, J. A. (2001). Microbial genes
7 in the human genome: lateral transfer or gene loss? *Science* **292**, 1903-6.
- 8 Samarawickrema, N. A., Brown, D. M., Upcroft, J. A., Thammapalerd, N., and
9 Upcroft, P. (1997). Involvement of superoxide dismutase and
10 pyruvate:ferredoxin oxidoreductase in mechanisms of metronidazole
11 resistance in *Entamoeba histolytica*. *Journal of Antimicrobial*
12 *Chemotherapy* **40**, 833-40.
- 13 Samuelson, J., Banerjee, S., Magnelli, P., Cui, J., Kelleher, D. J., Gilmore, R.,
14 and Robbins, P. W. (2005). The diversity of dolichol-linked precursors
15 to Asn-linked glycans likely results from secondary loss of sets of
16 glycosyltransferases. *Proceedings of the National Academy of Sciences*
17 *USA* **102**, 1548-53.
- 18 Sanchez, L., Horner, D., Moore, D., Henze, K., Embley, T., and Müller, M.
19 (2002). Fructose-1,6-bisphosphate aldolases in amitochondriate protists
20 constitute a single protein subfamily with eubacterial relationships.
21 *Gene* **295**, 51-9.
- 22 Sanderfoot, A. A., Assaad, F. F., and Raikhel, N. V. (2000). The *Arabidopsis*
23 genome. An abundance of soluble N-ethylmaleimide-sensitive factor
24 adaptor protein receptors. *Plant Physiology* **124**, 1558-69.
- 25 Sargeant, P. G. (1987). The reliability of *Entamoeba histolytica* zymodemes in
26 clinical diagnosis. *Parasitology Today* **3**, 40-43.
- 27 Sargeant, P. G., Williams, J. E., and Grene, J. D. (1978). The differentiation of
28 invasive and non-invasive *Entamoeba histolytica* by isoenzyme
29 electrophoresis. *Transactions of the Royal Society of Tropical Medicine*
30 *and Hygiene* **72**, 519-521.

- 1 Sarti, P., Fiori, P. L., Forte, E., Rappelli, P., Teixeira, M., Mastronicola, D.,
2 Sanciu, G., Giuffre, A., and Brunori, M. (2004). *Trichomonas vaginalis*
3 degrades nitric oxide and expresses a flavorubredoxin-like protein: a
4 new pathogenic mechanism? *Cellular and Molecular Life Sciences* **61**,
5 618-23.
- 6 Sata, M., Donaldson, J. G., Moss, J., and Vaughan, M. (1998). Brefeldin A-
7 inhibited guanine nucleotide-exchange activity of Sec7 domain from
8 yeast Sec7 with yeast and mammalian ADP ribosylation factors.
9 *Proceedings of the National Academy of Sciences USA* **95**, 4204-8
- 10 Satish, S., Bakre, A. A., Bhattacharya, S., and Bhattacharya, A. (2003). Stress-
11 dependent expression of a polymorphic, charged antigen in the
12 protozoan parasite *Entamoeba histolytica*. *Infection and Immunity* **71**,
13 4472-4486.
- 14 Sawyer, M. K., Bischoff, J. M., Guidry, M. A., and Reeves, R. E. (1967).
15 Lipids from *Entamoeba histolytica*. *Experimental Parasitology* **20**, 295-
16 302.
- 17 Schimmoller, F., Singer-Kruger, B., Schroder, S., Kruger, U., Barlowe, C., and
18 Riezman, H. (1995). The absence of Emp24p, a component of ER-
19 derived COPII-coated vesicles, causes a defect in transport of selected
20 proteins to the Golgi. *EMBO Journal* **14**, 1329-39.
- 21 Schlessinger, J. (2000). Cell signaling by receptor tyrosine kinases. *Cell* **103**,
22 211-25.
- 23 Schofield, P. J., and Edwards, M. R. (1994). Biochemistry - is *Giardia*
24 opportunistic in its use of substrates? , pp. 171-183. In R. C. A.
25 Thompson, J. A. Reynoldson, and A. J. Lymbery (Eds). *Giardia: from*
26 *molecules to disease*, CAB International, Wallingford, UK.
- 27 Scholze, H., and Schulte, W. (1988). On the specificity of a cysteine proteinase
28 from *Entamoeba histolytica*. *Biomedica Biochimica Acta* **47**, 115-23.
- 29 Scholze, H., Lohden-Bendinger, U., Müller, G., and Bakker-Grunwald, T.
30 (1992). Subcellular distribution of amebapain, the major cysteine

- 1 proteinase of *Entamoeba histolytica*. *Archives of Medical Research* **23**,
2 105-8
- 3 Schroeder, S. C., Schwer, B., Shuman, S., and Bentley, D. (2000). Dynamic
4 association of capping enzymes with transcribing RNA polymerase II.
5 *Genes & Development* **14**, 2435-40.
- 6 Schroepfer, G. J., Jr. (1981). Sterol biosynthesis. *Annual Review of*
7 *Biochemistry* **50**, 585-621.
- 8 Schulte, W., and Scholze, H. (1989). Action of the major protease from
9 *Entamoeba histolytica* on proteins of the extracellular matrix. *Journal of*
10 *Protozoology* **36**, 538-43.
- 11 Seabra, M. C., Mules, E. H., and Hume, A. N. (2002). Rab GTPases,
12 intracellular traffic and disease. *Trends in Molecular Medicine* **8**, 23-30.
- 13 Shah, P. H., MacFarlane, R. C., Bhattacharya, D., Matese, J. C., Demeter, J.,
14 Stroup, S. E., and Singh, U. (2005). Comparative genomic
15 hybridizations of *Entamoeba* strains reveal unique genetic fingerprints
16 that correlate with virulence. *Eukaryotic Cell* **4**, 504-15.
- 17 Sharma, R., Azam, A., Bhattacharya, S., and Bhattacharya, A. (1999).
18 Identification of novel genes of non-pathogenic *Entamoeba dispar* by
19 expressed sequence tag analysis. *Molecular and Biochemical*
20 *Parasitology* **99**, 279-85.
- 21 Shaywitz, D. A., Espenshade, P. J., Gimeno, R. E., and Kaiser, C. A. (1997).
22 COPII subunit interactions in the assembly of the vesicle coat. *Journal*
23 *of Biological Chemistry* **272**, 25413-6.
- 24 Shen, Z., and Jacobs-Lorena, M. (1999). Evolution of chitin-binding proteins in
25 invertebrates. *Journal of Molecular Evolution* **48**, 341-7.
- 26 Shiu, S. H., and Bleecker, A. B. (2001). Receptor-like kinases from *Arabidopsis*
27 form a monophyletic gene family related to animal receptor kinases.
28 *Proceedings of the National Academy of Sciences USA* **98**, 10763-8.
- 29 Shoemaker, N. B., Vlakamis, H., and Slyers, A. A. (2001). Evidence for
30 extensive resistance gene transfer among *Bacteroides* spp. and among

- 1 *Bacteroides* and other genera in the human colon. *Applied and*
2 *Environmental Microbiology* **67**, 561-568.
- 3 Sies, H. (1999). Glutathione and its role in cellular functions. *Free Radical*
4 *Biology & Medicine* **27**, 916-21.
- 5 Silva, P. P., Martinez-Palomo, A., and Gonzalez-Robles, A. (1975). Membrane
6 structure and surface coat of *Entamoeba histolytica*. Topochemistry and
7 dynamics of the cell surface: cap formation and microexudate. *Journal*
8 *of Cell Biology* **64**, 538-50.
- 9 Simanis, V., and Nurse, P. (1986). The cell cycle control gene *cdc2+* of fission
10 yeast encodes a protein kinase potentially regulated by phosphorylation.
11 *Cell* **45**, 261-8.
- 12 Singh, U., and Rogers, J. B. (1998). The novel core promoter element GAAC in
13 the *hgl5* gene of *Entamoeba histolytica* is able to direct a transcription
14 start site independent of TATA or initiator regions. *Journal of*
15 *Biological Chemistry* **273**, 21663-8.
- 16 Singh, U., Purdy, J., Mann, B. J., and Petri, W. A., Jr. (1997). Three conserved
17 cis-acting sequences in the core promoter control gene expression in the
18 protozoan parasite *Entamoeba histolytica*. *Archives of Medical*
19 *Research* **28 Spec No**, 41-2.
- 20 Singh, U., Gilchrist, C. A., Schaenman, J. M., Rogers, J. B., Hockensmith, J.
21 W., Mann, B. J., and Petri, W. A. (2002). Context-dependent roles of
22 the *Entamoeba histolytica* core promoter element GAAC in
23 transcriptional activation and protein complex assembly. *Molecular and*
24 *Biochemical Parasitology*. **120**, 107-116.
- 25 Snell, K. (1986). The duality of pathways for serine biosynthesis is a fallacy.
26 *Trends in Biochemical Sciences* **11**, 241-243.
- 27 Springer, S., Chen, E., Duden, R., Marzioch, M., Rowley, A., Hamamoto, S.,
28 Merchant, S., and Schekman, R. (2000). The p24 proteins are not
29 essential for vesicular transport in *Saccharomyces cerevisiae*.
30 *Proceedings of the National Academy of Sciences USA* **97**, 4034-9.

- 1 Srivastava, G., Anand, M. T., Bhattacharya, S., and Bhattacharya, A. (1995).
2 Lipophosphoglycan is present in distinctly different form in different
3 *Entamoeba histolytica* strains and absent in *Entamoeba moshkovskii* and
4 *Entamoeba invadens*. *Journal of Eukaryotic Microbiology* **42**, 617-22.
- 5 Stamnes, M. A., and Rothman, J. E. (1993). The binding of AP-1 clathrin
6 adaptor particles to Golgi membranes requires ADP-ribosylation factor,
7 a small GTP-binding protein. *Cell* **73**, 999-1005.
- 8 Stanley, S. L., Jr., Zhang, T., Rubin, D., and Li, E. (1995). Role of the
9 *Entamoeba histolytica* cysteine proteinase in amebic liver abscess
10 formation in severe combined immunodeficient mice. *Infection and*
11 *Immunity* **63**, 1587-90.
- 12 Stark, M. J. (1996). Yeast protein serine/threonine phosphatases: multiple roles
13 and diverse regulation. *Yeast* **12**, 1647-75.
- 14 Strauss, E., Kinsland, C., Ge, Y., McLafferty, F. W., and Begley, T. P. (2001).
15 Phosphopantothencysteine synthetase from *Escherichia coli*.
16 Identification and characterization of the last unidentified coenzyme A
17 biosynthetic enzyme in bacteria. *Journal of Biological Chemistry* **276**,
18 13513-6.
- 19 Surana, U., Robitsch, H., Price, C., Schuster, T., Fitch, I., Futcher, A. B., and
20 Nasmyth, K. (1991). The role of CDC28 and cyclins during mitosis in
21 the budding yeast *S. cerevisiae*. *Cell* **65**, 145-61.
- 22 Susskind, B. M., Warren, L. G., and Reeves, R. E. (1982). A pathway for the
23 interconversion of hexose and pentose in the parasitic amoeba
24 *Entamoeba histolytica*. *Biochemical Journal* **204**, 191-6.
- 25 Swain, A. L., Jaskolski, M., Housset, D., Rao, J. K., and Wlodawer, A. (1993).
26 Crystal structure of *Escherichia coli* L-asparaginase, an enzyme used in
27 cancer therapy. *Proceedings of the National Academy of Sciences USA*
28 **90**, 1474-8.
- 29 Sykes, D. E., and Band, R. N. (1977). Superoxide dismutase and peroxide
30 activity of *Acanthamoeba* and two anaerobic *Entamoeba* species.
31 *Journal of Cell Biology* **75**, 85a.

- 1 Takeuchi, T., Weinbach, E. C., and Diamond, L. S. (1977). *Entamoeba*
2 *histolytica*: localization and characterization of phosphorylase and
3 particulate glycogen. *Experimental Parasitology* **43**, 107-14.
- 4 Takeuchi, T., Weinbach, E. C., Gottlieb, M., and Diamond, L. S. (1979).
5 Mechanism of L-serine oxidation in *Entamoeba histolytica*.
6 *Comparative Biochemistry and Physiology B* **62**, 281-5.
- 7 Talamas-Rohana, P., Aguirre-Garcia, M. M., Anaya-Ruiz, M., and Rosales-
8 Encina, J. L. (1999). *Entamoeba dispar* contains but does not secrete
9 acid phosphatase as does *Entamoeba histolytica*. *Experimental*
10 *Parasitology* **92**, 219-222.
- 11 Tannich, E., Bruchhaus, I., Walter, R. D., and Horstmann, R. D. (1991a).
12 Pathogenic and nonpathogenic *Entamoeba histolytica*: identification and
13 molecular cloning of an iron-containing superoxide dismutase.
14 *Molecular and Biochemical Parasitology* **49**, 61-71.
- 15 Tannich, E., Ebert, F., and Horstmann, R. D. (1991b). Primary structure of the
16 170-kDa surface lectin of pathogenic *Entamoeba histolytica*.
17 *Proceedings of the National Academy of Sciences USA* **88**, 1849-1853.
- 18 Tannich, E., Scholze, H., Nickel, R., and Horstmann, R. D. (1991c).
19 Homologous cysteine proteinases of pathogenic and nonpathogenic
20 *Entamoeba histolytica*. Differences in structure and expression. *Journal*
21 *of Biological Chemistry* **266**, 4798-803.
- 22 Tannich, E., Nickel, R., Buss, H., and Horstmann, R. D. (1992). Mapping and
23 partial sequencing of the genes coding for two different cysteine
24 proteinases in pathogenic *Entamoeba histolytica*. *Molecular and*
25 *Biochemical Parasitology* **54**, 109-11.
- 26 Temesvari, L. A., Harris, E. N., Stanley, J., S.L., and Cardellia, J. A. (1999).
27 Early and late endosomal compartments of *Entamoeba histolytica* are
28 enriched in cysteine proteases, acid phosphatase and several Ras-related
29 Rab GTPases. *Molecular and Biochemical Parasitology*. **103**, 225-241.