

75. 武田壮一, 山下敦子, 前田佳代, 前田雄一郎: "トロポニン三量体の結晶構造と筋収縮制御機構のモデル", 第40回日本生物物理学会年会, 2002.
76. 井上裕康: "核内受容体 PPAR を介する誘導型シクロオキシゲナーゼの発現調節に関する研究 (学会奨励賞受賞講演)", 第54回日本ビタミン学会, 2002.
77. 井上裕康, 田場洋二, 三輪宜一, 宮城めぐみ, 笹栗俊之: "血管内皮細胞における誘導型シクロオキシゲナーゼ発現のずり応力による誘導機構", 第75回日本生化学会, 2002.
- (5) ナノ構造に基づく医用材料の開発
- ① 論文発表
- 【原著】
1. Nakamura N, Nagira T, Tsuchiya T: Remarkable Cytotoxicities and the Suppression of Netin Gene Expression by Biodegradable Oligomers and their Catalysts in Normal Human Astrocytes. Submitting.
 2. Li Y, Tsuchiya T, Sawada R, Nagashata-Ishiguro M, Yang J, Ito T, Nagira T: The effect of sulfated hyaluronan on TGF- β 2 expression involved in the cardiac tissue development and remodeling. Tissue Engineering, Submitting.
 3. Nagira T, Matthew SB, Yamakoshi Y, Tsuchiya T: Enhancement of Gap Junctional Intercellular Communication of Normal Human Dermal Fibroblasts Cultured on Polystyrene Dishes Grafted with Poly-N-isopropylacrylamide (PIPAAm). Tissue Engineering, Submitted.
 4. Nagira T, Nagahata-Ishiguro M, Tsuchiya T: Effects of sulfated hyaluronan on keratinocyte differentiation and Wnt and Notch gene expression. Biomaterials, 28(5): 844-850, 2007.
 5. Tamai M, Nakaoka R, Tsuchiya T: Synthesis of novel β -tricalcium phosphate/hydroxyapatite biphasic calcium phosphate containing niobium ions and evaluation of osteogenic properties. J. Artificial Organs., 2006 (in press).
 6. Banu N, Tsuchiya T: Markedly different effects of hyaluronic acid and chondroitin sulfate-A on the differentiation of human articular chondrocytes in micromass and 3-D honeycomb rotation culture. J. Biomed. Mater. Res., 2006 (accepted).
 7. Usami M, Mitsunaga K, Nakazawa K: Two-dimensional electrophoresis of protein from cultured postimplantation rat embryos for developmental toxicity studies. Toxicology In Vitro, 2006 (in press).
 8. Tamai M, Nakaoka R, Tsuchiya T: Cytotoxicity of Various Calcium Phosphate Ceramics. Key Engineering Materials, 309-311(1): 263-266, 2006.
 9. Tamai M, Nakaoka R, Isama K, Tsuchiya T: Novel Calcium Phosphate Ceramics: The Remarkable Promoting Action on the Differentiation of the Normal Human Osteoblasts. Key Engineering Materials, 309-311(1): 97-100, 2006.
 10. Sawada R, Ito T, Tsuchiya T: Changes in expression of genes related to cell population in human mesenchymal stem cells during in vitro culture in comparison with cancer cells. J. Artificial Organs, 9: 179-184, 2006.
 11. Sawada R, Ito T, Matsuda Y, Tsuchiya T: Safety evaluation of tissue engineered medical devices using normal human mesenchymal stem cells. Animal Cell Technology, 14: 325-329, 2006.
 12. Nakaoka R, Tsuchiya T: Enhancement of Differentiation and Homeostasis of Human Osteoblasts by Interaction with Hydroxyapatite in Microsphere Form. Key Engineering Materials, 309-31(2): 1293-1296, 2006.
 13. Nakaoka R, Hsiong S, DJ. M: Regulation of chondrocyte differentiation via co-culture with osteoblasts. Tissue Engineering, 12(9): 2425-2433,

- 2006.
14. Nakamura N, Tsuchiya T: Effect of biodegradable polymer poly(L-LACTIC ACID) on the cellular function of human astrocytes. *Animal Cell Technology*, 14: 331-337, 2006.
 15. Li YP, Nagira T, Tsuchiya T: Increase in the insulin secretion of HIT-T15 cells: Gap Junctional Intercellular Communications Enhanced by Hyaluronic Acid. *Animal Cell Technology*, 14: 263-269, 2006.
 16. Li Y, Nagira T, Tsuchiya T: The effect of hyaluronic acid on insulin secretion in HIT-T15 cells through the enhancement of gap-junctional intercellular communications. *Biomaterials*, 27(8): 1437-1443, 2006.
 17. Banu N, Tsuchiya T, Sawada R: Effects of a biodegradable polymer synthesized with inorganic tin on the chondrogenesis of human articular chondrocytes. *J Biomed Mater Res A*, 77(1): 84-89, 2006.
 18. Banu N, Tsuchiya T, Ahmed S, Sawada R: Studies on the efficacy, safety and quality of the tissue engineered products: effects of a catalyst used in the synthesis of biodegradable polymer on the chondrogenesis of human articular cartilage. *Animal Cell Technology*, 14: 87-92, 2006.
 19. Ahmed S, Tsuchiya T, Kariya Y: Studies on the efficacy, safety and quality of the tissue engineered products: Enhancement of proliferation of human mesenchymal stem cells by the new polysaccharides. *Animal Cell Technology*, 14(81-85), 2006.
 20. Ahmed S, Tsuchiya T: A mouse strain difference in tumorigenesis induced by biodegradable polymers. *J. Biomed. Mater. Res.*, 79A: 409-417, 2006.
 21. Nakazawa K, Ohno Y: Characterization of Voltage-dependent Gating of P2X2 Receptor/channel. *Eur J Pharmacol*, 2005 (in press).
 22. Tamai M, Nakaoka R, Tsuchiya T: In vitro study on the osteogenesis of normal human osteoblasts cultured on the discs of various kinds of calcium phosphate ceramics. *Archives of Bio Ceramics Research (5th Asian Bio Ceramics Symposium, ABC2005)*, 5: 158-161, 2005.
 23. Nakazawa K, Yamakoshi Y, Tsuchiya T, Ohno Y: Purification and aqueous phase atomic force microscopic observation of recombinant P2X receptor. *Eur J Pharmacol*, 518: 107-110, 2005.
 24. Nakazawa K, Ohno Y: Characterization of voltage-dependent gating of P2X2 receptor/channel. *Eur J Pharmacol*, 508(1-3): 23-30, 2005.
 25. Nakaoka R, Ahmed S, Tsuchiya T: Hydroxy apatite microspheres enhance gap junctional intercellular communication of human osteoblasts composed of connexin 43 and 45. *Journal of Biomedical Materials Research Part A*, 74A (2): 181 - 186, 2005.
 26. Nagira T, Matthew SB, Yamakoshi Y, Tsuchiya T: Enhancement of gap junctional intercellular communication of normal human dermal fibroblasts cultured on polystyrene dishes grafted with poly-N-isopropylacrylamide. *Tissue Eng*, 11(9-10): 1392-1397, 2005.
 27. Nagahata M, Nakaoka R, Teramoto A, Abe K, Tsuchiya T: The response of normal human osteoblasts to anionic polysaccharide polyelectrolyte complexes. *Biomaterials*, 26(25): 5138-5144, 2005.
 28. Matsuoka A, Isama K, Tsuchiya T: In vitro induction of polyploidy and chromatid exchanges by culture medium extracts of natural rubbers compounded with 2-mercaptobenzothiazole as a positive control candidate for genotoxicity tests. *Journal of Biomedical Materials Research Part A*, 75A (2): 439-444, 2005.
 29. Ito R, Seshimo F, Haishima Y, Hasegawa C, Isama K, Yagami T, Nakahashi K, Yamazaki H, Inoue K,

- Yoshimura Y, Saito K, Tsuchiya T, Nakazawa H: Reducing the migration of di-2-ethylhexyl phthalate from polyvinyl chloride medical devices. *International journal of pharmaceutics*, 303(1-2): 104-112, 2005.
30. Isama K, Tsuchiya T: Osteoblast Differentiation and Apatite Formation on Gamma-Irradiated PLLA Sheets. *Key Engineering Materials*, 288-28(9): 409-412, 2005.
31. Ikarashi Y, Toyoda K, Kobayashi E, Doi H, Takayuki Y, Hitoshi H, Toshie T: Improved biocompatibility of titanium-zirconium (Ti-Zr) alloy: Tissue reaction and sensitization to Ti-Zr alloy compared with pure Ti and Zr in rat implantation study. *Materials transactions*, 46(10): 2260-2267, 2005.
32. Ikarashi Y, Kaniwa M, Tsuchiya T: [Cytotoxicity of chemicals used in household products]. 1997-2004, *Kokurittsu Iyakuhin Shokuhin Eisei Kenkyusho Hokoku*, 123: 53-56, 2005.
33. Ikarashi Y, Kaniwa M-a, Tsuchiya T: Monitoring of polycyclic aromatic hydrocarbons and water-extractable phenols in creosotes and creosote-treated woods made and procurable in Japan. *Chemosphere*, 60(9): 1279-1287, 2005.
34. Haishima Y, Seshimo F, Higuchi T, Yamazaki H, Hasegawa C, Izumi S-i, Makino T, Nakahashi K, Ito R, Inoue K, Yoshimura Y, Saito K, Yagami T, Tsuchiya T, Nakazawa H: Development of a simple method for predicting the levels of di(2-ethylhexyl) phthalate migrated from PVC medical devices into pharmaceutical solutions. *Int J Pharm*, 14(298(1)): 126-142, 2005.
35. Banu N, Banu Y, Sakai M, Mashino T, Tsuchiya T: Biodegradable polymers in chondrogenesis of human articular chondrocytes. *J Artif Organs*, 8(3): 184-191, 2005.
36. Yang J, Ichikawa A, Tsuchiya T: Change of the cellular function by connexin gene. transfection in a hepatoma cell line. *Animal cell technology*, 13: 293-297, 2004.
37. Yagami T, Haishima Y, Tsuchiya T, Tomitaka-Yagami A, Kano H, Matsunaga K: Proteomic analysis of putative latex allergens. *Int Arch Allergy Immunol*, 135(1): 3-11, 2004.
38. Tsuchiya T: A useful marker for evaluating the safety and efficacy of tissue engineered products. *Tissue Engineered Medical Products*: 254-261, 2004.
39. Rahman MS, Banu Y, Matsuoka A, Ichikawa A, Sakai M, Ikeda H, Tsuchiya T: Evaluation of the immuno-protective effects of the new-type of bags using elisa- and facs-analysis. *Animal cell technology*: 277-280, 2004.
40. Okada E, Komazawa Y, Kurihara M, Inoue H, Miyata N, Okuda H, Tsuchiya T, Yamakoshi Y: Synthesis of C60 Derivatives for Photoaffinity Labeling. *Tetrahedron Lett*, 45: 527 – 529, 2004.
41. Nakazawa K, Ojima H, Ishii-Nozawa R, Takeuchi K, Ohno Y: Amino acid substitutions from an indispensable disulfide bond affect P2X2 receptor activation. *Eur J Pharmacol*, 483(1): 29-35, 2004.
42. Nakazawa K, Ohno Y: Desensitization of P2X2 receptor/channel pore mutants. *Eur J Pharmacol*, 495(1): 27-33, 2004.
43. Nagahata M, Tsuchiya T, Ishiguro T, Matsuda N, Nakatsuchi Y, Teramoto A, Hachimori A, Abe K: A novel function of N-cadherin and Connexin43: marked enhancement of alkaline phosphatase activity in rat calvarial osteoblast exposed to sulfated hyaluronan. *Biochem Biophys Res Commun*, 315(3): 603-611, 2004.
44. Matsuoka A, Tsuchiya T: Gene expression changes in BALB/3T3 transformants induced by poly(L-lactic acid) or polyurethane films. *J Biomed Mater Res A*, 68(2): 376-382, 2004.

45. Ikarashi Y, Kaniwa M-a, Tsuchiya T: [Validation of a method for discrimination of formaldehyde processing in textile products]. *Bull. Natl. Inst. Health Sci*, 122: 21-25, 2004.
46. Haishima Y, Matsuda R, Hayashi Y, Hasegawa C, Tsuchiya T: Risk assessment of di(2-ethylhexyl)phthalate released from PVC blood circuits during hemodialysis and pump-oxygenation therapy. *Int. J. Pharm.*, 274(1-2): 119-129, 2004.
47. Akaishi T, Nakazawa K, Sato K, Saito H, Ohno Y, Ito Y: Modulation of voltage-gated Ca²⁺ current by 4-hydroxynonenal in dentate granule cells. *Biol Pharm Bull*, 27(2): 174-179, 2004.
48. Akaishi T, Nakazawa K, Sato K, Saito H, Ohno Y, Ito Y: Hydrogen peroxide modulates whole cell Ca²⁺ currents through L-type channels in cultured rat dentate granule cells. *Neurosci Lett*, 356(1): 25-28, 2004.
49. Akaishi T, Nakazawa K, Sato K, Ohno Y, Ito Y: 4-Hydroxynonenal modulates the long-term potentiation induced by L-type Ca²⁺ channel activation in the rat dentate gyrus in vitro. *Neurosci Lett*, 370(2-3): 155-159, 2004.
50. Ahmed S, Tsuchiya T: Novel mechanism of tumorigenesis: increased transforming growth factor-beta 1 suppresses the expression of connexin 43 in BALB/cJ mice after implantation of poly-L-lactic acid. *J Biomed Mater Res A*, 70(2): 335-340, 2004.
51. Ahmed S, Tsuchiya T: Different expression on Gap junctional protein connexin43 in two strains of mice after one-month Implantation of Poly-L-Lactic acid. *Animal cell technology*, 13: 481-485, 2004.
52. Yang J, Ichikawa A, Tsuchiya T: A novel function of connexin 32: marked enhancement of liver function in a hepatoma cell line. *Biochem Biophys Res Commun*, 307(1): 80-85, 2003.
53. Yamakoshi Y, Umezawa N, Ryu A, Arakane K, Miyata N, Goda Y, Masumizu T, Nagano T: Active oxygen species generated from photoexcited fullerene (C60) as potential medicines: O₂^{-*} versus 1O₂. *J Am Chem Soc*, 125(42): 12803-12809, 2003.
54. Tsuchiya T, Sakai M, Ikeda H, Mashino T, Banu Y: Biocompatible biomaterials for the human chondrocyte differentiation estimated by RT-PCR method. *Animal cell technology*, 13: 475-479, 2003.
55. Sumide T, Tsuchiya T: Effects of multipurpose solutions (MPS) for hydrogel contact lenses on gap-junctional intercellular communication (GJIC) in rabbit corneal keratocytes. *J Biomed Mater Res B Appl Biomater*, 64B(2): 57-64, 2003.
56. Sato K, Matsuki N, Ohno Y, Nakazawa K: Estrogens inhibit l-glutamate uptake activity of astrocytes via a membrane estrogen receptor alpha. *J Neurochem*, 86(6): 1498-1505, 2003.
57. Park JU, Tsuchiya T: Evaluation of the cornea cells affected by multi-purpose solutions for contact lenses. *Animal cell Technology*, 13: 505-509, 2003.
58. Nishikawa K, Yamakoshi Y, Uemura I, Tominaga N: Ultrastructural changes in Chlamidomonas acidophila (Chlorophyta) Induced by heavy metals and polyphosphate metabolism. *FEMS Microbiol Ecology*, 44: 253-259, 2003.
59. Nakazawa K, Ojima H, Ishii-Nozawa R, Takeuchi K, Ohno Y: Intracellular disulfide bond that affects ATP responsiveness of P2X₂ receptor/channel. *Eur J Pharmacol*, 474(2-3): 205-208, 2003.
60. Nakazawa K, Ohno Y: Block by phytoestrogens of recombinant human neuronal nicotinic receptors. *J Pharmacol Sci*, 93(1): 118-121, 2003.
61. Nakaoka R, Tsuchiya T, Nakamura A: Neural differentiation of midbrain cells on various protein-immobilized polyethylene films. *J Biomed Mater Res A*, 64(3): 439-446, 2003.

62. Kai Y, Komazawa Y, Miyajima A, Miyata N, Yamakoshi Y: [60]Fullerenes as a Novel Photoinduced Antibiotic, Fullerenes, Nanotubes and Carbon Nanostructures, (Ed by Marcel Dekker Inc., NY, 11: 79 – 87, 2003.
63. Isama K, Tsuchiya T: Enhancing effect of poly(L-lactide) on the differentiation of mouse osteoblast-like MC3T3-E1 cells. *Biomaterials*, 24(19): 3303-3309, 2003.
64. Azov VA, Skinner PJ, Yamakoshi Y, Seiler P, Gramlich V, Diederich F: Functionalized and Partially or Differentially Bridged Resorcin[4]arene Cavittands: Synthesis and Solid-State Structures. *Helvetica Chimica Acta*, 86(11): 3648 - 3670, 2003.
65. Tsuchiya T, Itahashi Y: Studies on the biocompatibility of artificial organs and Tissue engineered products: Embryonic neuronal cell differentiation on the various kinds of biodegradable polymers. *Animal Cell Technology* (Ed by Shirahata S, et ai.), Kluwer Academic Publishers, Netherlands, 2002.
66. Takahashi T, Yamakoshi Y, Okayama K, Yamada J, Wei-Ying G, Koizumi T: High-Pressure Mediated Asymmetric Diels-Alder Reaction of Chiral Sulfinyl Acrylate Derivatives and Its Application to Chiral Synthesis of (-)-COTC and (-)-Gabosine C. *Heterocycles*, 56: 209-220, 2002.
67. Sato K, Matsuki N, Ohno Y, Nakazawa K: Effects of 17beta-estradiol and xenoestrogens on the neuronal survival in an organotypic hippocampal culture. *Neuroendocrinology*, 76(4): 223-234, 2002.
68. Rahman MS, Tsuchiya T: Effects of biomaterials and nutrient factors on chondrogenesis of human chondrocytes. *Animal Cell Technology* (Ed by Shirahata S, et ai.), Kluwer Academic Publishers, Netherlands, 2002.
69. Park JU, Tsuchiya T: Increase in gap junctional intercellular communication by high molecular weight hyaluronic acid associated with fibroblast growth factor 2 and keratinocyte growth factor production in normal human dermal fibroblasts. *Tissue Eng*, 8(3): 419-427, 2002.
70. Park JU, Tsuchiya T: Increase in gap-junctional intercellular communications (GJIC) of normal human dermal fibroblasts (NHDF) on surfaces coated with high-molecular-weight hyaluronic acid (HMW HA). *J Biomed Mater Res*, 60(4): 541-547, 2002.
71. Park JU, Tsuchiya T: Tumor-Promoting Activity of 48 kDa Molecular Mass Hyaluronic Acid. *Materials Transactions*, 43: 3128-3130, 2002.
72. Nakazawa K, Sawa H, Ojima H, Ishii-Nozawa R, Takeuchi K, Ohno Y: Size of side-chain at channel pore mouth affects Ca(2+) block of P2X(2) receptor. *Eur J Pharmacol*, 449(3): 207-211, 2002.
73. Nakazawa K, Ojima H, Ohno Y: A highly conserved tryptophane residue indispensable for cloned rat neuronal P2X receptor activation. *Neurosci Lett*, 324(2): 141-144, 2002.
74. Nakaoka R, Tsuchiya T: Biocompatibility of various kinds of polymer microspheres Estimated from their effects on Gap junctional intercellular communication of fibroblasts. *Materials Transactions*, 43(12): 3122-3127, 2002.
75. Isama K, Tsuchiya T: Effect of gamma-ray irradiated poly(L-lactide) on the differentiation of mouse osteoblast-like MC3T3-E1 cells. *J Biomater Sci Polym Ed*, 13(2): 153-166, 2002.
76. Ichikawa A, Tsuchiya T: Studies on the tumor promoting mechanism of hard and soft segment models of polyetherurethane: Tyr265 phosphorylation of connexin43 is a key step in the GJIC inhibitory reaction induced by polyetherurethane. *J Biomed Mater Res*, 62(2):

157-162, 2002.

(研究業績「和文」)

1. 山越葉子, 中澤憲一, 土屋利江: 原子間力顕微鏡, 特集号 分子イメージング—現状と展望, 日本臨床, 2006. 印刷中.
 2. 米山隆之, 川端隆司, 岡野光夫, 明石満, 土屋利江, 堤定美, 松下富春: バイオマテリアルと未来社会. バイオマテリアル—生体材料, 24-1(11-24), 2006.
 3. 盛英三, 望月直樹, 武田壮一, 井上裕康, 中村俊, 土屋利江: 特集: ナノテクノロジーと医療—ナノレベルイメージングによる分子構造と機能の解析. 日本臨床, 64: 358-364, 2006.
 4. 土屋利江: 再生医療・繊維工学・人工臓器に使用される医療用材料の安全性・有効性に関する基本的考え方. 繊維学会誌 (繊維と工業), 61: 148-149, 2005.
 5. 長幡操, 寺本彰, 阿部康次, 中岡竜介, 土屋利江: ラット頭蓋冠由来骨芽細胞の ALPase 活性を促進する硫酸化ヒアルロン酸の効果. 繊維学会誌, 61: 98-102, 2005.
 6. 五十嵐良明, 鹿庭正昭, 土屋利江: 家庭用品に使用される化学物質の細胞毒性: 平成 9~16 年度対象化学物質の結果. 国立医薬品食品衛生研究所報告, 第 123 号: 53-56, 2005.
 7. 柳楽勤, 土屋利江: メカニカルストレスに対する細胞応答の分子機構. 生体物理刺激と生体反応 (Ed by 大森豊明), フジテクノシステム, 東京, 2004.
 8. 柳楽勤, 土屋利江: 第 7 章 メカニカルストレスに対する細胞応答の分子機構. 生体物理刺激と生体反応: 667-677, 2004.
 9. 矢上晶子, 加野尚生, 松永佳世子, 矢上健, 島由二, 土屋利江: 国内の天然ゴム製品から溶出する主要なアレルゲン蛋白は何か?. 日本ラテックスアレルギー研究会誌, 8(No.1): 46-51, 2004.
 10. 土屋利江: ティッシュエンジニアリング用マテリアルの製品化条件と国際標準化. 再生医療, 3(5月号): 71-75, 2004.
 11. 土屋利江: バイオマテリアルの安全性について 組織工学用材料を中心として. 日本再生歯科医学会誌, 2: 1-8, 2004.
 12. 土屋利江: バイオマテリアルの安全性を考える. バイオマテリアル-生体材料-, 22-2: 69-70, 2004.
 13. 土屋利江: バイオマテリアルの許認可と留意点. バイオマテリアル-生体材料-, 22-4: 258-264, 2004.
 14. 土屋利江: 再生医療とその周辺—再生医療をとりまく規制とその現状・今後, 図解—再生医療工学, (Ed by 立石哲也, 田中順三), 工業調査会: 296-303, 2004.
 15. 土屋利江: 細胞組織医療機器等の品質・安全性確保について. 再生医療, 3 巻(2月号): 107-110, 2004.
 16. 土屋利江: 細胞組織医療機器等の製品化のためのガイドライン・環境整備について. 高分子, 53(3月号): 144-146, 2004.
 17. 増田茂樹, 土屋利江: 臨床研究・治験に係る規制の概要. バイオマテリアル-生体材料-, 22-5: 333-342, 2004.
 18. 山越葉子: 単分子アノマニピュレーションを目指した超化学分子とナノテクノロジーを用いた解析. 機能性人工レセプター-Molecular Gripper の設計合成及び画像化. 季刊フラーレン, 11(2): 169-177, 2003.
- ② 学会発表
1. Nishikawa K, Tominaga N, Yamakoshi Y, Otomo R: "Change of Ultrastructure and Accumulation of Polyphosphate in Chlamydomonas acidophila", The 10th International Conference on the Cell and Molecular Biology of Chlamydomonas, Vancouver, 2002.6.11-16.

2. Nakaoka R, Tsuchiya T: "Enhancement of differentiation and homeostasis of human osteoblasts by interaction with hydroxyapatite in microsphere form", *Bioceramics* 18, Kyoto, 2005.12.
3. Tamai M, Nakaoka R, Isama K, Tsuchiya T: "Novel calcium phosphate ceramics: The remarkable promoting action on the differentiation of the normal human osteoblasts", *Bioceramics* 18, Kyoto, 2005.12.
4. Tamai M, Nakaoka R, Tsuchiya T: "Cytotoxicity of Various Calcium Phosphate Ceramics", *Bioceramics* 18, Kyoto, 2005.12.
5. Tamai M, Nakaoka R, Tsuchiya T: "In vitro study on the osteogenesis of normal human osteoblasts cultured on the discs various kinds of calcium phosphate ceramics", *Asian Bioceramics Symposium, Hokkaido*, 2005.10.
6. Nagira T, Nagahata M, Tsuchiya T: "Enhancement of cell differentiation in Normal Human Epidermal Keratinocytes and Human Mesenchymal Stem Cells by the anionic-modified hyaluronan", 第3回ナノテクノロジー総合シンポジウム(JAPAN NANO 2005), 2005.2.
7. Nishikawa K, Tominaga N, Otomo R, Yamakoshi Y: "Polyphosphate Metabolism in *Chlamydomonas acidophila* in Phosphate-limited Conditions under Heavy Metal (Cd) Stress", *The 2003 Annual meeting of the American Society of Plant Biologists, Honolulu*, 2003.7.
8. 中岡竜介, Hsiong S, Mooney D, 土屋利江: "骨芽細胞と軟骨細胞との共培養による骨-軟骨複合組織の再生に関する研究", 第9回日本組織工学会, 京都, 2006.9.
9. 佐藤薫, 大野泰雄, 中澤憲一: "エストロゲンは歯状回顆粒細胞からの BDNF release を PKA 依存的に促進する", 第79回日本薬理学会年会, 2006.3.
10. 中澤憲一, 山越葉子, 土屋利江, 大野泰雄: "原子間力顕微鏡観察による P2X2 受容体が孔形成タンパク質であることの確認", 第79回日本薬理学会年会, 2006.3.
11. 賀喜白乙, 中岡竜介, 土屋利江: "吸水性局所止血材料と吸水性癒着材料防止材料の安全性に関する研究(1)細胞毒性による評価", 第43回日本人工臓器学会, 東京, 2005.12.
12. 賀喜白乙, 中岡竜介, 土屋利江: "外科手術材料の安全性に関する研究(1):細胞毒性試験による評価", 第27回日本バイオマテリアル学会大会, 京都, 2005.11.
13. 中岡竜介, 土屋利江: "ナノ蛍光イメージングによる細胞-多糖 Scaffold 間相互用観察の試み", 第27回日本バイオマテリアル学会大会, 京都, 2005.11.
14. 中岡竜介, 土屋利江: "軟骨組織再生を目指した新規アルギン酸ゲルの in vitro 機能評価", 第8回日本組織工学会, 東京, 2005.9.
15. 柳楽勤, 土屋利江, 石黒操: "陰イオン修飾ヒアルロン酸によるヒト間葉系幹細胞の増殖および分化促進効果", 第4回日本再生医療学会, 2005.3.
16. 行方衣由紀, 田中(飯田)直子, 栗原正明, 佐藤由紀子, 山越葉子, 田中光, 重信弘毅, 中澤憲一: "P2X 受容体の ATP 結合部位の構造解析", 第78回日本薬理学会年会, 2005.3.
17. 行方衣由紀, 田中(飯田)直子, 栗原正明, 佐藤由紀子, 山越葉子, 田中光, 重信弘毅, 中澤憲一: "NMR と計算による P2X 受容体の ATP 結合部位の構造解析", 日本薬学会第125年会, 2005.3.
18. 中澤憲一, 大野泰雄: "P2X 受容体チャネル孔変異体に観察される脱感作および不活性化様機構の解析", 第78回日本薬理学会年会, 2005.3.
19. 柳楽勤, 土屋利江, 阿部康次, 長幡操: "陰イオン修飾ヒアルロン酸によるヒト間葉系幹細胞の分化促進効果", 第26回日本バイオマテリアル学

- 会, 2004.12.
20. 中岡竜介, Hsiung S, 土屋利江, Mooney DJ: "細胞接着ペプチド修飾アルギン酸ゲル上での細胞機能変化", 日本バイオマテリアル学会シンポジウム 2004, つくば, 2004.11.
 21. 中岡竜介, 長幡操, 寺本彰, 阿部康次, 土屋利江: "高分子電解質錯体上での骨芽細胞の機能変化とその安全性の予測", 日本バイオマテリアル学会シンポジウム 2004, つくば, 2004.11.
 22. 土屋利江: "再生医療デバイス実用化のために", みらいせん展健康系イベントシンポジウム, 2004.8.11.
 23. 土屋利江: "医療機器としての人工臓器の開発", みらいせん展健康系イベントシンポジウム, 2004.8.7.
 24. 中澤憲一, 生島裕恵, 大野泰雄: "P2X2 受容体の必須な細胞外ジスルフィド結合の下流領域アミノ酸置換による性質の変化", 第 110 回日本薬理学会関東部会, 2004.6.
 25. 柳楽勤, 土屋利江, 阿部康次, 長幡操: "陰イオン修飾ヒアルロン酸による正常ヒト表皮角化細胞およびヒト間葉系幹細胞の分化促進効果", 第 3 回日本再生医療学会総会, 2004.5.
 26. 生島裕恵, 中澤憲一, 野澤(石井)玲子, 竹内幸一, 大野泰雄: "P2X2 受容体の ATP 反応性に対する細胞内システイン残基の役割", 第 77 回日本薬理学会年会, 2004.3.
 27. 赤石樹泰, 中澤憲一, 佐藤薫, 齋藤洋, 大野泰雄, 伊藤芳久: "脂質過酸化由来物質 4-hydroxynonenal がラット歯状回顆粒細胞のホールセル Ca²⁺電流に及ぼす影響", 第 77 回日本薬理学会年会, 2004.3.
 28. 佐藤薫, 中澤憲一, 松木則夫, 大野泰雄: "アストロサイトにおけるエストロゲンのグルタミン酸取り込み機構に対する抑制", 第 77 回日本薬理学会年会, 2004.3.
 29. 中澤憲一, 山越葉子, 生島裕恵, 土屋利江, 大野泰雄: "P2X2 受容体タンパク質の調製および原子間力顕微鏡による観察", 第 77 回日本薬理学会年会, 2004.3.
 30. 柳楽勤, 土屋利江, 阿部康次, 長幡操: "陰イオン修飾ヒアルロン酸による正常ヒト表皮角化細胞の分化促進及び細胞間連絡機構亢進効果", 第 25 回日本バイオマテリアル学会, 2003.12.16-17.
 31. 矢上健, 配島由二, 土屋利江, 他: "ラテックスアレルギーとしての isoflavone reductase", 第 53 回日本アレルギー学会総会, 2003.10.23-25.
 32. 柳楽勤, 土屋利江, 阿部康次, 長幡操: "陰イオン修飾ヒアルロン酸による正常ヒト表皮角化細胞の分化促進効果", 第 6 回日本組織工学会大会, 2003.6.12-13.
 33. 山越葉子, 甲斐陽子, 宮島敦子, 土屋利江: "フラレーン(C60)の微生物増殖阻害活性について", 日本薬学会第 123 年会, 長崎, 2003.3.27-29.
 34. 生島裕恵, 中澤憲一, 野澤(石井)玲子, 竹内幸一, 大野泰雄: "P2X2 受容体活性化における細胞外ループ内ジスルフィド結合近隣アミノ酸の役割", 第 76 回日本薬理学会年会, 2003.3.
 35. 中澤憲一, 生島裕恵, 野澤玲子, 竹内幸一, 大野泰雄: "P2X2 受容体細胞外領域の高保存性トリプトファン残基のチャネル活性化における必要性", 第 76 回日本薬理学会年会, 2003.3.
- H. 知的財産権の出願・登録状況
- ① 特許取得
- 永井健治:
1. 特願 2006-043211 超迅速に DNA 塩基配列を決定する方法(永井)
- 盛 英三:
1. 国際特許出願PCT/JP00/07882:核酸含有複合体
 2. 特願平11-187091:X線診断システム
 3. 特願2005-19802:Mono-layered mesenchymal stem cells
- 土屋利江:

1. 特願 2001-311484 : ギャップ機能亢進剤
2. 特願 2001-311485 : ギャップ機能抑制剤
3. 特願 2003-8855 : ギャップ機能抑制剤
4. 特願 2004-193233 : ギャップ機能抑制剤、細胞増殖促進剤および硫酸化ポリフコース
5. 特願 2004-167632 : 生体吸収性を有する新規材料、その製造方法、及びその用途
6. 特願 2004-330417 : 生体組織補填材および生体組織補填体
7. 特願 2005-025603 : ヒト細胞の培養方法、培養容器および生体組織補填体
8. 特願 2005-126591 : 生体組織補填材の製造方法
9. 特願 2005-294058 : 生体組織補填材とその製造方法
10. Docket No.19296: Materials for repairing biological tissues, product for repairing biological tissues, and method of manufacturing materials for repairing biological tissues.
11. 11・270.081 : Materials for repairing biological tissues, product for repairing biological tissues, and method of manufacturing materials for repairing biological tissues.

② 実用新案登録

なし

③ その他

なし

別紙 4

研究成果の刊行に関する一覧表 (分子機能イメージング循環系、分子構造イメージングX線回折)
書籍

	著者名	タイトル	書籍全体編集者名	書籍名	出版社名	出版地	出版年	ページ
1	<u>Takeda S</u>	Preparation of protein crystals for X-ray structural study	Wang Q	Method in Molecular Medicine: Cardiovascular Disease	Humana Press		2006	291-303
2	<u>Mori H,</u> <u>Matsuda H</u>	Cardiovascular Regeneration Therapies Using Tissue Engineering Approaches	Mori H, Matsuda H	Cardiovascular Regeneration Therapies Using Tissue Engineering Approaches	Springer	Tokyo	2005	248
3	<u>Wakabayashi S,</u> Pang T, Hisamitsu T, <u>Shigekawa M</u>	Two Fundamental Regulatory Factors of the Na ⁺ /H ⁺ Exchangers: The Proton and CHP	Karmazyn M, Avkiran M, Fliegel L	The Sodium-Hydrogen Exchange From Molecule to its Role in Disease	Kluwer Academic Publishers		2003	35-49
4	知久正明, 西上和宏, 佐藤英一, <u>盛英三</u>	放射光および普及型 X 線源を用いた微小血管造影による再生血管の評価	西村恒彦	機能・代謝画像診断法と分子画像	南山堂		2003	177-186
5	藤井隆文, 永谷憲歳, 徳永宣之, 神田宗武, 福山直人, …… <u>盛英三</u>	遺伝子を用いた再生医療 1)ゼラチンによる遺伝子の徐放化と細胞-遺伝子ハイブリッド治療への応用-	田畑泰彦	遺伝子医学別冊, ドラッグデリバリーシステム DDS 技術の新たな展開とその活用法	メディカルドゥ	大阪	2003	194-199
6	國本聡, 笠原啓史, 福山直人, 田中越郎, …… <u>盛英三</u>	遺伝子による血管新生	田畑泰彦	再生医療の実際	羊土社		2003	116-123

雑誌

	発表者氏名	論文タイトル	発表雑誌名	巻名	ページ	出版年
1	Min JK, Cho YL, Choi JH, Kim YM, Kim JH, Yu YS, Rho J, Mochizuki N, Kim YM, Oh GT, Kwon YG	Receptor activator of nuclear factor (NF)- κ B ligand (RANKL) increases vascular permeability; Impaired permeability and angiogenesis in eNOS-deficient mice	Blood			2007, on line
2	<u>井上裕康</u>	PPAR と誘導型シクロオキシゲナーゼの関係	医学のあゆみ	220 (1)	93-98	2007

3	Mishima M, <u>Wakabayashi S</u> , Kojima C	Solution structure of the cytoplasmic region of Na ⁺ /H ⁺ exchanger 1 complexed with essential cofactor calcineurin B homologous protein 1	J. Biol. Chem.			2006 (in press)
4	Kogata N, Arai Y, Pearson JT, Hashimoto K, Hidaka K, Koyama T, Somekawa S, Nakaoka Y, Ogawa M, Adams RH, Okada M, Mochizuki N	Cardiac ischemia activates vascular endothelial cadherin promoter in both preexisting vascular cells and bone marrow cells involved in neovascularization	Circ Res	98 (7)	897-904	2006
5	Callegari E, Norata GD, <u>Inoue H</u> , Catapano AL	Oxidized-HDL3 modulates the expression of Cox-2 in human endothelial cells	Int J Mol Med	18 (1)	209-213	2006
6	Fukata M, Chen A, Klepper A, Krishnareddy S, Vamadevan AS, Thomas LS, Xu R, <u>Inoue H</u> , Arditì M, Dannenberg AJ, Abreu MT	Cox-2 is regulated by Toll-like receptor-4 (TLR4) signaling: Role in proliferation and apoptosis in the intestine	Gastroenterology	131 (3)	862-877	2006
7	Hisamitsu T, Ben Ammar Y, Nakamura TY, <u>Wakabayashi S</u>	Dimerization is crucial for the function of the Na ⁺ /H ⁺ Exchanger NHE1	Biochemistry	45	13346-13355	2006
8	Kobayashi Y, Katanosaka Y, Iwata Y, Shigekawa M, <u>Wakabayashi S</u>	Identification and characterization of GSRP-56, a novel Golgi-localized spectrin-repeat containing protein	Exp. Cell Res.	312	3152-3164	2006
9	Nakamura TY, Jeromin A, Smith G, Kurushima H, Koga H, Nakabeppu Y, <u>Wakabayashi S</u> , Nabekura J	Novel Role of Neuronal Ca ²⁺ Sensor-1 as a Survival Factor Up-Regulated in Injured Neurons	J. Cell Biol.	172 (7)	1081-1091	2006
10	Park W, Lim W, Cho J, <u>Inoue H</u> , Rhyu MR, Lee Y	Inhibitory effects of ginsenoside-Rb1 on activation of the 12-O-tetradecanoylphorbol 13-acetate-induced cyclooxygenase-2 promoter	Planta Med	72 (3)	272-275	2006
11	Igarashi T, Oishi Y, Araki S, Mori H, Takeda S	Crystallization and preliminary X-ray crystallographic analysis of two vascular apoptosis-inducing proteins (VAPs) from Crotalus atrox venom	Acta Crystallograph Sect F Struct Biol Cryst Commun	62 (Pt 7)	688-691	2006
12	Sato E, Hayasi Y, Tanaka E, Mori H, Kawai T, Inoue T, Ogawa A, Sato S, Takayama K, Ido H	K-edge angiography utilizing a tungsten plasma x-ray generator in conjunction with gadolinium-based contrast media	Rad.Phys.Chem.	75	1841-1849	2006

13	Amino M, Yoshioka K, Tanabe T, Tanaka E, Mori H, Furusawa Y, Zareba W, Yamazaki M, Nakagawa H, Honjo H, Yasui K, Kamiya K, Kodama I	Heavy ion radiation up-regulates Cx43 and ameliorates arrhythmogenic substrates in hearts after myocardial infarction	Cardiovasc Res	72 (3)	412-421	2006
14	Ben Ammar Y, Takeda S, Hisamitsu T, Mori H, Wakabayashi S	Crystal structure of CHP2 complexed with NHE1-cytosolic region and an implication for pH regulation	Embo J	25 (11)	2315-2325	2006
15	Enomoto T, Sato E, Sumiyama Y, Aizawa K, Watanabe M, Tanaka E, Mori H, Kawakami H, Kawai T, Inoue T, Ogawa A, Sato S	Enhanced magnification angiography using 20-um-focus tungsten tube	Jpn. J. Appl. Phys.	45	8005-8009	2006
16	Fukuyama N, Onuma T, Jujo S, Tamai Y, Suzuki T, Sugio Y, Tabata Y, Ishihara Y, Takano J, Mori H	Efficient preparation of cationized gelatin for gene transduction	Tokai J Exp Clin Med	31 (2)	49-52	2006
17	Fukuyama N, Tanaka E, Tabata Y, Fujikura H, Hagihara M, Sakamoto H, Ando K, Nakazawa H, Mori H	Intravenous injection of phagocytes transfected ex vivo with FGF4 DNA/biodegradable gelatin complex promotes angiogenesis in a rat myocardial ischemia/reperfusion injury model	Basic Res Cardiol		8	2006 online
18	Goto T, Fukuyama N, Aki A, Kanabuchi K, Kimura K, Taira H, Tanaka E, Wakana N, Mori H, Inoue H	Search for appropriate experimental methods to create stable hind-limb ischemia in mouse	Tokai J Exp Clin Med	31(3)	128-132	2006
19	Hirata A, Minamino T, Asanuma H, Fujita M, Wakeno M, Myoishi M, Tsukamoto O, Okada K, Koyama H, Komamura K, Takashima S, Shinozaki Y, Mori H, Shiraga M, Kitakaze M, Hori M	Erythropoietin enhances neovascularization of ischemic myocardium and improves left ventricular dysfunction after myocardial infarction in dogs	J Am Coll Cardiol	48 (1)	176-184	2006
20	Kawada T, Yamazaki T, Akiyama T, Li M, Ariumi H, Mori H, Sunagawa K, Sugimachi M	Vagal stimulation suppresses ischemia-induced myocardial interstitial norepinephrine release	Life Sci	78 (8)	882-887	2006
21	Kawada T, Yamazaki T, Akiyama T, Uemura K, Kamiya A, Shishido T, Mori H, Sugimachi M	Effects of Ca ²⁺ channel antagonists on nerve stimulation-induced and ischemia-induced myocardial interstitial acetylcholine release in cats	Am J Physiol Heart Circ Physiol	291 (5)	H2187-2191	2006

22	Kimura K, Goto T, Yagi K, Furuya H, Jujo S, Itoh J, Sawamura S, Koide S, Mori H, Fukuyama N	Biphasic Action of Inducible Nitric Oxide Synthase in a Hindlimb Ischemia Model	J.Clin.Biochem.Nutr.	38 (2)	95-102	2006
23	Kuroko Y, Tokunaga N, Yamazaki T, Akiyama T, Ishino K, Sano S, Mori H	Effect of sustained limb ischemia on norepinephrine release from skeletal muscle sympathetic nerve endings	Neurochem Int	49	448-453	2006
24	Masuda M, Takeda S, Sone M, Ohki T, Mori H, Kamioka Y, Mochizuki N	Endophilin BAR domain drives membrane curvature by two newly identified structure-based mechanisms	Embo J		1-9	2006
25	Miyahara Y, Nagaya N, Kataoka M, Yanagawa B, Tanaka K, Hao H, Ishino K, Ishida H, Shimizu T, Kangawa K, Sano S, Okano T, Kitamura S, Mori H	Monolayered mesenchymal stem cells repair scarred myocardium after myocardial infarction	Nat Med	12 (4)	459-465	2006
26	Miyahara Y, Ohnishi S, Obata H, Ishino K, Sano S, Mori H, Kangawa K, Kitamura S, Nagaya N	Beraprost sodium enhances neovascularization in ischemic myocardium by mobilizing bone marrow cells in rats	Biochem Biophys Res Commun	349 (4)	1242-1249	2006
27	Sato E, Hayashi Y, Germer R, Tanaka E, Mori H, Kawai T, Inoue T, Ogawa A, Sato S, Takayama K, Onagawa J	X-ray Spectra from Weakly Ionized Linear Copper Plasma	Japanese Journal of Applied Physics	45 (6A)	5301-5306	2006
28	Sato E, Hayashi Y, Tanaka E, Mori H, Kawai T, Inoue T, Ogawa A, Sato S, Takayama K, Onagawa J, Ido H	Preliminary study for producing higher harmonic hard x-rays from weakly ionized nickel plasma	Rad.Phys.Chem.	75	1812-1818	2006
29	Sato E, Sugiyama H, Ando M, Tanaka E, Mori H, Kawai T, Inoue T, Ogawa A, Takayama K, Onagawa J, Ido H	Tunable narrow-photon-energy x-ray generator utilizing a tungsten-target tube	Rad. Phys. Chem.	75	2008-2013	2006
30	Sato E, Tanaka E, Mori H, Kawai T, Inoue T, Ogawa A, Izumisawa M, Takahashi K, Sato S, Ichimaru T, Takayama K	Demonstration of enhanced K-edge angiography using a samarium target x-ray generator	SPIE	6319 (63190L)	1-6	2006
31	Sato E, Tanaka E, Mori H, Kawai T, Inoue T, Ogawa A, Izumisawa M,	Enhanced real-time magnification angiography utilizing a 100- μ m-focus x-ray generator in conjunction with an image	SPIE	6319 (63190J)	1-7	2006

	Takahashi K, Sato S, Ichimaru T, Takayama K	intensifier				
32	Sato E, Tanaka E, Mori H, Kawai T, Inoue T, Ogawa A, Izumisawa M, Takahashi K, Sato S, Ichimaru T, Takayama K	Super-characteristic x-ray generator utilizing a pipe and rod target	SPIE	6319 (63190Q)	1-6	2006
33	Sato E, Tanaka E, Mori H, Kawai T, Inoue T, Ogawa A, Sato S, Takayama K, Onagawa J	Characteristic X-ray Generator Utilizing Angle Dependence of Bremsstrahlung X-ray Distribution	Japanese Journal of Applied Physics	45 (No. 4A)	2845-2849	2006
34	Suenaga M, Kaneko Y, Kadokawa J, Nishikawa T, Mori H, Tabata M	Amphiphilic poly(N-propargylamide) with galactose and lauryloyl groups: synthesis and properties	Macromol Biosci	6 (12)	1009-1018	2006
35	Takahama H, Minamino T, Hirata A, Ogai A, Asanuma H, Fujita M, Wakeno M, Tsukamoto O, Okada K, Komamura K, Takashima S, Shinozaki Y, Mori H, Mochizuki N, Kitakaze M	Granulocyte colony-stimulating factor mediates cardioprotection against ischemia/reperfusion injury via phosphatidylinositol-3-kinase/Akt pathway in canine hearts	Cardiovasc Drugs Ther	20 (3)	159-165	2006
36	Takeda S, Igarashi T, Mori H, Araki S	Crystal structures of VAP1 reveal ADAMs' MDC domain architecture and its unique C-shaped scaffold	Embo J	25 (11)	2388-2396	2006
37	Yada T, Shimokawa H, Hiramatsu O, Haruna Y, Morita Y, Kashihara N, Shinozaki Y, Mori H, Goto M, Ogasawara Y, Kajiyama F	Cardioprotective role of endogenous hydrogen peroxide during ischemia-reperfusion injury in canine coronary microcirculation in vivo	Am J Physiol Heart Circ Physiol	291 (3)	H1138-1146	2006
38	井上裕康, 中田理恵子, 竹内悠, 塚本朋子, 堀田真理子, 名村尚武	植物性ポリフェノールによる核内受容体 PPAR の活性化	脂質生化学研究	48	131-134	2006
39	久光隆, 若林繁夫	トランスポーター研究のいま ■ Na ⁺ /H ⁺ 交換輸送体を中心に	化学と生物	44 (1)	56-65	2006
40	菅弘之, 盛英三, 馬場嘉信, 杉町勝	ナノメディシン・プロジェクトー厚生労働省指定型ナノメディシン・プロジェクトを中心にしてー	分子心血管病	7(4)	327-339	2006
41	盛英三, 武田壮一, 五十嵐智子, 柴田洋之	特発性心筋症の原因解明と治療法開発に向けた構造生物学的アプローチ	医学のあゆみ	217 (8)	819-824	2006

42	盛英三, 武田壮一, 若林繁夫, 井上裕康, ユーセフベンアマー, 松原孝宜, 五十嵐智子, 柴田洋之	疾患関連蛋白のサブナノ構造イメージングと分子標的薬剤の開発; ナノイメージング構造	分子心血管病	7(4)	340-346	2006
43	盛英三, 望月直樹, 武田壮一, 井上裕康, 中村俊, 土屋利江	特集: ナノテクノロジーと医療 ナノレベルイメージングによる分子構造と機能の解析	日本臨床	64	358-364	2006
44	Ben Ammar Y, <u>Takeda S</u> , Sugawara M, Miyano M, <u>Mori H</u> , <u>Wakabayashi S</u>	Crystallization and preliminary crystallographic analysis of the human calcineurin homologous protein CHP2 bound to the cytoplasmic region of the Na ⁺ /H ⁺ exchanger NHE1	Acta Cryst. F	F61	956-958	2005
45	Chen J, Zhao M, Rao R, <u>Inoue H</u> , Hao CM	C/EBP{beta} and its binding element are required for NF{kappa}B-induced COX2 expression following hypertonic stress	J Biol Chem	280 (16)	16354-16359	2005
46	Cherukuri DP, Goulet AC, <u>Inoue H</u> , Nelson MA	Selenomethionine regulates cyclooxygenase-2 (COX-2) expression through nuclear factor-kappa B (NF-kappaB) in colon cancer cells	Cancer Biol Ther	4 (2)	175-180	2005
47	Cho CH, Kim KE, Byun J, Jang HS, Kim DK, Baluk P, Baffert F, Lee GM, <u>Mochizuki N</u> , Kim J, Jeon BH, McDonald DM, Koh GY	Long-term and sustained COMP-Ang1 induces long-lasting vascular enlargement and enhanced blood flow	Circ Res	97 (1)	86-94	2005
48	Fujii T, Nagaya N, Iwase T, Murakami S, Miyahara Y, Nishigami K, Ishibashi-Ueda H, Shirai M, Itoh T, Ishino K, Sano S, Kangawa K, <u>Mori H</u>	Adrenomedullin enhances therapeutic potency of bone marrow transplantation for myocardial infarction in rats	Am J Physiol Heart Circ Physiol	288 (3)	H1444-1450	2005
49	Fujita H, Fukuhara S, Sakurai A, Yamagishi A, Kamioka Y, Nakaoka Y, <u>Masuda M</u> , <u>Mochizuki N</u>	Local activation of Rap1 contributes to directional vascular endothelial cell migration accompanied by extension of microtubules on which RAP1, a Rap1-associating molecule, localizes	J Biol Chem	280 (6)	5022-5031	2005
50	Fukuhara S, Sakurai A, Sano H, Yamagishi A, Somekawa S, Takakura N, Saito Y, Kangawa K, <u>Mochizuki N</u>	Cyclic AMP potentiates vascular endothelial cadherin-mediated cell-cell contact to enhance endothelial barrier function through an Epac-Rap1 signaling pathway	Mol Cell Biol	25 (1)	136-146	2005

51	Hattan N, Kawaguchi H, Ando K, Kuwabara E, Fujita J, Murata M, Suematsu M, <u>Mori H</u> , Fukuda K	Purified cardiomyocytes from bone marrow mesenchymal stem cells produce stable intracardiac grafts in mice	Cardiovasc Res	65 (2)	334-344	2005
52	Hirata A, Minamino T, Asanuma H, Sanada S, Fujita M, Tsukamoto O, Wakeno M, Myoishi M, Okada K, Koyama H, Komamura K, Takashima S, Shinozaki Y, <u>Mori H</u> , Tomoike H, Hori M, Kitakaze M	Erythropoietin just before reperfusion reduces both lethal arrhythmias and infarct size via the phosphatidylinositol-3 kinase-dependent pathway in canine hearts	Cardiovasc Drugs Ther	19 (1)	33-40	2005
53	Ichimaru T, Sato E, Tanaka E, <u>Mori H</u> , Kawai T, Sato S, Takayama K	Quasi-monochromatic fine polycapillary imaging utilizing a computed radiography system	Bull.Health, Sci. Hirosaki	4	83-91	2005
54	Ichimaru T, Yamadera A, Sato E, Tanaka E, <u>Mori H</u> , Kawai T, Sato S, Takayama K	Cone-beam K-edge angiography utilizing cerium x-ray tube in conjunction with cerium oxide filter	Bull.Health, Sci. Hirosaki	4	93-100	2005
55	Inoue S, Hori S, Adachi T, Miyazaki K, Kyotani S, Fukuda K, <u>Mori H</u> , Nakazawa H, Aikawa N, Ogawa S	Flow-independent myocardial ischemia induced by endothelin-1: an NADH fluorescence analysis	J Cardiovasc Pharmacol	46 (6)	810-816	2005
56	Iwata Y, Shigekawa M, <u>Wakabayashi S</u>	Cardiac syntrophin isoforms: species-dependent expression, association with dystrophin complex and subcellular localization	Mol Cell Biochem	268 (1-2)	59-66	2005
57	Katanosaka Y, Iwata Y, Kobayashi Y, Shibasaki F, <u>Wakabayashi S</u> , Shigekawa M	Calcineurin inhibits Na ⁺ /Ca ²⁺ exchange in phenylephrine-treated hypertrophic cardiomyocytes	J Biol Chem	280 (7)	5764-5772	2005
58	Kawada T, Yamazaki T, Akiyama T, Shishido T, <u>Mori H</u> , Sugimachi M	Myocardial interstitial choline and glutamate levels during acute myocardial ischaemia and local ouabain administration	Acta Physiol Scand	184 (3)	187-193	2005
59	Kitagawa H, Yamazaki T, Akiyama T, Sugimachi M, Sunagawa K, <u>Mori H</u>	Microdialysis separately monitors myocardial interstitial myoglobin during ischemia and reperfusion	Am J Physiol Heart Circ Physiol	289 (2)	H924-930	2005
60	Komatsu K, Buchanan FG, Katkuri S, Morrow JD, <u>Inoue H</u> , Otaka M, Watanabe S,	Oncogenic potential of MEK1 in rat intestinal epithelial cells is mediated via cyclooxygenase-2	Gastroenterology	129 (2)	577-590	2005

	DuBois RN					
61	Kuroko Y, Fujii T, Yamazaki T, Akiyama T, Ishino K, Sano S, <u>Mori H</u>	Contribution of catechol O-methyltransferase to the removal of accumulated interstitial catecholamines evoked by myocardial ischemia	Neurosci Lett	388 (2)	61-64	2005
62	Lim WC, Park M, Bahn JJ, <u>Inoue H</u> , Lee YJ	Hypertonic sodium chloride induction of cyclooxygenase-2 occurs independently of NF-kappaB and is inhibited by the glucocorticoid receptor in A549 cells	FEBS Lett	579 (24)	5430-5436	2005
63	Marwaha V, Chen YH, Helms E, Arad S, <u>Inoue H</u> , Bord E, Kishore R, Sarkissian RD, Gilchrist BA, Goukassian DA	T-oligo treatment decreases constitutive and UVB-induced COX-2 levels through p53- and NFkappaB-dependent repression of the COX-2 promoter	J Biol Chem	280 (37)	32379-32388	2005
64	Na HK, <u>Inoue H</u> , Surh YJ	ET-18-O-CH3-induced apoptosis is causally linked to COX-2 upregulation in H-ras transformed human breast epithelial cells	FEBS Lett	579 (27)	6279-6287	2005
65	Nagaya N, Kangawa K, Itoh T, Iwase T, Murakami S, Miyahara Y, Fujii T, Uematsu M, Ohgushi H, Yamagishi M, Tokudome T, <u>Mori H</u> , Miyatake K, Kitamura S	Transplantation of mesenchymal stem cells improves cardiac function in a rat model of dilated cardiomyopathy	Circulation	112 (8)	1128-1135	2005
66	Nagaya N, <u>Mori H</u> , Murakami S, Kangawa K, Kitamura S	Adrenomedullin: angiogenesis and gene therapy	Am J Physiol Regul Integr Comp Physiol	288 (6)	R1432-1437	2005
67	Obara H, Sato E, Hayasi Y, Tanaka E, <u>Mori H</u> , Kawai T, Inoue T, Ogawa A, Takayama K, Ido H	Superposition of x-ray spectra using a brass-target plasma triode	SPIE	5920 (59200W)	1-8	2005
68	Obara H, Sato E, Tanaka E, <u>Mori H</u> , Kawai T, Sato S, Ojima H, Takayama K, Ido H	Superposition of x-ray spectra using double-target plasma triode	SPIE	5580	824-831	2005
69	Okawa T, Naomoto Y, Nobuhisa T, Takaoka M, Motoki T, Shirakawa Y, Yamatsuji T, <u>Inoue H</u> , Ouchida M, Gunduz M, Nakajima M, Tanaka N	Heparanase is involved in angiogenesis in esophageal cancer through induction of cyclooxygenase-2	Clin Cancer Res	11 (22)	7995-8005	2005
70	Park SW, Sung MW, Heo DS, <u>Inoue H</u> , Shim SH, Kim KH	Nitric oxide upregulates the cyclooxygenase-2 expression through the cAMP-response element in its promoter in several	Oncogene	24 (44)	6689-6698	2005

		cancer cell lines				
71	Sagae M, Sato E, Obara H, Tanaka E, <u>Mori H</u> , Kawai T, Sato S, Ojima H, Takayama K, Ido H	Intense quasi-monochromatic flash x-ray generator utilizing molybdenum-target diode	SPIE	5580	674-680	2005
72	Sagae M, Sato E, Tanaka E, Hayasi Y, <u>Mori H</u> , Kawai T, Ichimaru T, Sato S, Takayama K, Ido H	Quasi-Monochromatic X-Ray Generator Utilizing Graphite Cathode Diode with Transmission-Type Molybdenum Target	Jpn. J. Appl. Phys.	44 (1A)	446-449	2005
73	Sato E, Germer R, Tanaka E, <u>Mori H</u> , Kawai T, Ichimaru T, Sato S, Ojima H, Takayama K, Ido H	Quasi-monochromatic cerium flash angiography	SPIE	5580	146-152	2005
74	Sato E, Hayashi Y, Germer R, Tanaka E, <u>Mori H</u> , Kawai T, Inoue T, Ogawa A, Sato S, Ichimaru T, Takayama K, Onagawa J, Ido H	Monochromatic flash x-ray generator utilizing a disk-cathode silver tube	Opt. Eng.	44 (9)	6	2005
75	Sato E, Hayasi Y, Germer R, Kimura K, Tanaka E, <u>Mori H</u> , Kawai T, Inoue T, Ogawa A, Sato S, Takayama K, Ido H	Enhanced K-edge plasma angiography achieved with tungsten K α rays utilizing gadolinium-based contrast media	SPIE	5920 (592012)	1-8	2005
76	Sato E, Hayasi Y, Germer R, Kimura K, Tanaka E, <u>Mori H</u> , Kawai T, Inoue T, Ogawa A, Sato S, Takayama K, Ido H	Energy-selective gadolinium angiography utilizing a stroboscopic x-ray generator	SPIE	5920 (59200V)	1-8	2005
77	Sato E, Tanaka E, <u>Mori H</u> , Kawai T, Inoue T, Ogawa A, Sato S, Takayama K, Ido H	High-speed K-edge angiography achieved with tantalum K-series characteristic x rays (Honorable Mention Poster Award)	SPIE	5745	810-817	2005
78	Sato E, Hayasi Y, Germer R, Tanaka E, <u>Mori H</u> , Kawai T, Ichimaru T, Sato S, Ojima H, Takayama K, Ido H	Weakly ionized linear plasma x-ray generator with molybdenum-target triode	SPIE	5580	535-542	2005
79	Sato E, Hayasi Y, Kimura K, Tanaka E, <u>Mori H</u> , Kawai T, Inoue T, Ogawa A, Sato S, Takayama K, Onagawa J, Ido H	Enhanced K-edge Angiography Utilizing Tantalum Plasma X-ray Generator in Conjunction with Gadolinium-Based Contrast Media	Jpn. J. Appl. Phys.	44 (12)	8716-8721	2005
80	Sato E, Sagae M, Komatsu M, Germer R, Tanaka E, <u>Mori H</u> , Kawai T, Ichimaru T, Sato S, Ojima H,	Monochromatic flash x-ray generator utilizing copper-target diode	SPIE	5580	579-585	2005

	Takayama K, Ido H					
81	Sato E, Sagae M, Obara H, Germer R, Tanaka E, <u>Mori H</u> , Kawai T, Ichimaru T, Sato S, Ojima H, Takayama K, Ido H	Demonstration of flash K-edge angiography utilizing gadolinium-based contrast medium	SPIE	5580	817-823	2005
82	Sato E, Tanaka E, <u>Mori H</u> , Kawai T, Ichimaru T, Sato S, Takayama K, Ido H	Compact monochromatic flash x-ray generator utilizing a disk-cathode molybdenum tube	Med. Phys.	32 (1)	49-54	2005
83	Sato E, Tanaka E, <u>Mori H</u> , Kawai T, Inoue T, Ogawa A, Ichimaru T, Takayama K, Ido H	Monochromatic x-ray generator utilizing angle dependence of bremsstrahlung x-ray distribution	SPIE	5918 (591819)	1-7	2005
84	Sato E, Tanaka E, <u>Mori H</u> , Kawai T, Inoue T, Ogawa A, Sato S, Takayama K, Ido H	High-speed K-edge angiography achieved with tantalum K-series characteristic x rays (Honorable Mention Poster Award)	SPIE	5745	810-817	2005
85	Sato E, Tanaka E, <u>Mori H</u> , Kawai T, Inoue T, Ogawa A, Sato S, Takayama K, Ido H	Preliminary experiment for producing higher harmonic x rays utilizing copper plasma triode	原子核研究	49 (5)	61-67	2005
86	Sato E, Hayasi Y, Germer R, Obara H, Tanaka E, Mori H, Kawai T, Inoue T, Ogawa A, Sato S, Takayama K, Ido H	Preliminary study for producing higher harmonic hard x-rays from weakly ionized copper plasma	SPIE	5920 (59200U)	1-7	2005
87	Sato E, Tanaka E, <u>Mori H</u> , Kawai T, Inoue T, Ogawa A, Takahashi K, Sato S, Takayama K	X-ray spectra from characteristic x-ray generator with a molybdenum tube	Ann. Rep. Iwate Med. Univ. Lib. Arts and Sci.	40	1-7	2005
88	Sato E, Tanaka E, <u>Mori H</u> , Kawai T, Inoue T, Ogawa A, Takahashi K, Sato S, Takayama K	Measurement of cerium x-ray spectra using a cerium oxide powder filter and enhanced K-edge angiography	Ann. Rep. Iwate Med. Univ. Lib. Arts and Sci.	40	9-15	2005
89	Sato E, Tanaka E, <u>Mori H</u> , Kawai T, Inoue T, Ogawa A, Yamadera A, Sato S, Ito F, Takayama K, Onagawa J, Ido H	Variations in Cerium X-ray Spectra and Enhanced K-Edge Angiography	Jpn. J. Appl. Phys.	44 (11)	8204-8209	2005
90	Sato E, Tanaka E, <u>Mori H</u> , Kawai T, Sato S, Ojima H, Takayama K, Ido H	Energy-selective high-speed radiography utilizing stroboscopic x-ray generator	SPIE	5580	765-771	2005
91	Sato E, Tanaka E, <u>Mori H</u> , Kawai T,	High-speed enhanced K-edge angiography utilizing cerium	Opt. Eng.	44 (049001)	1-6	2005

	Sato S, Takayama K	plasma x-ray generator				
92	Sato E, Tanaka E, <u>Mori H</u> , Kawai T, Sato S, Takayama K	Clean monochromatic x-ray irradiation from weakly ionized linear copper plasma	Opt. Eng.	44 (049002)	1-6	2005
93	Sato E, Tanaka E, <u>Mori H</u> , Kawakami H, Kawai T, Inoue T, Ogawa A, Sato S, Ichimaru T, Takayama K, Ido H	Enhanced magnification angiography including phase-contrast effect using a 100- μ m focus x-ray tube	SPIE	5918 (591811)	1-9	2005
94	Sato E, Yamadera A, Ichimaru T, Tanaka E, <u>Mori H</u> , Kawai T, Inoue T, Ogawa A, et al.	Conventional Enhanced K-edge angiography Utilizing cerium x-ray generator	原子核研究	49	69-74	2005
95	Sato E, Yamadera A, Tanaka E, <u>Mori H</u> , Kawai T, Ito F, Inoue T, Ogawa A, Sato S, Takayama K, Onagawa J, Ido H	X-ray spectra from a cerium target and their application to cone beam K-edge angiography	Opt. Eng.	44 (096502)	1-6	2005
96	Schwenke DO, Pearson JT, Tsuchimochi H, <u>Mori H</u> , Shirai M	Exogenous nitric oxide centrally enhances pulmonary reactivity in the normal and hypertensive rat	Clin Exp Pharmacol Physiol	32 (11)	952-959	2005
97	Somekawa S, Fukuhara S, Nakaoka Y, Fujita H, Saito Y, <u>Mochizuki N</u>	Enhanced functional gap junction neofunction by protein kinase A-dependent and Epac-dependent signals downstream of cAMP in cardiac myocytes	Circ Res	97 (7)	655-662	2005
98	<u>Takeda S</u>	Crystal structure of troponin and the molecular mechanism of muscle regulation	J Electron Microsc (Tokyo)	54 (suppl_1)	i35-i41	2005
99	Woo KJ, Jeong YJ, <u>Inoue H</u> , Park JW, Kwon TK	Chrysin suppresses lipopolysaccharide-induced cyclooxygenase-2 expression through the inhibition of nuclear factor for IL-6 (NF-IL6) DNA-binding activity	FEBS Lett	579 (3)	705-711	2005
100	Wu C, Wang C, Tseng C, Chen H, Wu M, Lin J, <u>Inoue H</u> , Chen G	Helicobacter pylori promote gastric cancer cells invasion through a NF-kB and COX-2-mediated pathway	World J Gastroenterol	11 (21)	3197-3203	2005
101	Yada T, Shimokawa H, Hiramatsu O, Kajita T, Shigeto F, Tanaka E, Shinozaki Y, <u>Mori H</u> , Kiyooka T, Katsura M, Ohkuma S, Goto M, Ogasawara Y, Kajiya F	Beneficial effect of hydroxyfasudil, a specific Rho-kinase inhibitor, on ischemia/reperfusion injury in canine coronary microcirculation in vivo	J Am Coll Cardiol	45 (4)	599-607	2005