

## F. 健康危険情報

本研究では健康に危険を及ぼす可能性は皆無である。

## G. 研究発表

### 1. 論文発表

- 1) J. -S. Park, Y. Akiyama, Y. Yamasaki, K. Kataoka, Preparation and characterization of polyion complex micelles with a novel thermosensitive poly(2-isopropyl-2-oxazoline) shell via the complexation of oppositely charged block ionomers. *Langmuir* 23 (1) 138-146 (2007)
- 2) Arnida, N. Nishiyama, N. Kanayama, W. -D. Jang, Y. Yamasaki, K. Kataoka, PEGylated gene nanocarriers based on block cationomers bearing ethylenediamine repeating units directed to remarkable enhancement of photochemical transfection. *J. Control. Release* 115 (2) 208-215 (2006)
- 3) J. -S. Park, K. Kataoka, Precise control of lower critical solution temperature of thermosensitive poly(2-isopropyl-2-oxazoline) via gradient copolymerization with 2-ethyl-2-oxazoline as a hydrophilic comonomer. *Macromolecules* 39 (19) 6622-6630 (2006)
- 4) N. Nishiyama, Arnida, W. -D. Jang, K. Date, K. Miyata, K. Kataoka, Photochemical enhancement of transgene expression by polymeric micelles incorporating plasmid DNA and dendrimer-based photosensitizer. *J. Drug Target.* 14 (6) 413-424 (2006)
- 5) W. -D. Jang, Y. Nakagishi, N. Nishiyama, S. Kawachi, Y. Morimoto, M. Kikuchi, K. Kataoka, Polyion complex micelles for photodynamic therapy: incorporation of dendritic photosensitizer excitable at long wavelength relevant to improved tissue-penetrating property. *J. Control. Release* 113 (1) 73-79 (2006)
- 6) W. Kim, Y. Yamasaki, K. Kataoka, Development of a fitting model suitable for the isothermal titration calorimetric curve of DNA with cationic ligands. *J. Phys. Chem. B* 110 (22) 10919-10925 (2006)
- 7) A. Koide, A. Kishimura, K. Osada, W. -D. Jang, Y. Yamasaki, K. Kataoka, Semipermeable polymer vesicle (PICsome) self-assembled in aqueous medium from a pair of oppositely charged block copolymers: physiologically stable micro-/nanocounters of water-soluble macromolecules. *J. Am. Chem. Soc.* 128 (18) 5988-5989 (2006)
- 8) M. M. Ali, M. Oishi, F. Nagatsugi, K. Mori, Y. Nagasaki, K. Kataoka, S. Sasaki, Intracellular inducible alkylation system that exhibits antisense effects with greater potency and selectivity than the natural oligonucleotide. *Angew. Chem. Int. Ed.* 45 (19) 3136-3140 (2006)
- 9) M. Oishi, K. Kataoka, Y. Nagasaki, pH-responsive three-layered PEG-ylated polyplex micelle based on a lactosylated ABC triblock copolymer as a targetable and endosome-disruptive nonviral gene vector. *Bioconjugate Chem.* 17 (3) 677-688 (2006)
- 10) Y. Kakizawa, S. Furukawa, A. Ishii, K. Kataoka, Organic-inorganic hybrid-nanocarrier of siRNA constructing through the self-assembly of calcium phosphate and PEG-based block anionomer. *J. Control. Release* 111 (3) 368-370 (2006)
- 11) N. Kanayama, S. Fukushima, N. Nishiyama, K. Itaka, W. -D. Jang, K. Miyata, Y. Yamasaki, U. -I. Chung, K. Kataoka, A PEG-based biocompatible block cationomer with high buffering capacity for the construction of polyplex micelles showing efficient gene transfer toward primary cells. *ChemMedChem* 1 (4) 439-444 (2006)
- 12) R. Ideta, F. Tasaka, W. -D. Jang, N. Nishiyama, G. -D. Zhang, A. Harada, Y. Yanagi, Y. Tamaki, T. Aida, K. Kataoka, Nanotechnology-based photodynamic

- therapy for neovascular disease using a supramolecular nanocarrier loaded with a dendritic photosensitizer. *Nano Lett.* 5 (12) 2426-2431 (2005)
- 13) K. Miyata, Y. Kakizawa, N. Nishiyama, Y. Yamasaki, T. Watanabe, M. Kohara, K. Kataoka, Freeze-dried formulations for in vivo gene delivery of PEGylated polyplex micelles with disulfide crosslinked cores to the liver. *J. Control. Release* 109 (1-3) 15-23 (2005)
  - 14) N. Nishiyama, A. Iriyama, W. -D. Jang, K. Miyata, K. Itaka, Y. Inoue, H. Takahashi, Y. Yanagi, Y. Tamaki, H. Koyama, K. Kataoka, Light-induced gene transfer from packaged DNA enveloped in a dendrimeric photosensitizer. *Nature Mater.* 4 (12) 934-941 (2005)
  - 15) H. Uchino, Y. Matsumura, T. Negishi, F. Koizumi, T. Hayashi, T. Honda, N. Nishiyama, K. Kataoka, S. Naito, T. Kakizoe, Cisplatin-incorporating polymeric micelles (NC-6004) can reduce nephrotoxicity and neurotoxicity of cisplatin in rats. *Br. J. Cancer* 93 (6) 678-687 (2005)
  - 16) M. Oishi, T. Hayama, Y. Akiyama, S. Takae, A. Harada, Y. Yamasaki, F. Nagatsugi, S. Sasaki, Y. Nagasaki, K. Kataoka, Supramolecular assemblies for the cytoplasmic delivery of antisense oligodeoxynucleotide: polyion complex (PIC) micelles based on poly(ethylene glycol)-SS -oligodeoxynucleotide conjugate. *Biomacromolecules* 6 (5) 2449-2454 (2005)
  - 17) Y. Nagasaki, M. Nakamae, T. Takahashi, K. Kataoka, Design of stable bionanoparticles by PEG based surface modifications. *J. Photopolym. Sci. Technol.* 18 (4) 513-514 (2005)
  - 18) X. Yuan, Y. Yamasaki, A. Harada, K. Kataoka, Characterization of stable lysozyme-entrapped polyion complex (PIC) micelles with crosslinked core by glutaraldehyde. *Polymer* 46 (18) 7749-7758 (2005)
  - 19) Y. Bae, W. -D. Jang, N. Nishiyama, S. Fukushima, K. Kataoka, Multifunctional polymeric micelles with folate-mediated cancer cell targeting and pH-triggered drug releasing properties for active intracellular drug delivery. *Mol. BioSyst.* 1 (3) 242-250 (2005)
  - 20) K. Osada, Y. Yamasaki, S. Katayose, K. Kataoka, A synthetic block copolymer regulates S1 nuclease fragmentation of supercoiled plasmid DNA. *Angew. Chem. Int. Ed.* 44 (23) 3544-3548 (2005)
  - 21) T. Hamaguchi, Y. Matsumura, M. Suzuki, K. Shimizu, R. Goda, I. Nakamura, I. Nakatomi, M. Yokoyama, K. Kataoka, T. Kakizoe, NK105, a paclitaxel-incorporating micellar nanoparticle formulation, can extend in vivo antitumour activity and reduce the neurotoxicity of paclitaxel. *Br. J. Cancer* 92 (7) 1240-1246 (2005)
  - 22) M. Oishi, F. Nagatsugi, S. Sasaki, Y. Nagasaki, K. Kataoka, Smart polyion complex micelles for targeted intracellular delivery of PEGylated antisense oligonucleotides containing acid-labile linkages. *ChemBioChem* 6 (4) 718-725 (2005)
  - 23) X. Yuan, A. Harada, Y. Yamasaki, K. Kataoka, Stabilization of lysozyme-incorporated polyion complex micelles by the  $\omega$ -end derivatization of poly(ethylene glycol)-poly( $\alpha$ ,  $\beta$ -aspartic acid) block copolymers with hydrophobic groups. *Langmuir* 21 (7) 2668-2674 (2005)
  - 24) S. Fukushima, K. Miyata, N. Nishiyama, N. Kanayama, Y. Yamasaki, K. Kataoka, PEGylated polyplex micelles from triblock cationomers with spatially ordered layering of condensed pDNA and buffering units for enhanced intracellular gene delivery. *J. Am. Chem. Soc.* 127 (9) 2810-2811 (2005)
  - 25) S. Takae, Y. Akiyama, H. Otsuka, T. Nakamura, Y. Nagasaki, K. Kataoka,

- Ligand density effect on biorecognition by PEGylated gold nanoparticles: regulated interaction of RCA120 lectin with lactose installed to the distal end of tethered PEG strands on gold surface. *Biomacromolecules* 6 (2) 818-824 (2005)
- 26) T. Ishii, Y. Suzuki, Y. Akiyama, H. Otsuka, K. Kataoka, Y. Nagasaki, Construction of PEGylated gold colloid-assembled surface for high performance biosensor. *Kobunshi Ronbunshu* 62 (2) 81-86 (2005)
- 27) M. Oishi, Y. Nagasaki, K. Itaka, N. Nishiyama, K. Kataoka, Lactosylated poly(ethylene glycol)-siRNA conjugate through acid-labile  $\beta$ -thiopropionate linkage to construct pH-sensitive polyion complex micelles achieving enhanced gene silencing in hepatoma cells. *J. Am. Chem. Soc.* 127 (6) 1624-1625 (2005)
- 28) K. Uchida, H. Otsuka, M. Kaneko, K. Kataoka, Y. Nagasaki, A reactive poly(ethylene glycol) layer to achieve specific surface plasmon resonance sensing with a high S/N ratio: the substantial role of a short underbrushed PEG layer in minimizing nonspecific adsorption. *Anal. Chem.* 77 (4) 1075-1080 (2005)
- 29) Y. Bae, N. Nishiyama, S. Fukushima, H. Koyama, Y. Matsumura, K. Kataoka, Preparation and biological characterization of polymeric micelle drug carriers with intracellular pH-triggered drug release property: Tumor permeability, controlled subcellular drug distribution, and enhanced in vivo antitumor efficacy. *Bioconjugate Chem.* 16 (1) 122-130 (2005)
- 30) W. -D. Jang, N. Nishiyama, G. -D. Zhang, A. Harada, D. -L. Jiang, S. Kawauchi, Y. Morimoto, M. Kikuchi, H. Koyama, T. Aida, K. Kataoka, Supramolecular nanocarrier of anionic dendrimer porphyrins with cationic block copolymers modified with poly(ethylene glycol) to enhance intracellular photodynamic efficacy. *Angew. Chem. Int. Ed.* 44 (3) 419-423 (2005)
- 31) H. Cabral, N. Nishiyama, S. Okazaki, H. Koyama, K. Kataoka, Preparation and biological properties of dichloro(1,2-diaminocyclohexane) platinum (II) (DACHPt)-loaded polymeric micelles. *J. Control. Release* 101 (1-3) 223-232 (2005)
- 32) D. Wakebayashi, N. Nishiyama, K. Itaka, K. Miyata, Y. Yamasaki, A. Harada, H. Koyama, Y. Nagasaki, K. Kataoka, Polyion complex micelles of pDNA with acetal-poly(ethylene glycol)-poly(2-(dimethylamino)ethyl methacrylate) block copolymer as the gene carrier system. Physicochemical properties of micelles relevant to gene transfection efficacy. *Biomacromolecules* 5 (6) 2128-2136 (2004)
- 33) K. Itaka, N. Kanayama, N. Nishiyama, W. -D. Jang, Y. Yamasaki, K. Nakamura, H. Kawaguchi, K. Kataoka, Supramolecular nanocarrier of siRNA from PEG-based block cationer carrying diamine side chain with distinctive pKa directed to enhance intracellular gene silencing. *J. Am. Chem. Soc.* 126 (42) 13612-13613 (2004)
- 34) J. -S. Park, Y. Akiyama, F. M. Winnik, K. Kataoka, Versatile synthesis of end-functionalized thermosensitive poly(2-isopropyl-2-oxazolines). *Macromolecules* 37 (18) 6786-6792 (2004)
- 35) Y. Nagasaki, T. Ishii, Y. Sunaga, Y. Watanabe, H. Otsuka, K. Kataoka, Novel molecular recognition via fluorescent resonance energy transfer using a biotin-PEG / polyamine stabilized CdS quantum dot. *Langmuir* 20 (15) 6396-6400 (2004)
- 36) H. Hayashi, M. Iijima, K. Kataoka, Y. Nagasaki, pH-sensitive nanogel possessing reactive PEG tethered chains on the surface. *Macromolecules* 37 (14) 5389-5396 (2004)
- 37) E. Jule, Y. Yamamoto, M. Thouvenin, Y. Nagasaki, K. Kataoka, Thermal

- characterization of poly(ethylene glycol)-poly(D,L-lactide) block copolymer micelles based on pyrene excimer formation. *J. Control. Release* 97 (3) 407-419 (2004)
- 38) Y. Kakizawa, S. Furukawa, K. Kataoka, Block copolymer-coated calcium phosphate nanoparticles sensing intracellular environment for oligodeoxynucleotide and siRNA delivery. *J. Control. Release* 97 (2) 345-356 (2004)
- 39) H. Otsuka, A. Hirano, Y. Nagasaki, T. Okano, Y. Horiike, K. Kataoka, Two-dimensional multiarray formation of hepatocyte spheroids on a microfabricated PEG-brush surface. *ChemBioChem* 5 (6) 850-855 (2004)
- 40) T. Ishii, Y. Sunaga, H. Otsuka, Y. Nagasaki, K. Kataoka, Preparation of water soluble CdS quantum dots stabilized by functional poly(ethylene glycol) and its application for bioassay. *J. Photopolym. Sci. Technol.* 17 (1) 95-98 (2004)
- 41) Y. Kakizawa, K. Miyata, S. Furukawa, K. Kataoka, Size-controlled formation of a calcium phosphate-based organic-inorganic hybrid vector for gene delivery using poly(ethylene glycol)-block-poly(aspartic acid). *Adv. Mater.* 16 (8) 699-702 (2004)
- 42) D. Wakebayashi, N. Nishiyama, Y. Yamasaki, K. Itaka, N. Kanayama, A. Harada, Y. Nagasaki, K. Kataoka, Lactose-conjugated polyion complex micelles incorporating plasmid DNA as a targetable gene vector system: their preparation and gene transfecting efficiency against cultured HepG2 cells. *J. Control. Release* 95 (3) 653-664 (2004)
- 43) Y. Akiyama, Y. Nagasaki, K. Kataoka, Synthesis of heterotelechelic poly(ethylene glycol) derivatives having  $\alpha$ -benzaldehyde and  $\omega$ -pyridyl disulfide groups by ring opening polymerization of ethylene oxide using 4-(diethoxymethyl)benzyl alkoxide as a novel initiator. *Bioconjugate Chem.* 15 (2) 424-427 (2004)
- 44) M. Jaturanpinyo, A. Harada, X. Yuan, K. Kataoka, Preparation of bionanoreactor based on core-shell structured polyion complex micelles entrapping trypsin in the core cross-linked with glutaraldehyde. *Bioconjugate Chem.* 15 (2) 344-348 (2004)
- 45) K. Miyata, Y. Kakizawa, N. Nishiyama, A. Harada, Y. Yamasaki, H. Koyama, K. Kataoka, Block cationer polyplexes with regulated densities of charge and disulfide cross-linking directed to enhance gene expression. *J. Am. Chem. Soc.* 126 (8) 2355-2361 (2004)
- 46) T. Ishii, H. Otsuka, K. Kataoka, Y. Nagasaki, Preparation of functionally PEGylated gold nanoparticles with narrow distribution through autoreduction of auric cation by  $\alpha$ -biotinyl-PEG-block-[poly(2-(N,N-dimethylamino)ethyl methacrylate)]. *Langmuir* 20 (3) 561-564 (2004)
- 47) R. Ideta, Y. Yanagi, Y. Tamaki, F. Tasaka, A. Harada, K. Kataoka, Effective accumulation of polyion complex micelle to experimental choroidal neovascularization in rats. *FEBS Letters* 557 (1-3) 21-25 (2004)
- 48) K. Itaka, A. Harada, Y. Yamasaki, K. Nakamura, H. Kawaguchi, K. Kataoka, In situ single cell observation by fluorescence resonance energy transfer reveals fast intra-cytoplasmic delivery and easy release of plasmid DNA complexed with linear polyethylenimine. *J. Gene Med.* 6 (1) 76-84 (2004)
- 49) Harada, K. Kataoka, Switching by pulse electric field of the elevated enzymatic reaction in the core of polyion complex micelles. *J. Am. Chem. Soc.* 125 (50) 15306-15307 (2003)
- 50) N. Nishiyama, S. Okazaki, H. Cabral, M. Miyamoto, Y. Kato, Y. Sugiyama, K. Nishio, Y. Matsumura, K. Kataoka, Novel

- cisplatin-incorporated polymeric micelles can eradicate solid tumors in mice. *Cancer Res.* 63 (24) 8977-8983 (2003)
- 51) G. -D. Zhang, A. Harada, N. Nishiyama, D. -L. Jiang, H. Koyama, T. Aida, K. Kataoka, Polyion complex micelles entrapping cationic dendrimer porphyrin: effective photosensitizer for photodynamic therapy of cancer. *J. Control. Release* 93 (2) 141-150 (2003)
  - 52) K. Itaka, K. Yamauchi, A. Harada, K. Nakamura, H. Kawaguchi, K. Kataoka, Polyion complex micelles from plasmid DNA and poly(ethylene glycol)-poly(L-lysine) block copolymer as serum-tolerable polyplex system: physicochemical properties of micelles relevant to gene transfection efficiency. *Biomaterials* 24 (24) 4495-4506 (2003)
  - 53) Y. Bae, S. Fukushima, A. Harada, K. Kataoka, Design of environment- sensitive supramolecular assemblies for intracellular drug delivery: polymeric micelles that are responsive to intracellular pH change. *Angew. Chem. Int. Ed.* 42 (38) 4640-4643 (2003)
  - 54) Y. Yamasaki, S. Katayose, K. Kataoka, K. Yoshikawa, PEG-PLL block copolymers induce reversible large discrete coil-globule transition in a single DNA molecule through cooperative complex formation. *Macromolecules* 36 (16) 6276-6279 (2003)
  - 55) A. Harada, K. Kataoka, Effect of charged segment length on physicochemical properties of core-shell type polyion complex micelles from block ionomers. *Macromolecules* 36 (13) 4995-5001 (2003)
  - 56) M. Oishi, S. Sasaki, Y. Nagasaki, K. Kataoka, pH-responsive oligodeoxynucleotide (ODN)-poly(ethylene glycol) conjugate through acid-labile  $\beta$  -thiopropionate linkage: preparation and polyion complex micelle formation. *Biomacromolecules* 4 (5) 1426-1432 (2003)
  - 57) T. Uwatoku, H. Shimokawa, K. Abe, Y. Matsumoto, T. Hattori, K. Oi, T. Matsuda, K. Kataoka, A. Takeshita, Application of nanoparticle technology for the prevention of restenosis after balloon injury in rats. *Circ. Res.* 92 (7) e62-69 (2003)
  - 58) N. Nishiyama, F. Koizumi, S. Okazaki, Y. Matsumura, K. Nishio, K. Kataoka, Differential gene expression profile between PC-14 cells treated with free cisplatin and cisplatin-incorporated polymeric micelles. *Bioconjugate Chem.* 14 (2) 449-457 (2003)
  - 59) G. -D. Zhang, N. Nishiyama, A. Harada, D. -L. Jiang, T. Aida, K. Kataoka, pH-sensitive assembly of light-harvesting dendrimer zinc porphyrin bearing peripheral groups of primary amine with poly(ethylene glycol)-b-poly(aspartic acid) in aqueous solution. *Macromolecules* 36 (4) 1304-1309 (2003)
  - 60) E. Jule, Y. Nagasaki, K. Kataoka, Lactose-installed poly(ethylene glycol)-poly(D,L-lactide) block copolymer micelles exhibit fast-rate binding and high affinity toward a protein bed simulating a cell surface. A surface plasmon resonance study. *Bioconjugate Chem.* 14 (1) 177-186 (2003)
  - 61) N. Nishiyama, H. R. Stapert, G. -D. Zhang, D. Takasu, D.-L. Jiang, T. Nagano, T. Aida, K. Kataoka, Light-harvesting ionic dendrimer porphyrins as new photosensitizers for photodynamic therapy. *Bioconjugate Chem.* 14 (1) 58-66 (2003)
  - 62) E. Jule, Y. Nagasaki, K. Kataoka, Surface plasmon resonance study on the interaction between lactose- installed poly(ethylene glycol)-poly (D,L-lactide) block copolymer micelles and lectins immobilized on a gold surface. *Langmuir* 18 (26) 10334 -10339 (2002)
  - 63) Y. Yamamoto, K. Yasugi, A. Harada, Y. Nagasaki, K. Kataoka, Temperature-related change in the properties relevant to drug delivery of poly(ethylene

- glycol)-poly(D,L-lactide) block copolymer micelles in aqueous milieu. *J. Control. Release* 82 (2-3) 359-371 (2002)
- 64) K. Itaka, A. Harada, K. Nakamura, H. Kawaguchi, K. Kataoka, Evaluation by fluorescence resonance energy transfer of the stability of nonviral gene delivery vectors under physiological conditions. *Biomacromolecules* 3 (4) 841-845 (2002)
- 65) Y. Kakizawa, K. Kataoka, Block copolymer self-assembly into monodisperse nanoparticles with hybrid core of antisense DNA and calcium phosphate. *Langmuir* 18 (12) 4539-4543 (2002)
- 66) M. Harada-Shiba, K. Yamauchi, A. Harada, I. Takamisawa, K. Shimokado, K. Kataoka, Polyion complex micelles as a vector in gene therapy - pharmacokinetics and in vivo gene transfer. *Gene Ther.* 9 (6) 407-414 (2002)
- H. 知的所有権の出願・取得状況
- 1) 片岡一則、山崎裕一、高江誓司、核酸内包高分子ミセル複合体、特願2006-54332
- 2) 片岡一則、山崎裕一、アルニダ アンワール、張祐銅、西山伸宏、核酸内包高分子ミセル複合体、特願2006-54327
- 3) 片岡一則、宮園浩平、狩野光伸、平川弘聖、八代正和、野出學、TGF- $\beta$ シグナル阻害剤と抗腫瘍剤の組み合わせ使用、特願2006-24845
- 4) 片岡一則、宮園浩平、狩野光伸、Bae Younsoo、西山伸宏、TGF- $\beta$ シグナル阻害剤と抗腫瘍剤の組み合わせ使用、特願2006-24843
- 5) 片岡一則、平野覚浩、マイクロパターンニング培養基板、マイクロパターンニング培養構築物、特願2005-253782
- 6) 片岡一則、Park Joon-sik、山崎裕一、発明の名称：オキサゾリンのランダム共重合体、特願2005-253977
- 7) 片岡一則、小林克利、長崎尚子、発明の名称：白金錯体のポリマー化配位化合物の製造方法、特願2005-169917
- 8) 片岡一則、小出彩、長田健介、山崎裕一、福島重人、パクジュンシク、静電結合型高分子ベシクル、特願2005-134350 (PCT/JP2006/309008)
- 9) 片岡一則、Bae Younsoo、西山伸宏、福島重人、Jang Woo-Dong、pH応答性高分子ミセルの調製に用いる新規ブロック共重合体及びその製造法の提供、特願2005-125336 (PCT/JP2006/309064)
- 10) 片岡一則、西山伸宏、ホラシオ カブラル、ジアミノシクロヘキサン白金 (II) とブロック共重合体との配置錯体及びそれを含有する抗腫瘍剤、特願2005-080117 (PCT/JP2006/305750)
- 11) 片岡一則、大庭誠、西山伸宏、位高啓史、福島重人、金山直樹、ペプチドリガンドを有するブロック共重合体、特願2005-054260 (PCT/JP2006/304202)
- 12) 片岡一則、位高啓史、西山伸宏、福島重人、張祐銅、宮田完二郎、中西政崇、金山直樹、ポリカチオン荷電性ポリマー及び核酸のキャリアーとしての使用、特願2005-035233 (PCT/JP2006/302577)
- 13) 長崎幸夫、片岡一則、大石基、PEOと二本鎖核酸のコンジュゲート、特願2004-254824 (PCT/JP05/15831)
- 14) 長崎幸夫、大石基、片岡一則、静電結合型ポリマー修飾リポソーム薬物キャリアの供給とその使用、特願2004-266084
- 15) 長崎幸夫、大石基、石井武彦、中尾上純平、片岡一則、遺伝子治療用キャリアとしてのポリエチレングリコール/オリゴ核酸共担持金属微粒子、特願2004-266083
- 16) 長崎幸夫、片岡一則、佐々木茂貴、永次史、大石基、PEG-機能性核酸コンジュゲート、特願2004-122124 (PCT/JP05/7568)
- 17) 片岡一則 外3名、遺伝子導入解析キット、特願2004-127338
- 18) 片岡一則 外3名、高分子複合体、特願2004-96854
- 19) 片岡一則、秋山好嗣、葉酸誘導体の製造

- 方法、特願 2 0 0 4 - 9 2 9 7 3  
(PCT/JP05/6416)
- 20) 片岡一則、今井豊、熊谷康顕、鉄コロイドの製造方法及び鉄コロイド担持高分子ミセル、特願 2 0 0 4 - 0 4 4 3 9 5  
(PCT/JP2005/003243)
- 21) 片岡一則、位高啓史、金山直樹、福島重人、2本鎖オリゴ核酸を担持したポリイオンコンプレックスおよびその製造法とそれを含む医薬組成物、特願 2 0 0 4 - 0 3 7 3 2 2 (PCT/JP2004/011957) 特許係属状況：日本 2006045197
- 22) 片岡一則、西山伸宏、ホラシオ カブラル、岡崎総一郎、ジアミノシクロヘキサン白金(II)とポリ(カルボン酸)セグメント含有ブロック共重合体との配位錯体、その抗腫瘍剤、特願 2 0 0 3 - 4 1 2 3 1 5 (PCT/JP2004/018679) 特許係属状況：オーストラリア 2004297126、カナダ(未通知)、中国 200480036255.8、ヨーロッパ 4807038.7、日本(未通知)、韓国 2006-7011436、ロシア(未通知)、米国(未通知)
- 23) 片岡一則、張祐銅、西山伸宏、イオン性フタロシアニン dendrimer を内包した高分子ミセル構造体、特願 2 0 0 3 - 3 3 0 7 2 5
- 24) 片岡一則 外 3 名、高分子ミセルを用いた眼科用ドラッグデリバリーシステム、特願 2 0 0 3 - 3 1 3 8 0 8 (PCT/JP04/04412) 特許登録状況：カナダ 2520525、ヨーロッパ 160946、特許係属状況：日本 2005-08614、米国 2006127481
- 25) 片岡一則 外 4 名、安定化高分子ミセル、特願 2 0 0 3 - 1 5 3 2 8 1 (PCT/JP2004/007583) 特許係属状況：日本 特許出願 2005-506539
- 26) 片岡一則、金山直樹、位高啓史、福島重人、原田敦史、ポリ(エチレングリコール)-ポリカチオンブロック共重合体、特願 2 0 0 3 - 1 3 0 5 2 0 (PCT/JP04/6488) 特許登録状況：カナダ 2524907、ヨーロッパ 1621569、特許係属状況：オーストラリア 2004236542、日本 2004-352972
- 27) 片岡一則 外 2 名、ポリオキシアルキレン誘導体およびその製造方法、特願 2 0 0 3 - 1 2 0 8 5 9
- 28) 長崎幸夫、片岡一則、大石基、香川英次、ポリ(エチレンオキシド)誘導体およびその重合開始剤としての用途、特願 2 0 0 3 - 4 9 0 0 0
- 29) 長崎幸夫、片岡一則、佐々木茂貴、大石基、秋山好嗣、葉山哲也、オリゴヌクレオチドとポリエチレンオキシドのコンジュゲート、特願 2 0 0 3 - 4 1 2 7 5
- 30) 片岡一則 外 7 名、ポリエチレングリコール修飾ナノ粒子を担持するバイオセンサーチップ表面、特願 2 0 0 2 - 1 0 1 1 3 4 (PCT/JP03/3504) 特許登録状況：カナダ 2480770、ヨーロッパ 1496363、中国 1646912、特許係属状況 米国 2005106570、日本 2005180921

雑誌					
発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Manabe N, Hoshino A, Liang YQ, Goto T, Kato N, Yamamoto K.	“Quantum dot conjugated with medicine as the drug tracer in vitro and in vivo.”	IEEE Transactions on NanoBioscience	5(4)	263-267	2006
Shiohara A, Manabe N, Omata K, Yamamoto K.	“Novel Surface Processing with Sulfonic Acid for Quantum Dot and Its Characteristics.”	Journal of Chemical Engineering of Japan	39(1)	52-56.	2006
Yamamoto S, Manabe N, Fujioka K, Hoshino A, Yamamoto K.	“Visualizing Vitreous Using Quantum Dots as Imaging Agent”	IEEE Transactions on NanoBioscience			2007 (in press)
Hoshino A, Kawamura YI, Yasuhara M, Toyama-Sorimachi N, Yamamoto K, Matsukawa A, Lira SA, Dohi T.	“Inhibition of CCL1-CCR8 Interaction Prevents Aggregation of Macrophages and Development of Peritoneal Adhesions”	J Immunol.	178(8).		
Saeki K, Yasugi E, Okuma E, Breit SN, Nakamura M, Toda T, Kaburagi Y, Yuo A	Proteomic analysis on insulin signaling in human hematopoietic cells: identification of CLIC1 and SRp20 as novel downstream effectors of insulin.	Am J Physiol Endocrinol Metab	289	E419-E428	2005
Yasugi E, Horiuchi A, Uemura I, Okuma E, Nakatsu M, Saeki K, Kamisaka Y, Kagechika H, Yasuda K, Yuo A	Peroxisome proliferator-activated receptor $\gamma$ ligands stimulate myeloid differentiation and lipogenesis in the human leukemia NB4 cells	Dev Growth Differ	48		2006
A Hoshino, Y-I Kawamura, M Yasuhara, N Toyama-Sorimachi, K Yamamoto, A Matsukawa, S A. Lira, T Dohi	Inhibition of CCL1-CCR8 interaction prevents aggregation of macrophages and development of peritoneal adhesions.	J. Immunol.			2007 (in press)



Osawa E, Nakajima A, Fujisawa T, Kawamura YI, Toyama-Sorimachi N, Nakagama H, Dohi T.	Predominant T Helper Type 2 Inflammatory Responses Promote Murine Colon Cancers.	Int J Cancer,	118	2232-2236	2006
Kanai T, Kawamura T, Dohi T, Makita S, Nemoto Y, Totsuka T, Watanabe M.	TH1/TH2-Mediated Colitis Induced by Adoptive Transfer of CD4+CD45RBhigh T Lymphocytes Into Nude Mice.	Inflamm Bowel Dis,	12	89	2006
Dohi T, Ejima C, Kato R, Kawamura YI, Kawashima R, Mizutani N, Tabuchi Y, Kojima I.	Therapeutic potential of follistatin for colonic inflammation in mice.	Gastroenterology,	128	411	2005
Dohi T, Ejima C, Kato R, Kawamura YI, Kawashima R, Mizutani N, Tabuchi Y, Kojima I	5. Dohi T, Ejima C, Kato R, Kawamura YI, Kawashima R, Mizutani N, Tabuchi Y, Kojima I	Gastroenterology			in press
Toyama-Sorimachi N, Omatsu Y, Onoda A, Iyoda T, Kikuchi-Maki A, Sorimachi H, Dohi T, Inaba K, Karasuyama H	Inhibitory NK receptor Ly49Q is expressed on subsets of dendritic cells in a cellular maturation- and cytokine stimulation-dependent manner.	J Immuno			in press
Shirasawa S, Sugiyama S, Baba I, Inokuchi J, Sekine S, Ogino K, Kawamura YI, Dohi T, Fujimoto M, Sasazuki T	Epiregulin deficiency results in dermatitis and critical role of epiregulin in immune-related responses of keratinocyte and macrophage.	Proc Natl Acad Sci U S A	101	13921-13926	2004

Kawamura T, Kanai T, Dohi T, Uraushihara K, Totsuka T, Iiyama R, Taneda C, Yamazaki M, Okamoto R, Nakamura T, Higuchi T, Aiba Y, Tsubata T, Watanabe M	Expansion of ectopic CD40 ligand-expressing B cells and development of chronic colitis in mice.	J Immunol	172	6388-6397	2004
Dohi T, Fujihashi K, Koga T, Etani Y, Yoshino N, Kawamura YI, McGhee JR	CD4+CD45RBHi interleukin-4 defective T cells elicit antral gastritis and duodenitis.	Am J Pathol	165	1257-1268	2004
Kokubo M, Oku H, Yamada K, Sato K, Kano S, Suzuki M and Katakai R	Synthesis of multiple-antigenic peptides having partial sequence of enolase	Peptide Chemistry		331-334	2002
Omi K, Kuriyama K, Yamada K, Oku H, Kano S, Sato K, Suzuki H, Katakai R	Synthetic study of an antigenic peptide having a partial sequence from Plasmodium falciparum enolase	Peptide Science		637-640	2005
Nakayama K, Natori Yu, Sato T, Kimura T, Sugiura A, Sato H, Saito T, Ito S, Natori Y	Altered expression of NDST-1 messenger RNA in puromycin aminonucleoside nephrosis.	J Lab Clin Med	143	106-114	2004

Miyazawa S, Hotta O, Doi N, Natori Yu, Nishikawa K, Natori Y	Role of mast cells in the development of renal fibrosis: Use of mast cell-deficient rats.	Kidney Int	65	2228-2237	2004
Yamamoto EC, Mizuno M, Nishikawa K, Miyazawa S, Zhang L, Matsuo S, Natori Y	Shiga toxin-1 causes direct renal injury in rats.	Infect Immun	73	7099-7106	2005
Noi M, Ishiguro T, Oku H, Yamada K, Sato K, Kano S, Suzuki M, Katakai R	Solution-phase synthesis and structural analysis of multiple antigenic peptides having partial sequences of Plasmodium falciparum enolase	Peptide Science		309-312	2003
Shirai Y, Hashimoto M, Kato R, Kawamura YI, Kirikae T, Yano H, Takashima J, Kirihara Y, Saito Y, Fujino MA, Dohil T	Lipopolysaccharide induces CD25-positive, IL-10-producing lymphocytes without secretion of proinflammatory cytokines in the human colon: Low MD-2 mRNA expression in the colonic macrophages.	J Clin Immunol	24	42-52	2004
Akiyoshi Hoshino, Tomokazu Nagao, Toshiko Ito-Ihara, Akiko Ishida-Okawara, Kazuko Uno, Eri Muso, Noriko Nagi-Miura, Naohito Ohno, Kazuhiro Tokunaka, Shiro Naoe, Hiroshi Hashimoto, Masato Yasuhara, Kenji Yamamoto, <b>Kazuo Suzuki</b>	Trafficking of QD-conjugated MPO-ANCA in Murine Systemic Vasculitis and Glomerulonephritis model mice	Microbiol. Immunol	in press		2007

Akiko Ishida-Okawara, Noriko Nagi-Miura, Toshiaki Oharaseki, Kei Takahashi, Akinori Okumura, Hitoshi Tachikawa, Shin-ichiro Kashiwamura, Haruki Okamura, Naohito Ohno, Hidechika Okada, Peter A. Ward, Kazuo Suzuki	Neutrophil activation and induced by <i>C. albicans</i> water-soluble mannoprotein- $\beta$ -glucan complex (CAWS)	Exp. Mol. Pathol	in press		2007
Tomokazu Nagao, Mimiko Matsumura, Ayako Mabuchi, Akiko Ishida-Okawara, Osamu Koshio, Haruyuki Minamitani, and <b>Kazuo</b>	Up-regulation of adhesion molecule expression in glomerular endothelial cells by anti-myeloperoxidase antibody.	Neprol. Dialysis Transplant	22	77-87	2007
Shinohara Hiroyasu Nagai-Miura Noriko Ishibashi Ken-ichi, Adachi Yoshiyuki Akiko Ishida-Okawara, Toshiaki Oharaseki, Kei Takahashi, Shiro Naoe, <b>Kazuo Suzuki</b> , and Naohito Ohno	Beta-mannosyl linkages negatively regulate anaphylaxis and vasculitis in mice, induced by CAWS, fungal PAMPs composed of mannoprotein-beta-glucan complex secreted by <i>Candida albicans</i> .	Biol. Pharm. Bull.	29	1854-1861	2006
Shouichi Fujimoto, Shigehiro Uezono, Shuichi Hisanaga, Keiichi Fukudome, Shigeto Kobayashi, <b>Kazuo Suzuki</b> , Hiroshi Hashimoto, Hiroyuki	Incidence of ANCA-associated primary renal vasculitis in Miyazaki Prefecture: The first population-based, retrospective epidemiological survey in Japan.	Clinical Journal of American Society of Nephrology.	1	1016-1022	2006
Yasuaki Aratani, Fumiaki Kura, Haruo Watanabe, Hisayoshi Akagawa, Yukie Takano, Akiko Ishida-Okawara, <b>Kazuo Suzuki</b> , Nobuyo Maeda, and Hideki Kovama	Contribution of the myeloperoxidase-dependent oxidative system to host defense against <i>Cryptococcus neoformans</i> .	J. Med. Microbiol.	55	1291-1299	2006
A. S. Persad, Y. Kameoka, S. Kanda, Y. Niho, <b>K. Suzuki</b>	Found in a Japanese Patient with Complete Myeloperoxidase Deficiency.	Gene Expression	13	67-71	2006
N. Nagai-Miura, T. Harada, H. Shinohara, K. Kurihara, Y. Adachi, A. Ishida-Okawara, T. Oharaseki, K. Takahashi, S., Naoe, <b>K. Suzuki</b> and	Lethal and severe coronary arteritis in DBA/2 mice induced by fungal Pathogen, CAWS, <i>Candida albicans</i> water-soluble fraction	Atherosclerosis	186	310-320	2006
Satoru Yamamoto, Noriyoshi Manabe, Kouki Fujioka, Akiyoshi Hoshino, and Kenji Yamamoto	Visualizing Vitreous Using Quantum Dots as Imaging Agents	IEEE Transactions on Nanobioscience	Vol. 6, No. 1		2007 (in press)

Ohnishi, N., Furukawa, H., Hata, H., J-M., Wang, C-I., An., Fukusaki, E., Kataoka, K., Ueno, K., and Kondo, A.	High-Efficiency Bioaffinity Separatio of Cells and Proteins Using Novel Thermoresponsive Biontynylated Magnetic Nanoparticles.	NanoBiotec hnology				in press
Ochiya T, Honma K, Takeshita F, Nagahara S.	Atelocollagen-mediated Drug Discovery Technology. Expert Opin.	Drug Discov.	2	159-167		2007
Hanai K, takeshita F, Honma K, nagahara S, maeda M, Minakuchi Y, Sano A, Ochiya T.	Atelocollagen-mediated systemic DDS for nucleic acid medicines.	Ann N Y Acad Sci.	1082	9-17		2006
Kurokawa Y, Honma K, Takemasa I, Nakamori S, Kita-Matsuo H, Motoori M, Nagano H, Dono K, Ochiya T,	Monden M, Kato K. Central genetic alterations common to all HCV-positive, HBV-positive and non-B, non-C hepatocellular carcinoma: A new approach to identify novel tumor markers.	Int J Oncol,	28	383-391		2006
Banas A, Teratani T, Yamamoto Y, Tokuhara M, Takeshita F, Quinn G, Okochi H, Ochiya	Adipose tissue-derived mesenchymal stem cells as a source of stem cells for liver regeneration	Hepatology				(in press)
Takeshita F, Kodama M, Yamamoto H, Ikarashi Y, Ueda S, Teratani T, Yamamoto Y, Tamatani T, Kanegasaki S, Ochiya T	Quinn G. Streptozotocin-induced partial beta cell depletion in nude mice without hyperglycaemia induces pancreatic morphogenesis in transplanted embryonic stem cells.	Diabetologi a	49	2948-2958		2006
Fujii T, Saito M, Iwasaki E, Ochiya T, Takei Y, Hayashi S, Ono A, Hirao N, Nakamura M, Kubushiro K, Tsukazaki K, Aoki D.	Intratumor injection of small interfering RNA-targeting human papillomavirus 18 E6 and E7 successfully inhibits the growth of cervical cancer.	Int J Oncol.	29	541-548		2006

Kosaka N, Kodama M, Sasaki H, Yamamoto Y, Takeshita F, Takahama Y, Sakamoto H, Kato T, Terada M, Ochiya T.	FGF-4 regulates neural progenitor cell proliferation and neuronal differentiation.	FASEB J.	20	1484-1485	2006
Banas A, Quinn G, Yamamoto Y, Teratani T and Ochiya T.	"Stem cells into liver"-basic research and potential clinical applications.	Adv Exp Med Biol.	Vol.585	3-17	2006
Yanagihara K, Takigahira M, Takeshita F, Komatsu T, Nishio K, Hasegawa F, Ochiya.	A new photon counting technique for quantitatively evaluating progression of peritoneal tumor	Cancer Res.	66	7532-7539	2006
Katsumoto T, Aikawa Y, Iwama A, Ueda S, Ichikawa H, Ochiya T.	Kitabayashi I. MOZ is essential for maintenance of hematopoietic stem cells	Genes & Dev.	20	1321-1330	2066
Takeshita F, Ochiya T.	Therapeutic potential of RNA interference against cancer.	Cancer Sci.	97	689-696	2006
Fukaya M, Isohata N, Ohta H, Aoyagi K, Ochiya T, Nakanishi Y, Taniguchi H, Sakamoto H, Shimoda T, Nimura Y, Yoshida T, Sasaki H.	Hedgehog signal activation in gastric pit cell and in diffuse type gastric cancer.	Gastroenterology	131	14-29	2006
Fukasawa M, Morita S, Kimura M, Horii T, Ochiya T, Hatada I, Genomic imprinting in Dicer1-hypomorphic mice.	Cytogenet Genome Res.	Cytogenet Genome Res.	113	138-143	2006
Ueda S, Fukamachi K, Matsuoka Y, Takasuka N, Takeshita F, Naito A, Iigo M, Alexander DB, Moore MA, Saito I, Ochiya T, Tsuda H.	Ductal origin of pancreatic adenocarcinomas induced by conditional activation of a human Ha-ras oncogene in rat pancreas.	Carcinogenesis	27	2497-2510	2006

Takehita F, Minakuchi Y, Nagahara S, Honma K, Sasaki H, Hirai K, Teratani T, Namatame N, Yamamoto Y, Hanai K, Kato T, Sano A,	Efficient delivery of small interfering RNA to bone-metastatic tumors by using atelocollagen in vivo.	Proc Natl Acad Sci USA.	102	12177- 12182	2005
Yanagihara K, Takigahira M, Tanaka H, Komatsu T, Fukumoto H, Koizumi F, Nishio K. Ochiya T, Ino Y, Hirohashi S.	Development and biological analysis of peritoneal metastasis mouse models for human scirrhou stomach cancer.	Cancer Sci.	96	323-332	2005
Saito S, Honma K, Kita-Matsuo H, Ochiya T, Kato K.	Gene expression profiling of cerebellar development with high- throughput functional analysis.	Physiol Genomics	22	8-13	2005
Teratani T, Quinn G, Yamamoto Y, Sato T, Yamanokuchi H, Asari A, Ochiya T.	Long-term maintenance of liver-specific functions in cultured ES cell-derived hepatocytes with hyaluronan sponge.	Cell Transplant	14	629-635	2005
Yamamoto Y, Teratani T, Yamamoto H, Quinn G, Murata S, Ikeda R, Kinoshita K, Matsubara K, Kato T,	ecapitulation of in vivo gene expression during hepatic differentiation from embryonic stem cells	Hepatology	42	558-567	2005
Teratani T, Yamamoto H, Aoyagi K, Sasaki H, Asari A, Quinn G, Sasaki H, Terada M, Ochiya T.	Direct hepatic fate specification from mouse embryonic stem cells.	Hepatology	41	836-846	2005
Honma K, Miyata T, and Ochiya T.	Atelocollagen-based cell transfection array allows high-throughput screening of gene functions and drug discovery.	Current Drug Discovery Technologie s	1	287-294	2004
Sasaki H, Hirai K, Yamamoto Y, Tanooka H, Sakamoto H, Iwamoto T, Takahashi T, Terada	HST-1/FGF-4 plays critical role in crypt cell survival and facilitates epithelial cell restitution and proliferation.	Oncogene	23	3681- 3688	2004

Minakuchi Y, Takeshita F, Kosaka N, Sasaki H, Yamamoto T, Kouno M, Honma K, Nagahara S, Hanai K, Sano A, Kato T, Terada M, Ochiya T.	Atelocollagen-mediated delivery of synthetic small interfering RNA for effective gene silencing in vitro and in vivo.	Nucleic Acids Res.	32	e109	2004
Hirai K, Sasaki H, Yamamoto H, Sakamoto H, Kubota Y, Kakizoe T, Terada M, Ochiya T.	HST-1/FGF-4 protects male germ cells from apoptosis under heat-stress condition.	Exp Cell Res.	294	77-85	2004
Kai E, and Ochiya T.	A method for oral DNA delivery with N-acetylated chitosan.	Pharm Res.	21	838-843	2004
Hanai K, Kurokawa T, Minakuchi Y, Maeda M, Nagahara S, Miyata T, Ochiya T, and Sano A.	Potential of atelocollagen-mediated systemic antisense therapeutics for inflammatory disease.	Hum Gene Ther.	15	263-272	2004
Nakamura M, Ando Y, Nagahara S, Sano A, Ochiya T, Maeda S, Kawaji T, Ogawa M, Hirata A, Terazaki H, Haraoka K, Tanihara H, Ueda M, Uchino M, and	Targeted conversion of the transthyretin gene in vitro and in vivo.	Gene Ther.	11	838-846	2004
J. Jo, N. Nagaya, Y. Miyahata, M. Kataoka, M. Harada-shiba, K. Kangawa, Y. Tabata,	Transplantation of genetically engineered mesenchymal stem cells improves cardiac function in rats with myocardial infarction: benefit of a novel nonviral vector, cationized dextran.	Tissue Engineering			2006 (in press)
I. Ichi, K. Nakahara, Y. Miyashita, A. Hidaka, S. Kutsukake, K. Inoue, T. Maruyama, Y. Miwa, M. Harada-Shiba, M. Tsushima, S. Kojo and Kisei	Association of ceramides in human plasma with risk factors of atherosclerosis.	Lipids.	41(9)	859-863	2006
A. Yamamoto, M. Harada-Shiba, M. Endo, N. Kusakabe, T. Tanioka, H. Kato, and T. Shoji,	The effect of ezetimibe on serum lipids and lipoproteins in patients with homozygous familial hypercholesterolemia undergoing LDL-	Atherosclerosis	186(1)	126-131	2006



Nakayama Y, Masuda T, Nagaishi M, Hayashi M, Ohira M, Harada-Shiba M.	High performance gene delivery polymeric vector: Nano-structured cationic star polymers (Star Vectors)	Current Drug Delivery.	2	53-57	2005
Umeda M, Harada-Shiba M, Uchida K, Nakayama Y.	Photo-Control of the polyplexen formation between DNA and photo-cation generatable wa-ter-	Current Drug Delivery	2	207-214	2005
Harada-Shiba M, Takagi A, Marutsuka K, Moriguchi S, Yagy H, Ishibashi S, Asada Y, Yokoyama S	Disruption of autosomal recessive hypercholesterolemia gene shows different phenotype in vitro and in vivo.	Circ. Res.	95	945-952	2004
Tokunaga N, Nagaya N, Shirai M, Tanaka E, Ishibashi-Ueda H, Harada-Shiba M, Kanda M, Ito T, Shimizu W, Tabata Y, Uematsu M, Nishigami K, Sano S, Kangawa K, Mori H	Adrenomedullin gene transfer induces therapeutic angiogenesis in a rabbit model of chronic hind limb ischemia: benefits of a novel nonviral vector, gelatin.	Circulation	109	526-531	2004
Saito M, Tada Y, Harada-Shiba M, Yamamoto A, Kusakabe N, Yokogawa M, Kodama H, Asada H, Miyagawa S.	Homozygous familial hypercholesterolaemia: development of xanthogranuloma in a boy at puberty under long-term low-density lipoprotein apheresis and drug therapy.	Br J Dermatol.	149	1302-1303	2004
Nagaya N, Kangawa K, Kanda M, Uematsu M, Horio T, Fukuyama N, Hino J, Harada-Shiba M, Okumura H, Tabata Y, Mochizuki N, Chiba Y, Nishioka K, Miyatake K, Asahara	Hybrid cell-gene therapy for pulmonary hypertension based on phagocytosing action of endothelial progenitor cells.	Circulation	108	889-895	2003
Makino H, Harada-Shiba M.	Long-term effect of low-density lipoprotein apheresis in patients with homozygous familial	Therap Apher Dial.	7	397-401	2003
Harada-Shiba M, Takagi A, Miyamoto Y, Tsushima M, Ikeda Y, Yokoyama S, Yamamoto A.	Clinical features and genetic analysis of autosomal recessive hypercholesterolemia.	J Clin Endocrinol Metab.	88	2541-2547	2003

Harada-Shiba M, Yamauchi K, Harada A, Takamisawa I, Shimokado K, Kataoka K.	Polyion complex micelles as vectors in gene therapy- pharmacokinetics and in vivo gene transfer.	Gene Ther.	9(6)	407-414	2002
J. -S. Park, Y. Akiyama, Y. Yamasaki, K. Kataoka	Preparation and characterization of polyion complex micelles with a novel thermosensitive poly(2- isopropyl-2-oxazoline) shell via the complexation of oppositely charged block ionomers.	Langmuir	23 (1)	138-146	2007
Arnida, N. Nishiyama, N. Kanayama, W. -D. Jang, Y. Yamasaki, K. Kataoka	PEGylated gene nanocarriers based on block cationomers bearing ethylenediamine repeating units directed to remarkable enhancement of photochemical transfection.	J. Control. Release	115 (2)	208-215	2006
J. -S. Park, K. Kataoka	Precise control of lower critical solution t208- 215temperature of thermosensitive poly(2- isopropyl-2-oxazoline) via gradient copolymerization with 2-ethyl-2-oxazoline as a hydrophilic	Macromolec ules	39 (19)	6622- 6630	2006
N. Nishiyama, Arnida, W. -D. Jang, K. Date, K. Miyata, K. Kataoka	Photochemical enhancement of transgene expression by polymeric micelles incorporating plasmid DNA and dendrimer- based photosensitizer.	J. Drug Target	14 (6)	413-424	2006
W. -D. Jang, Y. Nakagishi, N. Nishiyama, S. Kawauchi, Y. Morimoto, M. Kikuchi, K. Kataoka	Polyion complex micelles for photodynamic therapy: incorporation of dendritic photosensitizer excitable at long wavelength relevant to	J. Control. Release	113 (1)	73-79	2006
W. Kim, Y. Yamasaki, K. Kataoka	Development of a fitting model suitable for the isothermal titration calorimetric curve of DNA with cationic ligands.	J. Phys. Chem.	B 110 (22)	10919- 10925	2006

A. Koide, A. Kishimura, K. Osada, W. -D. Jang, Y. Yamasaki, K. Kataoka	Semipermeable polymer vesicle (PICsome) self-assembled in aqueous medium from a pair of oppositely charged block copolymers: physiologically stable micro-/nanocontainers of water-soluble macromolecules.	J. Am. Chem. Soc.	128 (18)	5988-5989	2006
M. M. Ali, M. Oishi, F. Nagatsugi, K. Mori, Y. Nagasaki, K. Kataoka, S. Sasaki	Intracellular inducible alkylation system that exhibits antisense effects with greater potency and selectivity than the natural oligonucleotide.	Angew. Chem. Int. Ed.	45 (19)	3136-3140	2006
M. Oishi, K. Kataoka, Y. Nagasaki	pH-responsive three-layered PEG-ylated polyplex micelle based on a lactosylated ABC triblock copolymer as a targetable and endosome-disruptive nonviral gene vector.	Bioconjugate Chem.	17(3)	677-688	2006
Y. Kakizawa, S. Furukawa, A. Ishii, K. Kataoka	Organic-inorganic hybrid-nanocarrier of siRNA constructing through the self-assembly of calcium phosphate and PEG-based block anioner.	J. Control. Release	111(3)	368-370	2006
N. Kanayama, S. Fukushima, N. Nishiyama, K. Itaka, W. -D. Jang, K. Miyata, Y. Yamasaki, U. -I. Chung, K. Kataoka	A PEG-based biocompatible block cationer with high buffering capacity for the construction of polyplex micelles showing efficient gene transfer toward primary	ChemMedChem	1(4)	439-444	2006
R. Ideta, F. Tasaka, W. -D. Jang, N. Nishiyama, G. -D. Zhang, A. Harada, Y. Yanagi, Y. Tamaki, T. Aida, K. Kataoka	Nanotechnology-based photodynamic therapy for neovascular disease using a supramolecular nanocarrier loaded with a dendritic	Nano Lett.	5(12)	2426-2431	2005
K. Miyata, Y. Kakizawa, N. Nishiyama, Y. Yamasaki, T. Watanabe, M. Kohara, K. Kataoka	Freeze-dried formulations for in vivo gene delivery of PEGylated polyplex micelles with disulfide crosslinked cores to the liver.	J. Control. Release	109 (1-3)	15-23	2005

N. Nishiyama, A. Iriyama, W. -D. Jang, K. Miyata, K. Itaka, Y. Inoue, H. Takahashi, Y. Yanagi, Y. Tamaki, H. Koyama, K. Kataoka	Light-induced gene transfer from packaged DNA enveloped in a dendrimeric photosensitizer.	Nature Mater.	4(12)	934-941	2005
H. Uchino, Y. Matsumura, T. Negishi, F. Koizumi, T. Hayashi, T. Honda, N. Nishiyama, K. Kataoka, S. Naito, T.	Cisplatin-incorporating polymeric micelles (NC-6004) can reduce nephrotoxicity and neurotoxicity of cisplatin in rats.	Br. J. Cancer	93(6)	678-687	2005
M. Oishi, T. Hayama, Y. Akiyama, S. Takae, A. Harada, Y. Yamasaki, F. Nagatsugi, S. Sasaki, Y. Nagasaki, K. Kataoka	Supramolecular assemblies for the cytoplasmic delivery of antisense oligodeoxynucleotide: polyion complex (PIC) micelles based on poly(ethylene glycol)-SS - oligodeoxynucleotide	Biomacromolecules	6(5)	2449-2454	2005
Y. Nagasaki, M. Nakamae, T. Takahashi, K. Kataoka	Design of stable bionanoparticles by PEG based surface modifications.	J. Photopolym. Sci. Technol.	18(4)	513-514	2005
X. Yuan, Y. Yamasaki, A. Harada, K. Kataoka	Characterization of stable lysozyme-entrapped polyion complex (PIC) micelles with crosslinked core by glutaraldehyde.	Polymer	46(18)	7749-7758	2005
Y. Bae, W. -D. Jang, N. Nishiyama, S. Fukushima, K. Kataoka	Multifunctional polymeric micelles with folate-mediated cancer cell targeting and pH-triggered drug releasing properties for active intracellular drug	Mol. BioSyst.	1(3)	242-250	2005
K. Osada, Y. Yamasaki, S. Katayose, K. Kataoka	A synthetic block copolymer regulates S1 nuclease fragmentation of supercoiled plasmid DNA.	Angew. Chem. Int. Ed.	44(23)	3544-3548	2005
T. Hamaguchi, Y. Matsumura, M. Suzuki, K. Shimizu, R. Goda, I. Nakamura, I. Nakatomi, M. Yokoyama, K.	NK105, a paclitaxel-incorporating micellar nanoparticle formulation, can extend in vivo antitumour activity and reduce the neurotoxicity of	Br. J. Cancer	92(7)	1240-1246	2005