

M. Oishi, F. Nagatsugi, S. Sasaki, Y. Nagasaki, K. Kataoka	Smart polyion complex micelles for targeted intracellular delivery of PEGylated antisense oligonucleotides containing acid-labile linkages.	ChemBioChem	6(4)	718-725	2005
X. Yuan, A. Harada, Y. Yamasaki, K. Kataoka	Stabilization of lysozyme-incorporated polyion complex micelles by the $\omega$ -end derivatization of poly(ethylene glycol)-poly( $\alpha, \beta$ -aspartic acid) block copolymers with hydrophobic	Langmuir	21(7)	2668-2674	2005
S. Fukushima, K. Miyata, N. Nishiyama, N. Kanayama, Y. Yamasaki, K. Kataoka	PEGylated polyplex micelles from triblock cationomers with spatially ordered layering of condensed pDNA and buffering units for enhanced intracellular gene delivery.	J. Am. Chem. Soc.	127(9)	2810-2811	2005
S. Takae, Y. Akiyama, H. Otsuka, T. Nakamura, Y. Nagasaki, K. Kataoka	Ligand density effect on biorecognition by PEGylated gold nanoparticles: regulated interaction of RCA120 lectin with lactose installed to the distal end of tethered PEG strands on gold surface.	Biomacromolecules	6(2)	818-824	2005
T. Ishii, Y. Suzuki, Y. Akiyama, H. Otsuka, K. Kataoka	Y. Nagasaki, Construction of PEGylated gold colloid-assembled surface for high performance biosensor.	Kobunshi Ronbunshu	62(2)	81-86	2005
M. Oishi, Y. Nagasaki, K. Itaka, N. Nishiyama, K. Kataoka	Lactosylated poly(ethylene glycol)-siRNA conjugate through acid-labile $\beta$ -thiopropionate linkage to construct pH-sensitive polyion complex micelles achieving enhanced gene silencing in	J. Am. Chem. Soc.	127(6)	1624-1625	2005

K. Uchida, H. Otsuka, M. Kaneko, K. Kataoka, Y. Nagasaki	A reactive poly(ethylene glycol) layer to achieve specific surface plasmon resonance sensing with a high S/N ratio: the substantial role of a short underbrushed PEG	Anal. Chem.	77(4)	1075-1080	2005
Y. Bae, N. Nishiyama, S. Fukushima, H. Koyama, Y. Matsumura, K. Kataoka	Preparation and biological characterization of polymeric micelle drug carriers with intracellular pH-triggered drug release property: Tumor permeability, controlled subcellular drug distribution, and	Bioconjugate Chem.	16(1)	122-130	2005
W. -D. Jang, N. Nishiyama, G. -D. Zhang, A. Harada, D. -L. Jiang, S. Kawauchi, Y. Morimoto, M. Kikuchi, H. Koyama, T. Aida, K. Kataoka	Supramolecular nanocarrier of anionic dendrimer porphyrins with cationic block copolymers modified with poly(ethylene glycol) to enhance intracellular photodynamic efficacy.	Angew. Chem. Int. Ed.	44(3)	419-423	2005
H. Cabral, N. Nishiyama, S. Okazaki, H. Koyama, K. Kataoka	Preparation and biological properties of dichloro(1,2-diaminocyclohexane) platinum (II) (DACHPt)-loaded polymeric micelles.	J. Control. Release	102(1-3)	223-232	2005
D. Wakebayashi, N. Nishiyama, K. Itaka, K. Miyata, Y. Yamasaki, A. Harada, H. Koyama, Y. Nagasaki, K. Kataoka	Polyion complex micelles of pDNA with acetal-poly(ethylene glycol)-poly(2-(dimethylamino)ethyl methacrylate) block copolymer as the gene carrier system. Physicochemical properties of micelles relevant to gene transfection efficacy.	Biomacromolecules	5(6)	2128-2136	2004
K. Itaka, N. Kanayama, N. Nishiyama, W. -D. Jang, Y. Yamasaki, K. Nakamura, H. Kawaguchi, K. Kataoka	Supramolecular nanocarrier of siRNA from PEG-based block cationer carrying diamine side chain with distinctive pKa directed to enhance intracellular gene silencing.	J. Am. Chem. Soc.	126(42)	13612-13613	2004

J. -S. Park, Y. Akiyama, F. M. Winnik, K. Kataoka	Versatile synthesis of end-functionalized thermosensitive poly(2-isopropyl-2-oxazolines).	Macromolecules	37(18)	6786-6792	2004
Y. Nagasaki, T. Ishii, Y. Sunaga, Y. Watanabe, H. Otsuka, K. Kataoka	Novel molecular recognition via fluorescent resonance energy transfer using a biotin-PEG / polyamine stabilized CdS quantum dot.	Langmuir	20(15)	6396-6400	2004
H. Hayashi, M. Iijima, K. Kataoka, Y. Nagasaki	pH-sensitive nanogel possessing reactive PEG tethered chains on the surface.	Macromolecules	37(14)	5389-5396	2004
E. Jule, Y. Yamamoto, M. Thouvenin, Y. Nagasaki, K. Kataoka	Thermal characterization of poly(ethylene glycol)-poly(D,L-lactide) block copolymer micelles based on pyrene	J. Control. Release	97(3)	407-419	2004
Y. Kakizawa, S. Furukawa, K. Kataoka	Block copolymer-coated calcium phosphate nanoparticles sensing intracellular environment for	J. Control. Release	97(2)	345-356	2004
H. Otsuka, A. Hirano, Y. Nagasaki, T. Okano, Y. Horiike, K. Kataoka	Two-dimensional multiarray formation of hepatocyte spheroids on a microfabricated PEG-brush surface.	ChemBioChem	5(6)	850-855	2004
T. Ishii, Y. Sunaga, H. Otsuka, Y. Nagasaki, K. Kataoka	Preparation of water soluble CdS quantum dots stabilized by functional poly(ethylene glycol) and its application for bioassay.	J. Photopolym. Sci. Technol.	17(1)	95-98	2004
Y. Kakizawa, K. Miyata, S. Furukawa, K. Kataoka	Size-controlled formation of a calcium phosphate-based organic-inorganic hybrid vector for gene delivery using poly(ethylene glycol)-block-poly(aspartic acid).	Adv. Mater.	16(8)	699-702	2004
D. Wakebayashi, N. Nishiyama, Y. Yamasaki, K. Itaka, N. Kanayama, A. Harada, Y. Nagasaki, K. Kataoka	Lactose-conjugated polyion complex micelles incorporating plasmid DNA as a targetable gene vector system: their preparation and gene transfecting efficiency against cultured HepG2	J. Control. Release	95(3)	653-664	2004

Y. Akiyama, Y. Nagasaki, K. Kataoka	Synthesis of heterotelechelic poly(ethylene glycol) derivatives having $\alpha$ -benzaldehyde and $\omega$ -pyridyl disulfide groups by ring opening polymerization of ethylene oxide using 4-(diethoxymethyl)benzyl alkoxide as a novel initiator.	Bioconjugate Chem.	15(2)	424-427	2004
M. Jaturanpinyo, A. Harada, X. Yuan, K. Kataoka	Preparation of bionanoreactor based on core-shell structured polyion complex micelles entrapping trypsin in the core cross-linked	Bioconjugate Chem.	15(2)	344-348	2004
K. Miyata, Y. Kakizawa, N. Nishiyama, A. Harada, Y. Yamasaki, H. Koyama, K. Kataoka	Block cationic polyplexes with regulated densities of charge and disulfide cross-linking directed to enhance gene	J. Am. Chem. Soc.	126(8)	2355-2361	2004
T. Ishii, H. Otsuka, K. Kataoka	Y. Nagasaki, Preparation of functionally PEGylated gold nanoparticles with narrow distribution through autoreduction of auric cation by $\alpha$ -biotinyl-PEG-block-[poly(2-(N,N-dimethylamino)ethyl	Langmuir	20(3)	561-564	2004
R. Ideta, Y. Yanagi, Y. Tamaki, F. Tasaka, A. Harada, K. Kataoka	Effective accumulation of polyion complex micelle to experimental choroidal neovascularization in rats.	FEBS Letters	557 (1-3)	21-25	2004
K. Itaka, A. Harada, Y. Yamasaki, K. Nakamura, H. Kawaguchi, K. Kataoka	In situ single cell observation by fluorescence resonance energy transfer reveals fast intra-cytoplasmic delivery and easy release of plasmid DNA complexed with linear polyethylenimine.	J. Gene Med.	6(1)	76-84	2004
Harada, K. Kataoka	Switching by pulse electric field of the elevated enzymatic reaction in the core of polyion complex	J. Am. Chem. Soc.	125(50)	15306-15307	2003

N. Nishiyama, S. Okazaki, H. Cabral, M. Miyamoto, Y. Kato, Y. Sugiyama, K. Nishio, Y. Matsumura, K.	Novel cisplatin-incorporated polymeric micelles can eradicate solid tumors in mice.	Cancer Res.	64(24)	8977-8983	2003
G. -D. Zhang, A. Harada, N. Nishiyama, D. -L. Jiang, H. Koyama, T. Aida, K. Kataoka	Polyion complex micelles entrapping cationic dendrimer porphyrin: effective photosensitizer for photodynamic therapy	J. Control. Release	93(2)	141-150	2003
K. Itaka, K. Yamauchi, A. Harada, K. Nakamura, H. Kawaguchi, K. Kataoka	Polyion complex micelles from plasmid DNA and poly(ethylene glycol)-poly(L-lysine) block copolymer as serum-tolerable polyplex system: physicochemical properties of micelles relevant to gene	Biomaterials	24(24)	4495-4506	2003
Y. Bae, S. Fukushima, A. Harada, K. Kataoka	Design of environment-sensitive supramolecular assemblies for intracellular drug delivery: polymeric micelles that are	Angew. Chem. Int. Ed.	42(38)	4640-4643	2003
Y. Yamasaki, S. Katayose, K. Kataoka, K. Yoshikawa	PEG-PLL block copolymers induce reversible large discrete coil-globule transition in a single DNA molecule through cooperative complex formation.	Macromolecules	36(16)	6276-6279	2003
A. Harada, K. Kataoka	Effect of charged segment length on physicochemical properties of core-shell type polyion complex micelles from block ionomers.	Macromolecules	36(13)	4995-5001	2003
M. Oishi, S. Sasaki, Y. Nagasaki, K. Kataoka	pH-responsive oligodeoxynucleotide (ODN)-poly(ethylene glycol) conjugate through acid-labile $\beta$ -thiopropionate linkage: preparation and polyion complex micelle formation.	Biomacromolecules	4(5)	1426-1432	2003

T. Uwatoku, H. Shimokawa, K. Abe, Y. Matsumoto, T. Hattori, K. Oi, T. Matsuda, K. Kataoka,	Application of nanoparticle technology for the prevention of restenosis after balloon injury in rats.	Circ. Res.	92(7)	e62-69	2003
N. Nishiyama, F. Koizumi, S. Okazaki, Y. Matsumura, K. Nishio, K. Kataoka	Differential gene expression profile between PC-14 cells treated with free cisplatin and cisplatin-incorporated polymeric micelles.	Bioconjugate Chem.	14(2)	449-457	2003
G. -D. Zhang, N. Nishiyama, A. Harada, D. -L. Jiang, T. Aida, K. Kataoka	pH-sensitive assembly of light-harvesting dendrimer zinc porphyrin bearing peripheral groups of primary amine with poly(ethylene glycol)-b-poly(aspartic acid) in	Macromolecules	36(4)	1304-1309	2003
E. Jule, Y. Nagasaki, K. Kataoka	Lactose-installed poly(ethylene glycol)-poly(D,L-lactide) block copolymer micelles exhibit fast-rate binding and high affinity toward a protein bed simulating a cell surface. A surface plasmon resonance study.	Bioconjugate Chem.	14(1)	177-186	2003
N. Nishiyama, H. R. Stapert, G. -D. Zhang, D. Takasu, D.-L. Jiang, T. Nagano, T. Aida, K.	Light-harvesting ionic dendrimer porphyrins as new photosensitizers for photodynamic therapy.	Bioconjugate Chem.	14(1)	58-66	2003
E. Jule, Y. Nagasaki, K. Kataoka	Surface plasmon resonance study on the interaction between lactose- installed poly(ethylene glycol)-poly (D,L-lactide) block copolymer micelles and lectins immobilized on a gold surface.	Langmuir	18(26)	10334 - 10339	2002
Y. Yamamoto, K. Yasugi, A. Harada, Y. Nagasaki, K. Kataoka	Temperature- related change in the properties relevant to drug delivery of poly(ethylene glycol)-poly(D,L-lactide) block copolymer micelles in	J. Control. Release	82 (2-3)	359-371	2002

K. Itaka, A. Harada, K. Nakamura, H. Kawaguchi, K. Kataoka	Evaluation by fluorescence resonance energy transfer of the stability of nonviral gene delivery vectors under physiological	Biomacromolecules	3(4)	841-845	2002
Y. Kakizawa, K. Kataoka	Block copolymer self- assembly into monodispersive nanoparticles with hybrid core of antisense DNA and calcium	Langmuir	18(12)	4539- 4543	2002
M. Harada-Shiba, K. Yamauchi, A. Harada, I. Takamisawa, K. Shimokado, K. Kataoka	Polyion complex micelles as a vector in gene therapy - pharmacokinetics and in vivo gene transfer.	Gene Ther.	9(6)	407-414	2002