

Hakkinen K, Kallinen M, Linnamo V, Pastinen UM, Newton RU, Kraemer WJ.	Neuromuscular adaptations during bilateral versus unilateral strength training in middle-aged and elderly men and women.	Acta Physiol Scand	158(1):77-88.	1996
Hakkinen K, Kraemer WJ, Newton RU, Alen M.	Changes in electromyographic activity, muscle fibre and force production characteristics during heavy resistance/power strength training in middle-aged and older men and women.	Acta Physiol Scand	171(1):51-62.	2001
Hakkinen K, Kraemer WJ, Pakarinen A, Triplett-McBride T, McBride JM, Hakkinen A, Alen M, McGuigan MR, Bronks R, Newton RU.	Effects of heavy resistance/power training on maximal strength, muscle morphology, and hormonal response patterns in 60-75-year-old men and women.	Can J Appl Physiol	27(3):213-31.	2002
Hakkinen K, Pakarinen A, Kraemer WJ, Hakkinen A, Valkeinen H, Alen M.	Selective muscle hypertrophy, changes in EMG and force, and serum hormones during strength training in older women.	J Appl Physiol	91(2):569-80.	2001
Hakkinen K, Pakarinen A, Kraemer WJ, Newton RU, Alen M.	Basal concentrations and acute responses of serum hormones and strength development during heavy resistance training in middle-aged and elderly men and women.	J Gerontol A Biol Sci Med Sci	55(2):B95-105.	2000
Hakkinen K, Pakarinen A, Newton RU, Kraemer WJ.	Acute hormone responses to heavy resistance lower and upper extremity exercise in young versus old men.	Eur J Appl Physiol Occup Physiol	77(4):312-9.	1998
Hakkinen K, Pakarinen A.	Muscle strength and serum testosterone, cortisol and SHBG concentrations in middle-aged and elderly men and women.	Acta Physiol Scand	148(2):199-207.	1993
Hakkinen K, Pakarinen A.	Serum hormones and strength development during strength training in middle-aged and elderly males and females.	Acta Physiol Scand	150(2):211-9.	1994
Halverstadt A, Phares DA, Roth S, Ferrell RE, Goldberg AP, Hagberg JM.	Interleukin-6 genotype is associated with high-density lipoprotein cholesterol responses to exercise training.	Biochim Biophys Acta	15;1734(2):143-51.	2005
Hambrecht R, Fiehn E, Yu J, Niebauer J, Weigl C, Hilbrich L, Adams V, Riede U, Schuler G.	Effects of endurance training on mitochondrial ultrastructure and fiber type distribution in skeletal muscle of patients with stable chronic	J Am Coll Cardiol.	29(5):1067-1073.	1997
Hambrecht R, Walther C, Mobius-Winkler S, Gielen S, Linke A, Conradi K, Erbs S, Kluge R, Kendziorra K, Sabri O, Sick P, Schuler G.	Percutaneous coronary angioplasty compared with exercise training in patients with stable coronary artery disease: a randomized trial.	Circulation	109: 1371-1378	2004
Hammeren J, Powers S, Lawler J, Criswell D, Martin D, Lowenthal D, Pollock M.	Exercise training-induced alterations in skeletal muscle oxidative and antioxidant enzyme activity in senescent rats.	Int J Sports Med	13(5):412-6.	1992
Harada T, Okagawa S, Kubota K.	Jogging improved performance of a behavioral branching task: implications for prefrontal	Neurosci Res	49(3):325-37	2004
Harland J, White M, Drinkwater C, Chinn D, Farr L, Howel D.	The Newcastle exercise project: a randomized controlled trial of methods to promote physical activity in primary care	B M J	319:828-832	1999
Harrington D, Anker SD, Chua TP, Webb-Peploe KM, Ponikowski PP, Poole-Wilson PA,	Skeletal muscle function and its relation to exercise tolerance in chronic heart failure.	J Am Coll Cardiol.	30(7):1758-1764	1997

Hartikainen J, Mantyselä M, Mussalo H, Tahvanainen K, Lansimies E, and Pyörälä K.	Good exercise capacity at hospital discharge predicts recovery of baroreflex sensitivity after myocardial infarction.	Eur Heart J	16: 1520-1525	1995
Hassmen P, Koivuola N, Uutela A. Related Articles, Links	Physical exercise and psychological well-being: a population study in Finland.	Prev Med	30(1):17-25.	2000
Hatakenaka M, Ueda M, Shigami K, Otsuka M, Masuda K	Effects of aging on muscle T2 relaxation time. Difference between fast- and slow-twitch	Invest Radiol	36: 692-698	2001
Hauer K, Lamb SE, Jorstad EC, Todd C, Becker C (on behalf of the Profane-Group)	Systematic review of definitions and methods of measuring falls in randomised controlled fall prevention trials	Age Ageing	35:5-10	2006
Hauer K, Specht N, Schuler M, Bartsch P, Oster P.	Intensive physical training in geriatric patients after severe falls and hip surgery.	Age Ageing	31(1):49-57.	2002
Haykowsky MJ, Teo KK, Quinney AH, Humen DP, and Taylor DA.	Effects of long term resistance training on left ventricular morphology.	Can J Cardiol	16: 35-38	2000
Heilbronn LK, de Jonge L, Frisard MI, DeLany JP, Larson-Meyer DE, Rood J, Nguyen T, Martin CK, Volaufova J, Most MM, Greenway FL, Smith SR, Deutsch WA, Williamson DA, Ravussin E: Pennington CALERIE Team.	Effect of 6-month calorie restriction on biomarkers of longevity, metabolic adaptation, and oxidative stress in overweight individuals: a randomized controlled trial.	J A M A	295(13):1539-48.	2006
Helbostad JL, Sletvold O, Moe-Nilssen R.	Home training with and without additional group training in physically frail old people living at home: effect on health-related quality of life and	Clinical Rehabilitation	18(5):498-508	2004
Hepple RT, Mackinnon SL, Goodman JM, Thomas SG, Pyley MJ.	Resistance and aerobic training in older men: effects on VO2peak and the capillary supply to skeletal muscle.	J Appl Physiol	82(4):1305-10	1997
Hernelahti M, Kujala UM, Kaprio J, Sarna S	Long-term vigorous training in young adulthood and later physical activity as predictors of hypertension in middle-aged and older men	In J Sports Med	23:178-182	2002
Herrer F, San Juan AF, Fleck SJ, Balmer J, Perez M, Canete S, Earnest CP, Foster C.	Combined aerobic and resistance training in breast cancer survivors: a randomized.	Int J Sports Med	27: 573-580	2006
Heyn P, Abreu BC, Ottenbacher KJ.	The effects of exercise training on elderly persons with cognitive impairment and dementia: a meta-analysis.	Arch Phys Med Rehabil	85(10):1694-704.	2004
Heyneman, C.A., Premo, D.E.	A 'water walkers' exercise program for the	Public Health Rep	107: 213-217	1992
Ho CW, Beard JL, Farrell PA, Minson CT, Kenney WL.	Age, fitness, and regional blood flow during exercise in the heat.	J Appl Physiol	82(4):1126-35	1997
Hokanson JE, Kamboh MI, Scarborough S, Eckel RH, Hamman RF.	Effects of the hepatic lipase gene and physical activity on coronary heart disease risk.	Am J Epidemiol	158(9):836-43.	2003
Holm L, Esmarck B, Mizuno M, Hansen H, Suetta C, Holmich P, Krogsgaard M, Kjaer M	The effect of protein and carbohydrate supplementation on strength training outcome of rehabilitation in ACL patients	J Orthop Res	24(11):2114-23	2005
Holm L, Esmarck B, Suetta C, Matsumoto K, Doi T, Mizuno M, Miller BF, Kjaer M	Postexercise nutrient intake enhances leg protein balance in early postmenopausal	J Gerontol A Biol Sci Med Sci	60(9):1212-8	2005
Horska A, Fishbein KW, Fleg JL, Spencer RG.	The relationship between creatine kinase kinetics and exercise intensity in human forearm is unchanged by age.	Am J Physiol Endocrinol Metab.	279(2):E333-339.	2000
Hughes SL, Williams B, Molina LC, Bayles C, Bryant LL, Harris JR, Hunter R, Ivey S.	Characteristics of physical activity programs for older adults: results of a multisite survey.	Gerontologist.	45(5), 667 --675	2005

Hunter GR, Wetzstein CJ, McIlafferty CL, Zuckerman PA, Landers KA, Bamman MM	High-resistance versus variable-resistance training in older adults	Med Sci Sports Exerc	33: 1759-1764	2001
Hunter, G.R., Wetzstein, C.J., Fields, D.A., Brown, A., Bamman, M.M.	Resistance training increases total energy expenditure and free-living physical activity in older adults.	J Appl Physiol	89: 977-984	2000
Ibanez J, Izquierdo M, Arguelles I, Forga L, Larrion JL, Garcia-Unciti M, Idoate F, Gorostiaga EM.	Twice-weekly progressive resistance training decreases abdominal fat and improves insulin sensitivity in older men with type 2 diabetes.	Diabetes Care	28(3):662-7.	2005
Iemitsu M, Maeda S, Jesmin S, Otsuki T, Miyauchi T.	Exercise training improves aging-induced downregulation of VEGF angiogenic signaling cascade in the heart.	Am J Physiol Heart Circ Physiol	291(3):H1290-8	2006
Iemitsu M, Maeda S, Otsuki T, Sugawara J, Tanabe T, Jesmin S, Kuno S, Ajsaka R, Mivauchi T, Matsuda M.	Polymorphism in endothelin-related genes limits exercise-induced decreases in arterial stiffness in older subjects.	Hypertension	47(5):928-36	2006
Inoue T, Matsuoka M, Nagahama K, Iseki C, Touma T, Iseki K, Kinjo K, and Takishita S.	Cardiovascular risk factors associated with pulse pressure in a screened cohort in	Hypertens Res	26: 153-158	2003
Inoue Y, Havenith G, Kenney WL, Loomis JL, Buskirk ER.	Exercise- and methylcholine-induced sweating responses in older and younger men: effect of heat acclimation and aerobic fitness.	Int J Biometeorol	42(4):210-6	1999
Inoue Y, Shibasaki M, Hirata K, Araki T.	Relationship between skin blood flow and sweating rate, and age related regional	Eur J Appl Physiol Occup Physiol	79(1):17-23	1998
Inoue Y.	Longitudinal effects of age on heat-activated sweat gland density and output in healthy active Physiol	Eur J Appl Physiol Occup Physiol	74(1-2):72-7	1996
Isbell DC, Berr SS, Toledano AY, Epstein FH, Meyer CH, Rogers WJ, Harthun NL, Hagspiel KD, Weltman A, Kramer CM.	Delayed calf muscle phosphocreatine recovery after exercise identifies peripheral arterial disease.	J Am Coll Cardiol.	47(11):2289-95.	2006
Ishida K, Sato Y, Katayama K, Miyamura M.	Initial ventilatory and circulatory responses to dynamic exercise are slowed in the elderly	J Appl Physiol	89: 1771-1777	2000
Ishii T, Yamakita T, Sato T, Tanaka S, Fujii S.	Resistance training improves insulin sensitivity in NIDDM subjects without altering maximal oxygen uptake.	Diabetes Care	21(8):1353-5.	1998
Islam MM, Nasu E, Rogers ME, Koizumi D, Rogers NL, Takeshima N.	Effects of combined sensory and muscular training on balance in Japanese older adults.	Prev Med	39(6):1148-55	2004
Ivey FM, Tracy BL, Lemmer JT, NessAiver M, Metter EJ, Fozard JL, Hurley BF	Effects of strength training and detraining on muscle quality: age and gender comparisons.	J Gerontol	55A: B152-B157	2000
Iwashita S, Takeno Y, Okazaki K, Itoh J, Kamiyo Y, Masuki S, Yanagidaira Y, Nose H.	Triaxial accelerometry to evaluate walking efficiency in older subjects.	Med Sci Sports Exerc	35(10):1766-72	2003
Izquierdo M, Hakkinen K, Anton A, Garrues M, Ibanez J, Ruesta M, Gorostiaga EM.	Maximal strength and power, endurance performance, and serum hormones in middle-aged and elderly men.	Med Sci Sports Exerc	33(9):1577-87.	2001
Izquierdo M, Hakkinen K, Ibanez J, Anton A, Garrues M, Ruesta M, Gorostiaga EM.	Effects of strength training on submaximal and maximal endurance performance capacity in middle-aged and older men.	J Strength Cond Res	17(1):129-39.	2003
Izquierdo M, Hakkinen K, Ibanez J, Garrues M, Anton A, Zuniga A, Larrion JL, Gorostiaga EM.	Effects of strength training on muscle power and serum hormones in middle-aged and older	J Appl Physiol	90(4):1497-507.	2001
Izquierdo M, Ibanez J, Hakkinen K, Kraemer WJ, Larrion JL, Gorostiaga EM	Once weekly combined resistance and cardiovascular training in healthy older men	Med Sci Sports Exerc	36 : 435-443	2004

Jackson AS, Beard EF, Wier LT, Ross RM, Stuteville JE, Blair SN.	Changes in aerobic power of men, ages 25-70 yr.	Med Sci Sports Exerc	27: 113-120	1995
Jakicic JM, Polley BA, Wing RR.	Accuracy of self-reported exercise and the relationship with weight loss in overweight	Med Sci Sports Exerc	30(4):634-638	1998
James Dziura, Stanislav V. Kasi; Loretta Di Pietro	Physical Activity Reduces Type 2 Diabetes Risk in Aging Independent of Body Weight Change Combined functional magnetic resonance	JPAH	1(1): 19-28	2004
Jang SH, Byun WM, Chang Y, Han BS, Ahn SH.	imaging and transcranial magnetic stimulation evidence of ipsilateral motor pathway with congenital brain disorder: a case report.	Arch Phys Med Rehabil	82(12):1733-6.	2001
Jaspense JL, Seals DR, Callister R.	Active forearm blood flow adjustments to handgrip exercise in young and older healthy	J Physiol	15:474(2):353-60	1994
Jentsch-Ullrich K, Koenigsmann M, Mohren M, Franke A	Lymphocyte subsets' reference ranges in an age- and gender-balanced population of 100 healthy adults--a monocentric German study	Clin Immunol	116(2):192-7	2005
Jette AM, Harris BA, Sleeper L, Lachman ME, Heislein D, Giorgetti M, Levenson	A home-based exercise program for nondisabled older adults.	J Am Geriatr Soc	44(6):644-649	1996
Johnson BD, Badr MS, Dempsey JA.	Impact of the aging pulmonary system on the response to exercise.	Clin Chest Med	15: 229-246	1994
Jones MT, Norton KI, Black DM, Graham RE, Armstrong RB.	Effect of regular voluntary exercise on resting cardiovascular responses in SHR and WKY pregnant rats.	J Appl Physiol	73(2):713-20	1992
Jones NL, Markrides L, Hitchcock C, Chypchar T, McCartney N.	Normal standards for an incremental progressive cycle ergometer test.	Am Rev Respir Dis	131: 700-708	1985
Jones, SW, Hill RJ, Krasney PA, O'Conner B, Peirce N, Greenhaff PL	Disuse atrophy and exercise rehabilitation in humans profoundly affects the expression of genes associates with the regulation of skeletal muscle mass.	FASEB J	18: 1025-1027	2004
Jouven X, Empana JP, Schwartz PJ, Desnos M, Courbon D, and Ducimetiere P.	Heart-rate profile during exercise as a predictor of sudden death.	N Engl J Med	352: 1951-1958	2005
Joyner MJ.	Physiologic limiting factors and distance running: influence of gender and age on record	Exerc Sport Sci Rev	21: 103-133	1993
Jubrias S A, Odderson IbR, Esselman PC, Conley KE	Decline in isokinetic force with age: muscle cross-sectional area and specific force.	Pflugers Arch-Eur J Physiol	434: 246-253	1997
Jubrias SA, Esselman PC, Price LB, Cress ME, Conley KE.	Large energetic adaptations of elderly muscle to resistance and endurance training.	J Appl Physiol.	90(5):1663-70.	2001
Julin CM, Thomas DP.	Effects of age and exercise training on size and composition of the rat left main coronary artery. Glu27Glu polymorphism of the beta2	J Gerontol	48(3):B101-7.	1993
Kahara, T., T. Hayakawa, Y. Nagai, A. Shimizu, and T. Takamura	adrenergic receptor gene in healthy Japanese men is associated with the change of fructosamine level caused by exercise	Diabetes Res Clin Pract	64:207-212	2004
Kahara, T., T. Takamura, T. Hayakawa, Y. Nagai, H. Yamaguchi, T. Katsuki, K. Katsuki, M. Katsuki, and K. Kobayashi	PPARGgamma gene polymorphism is associated with exercise-mediated changes of insulin resistance in healthy men	Metabolism	52:209-212	2003
Kahara, T., T. Takamura, T. Hayakawa, Y. Nagai, H. Yamaguchi, T. Katsuki, K. Katsuki, M. Katsuki, and K. Kobayashi	Prediction of exercise-mediated changes in metabolic markers by gene polymorphism	Diabetes Res Clin Pract	57:105-110	2002

柿山哲治, 松田光生, 小関迪	運動週間が大動脈脈波速度に及ぼす影響 一運動の開始時期および継続期間一	日本運動生理学雑誌	2: 151-158	1995
Kalopotharakos VI, Michalopoulos M, Godolias G, Tokmakidis SP, Malliou PV, Gourgoulis V.	The Effects of High- and Moderate- Resistance Training on Muscle Function in the Elderly. Activity	Journal of Aging and Physical Activity	12(2):131-143	2004
Kanehisa H, Kubo K, Fukunaga T	The effects of squat training, using body weight, on the stiffness of tendon structures of the vastus lateralis muscle in middle-aged and Onfluences of age and sex on abdominal muscle and subcutaneous fat thickness	Int Sport Med J Eur J Appl Physiol	5: 277-297 91: 534-537	2004
Kanehisa H, Miyatani M, Azuma K, Kuno S, Fukunaga T	Physical training improves insulin resistance syndrome markers in obese adolescents.	Med Sci Sports Exerc	34(12):1920-7.	2002
Kang HS, Gutin B, Barbeau P, Owens S, Lemmon CR, Allison J, Litaker MS, Le NA, Kapasi ZF, Ouslander JG, Schnelle JF, Kutner M, Fahey JL	Effects of an exercise intervention on immunologic parameters in frail elderly nursing	J Gerontol A Biol Sci Med Sci	58(7):636-43	2003
Kara B, Pinar L, ugur F, Oguz M	Correlations between aerobic capacity, pulmonary and cognitive function in the older	Int J Sports Med	26: 220-224	2005
Karamanidis K, Arampatzis A	Mechanical and morphological properties of human quadriceps femoris and triceps surae muscle-tendon unit in relation to aging and	J Biomech	39: 406-417	2006
Kasch FW, Wallace JP.	Physiological variables during 10 years of endurance exercise.	Med Sci Sports Exerc	8: 5-8	1976
Kawano H, Tanaka H, and Miyachi M.	Resistance training and arterial compliance: keeping the benefits while minimizing the	J Hypertens	24: 1753-1759	2006
Kelley GA, Kelley KS, Tran ZV.	Walking, lipids, and lipoproteins: a meta-analysis of randomized controlled trials.	Prev Med	38(5):651-61	2004
Kemmler W, Wildt L, Engelke K, Pintag R, Pavel M, Bracher B, Weineck J, Kalender W.	Acute hormonal responses of a high impact physical exercise session in early	Eur J Appl Physiol	90(1-2):199-209	2003
Kemp GJ, Roberts N, Bimson WE, Bakran A, Harris PL, Gilling-Smith GL, Brennan J, Rankin A, Frostick SP.	Mitochondrial function and oxygen supply in normal and in chronically ischemic muscle: a combined 31P magnetic resonance spectroscopy and near-infrared spectroscopy	J Vasc Surg.	34(6):1103-1110.	2001
Kenney WL and Ho CW.	Age alters regional distribution of blood flow during moderate-intensity exercise.	J Appl Physiol	79(4):1112-9	1995
Kerse N, Elley CR, Robinson E, Arroll B	Is physical activity counseling effective for older people? A cluster randomized, controlled trial in primary care	J Am Geriatr Soc	53:1951-1956	2005
Kim JR, Oberman A, Fletcher GF, and Lee JY.	Effect of exercise intensity and frequency on lipid levels in men with coronary heart disease: Training Level Comparison Trial.	Am J Cardiol	87: 942-946: A943	2001
Kim K, Uchiyama M, Okawa M, Liu X, Ogiwara R.	An Epidemiological Study of Insomnia Among the Japanese General Population.	Sleep	23(1):41-47	2000
Kimura T, Yokoyama T, Matsumura Y, Yoshiike N, Date C, Muramatsu M, Tanaka H, King AC, Haskell WL, Taylor CB, Kraemer HC, DeBusk.	NOS3 genotype-dependent correlation between blood pressure and physical activity. Group- vs Home-Based Exercise Training in Healthy Older Men and Women.	Hypertension J A M A	41(2):355-60. 266(11):1535-1542	2003 1991
King AC, Haskell WL, Young DR, Oka RK, Stefanick ML.	Long-term effects of varying intensities and formats of physical activity on participation rates, fitness, and lipoproteins in men and women aged 50 to 65 years.	Circulation	91(10):2596-604.	1995

King AC, Oman RF, Brassington GS, Bliwise DL, Haskell WL.	Moderate-intensity Exercise and Self-rated Quality of Sleep in Older Adults.	J A M A	277(1):32-37	1997
King P, Kong MF, Parkin H, Macdonald IA, Tattersall RB.	Well-being, cerebral function, and physical fatigue after nocturnal hypoglycemia in IDDM.	Diabetes Care	21(3):341-5.	1998
Kirk A, MacIntyre P, Mutrie N, Fisher M.	Increasing Physical Activity in People With Type 2 Diabetes	Diabetes Care	26(4):1186-1192	2003
Kirk A, Mutrie N, MacIntyre, Fisher M.	Effects of a 12-month physical activity counseling intervention on glycaemic control and on the status of cardiovascular risk factors in people with Type 2 diabetes	Diabetologia	47:821-832	2004
Kirk AF, Mutrie N, Macintyre PD, Fisher MB.	Promoting and maintaining physical activity in people with type 2 diabetes.	Am J Prev Med	27(4):289-96	2004
北島義典, 種田行男, 永松俊哉, 神野宏司, 江川賢一, 真家英俊, 荒尾孝	高齢者における膝関節伸展筋力と生活体力の起居能力及び歩行能力との関係	体力研究	102, 7-14	2004
北島義典, 種田行男, 荒尾孝, 永松俊哉, 神野宏司, 江川賢一, 真家英俊	高齢者の生活体力に対する長期介入効果	体力研究	100, 21-30	2002
北島義典, 種田行男, 神野宏司, 江川賢一, 永松俊哉, 西嶋洋子, 荒尾孝	生活体力の加齢変化と日常生活の身体活動量との関係 3年間の縦断的研究から	体力研究	96, 26-33	1999
Kitahara A, Hamaoka T, Murase N, Homma T, Kurosawa Y, Ueda C, Nagasawa T, Ichimura S, Motobe M, Yashiro K, Nakano S.	Deterioration of muscle function after 21-day forearm immobilization.	Med Sci Sports Exerc.	35(10):1697-1702.	2003
Kivela SL, Pakkala K.	Depressive disorder as a predictor of physical disability in old age.	J Am Geriatr Soc	49(3):290-6.	2001
Kizu A, Koyama H, Tanaka S, Maeno T, Komatsu M, Fukumoto S, Emoto M, Shoji T, Inaba M, Shioi A, Miki T, Nishizawa Y.	Arterial wall stiffness is associated with peripheral circulation in patients with type 2 diabetes.	Atherosclerosis	170(1):87-91	2003
Klitgaard H, Mantoni M, Schiaffino S, Auson S, Gorza L, Laurent-Winter C, Schnohr P, Saltin B.	Function, morphology and protein expression of ageing skeletal muscle: a cross-sectional study of elderly men with different training	Acta Physiol Scand	140: 41-54	1990
Klitgaard H, Ausoni S, Damiani E.	Sarcoplasmic reticulum of human skeletal muscle: age-related changes and effect of augmented leg vasoconstriction in dynamically exercising older men during acute sympathetic stimulation.	Acta Physiol Scand	137(1):23-31.	1989
Koch DW, Leuenberger UA, Proctor DN.	Augmented leg vasoconstriction in dynamically exercising older men during acute sympathetic stimulation.	J Physiol	551(Pt 1):337-44	2003
神野宏司, 江川賢一, 種田行男, 永松俊哉, 北島義典, 真家英俊, 荒尾孝	トランスセオレインカレキチンを活用したエビデンスに基づく維持増進プログラムの地域在宅高齢者への介入	体力研究	100, 11-20	2002
神野宏司, 江川賢一, 種田行男, 永松俊哉, 北島義典, 真家英俊, 西嶋洋子, 青木和江, メール優	高齢者の生活体力維持増進プログラム終了1年後における効果	体力研究	98, 1-9	2000
神野宏司, 種田行男, 江川賢一, 永松俊哉, 北島義典, 西嶋洋子, 青木和江, メール優子, 荒尾孝	生活体力の維持増進のための健康づくりプログラムの開発	体力研究	96, 15-25	1999
Kohut ML, Arnison BA, Lee W, Rozeboom K, Yoon KJ, Cunnick JE, McElhanev J	Moderate exercise improves antibody response to influenza immunization in older adults.	Vaccine	22(17-18):2298-306	2004
Kohut ML, Boehm GW, Moynihan JA.	Moderate exercise is associated with enhanced antigen-specific cytokine, but not IgM antibody production in aged mice.	Mech Ageing Dev	122(11):1135-50.	2001
Komine H, Matsukawa K, Tsuchimochi H, Murata J.	Central command blunts the baroreflex bradycardia to aortic nerve stimulation at the onset of voluntary static exercise in cats	Am J Physiol Heart Circ Physiol	285(2):H516-26	2003

Kosaka K, Noda M, Kuzuya T.	Prevention of type 2 diabetes by lifestyle intervention: a Japanese trial in IGT males.	Diabetes Res Clin Pract	67(2):152-62	2005
Kostek MC, Delmonico MJ, Reichel JB, Roth SM, Douglass L, Ferrell RE, Hurley BF	Muscle strength response to strength training is influenced by insulin-like growth factor 1 genotype in older adults.	J Appl Physiol	98(6):2147-2154	2005
Kostka T, Arsac LM, Patricot MC, Berthouze SE, Lacour JR, Bonnefoy M.	Leg extensor power and dehydroepiandrosterone sulfate, insulin-like growth factor-I and testosterone in healthy	Eur J Appl Physiol	82(1-2):83-90.	2000
Kostka T, Berthouze SE, Lacour J, Bonnefoy M.	The symptomatology of upper respiratory tract infections and exercise in elderly people.	Med Sci Sports Exerc	32(1):46-51.	2000
Kouvonen A, Kivimaki M, Elovainio M, Virtanen M, Linna A, Vahtera J	Job strain and leisure-time physical activity in female and male public sector employees.	Prev Med	41(2):532-9.	2005
Kraemer WJ, Hakkinen K, Newton RU, Nindl BC, Volek JS, McCormick M, Gotshalk LA, Gordon SE, Fleck SJ, Campbell WW, Kraemer WJ, Keuning M, Ratamess NA, Volek JS, McCormick M, Bush JA, Nindl BC, Gordon SE, Mazzetti SA, Newton RU, Gomez AL, Wickham RB, Rubin MR, and Hakkinen K.	Effects of heavy-resistance training on hormonal response patterns in younger vs. older men.	J Appl Physiol	87(3):982-92.	1999
Kraus WE, Torgan CE, Duscha BD, Norris J, Brown SA, Cobb FR, Bales CW, Annex BH, Samsa GP, Houmard JA, Slentz CA.	Resistance training combined with bench-step aerobics enhances women's health profile.	Med Sci Sports Exerc	33: 259-269	2001
Krebs DE, Jette AM, Assmann SF.	Studies of a targeted risk reduction intervention through defined exercise (STRRIDE).	Med Sci Sports Exerc	33(10):1774-84.	2001
Kretzschmar M, Muller D, Hubscher J, Marin E, Klingler W.	Moderate exercise improves gait stability in disabled elders.	Arch Phys Med Rehabil	79(12):1489-95	1998
Kritz-Silverstein D, Barrett-Connor E, Corbeau C.	Influence of aging, training and acute physical exercise on plasma glutathione and lipid peroxides in man.	Int J Sports Med	12(2):218-22.	1991
Kronenberg RS, Drage CW.	Cross-sectional and prospective study of exercise and depressed mood in the elderly: the Rancho Bernardo study.	Am J Epidemiol	153(6):596-603.	2001
Kubo K, Akima H, Kouzaki M, Ito M, Kawakami Y, Kanahisa H, Fukunaga T	Attenuation of the ventilatory and heart rate responses to hypoxia and hypercapnia with aging in normal man.	J Clin Invest	52: 1812-1819	1973
Kubo K, Akima H, Ushiyama J, Tabata I, Fukuoka H, Kanehisa H, Fukunaga T	Changes in the elastic properties of tendon structures following 20 days bed-rest in humans	Eur J Appl Physiol	83: 463-468	2000
Kubo K, Kanehisa H, Azuma K, Ishizu M, Kuno S, Okada M, Fukunaga T	Effects of 20 days of bed rest on the viscoelastic properties of tendon structures in elderly men and women	Br J Sports Med	38: 324-330	2004
Kubo K, Kanehisa H, Azuma K, Ishizu M, Kuno S, Okada M, Fukunaga T	Muscle architectural characteristics in young and elderly men and women	Int J Sports Med	24: 125-130	2003
Kubo K, Kanehisa H, Azuma K, Ishizu M, Kuno S, Okada M, Fukunaga T	Muscle architectural characteristics in women aged 20-79 years	Med Sci Sports Exerc	35: 39-44	2003
Kubo K, Kanehisa H, Miyatani M, Tachi M, Fukunaga T	Effect of low-load resistance training on the tendon properties in middle-aged and elderly	Acta Physiol Scand	178: 25-32	2003
久保啓太郎, 東香寿美, 金久博昭, 久野譜也, 福永哲夫	加齢に伴う筋厚、羽状角および筋束長の変化	体力科学	52(suppl): 119-126	2003
Kukkonen-Harjula KT, Borg PT, Nenonen AM, Fogelholm MG.	Effects of a weight maintenance program with or without exercise on the metabolic syndrome: a randomized trial in obese men.	Prev Med	41(3-4):784-90.	2005

Kurabayashi H, Kubota K, Machida I, Tamura K, Take H, Shirakura T	Effects of physical therapy on immunological parameters in patients with cerebrovascular diseases	J Med	27(3-4):171-5	1996
Kurabayashi H, Machida I, Handa H, Yoshida Y, Akiba T, Itoh K, Tamura J, Kubota K	Effects of physical therapy on cytokines and two color analysis-lymphocyte subsets in patients with cerebrovascular diseases	J Med	30(1-2):31-7	1999
Kuruganti U, Parker P, Rickards J, Tingley M, Sexsmith J.	Bilateral isokinetic training reduces the bilateral leg strength deficit for both old and young	Eur J Appl Physiol	94(1-2):175-179	2005
Kutsuzawa T, Shioya S, Kurita D, Haida M, Yamabayashi H.	Effects of age on muscle energy metabolism and oxygenation in the forearm muscles.	Med Sci Sports Exerc.	33(6):901-906.	2001
La Rovere MT, Bersano C, Gnemmi M, Specchia G, and Schwartz PJ.	Exercise-induced increase in baroreflex sensitivity predicts improved prognosis after myocardial infarction.	Circulation	106: 945-949	2002
Laforge RG, Rossi JS, Prochaska JO, Veilicer WF, Levesque DA, McHorney CA	Stage of regular exercise and health-related quality of life	Prev Med.	28(4), 349-360	1999
Lakka, T. A., T. Rankinen, S. J. Weisnagel, Y. C. Chagnon, H. M. Lakka, O. Ukkola, N. Boule, T. Rice, A. S. Leon, J. S. Skinner, J. H. Wilmore, D. C. Rao, R. Bergman, and C. Lamb SE, Jorstad-Stein EC, Hauer K, becker	Leptin and leptin receptor gene polymorphisms and changes in glucose homeostasis in response to regular exercise in nondiabetic individuals: the HERITAGE family study	Diabetes	53:1603-1608	2004
C, the Prevention of Falls Network Europe and Outcomes Consensus Group	Development of a common outcome data set for fall injury prevention trials: The Prevention of J Am Geriatr Soc	J Am Geriatr Soc	53:1618-1622	2005
Lanza IR, Beifroy DE, Kent-Braun JA.	Falls Network Europe Consensus	J Appl Physiol.	99(5):1736-1744.	2005
Lanza IR, Towse TF, Caldwell GE, Wingmore DM, Kent-Braun JA	Age-related changes in ATP-producing pathways in human skeletal muscle in vivo.	J Appl Physiol	95: 2361-2369	2003
Larson E, Wang L, Bowen JD, McCormick WC, Teri ML, Crane P, Mand WK	Effects of age on human muscle torque, velocity, and power in two muscle groups	Ann Intern Med	144:73-81	2006
Larsson L, Li X Yu F, Degens H	Exercise is associated with reduced risk for incident dementia among persons 65 years of age-related changes in contractile properties and expression of myosin isoforms in single skeletal muscle cells.	Muscle Nerve	Suppl.5: S74-S78	1997
Latham N, Anderson C, Bennett D, Stretton C.	Progressive resistance strength training for physical disability in older people.	Cochrane Database Syst Rev	(2):CD002759.	2003
Latham NK, Anderson CS, Lee A, Bennett DA, Moseley A, Cameron ID, Fitness Collaborative Group.	A randomized, controlled trial of quadriceps resistance exercise and vitamin D in frail older people: the Frailty Interventions Trial in Elderly Subjects (FITNESS)	J Am Geriatr Soc	51(3):291-9.	2003
Lavie CV, Milani RV.	Impact of aging on hostility in coronary patients and effects of cardiac rehabilitation and exercise training in elderly persons.	Am J Geriatr Cardiol	13(3):125-30	2004
Lechman ME, Neupert SD, Bertrand R, Jette AM	The effects of strength training on memory in older adults	J Aging Physical Activity	14: 59-73	2006
Lee C, Russell A. Related Articles, Links	Effects of physical activity on emotional well-being among older Australian women: cross-sectional and longitudinal analyses.	J Psychosom Res	54(2):155-60.	2003
Lees FD, Clarkr PG, Nigg CR, Newman P.	Barriers to exercise behavior among older adults: a focus-group study.	J Aging Phys Act.	13(1), 22-33	2005



Lehmann R, Vokac A, Niedermann K, Agosti K, Spinas GA	Loss of abdominal fat and improvement of the cardiovascular risk profile by regular moderate exercise training in patients with NIDDM	Diabetologia	38:1313-1319	1995
Li F, Fisher KJ, Bauman A, Ory MG, Chodzko-Zajko W, Harmer P, Bosworth M, Cleveland M, Li F, Fisher KJ, Harmer P	Neighborhood influences on physical activity in middle-aged and older adults: a multilevel perspective	J Aging Phys Act.	13(1), 87-114	2005
Li F, Fisher KJ, Harmer P	Improving physical function and blood pressure in older adults through cobblestone mat walking: A randomized trial	J Am Geriatr Soc	53:1305-12	2005
Li F, Harmer P, Fisher KJ, McAuley E	Tai chi: Improving functional balance and predicting subsequent falls in older persons	Med Sci Sports Exerc	36(12):2046-2052	2004
Li W, Keegan THM, Sternfeld B, Sindley S, Quesenberry CP, Kelsey JL	Outdoor falls among middle-aged and older adults: A neglected public health problem	Am J Public Health	96:1192-1200	2006
Lichtman SW, Pisarska K, Berman ER, Pestone M, Dowling H, Offenbacher E, Weisel H, Heshka S, Matthews DE, Heymsfield SB, Lind L and Andren B.	DISCREPANCY BETWEEN SELF-REPORTED AND ACTUAL CALORIC INTAKE AND EXERCISE IN OBESE SUBJECTS. Heart rate recovery after exercise is related to the insulin resistance syndrome and heart rate variability in elderly men.	N Engl J Med	327:1893-1898	1992
Lind L and Andren B.	Age and gender comparisons of muscle strength in 654 women and men aged 20-93 yr. The Finnish Diabetes Prevention Study (DPS): Lifestyle intervention and 3-year results on diet and physical activity.	Am Heart J	144: 666-672	2002
Lindle RS, Metter EJ, Lynch NA, Fleg JL, Fozard JL, Tobin J, Roy TA, Hurley Lindstrom J, Louheranta A, Mannelin M, Rastas M, Salminen V, Eriksson J, Uusitupa M, Tuomilehto J.	A high-intensity functional weight-bearing exercise program for older people dependent in activities of daily living and living in residential care facilities: evaluation of the applicability with focus on cognitive function.	J Appl Physiol	83: 1581-1587	1997
Litbrand H, Rosendahl E, Lindelof N, Lundin-Olsson L, Gustafson Y, Nyberg L.	Both resistance and agility training reduce back pain and improve health-related quality of life in older women with low bone mass.	Diabetes Care	26(12):3230-3236	2003
Liu-Ambrose TY, Khan KM, Eng JJ, Lord SR, Lentle B, McKay HA.	Exercise training improves baroreflex sensitivity in type 2 diabetes.	Diabetes	52: 1837-1842	2003
Loimaala A, Huikuri HV, Koobi T, Rinne M, Nenonen A, and Vuori I.	NPY/AgRP neurons are essential for feeding in adult mice but can be ablated in neonates.	Science	310(5748):683-5	2005
Luquet S, Perez FA, Hnasko TS, Palmiter RD.	Cycling as a novel approach to resistance training increases muscle strength, power, and selected functional abilities in healthy older men: thirst and renal osmoregulation.	J Appl Physiol	95(6):2544-2553	2003
Macaluso A, Young A, Gibb KS, Rowe DA, De Vito G.	Aortic stiffness and aerobic exercise: mechanistic insight from microarray analyses.	Med Sci Sports Exerc	37(10):1710-6.	2005
Mack GW, Weseman CA, Langhans GW, Scherzer H, Gillen CM, Nadel ER.	Effects of exercise training on expression of endothelin-1 mRNA in the aorta of aged rats.	Clin Sci	Suppl 48:118S-123S	2002
Maeda S, Iemitsu M, Miyauchi T, Kuno S, Matsuda M, Tanaka H.	Moderate regular exercise increases basal production of nitric oxide in elderly women	Hypertens Res	27(12):947-953	2004
Maeda S, Miyauchi T, Iemitsu M, Tanabe T, Yokota T, Goto K, Yamaguchi I, Matsuda M, Maeda S, Tanabe T, Otsuki T, Sugawara J, Iemitsu M, Miyauchi T, Kuno S, Ajsaka R,				

Makrides L, Heigenhauser GJ, Jones NL.	High-intensity endurance training in 20- to 30- and 60- to 70-yr-old healthy men	J Appl Physiol	69: 1792-1798	1990
Makrides L, Heigenhauser GJ, McCartney N, Jones NL.	Maximal short term exercise capacity in healthy subjects aged 15-70 years.	Clin Sci	69: 197-205	1985
Malbut KE, Dinan S, Young A.	Aerobic training in the 'oldest old': the effect of 24 weeks of training.	Age Ageing	31(4):255-60.	2002
Manini, T.M., Everhart, J.E., Patel, K.V., Schoeller, D.A., Colbert, L.H., Visser, M., Tylavsky, F., Bauer, D.C., Goodpaster, B.H., Marsh AP, Katula JA, Pacchia CF, Johnson LC, Koury KL, Rejeski WJ	Daily activity energy expenditure and mortality among older adults.	J A M A	296: 171-179	2006
Marshall AL, Leslie ER, Bauman AE, Marcus BH, Owen N.	Effects of treadmill and overground walking on function and attitudes in older adults	Med Sci Sports Exerc	38: 1157-1164	2006
Martin WH 3rd, Kohrt WM, Malley MT, Korte E, Stoltz S.	Print Versus Website Physical Activity Programs: A Randomized Trial	Am J Prev Med	25(2):88-94	2003
Martin WH 3rd, Kohrt WM, Malley MT, Korte E, Stoltz S.	Exercise training enhances leg vasodilatory capacity of 65-yr-old men and women	J Appl Physiol	69(5):1804-9	1990
Martin WH 3rd, Ogawa T, Kohrt WM, Malley MT, Korte E, Kieffer PS, Schechtman KB.	Effects of aging, gender, and physical training on peripheral vascular function.	Circulation	84(2):654-664	1991
Masashi Miyashita; Stephen Francis Burns ; David John Stensel	Accumulating Short Bouts of Running Exercise Throughout the Day Reduces Postprandial Plasma Triacylglycerol Concentrations and Resting Blood Pressure in Healthy Young Men	JPAH	3(1):112-123	2006
Massafa C, Gioia D, De Felice C, Muscettola M, Longini M, Buonocore G.	Gender-related differences in erythrocyte glutathione peroxidase activity in healthy	Clin Endocrinol	57(5):663-7.	2002
Massie BM, Simonini A, Sahgal P, Wells L, Dudley GA.	Relation of systemic and local muscle exercise capacity to skeletal muscle characteristics in men with congestive heart failure.	J Am Coll Cardiol.	27(1):140-145.	1996
Matsukawa K, Komine H, Nakamoto T, Murata J.	Central command blunts sensitivity of arterial baroreceptor-heart rate reflex at onset of voluntary static exercise	Am J Physiol Heart Circ Physiol	290(1):H200-8	2006
Matthews CE, Ainsworth BE, Thompson RW, Bassett DR,	Sources of variance in daily physical activity levels as measured by an accelerometer.	Med Sci Sports Exerc	34(8):1376-1381	2002
Matthews CE, Freedson PS, Hebert JR .Charles E. Stanek EJ, Merriam PA, Rosal MC, Ebbeling CB Ockene IS	Seasonal Variation in Household, Occupational, and Leisure Time Physical Activity: Longitudinal Analyses from the Seasonal Variation of Blood Cholesterol Study, American	J Epidemiol	153(2) : 172-183	2001
Matthews CE, Hebert JR, Freedson PS, Stanek EJ, Merriam PA, Ebbeling CB Ockene	Sources of Variance in Daily Physical Activity Levels in the Seasonal Variation of Blood	Am J Epidemiol	153(10): 987-995	2001
Maul I, Laubli T, Oliveri M, Krueger H.	Long-term effects of supervised physical training in secondary prevention of low back	Eur Spine J	14(6):599-611	2005
McAuley E, Elavsky S, Jerome GJ, Konopack JF, Marquez DX.	Physical activity-related well-being in older adults: social cognitive influences.	Psychol Aging.	20(2), 295-302	2005
McAuley E, Elavsky S, Motl RW, Konopack JF, Hu L, Marquez DX.	Physical activity, self-efficacy, and self-esteem: longitudinal relationships in older adults.	J Gerontol B Psychol Sci Soc Sci.	60B(5), 268-275	2005
McCann IL, Holmes DS.	Influence of aerobic exercise on depression.	J Pers Soc Psychol	45(5):1142-7	1984
McCartney N, McKeivie RS, Martin J, Sale DG, MacDougall JD.	Weight-training-induced attenuation of the circulatory response of older males to weight	J Appl Physiol	74(3):1056-60	1993
McConnell AK, Semple ES, Davies CT.	Ventilatory response to exercise and carbon dioxide in elderly and younger humans.	Eur J Appl Physiol	66: 332-337	1993

McConnell AK, Davies CT.	A comparison of the ventilatory responses to exercise of elderly and younger humans.	J Gerontol	47: B137-B141	1992
McGurk SP, Blanksby BA, Anderson MJ.	The relationship of hypercapnic ventilatory responses to age, gender and athleticism.	Sports Med	19: 173-183	1995
McKay HG, Seeley JR, King D, Glasgow RE, Eakin EG.	The Diabetes Network Internet-Based Physical Activity Intervention	Diabetes Care	24(8):1328-1334	2001
McKelvie RS, Teo KK, Roberts R, McCartney N, Humen D, Montague T, Hendrican K, Yusuf O, Phares DA, Ferrell RE, Hagberg JM.	Effects of exercise training in patients with heart failure: the Exercise Rehabilitation Trial Influence of the interleukin-6 -174 G/C gene polymorphism on exercise training-induced changes in glucose tolerance indexes.	Am Heart J	144(1):23-30	2002
McMillan-Price J, Petocz P, Atkinson F, O'Neill K, Samman S, Steinbeck K, Caterson I, Brand-Miller J.	Comparison of 4 diets of varying glycemic load on weight loss and cardiovascular risk reduction in overweight and obese young adults: a randomized controlled trial.	J Appl Physiol	97(4):1338-42.	2004
McNeil JK, LeBlanc EM, Joyner M.	The effect of exercise on depressive symptoms in the moderately depressed elderly.	Psychol Aging	6(3):487-8.	1991
Meijer EP, Westertep KR, Verstappen FTJ	Effects of exercise training on physical activity and substrate utilization in the elderly	Int J Sports Med	21: 499-504	2000
Meijer EP, Westertep KR, Verstappen FTJ	Effects of exercise training on total daily physical activity in elderly humans	Eur J Appl Physiol	80: 16-21	1999
Meirhaeghe, A., N. Helbecque, D. Cottel, and P. Amouyel	Beta2-adrenoceptor gene polymorphism, body weight, and physical activity	Lancet	353:896	1999
Melanson EL, Knoll JR, Bell ML, Donahoo WT, Hill JO, Nysse LJ, Lanningham-Foster L, Peters JC, Levine JA.	Commercially available pedometers: considerations for accurate step counting.	Prev Med	39(2):361-8.	2004
Menshikova EV, Ritov VB, Fairfull L, Ferrell RE, Kelley DE, Goodpaster BH.	Effects of exercise on mitochondrial content and function in aging human skeletal muscle.	J Gerontol A Biol Sci Med Sci	61(6):534-40.	2006
Menshikova EV, Ritov VB, Toledo FG, Ferrell RE, Goodpaster BH, Kelley DE.	Effects of weight loss and physical activity on skeletal muscle mitochondrial function in	Am J Physiol Endocrinol Metab	288(4):E818-25.	2005
Metter EJ, Lynch N, Conwit R, Lindle R, Tobin J, Hurley B	Muscle quality and age: cross-sectional and longitudinal comparisons.	J Gerontol	54A: B207-B218	1999
Meuleman JR, Brechue WF, Kubilis PS, Lowenthal DT.	Exercise training in the debilitated aged: strength and functional outcomes.	Arch Phys Med Rehabil	81(3):312-8.	2000
Mikesky AE, Topp R, Wigglesworth JK, Harsha DM, Edward JE	Efficacy of a home-based training program for older adults using elastic tubing	Eur J Appl Physiol	69: 316-320	1994
Mikkelsen LO, Nupponen H, Kaprio J, Kautiainen H, Mikkelsen M, and Kujala UM.	Adolescent flexibility, endurance strength, and physical activity as predictors of adult tension neck, low back pain, and knee injury: a 25 year follow up study.	Br J Sports Med	40: 107-113	2006
Miller JP, Pratley RE, Goldberg AP, Gordon P, Rubin M, Treuth MS, Ryan AS, Hurley BF.	Strength training increases insulin action in healthy 50- to 65-yr-old men.	J Appl Physiol	77(3):1122-7.	1994
Mingrone G, Rosa G, Di Rocco P, Mancos M, Capristo E, Castagneto M, Vettor R, Gasbarrini G, Greco AV.	Skeletal muscle triglycerides lowering is associated with net improvement of insulin sensitivity, TNF-alpha reduction and GLUT4	Int J Obes Relat Metab Disord	26(9):1165-72.	2002
Minotti JR, Johnson EC, Hudson TL, Zuroske G, Murata G, Fukushima E, Cagle TG, Chick TW, Massie BM, Icenogle MV.	Skeletal muscle response to exercise training in congestive heart failure.	J Clin Invest.	86(3):751-758.	1990

Minson CT, Holowatz LA, Wong BJ, Kenney WL, Wilkins BW.	Decreased nitric oxide- and axon reflex-mediated cutaneous vasodilation with age	J Appl Physiol	93(5):1644-9	2002
Minson CT, Wladkowski SL, Cardell AF, Pawelczyk JA, Kenney WL.	Age alters the cardiovascular response to direct passive heating.	J Appl Physiol	84(4):1323-32	1998
Miszko TA, Cress ME, Slade JM, Covey CJ, Agrawal SK, Doerr CE.	Effect of strength and power training on physical function in community-dwelling older adults	J Gerontol A Biol Sci Med Sci	58(2):171-5.	2003
Mitchell D, Haan MN, Steinberg FM, Visser M.	Body composition in the elderly: the influence of nutritional factors and physical activity.	J Nutr Health Aging.	7(3):130-9	2003
Miura S, Yamaguchi Y, Urata H, Himeshima Y, Otsuka N, Tomita S, Yamatsu K, Nishida S, Saku K.	Efficacy of a multicomponent program (patient-centered assessment and counseling for exercise plus nutrition [PACE+Japan]) for lifestyle modification in patients with essential hypertension	Hypertension Research	27(11):859-864	2004
Miyachi M, Iemitsu M, Okutsu M, and Onodera S.	Effects of endurance training on the size and blood flow of the arterial conductance vessels	Acta Physiol Scand	163: 13-16	1998
Miyachi M, Kawano H, Sugawara J, Takahashi K, Hayashi K, Yamazaki K, Tabata I, and Miyachi M, Tanaka H, Yamamoto K, Yoshioka A, Takahashi K, and Onodera S.	Unfavorable effects of resistance training on central arterial compliance: a randomized effects of one-legged endurance training on femoral arterial and venous size in healthy	Circulation	110: 2858-2863	2004
Miyai N, Arita M, Miyashita K, Morioka I, Shiraiishi T, and Nishio I.	Effects of one-legged endurance training on femoral arterial and venous size in healthy	J Appl Physiol	90: 2439-2444	2001
Miyashita M, Burns SF, Stensel DJ.	Blood pressure response to heart rate during exercise test and risk of future hypertension. Exercise and postprandial lipemia: effect of continuous compared with intermittent activity patterns.	Hypertension	39: 761-766	2002
Miyatani M, Kanehisa H, Azuma K, Kuno S, Fukunaga T	Site-related differences in muscle loss with aging	Am J Clin Nutr	83(1):24-9.	2006
Miyazaki H, Oh-ishi S, Ookawara T, Kizaki T, Toshinai K, Ha S, Haga S, Ji LL, Ohno H.	Strenuous endurance training in humans reduces oxidative stress following exhausting Human respiratory muscles: fibre morphology and capillary supply.	Int J Sport Health Sci	1: 34-40	2003
Mizuno M	Effects of oral supplementation of coenzyme Q10 on 31P-NMR detected skeletal muscle energy metabolism in middle-aged post-polio subjects and normal volunteers.	Eur J Appl Physiol	84(1-2):1-6.	2001
Mizuno M, Quistorff B, Theorell H, Theorell M, Chance B.	Actual causes of death in the United States. Acute effects of exercise on neuropsychological function in elderly subjects	Eur Respir J	4(5):587-601	1991
Mokdad AH, Marks JS, Stroup DF, Gerberding	Actual causes of death in the United States.	Mol Aspects Med	18 Suppl:S291-8	1997
Molloy DW, Beerschoten DA, Borrie MJ, Crilly RG, Cape RD.	Smaller age-associated reductions in leg venous compliance in endurance exercise-	JAMA	291: 1238-1245	2004
Monahan KD, Dinunno FA, Seals DR, Halliwill JR.	Central arterial compliance is associated with age- and habitual exercise-related differences in cardiovascular baroreflex sensitivity.	J Am Geriatr Soc	36(1):29-33.	1988
Monahan KD, Tanaka H, Dinunno FA, Seals DR.	Arterial intima-media thickness: site-specific associations with HRT and habitual exercise. Daytime activity and risk factors for late-life insomnia.	Am J Physiol Heart Circ Physiol	281(3):H1267-73	2001
Moreau KL, Donato AJ, Seals DR, Dinunno FA, Blackett SD, Hoetzer GL, Desouza CA, Morgan K.	Daytime activity and risk factors for late-life insomnia.	Circulation	104:1627-1632	2001
		Am J Physiol Heart Circ Physiol	283(4):H1409-17	2002
		J Sleep Res	12:231-238	2003

Mori Y, Ayabe M, Yahiro T, Tobina T, Kiyonaga A, Shindo M, Yamada T, Tanaka H	The effect of home-based bench step exercise on aerobic capacity, lower extremity strength and static balance in older adults	Int Journal Sport Health Sci	63(6):325-34	1990
Morris JN, Clayton DG, Everitt MG, Semmence AM, Burgess EH	Exercise in leisure time: coronary attack and death rates.	Br Heart J	183: 291-298	2005
Morse CI, Thom JM, Birch KM, Narici MV	Changes in triceps surae muscle architecture with sarcopenia	Acta Physiol Scand	92: 219-226	2004
Morse CI, Thom JM, Davis MG, Fox KR, Birch KM, Narici MV	Reduced plantarflexor specific torque in the elderly is associated with a lower activation	Eur J Appl Physiol	98: 197-204	2005
Morse CI, Thom JM, Muirhead A, Narici MV	Muscle strength, volume and activation following 12-month resistance training in 70-yr olds	Eur J Appl Physiol	29(8):1800-4.	2006
Morse SA, Ciechanowski PS, Katon WJ, Hirsch IB.	Isn't this just bedtime snacking? The potential adverse effects of night-eating symptoms on treatment adherence and outcomes in patients with diabetes.	Diabetes Care		
Motoyama M, Sunami Y, Kinoshita F, Irie T, Sasaki J, Arakawa K, Kiyonaga A, Tanaka H, Shindo M.	The effects of long-term low intensity aerobic training and detraining on serum lipid and lipoprotein concentrations in elderly men and women	Eur J Appl Physiol Occup Physiol	70(2):126-31.	1995
Mukherjee M, Shetty KR.	Variations in high-density lipoprotein cholesterol in relation to physical activity and Taq 1B polymorphism of the cholesterol ester transfer protein gene.	Clin Genet	65(5):412-8.	2004
Murphy M, Nevill A, Neville C, Biddle S, Hardman A.	Accumulating brisk walking for fitness, cardiovascular risk, and psychological health.	Med Sci Sports Exerc	34(9):1468-74.	2002
Murphy MH, Murtagh EM, Boreham CAG, Hare LG, Nevill AM	The effect of a worksite based walking programme on cardiovascular risk in previously sedentary civil servants	BMC Public Health	6: 136	2006
Nagamatsu T, Oida Y, Kitabatake Y, Kohno H, Egawa K, Nezu N, Arao T.	A 6-year cohort study on relationship between functional fitness and impairment of ADL in community-dwelling older persons.	J Epidemiol	13(3):142-8.	2003
永松俊哉, 種田行男, 北島義典, 神野宏司, 江川賢一, 荒尾孝, 根津直美	地域高齢者における生活体力と予後との関係	運動疫学研究	2Suppl. 39-43	2000
永松俊哉, 種田行男, 北島義典, 神野宏司, 江川賢一, 青木和江, メール優子, 真家英俊, 根津直賢	地域高齢者の生活体力に関する縦断研究 生活体力の加齢変化と日常生活行動との関係	体力研究	99, 7-15	2000
Nakamura E, Moritani T, Kanetaka A	Effects of habitual physical exercise on physiological age in men aged 20-85 years as estimated using principal component analysis.	Eur J Appl Physiol	73: 410-418	1996
Nakamura Y, Tanaka K, Yabushita N, Sakai T, Shigematsu R	Effects of exercise frequency on functional fitness in older adult women	Arch Gerontol Geriatrics	44:163-173	2006
Nakayama K, Monma M, Fukushima T, Ohru T, Sasaki H.	Tuberculin responses and risk of pneumonia in immobile elderly patients.	Thorax.	55(10):867-9.	2000
Narici MV, Maganaris CN, Reeves ND, Capodaglio P	Effect of aging on human muscle architecture	J Appl Physiol	95: 2229-2234	2003
Naylor AS, Persson AI, Eriksson PS, Jonsdottir IH, Thorlin T.	Extended voluntary running inhibits exercise-induced adult hippocampal progenitor proliferation in the spontaneously hypertensive	J Neurophysiol	93(5):2406-14.	2005

Naylor E, Penev PD, Orbeta L, Janssen I, Ortiz R, Colecchia EF, Keng M, Finkel S, Zee PC.	Daily Social and Physical Activity Increases Slow-Wave Sleep and Daytime Neuropsychological Performance in the Elderly. Reference values for dynamic responses to incremental cycle ergometry in males and females aged 20 to 80.	Sleep	23(1):87-95	2000
Neder JA, Nery LE, Peres C, Whipp BJ.	Physical activity and psychological well-being in advanced age: a meta-analysis of intervention studies.	Am J Respir Crit Care Med	164: 1481-1486	2001
Netz Y, Wu MJ, Becker BJ, Tenenbaum G.	Risk factors for injurious falls: A prospective Heterogeneous vasodilator responses of human limbs: influence of age and habitual endurance training.	Psychol Aging	20(2), 272-284	2005
Nevitt MC, Cummings SR, Hudes ES	Endurance exercise training is associated with elevated basal sympathetic nerve activity in healthy older humans.	J Gerontol A Biol Sci Med Sci	46(5):M164-M170	1991
Newcomer SC, Leuenberger UA, Hogeman CS, Proctor DN.	Slowed muscle contractile properties are not associated with a decreased EMG/force relationship in older humans.	Am J Physiol Heart Circ Physiol	289(1):H308-15	2005
Ng AV, Callister R, Johnson DG, and Seals DR.	Consumption of saturated fat impairs the anti-inflammatory properties of high-density lipoproteins and endothelial function.	J Appl Physiol	77: 1366-1374	1994
Ng AV, Kent-Braun JA	Physical function and its response to exercise: associations with cytokine gene variation in older adults with knee osteoarthritis.	J Gerontol	54A: B452-B458	1999
Nicholls SJ, Lundman P, Harmer JA, Cutri B, Griffiths KA, Rye KA, Barter PJ, Celermajer DS.	Testosterone, growth hormone and IGF-I responses to acute and chronic resistive exercise in men aged 55-70 years.	J Am Coll Cardiol	48(4):715-20.	2006
Nicklas BJ, Mychaleckyj J, Kritchevsky S, Palla S, Lange LA, Lange EM, Messier SP, Bowden D, Pahor M.	No effect of antioxidant supplementation in triathletes on maximal oxygen uptake. 31P-NMRS detected muscle energy metabolism and muscle fatigue.	J Gerontol A Biol Sci Med Sci	60(10):1292-8.	2005
Nicklas BJ, Ryan AJ, Treuth MM, Harman SM, Blackman MR, Hurley BF, Rogers MA.	Physical activity and serum lipids and lipoproteins in elderly women	Int J Sports Med	16(7):445-50.	1995
Nielsen AN, Mizuno M, Ratkevicius A, Mohr T, Rohde M, Mortensen SA, Quistorff B	Effect of family style mealtimes on quality of life, physical performance, and body weight of nursing home residents: Cluster randomised Relation between 24-h heart rate variability and blood pressure fluctuation during exercise in stroke patients.	Int J Sports Med	20(3):154-8	1999
Nieman DC, Warren BJ, O'Donnell KA, Dotson RG, Buttenworth DE, Henson DA	Delayed-onset muscle soreness does not reflect the magnitude of eccentric exercise-induced muscle damage.	J Am Geriatr Soc	41(12):1339-44	1993
Nijs K, Graag C, Kok FJ, Stavaren WA	スポート医学分野からのヘルスプロモーションの取り組み-松本市熱年体育大学の成果と今後の	B M J	332(7551):1180-4	2006
Nishioka Y, Sashika H, Andho N, and Tochikubo O.	A randomized trial of exercise programs among older individuals living in two long-term care facilities: the FallsFREE program.	Circ J	69: 717-721	2005
Nosaka K, Newton M, Sacco P.	臨床スポーツ医学	Scand J Med Sci Sports	12(6):337-46.	2002
能勢博、根本賢一、永嶋秀敏		臨床スポーツ医学	21(11):1245-50	2004
Nowalk MP, Prendergast JM, Bayles CM, D'Amico FJ, Colvin GC.		J Am Geriatr Soc	49(7):859-65.	2001

O'Donnell AB, Travison TG, Harris SS, Tenover JL, McKinlay JB.	Testosterone, dehydroepiandrosterone, and physical performance in older men: results from the Massachusetts Male Aging Study.	J Clin Endocrinol Metab	91(2):425-31	2006
O'Donovan G, Owen A, Bird SR, Kearney EM, Nevill AM, Jones DW, and Woolf-May K.	Changes in cardiorespiratory fitness and coronary heart disease risk factors following 24 wk of moderate- or high-intensity exercise of equal energy cost.	J Appl Physiol	98: 1619-1625	2005
Ohida T, Kamal AMM, Uchiyama M, Kim K, Takemura S, Sone T, Ishii T.	The Influence of Lifestyle and Health Status Factors on Sleep Loss Among the Japanese General Population.	Sleep	24(3):333-338	2001
Ohira T, Schmitz KH, Ahmed RL, Yee D.	Effects of weight training on quality of life in recent breast cancer survivors: the Weight Training for Breast Cancer Survivors (WTBS)	Cancer	106(9):2076-83.	2006
Oida Y, Kitabatake Y, Nishijima Y, Nagamatsu T, Kohno H, Egawa K, Arai T.	Effects of a 5-year exercise-centered health-promoting programme on mortality and ADL impairment in the elderly.	Age Ageing	32(6):585-92.	2003
種田行男, 北島義典, 荒尾孝, 神野宏司, 江川賢一, 永松俊哉, 西嶋洋子, 真家英俊	高齢者の生活体力の維持・改善を目的とした健康教育プログラムによる3年間の介入効果	体力研究	97, 1-13	1999
Okada S, Hirakawa K, Takada Y, Kinoshita H.	Age-related differences in postural control in humans in response to a sudden deceleration generated by postural disturbance.	Eur J Appl Physiol	85(1-2):10-8	2001
Okada S, Hirakawa K, Takada Y, Kinoshita H.	Relationship between fear of falling and balancing ability during abrupt deceleration in aged women having similar habitual physical	Eur J Appl Physiol	85(6):501-6	2001
Okazaki K, Iwasaki K, Prasad A, Palmer MD, Martini ER, Fu Q, Arbab-Zadeh A, Zhang R, Levine BD.	Dose-response relationship of endurance training for autonomic circulatory control in healthy seniors.	J Appl Physiol	99(3):1041-9	2005
Okazaki K, Kamijo Y, Takeno Y, Okumoto T, Masuki S, Nose H.	Effects of exercise training on thermoregulatory responses and blood volume in older men.	J Appl Physiol	93(5):1630-7	2002
岡崎和伸, 梶野広和, 森川真悠子, 能勢博	運動基準・指針を生かす個別プログラム	体育の科学	56(8):627-634	2006
Overend TJ, Cunningham DA, Kramer JF, Lefcoe MS, Paterson DH	Knee extensor and knee flexor strength: cross-sectional area ratios in young and elderly men	J Gerontol A Biol Sci Med Sci	6: M204-M210	1992
Owen N, Humpel N, Leslie E, Bauman A, Sallis JF.	Understanding environmental influences on walking: Review and research agenda.	Am J Prev Med.	27(1), 67-76	2004
Owen N, Lee C, Naccarella L, Haagk.	Exercise by Mail: A Mediated Behavior-Change Program for Aerobic Exercise	J Sport Psychol	9:346-357	1987
Paddon-Jones D, Sheffield-Moore M, Zhang XJ, Volpi E, Wolf SE, Aarsland A, Ferrando AA, Wolfe RR.	Amino acid ingestion improves muscle protein synthesis in the young and elderly.	Am J Physiol Endocrinol Metab.	Mar;286(3):E321-8.	2004
Pan XR, Li GW, Hu Y H, Wang JX, Yang WY, An ZX, Hu ZX, Lin J, Xiao JZ, Cao HB, Liu PA, Jiang XG, Jiang YY, Wang JP, Zheng H, Zhang H, Bennett PH and Howard BV	Effects of diet and exercise in preventing NIDDM in people with impaired glucose tolerance. The Da Qing IGT and Diabetes Study	Diabetes Care	20(4):537-544	1997
Pang MY, Eng JJ, Dawson AS, McKay HA, Harris JE.	A community-based fitness and mobility exercise program for older adults with chronic stroke: a randomized, controlled trial.	J Am Geriatr Soc	53(10):1667-74.	2005
Parise G, Phillips SM, Kaczor JJ, Tarnopolsky MA.	Antioxidant enzyme activity is up-regulated after unilateral resistance exercise training in older	Free Radic Biol Med	39(2):289-95.	2005

Park JY, Ferrell RE, Park JJ, Hagberg JM, Phares DA, Jones JM, Brown MD.	NADPH oxidase p22phox gene variants are associated with systemic oxidative stress biomarker responses to exercise training.	J Appl Physiol	99(5):1905-11.	2005
Patten C, Kamen G, Rowland DM	Adaptations in maximal motor unit discharge rate to strength training in young and older	Muscle Nerve	24: 542-550	2001
Penninx BW, Kritchewsky SB, Newman AB, Nicklas BJ, Simonsick EM, Rubin S, Nevitt M, Visser M, Harris T, Pahor M	Inflammatory markers and incident mobility limitation in the elderly.	J Am Geriatr Soc	52(7):1105-13	2004
Perk, J., Perk, L., Boden, C.	Cardiorespiratory adaptation of COPD patients to physical training on land and in water.	Eur Respir	9: 248-252	1996
Peters S, Stanley I, Rose M, Kaney S, Salmon P.	A randomized controlled trial of group aerobic exercise in primary care patients with persistent, unexplained physical symptoms.	Fam Pract	19(6):665-74.	2002
Petersen EW, Carey AL, Sacchetti M, Steinberg GR, Macaulay SL, Febraio MA,	Acute IL-6 treatment increases fatty acid turnover in elderly humans in vivo and in tissue	Am J Physiol Endocrinol Metab	288(1):E155-62	2004
Petruzzello SJ, Hall EE, Ekkekakis P.	Regional brain activation as a biological marker of affective responsiveness to acute exercise: influence of fitness.	Psychophysiology	38(1):99-106.	2001
Petruzzello SJ, Landers DM.	State anxiety reduction and exercise: does hemispheric activation reflect such changes?	Med Sci Sports Exerc	26(8):1028-35.	1994
Petruzzello SJ, Tate AK.	Brain activation, affect, and aerobic exercise: an examination of both state-independent and state-dependent relationships.	Psychophysiology	34(5):527-33.	1997
Phares DA, Halverstadt AA, Shuldiner AR, Ferrell RE, Douglass LW, Ryan AS, Goldberg AP, Hagberg JM.	Association between body fat response to exercise training and multifocus ADR genotypes.	Obes Res	12(5):807-15.	2004
Philippaerts RM, Westertep KR, Lefevre J	Comparison of Two Questionnaires with a Tri-Axial Accelerometer to Assess Physical Activity	Int J Sports Med	22:34-39	2001
Phillips SK, Bruce SA, Newton D, Woledge RC	The weakness of older age is not due to failure of muscle activation.	J Gerontol	47A: M45--M49	1992
Pickering, G.P., Fellmann, N., Morio, B., Ritz, P., Amonchot, A., Vermorel, M., Coudert, J.	Effects of endurance training on the cardiovascular system and water	J Appl Physiol	83: 1300-1306	1997
Pierzga JM, Frymoyer A, Kenney WL.	Delayed distribution of active vasodilation and altered vascular conductance in aged skin.	J Appl Physiol	94(3):1045-53	2003
Pijnappels M, Bobbert MF, van Dieen JH	Push-off reactions in recovery after tripping discriminate young subjects, older non-fallers and older fallers	Gait & Posture	21:388-394	2005
Pinto BM, Friedman R, Marcus BH, Kelly H, Tennstedt S, Gillman M.	Effects of a Computer-Based, Telephone-Counseling System on Physical Activity.	Am J Prev Med	23(2):113-120	2002
Pinto BM, Goldstein MG, Ashba J, Sciamanna CN, Jette A.	Randomized controlled trial of physical activity counseling for older primary care patients.	Am J Prev Med	29(4):247-55.	2005
Pivarnik JM, Reeves MJ, Rafferty AP	Seasonal Variation in Adult Leisure-Time Physical Activity.	Med Sci Sports Exerc	35(6):1004-1008	2003
Ploutz Snyder L.L., Giamis, E.L., Formikell, M., Rosenbaum, A.E.	Resistance training reduces susceptibility to eccentric exercise-induced muscle dysfunction in older women.	J Gerontol A Biol Sci Med Sci	56: B384-390	2001
Ploutz-Snyder LL, Yackel AE, Rosenbaum AE, Romikell M	Use of muscle functional magnetic resonance imaging with older individuals	J Gerontol	55A: B504-B511	2000



Poehlman ET, Dvorak RV, DeNino WF, Brochu M, Ades PA.	Effects of resistance training and endurance training on insulin sensitivity in nonobese, young women: a controlled randomized trial.	J Clin Endocrinol Metab	85(7):2463-8.	2000
Pogliaghi S, Terziotti P, Cevese A, Balestreri F, Schena F.	Adaptations to endurance training in the healthy elderly: arm cranking versus leg cycling.	Eur J Appl Physiol	97: 723-731	2006
Pollock ML, Foster C, Knapp D, Rod JL, Schmidt DH.	Effect of age and training on aerobic capacity and body composition of master athletes.	J Appl Physiol	62: 725-731	1987
Poole, J.G., Lawrenson, L., Kim, J., Brown, C. & Richardson, R.S.	Vascular and metabolic response to cycle exercise in sedentary humans: effect of age.	Am J Physiol Heart Circ Physiol	284:H1251-1259	2003
Posner JD, Gorman KM, Windsor-Landsberg L, Larsen J, Bleiman M, Shaw C, Rosenberg B, Knebl J.	Low to moderate intensity endurance training in healthy older adults: physiological responses after four months.	J Am Geriatr Soc	40(1):1-7.	1992
Poulin MJ, Cunningham DA, Paterson DH, Kowalchuk JM, Smith WD.	Ventilatory sensitivity to CO2 in hyperoxia and hypoxia in older aged humans.	J Appl Physiol	75: 2209-2216	1993
Poulin MJ, Cunningham DA, Paterson DH, Rechinizer PA, Ecclestone NA, Koval JJ.	Ventilatory response to exercise in men and women 55 to 86 years of age.	Am J Respir Crit Care Med	149: 408-415	1994
Powers SK, Criswell D, Lawler J, Ji LL, Martin D, Herb RA, Dudley G.	Influence of exercise and fiber type on antioxidant enzyme activity in rat skeletal muscle.	Am J Physiol	266(2 Pt 2):R375-80.	1994
Pratley R, Nicklas B, Rubin M, Miller J, Smith A, Smith M, Hurley B, Goldberg A.	Strength training increases resting metabolic rate and norepinephrine levels in healthy 50- to 65-yr-old men.	J Appl Physiol	76(1):133-7.	1994
Prefaut, C, F Anselme, C Caillaud, J Masse-Price GM, Uauy R, Breeze E, Bulpitt CJ, Fletcher AE.	Exercise-induced hypoxemia in older athletes: Weight, shape, and mortality risk in older persons: elevated waist-hip ratio, not high body mass index, is associated with a greater risk of DNA sequence variation in the promoter region of the VEGF gene impacts VEGF gene expression and maximal oxygen consumption.	J Appl Physiol	76: 120-126	1994
Prior SJ, Hagberg JM, Paton CM, Douglass LW, Brown MD, McLenthian JC, Roth SM.	Sequence variation in hypoxia-inducible factor 1alpha (HIF1A): association with maximal oxygen consumption.	Am J Clin Nutr	84(2):449-460.	2006
Prior SJ, Hagberg JM, Phares DA, Brown MD, Fairfull L, Ferrell RE, Roth SM.	Effect of ageing on the ventilatory response and lactate kinetics during incremental exercise in healthy older women.	Am J Physiol Heart Circ Physiol	290(5):H1848-55.	2006
Prioux J, Ramonatxo M, Hayot M, Mucci P, Prefaut C.	Impaired leg vasodilation during dynamic exercise in healthy older women.	Physiol Genomics	15(1):20-6.	2003
Proctor DN, Koch DW, Newcomer SC, Le KU, Leuenberger UA.	Skeletal muscle mass and the reduction of V O2max in trained older subjects.	Eur J Appl Physiol	81: 100-107	2000
Proctor, DN, Joyner MJ	The effects of exercise on falls in elderly patients. A preplanned meta-analysis of the FICSIT Trials. Frailty and Injuries: Cooperative Studies of Intervention Techniques.	J Appl Physiol	95(5):1963-1970	2003
Province MA, Hadley EC, Hornbrook MC, Lipsitz LA, Miller JP, Mulrow CD, Ory MG, Sattin RW, Tinetti ME, Wolf SL.	Exercise training increases intramyocellular lipid and oxidative capacity in older adults.	J Appl Physiol	82(5): 1411-1415	1997
Pruchnic R, Katsiaras A, He J, Kelley DE, Winters C, Goodpaster BH.	Training improves muscle oxidative capacity and oxygenation recovery kinetics in patients with chronic obstructive pulmonary disease	J A M A	273(17):1341-7.	1995
Puente-Maetstu L, Tena T, Trascasa C, Perez-Parra J, Godoy R, Garcia MJ, Stringer VW	Exercise training increases intramyocellular lipid and oxidative capacity in older adults.	Am J Physiol Endocrinol Metab	287(5):E857-62	2004
		Eur J Appl Physiol	88: 580-587	2003

Puggaard L.	Effects of training on functional performance in 65, 75 and 85 year-old women: Experiences deriving from community based studies in Vitamin D receptor FokI genotype influences bone mineral density response to strength training, but not aerobic training.	Scand J Med Sci Sports	13(1):70-76	2003
Rabon-Stiith KM, Hagberg JM, Phares DA, Kostek MC, Delmonico MJ, Roth SM, Ferrell RE, Conway JM, Ryan AS, Hurley BF, Rادم-Aizik S, Hayek S, Shahar I, Rechavi G, Kaminski N, Ben-Dov I.	Effects of aerobic training on gene expression in skeletal muscle of elderly men.	Exp Physiol	90(4):653-61.	2005
Rafamantanisoa HH, Ebine N, Yoshioka M, Higuchi H, Yoshitake Y, Tanaka H, Saitoh S, Jones PJ.	Validation of three alternative methods to measure total energy expenditure against the doubly labeled water method for older.	Med Sci Sports Exerc	37(10):1680-96	2005
Ramsbottom R, Ambler A, Potter J, Jordan B, Nevill A, Williams C.	The Effect of 6 Months Training on Leg Power, Balance, and Functional Mobility of Independently Living Adults Over 70 Years Old.	J Nutr Sci Vitaminol (Tokyo)	48(6):517-23.	2002
Rankinen, T., J. Gagnon, L. Perusse, Y. C. Chagnon, T. Rice, A. S. Leon, J. S. Skinner, J. H. Wilmore, D. C. Rao, and C. Bouchard	AGT M235T and ACE ID polymorphisms and exercise blood pressure in the HERITAGE Family Study	Journal of Aging and Physical Activity	12(4):497-510	2004
Rankinen, T., T. Rice, L. Perusse, Y. C. Chagnon, J. Gagnon, A. S. Leon, J. S. Skinner, J. H. Wilmore, D. C. Rao, and C. Bouchard	NOS3 Glu298Asp genotype and blood pressure response to endurance training: the HERITAGE family study	Am J Physiol Heart Circ Physiol	279:H368-374	2000
Rantanen T, Guralnik JM, Ferrucci L, Penninx BW, Leveille S, Sipila S, Fried LP.	Coimpairments as predictors of severe walking disability in older women.	Am J Physiol Heart Circ Physiol	279:H368-374	2000
Rantanen T, Guralnik JM, Izmirlian G, et al.	Association of muscle strength with maximum walking speed in disabled older women	J Am Geriatr Soc	49(1):21-7.	2001
Reeves ND, Maganaris CN, Ferretti G, Narici MV	Influence of 90-day simulated microgravity on human tendon mechanical properties and the effect of resistive countermeasures	Am J Phys Med Rehabil	77(4):299-305	1998
Reeves ND, Maganaris CN, Narici MV	Strength training alters the viscoelastic properties of tendons in elderly humans	J Appl Physiol	98: 2278-2286	2005
Reeves ND, Maganaris CN, Narici MV.	Plasticity of dynamic muscle performance with strength training in elderly humans.	Muscle Nerve	28: 74-81	2003
Reeves ND, Narici MV, Maganaris CN,	Effect of resistance training on skeletal muscle-specific force in elderly humans	Muscle Nerve	31(3):355-364	2005
Reeves ND, Narici MV, Maganaris CN,	Effect of strength training on human patella tendon mechanical properties of older	J Appl Physiol	96: 885-892	2004
Rejeski WJ, Brawley LR, Ettinger W, Morgan T, Thompson C.	Compliance to exercise therapy in older participants with knee osteoarthritis: implications for treating disability.	J Physiol	548: 971-981	2003
Rejeski WJ, Brawley LR.	Functional health: innovations in research on physical activity with older adults.	Med Sci Sports Exerc	29(8):977-85.	1997
Reynolds TH 4th, Supiano MA, Dengel DR.	Resistance training enhances insulin-mediated glucose disposal with minimal effect on the tumor necrosis factor-alpha system in older	Med Sci Sports Exerc	38(1):93-9.	2006
Rico-Sanz J, Rankinen T, Joannis DR, Leon AS, Skinner JS, Wilmore JH, Rao DC, Bouchard C.	Associations between cardiorespiratory responses to exercise and the C34T AMPD1 gene polymorphism in the HERITAGE Family	Metabolism	53(3):397-402.	2004
		Physiol Genomics	14(2):161-6.	2003

Rimbert V, Boirie Y, Bedu M, Hocquette JF, Ritz P, Morio B.	Muscle fat oxidative capacity is not impaired by age but by physical inactivity: association with insulin sensitivity.	FASEB J	18(6):737-9.	2004
Rinard J, Clarkson PM, Smith LL, Grossman M.	Response of males and females to high-force eccentric exercise.	J Sports Sci	18(4):229-36.	2000
Ritchie C, Trost SG, Brown W, Armit C.	Reliability and validity of physical fitness field tests for adults aged 55 to 70 years.	J Sci Med Sport	8(1):61-70	2005
Ritz, P.	Factors affecting energy and macronutrient requirements in elderly people.	Public Health Nutr	4: 561-568	2001
Robitaille Y, Laforest S, Fournier M, Gauvin L, Parisien M, Corriveau H, Trickey F, Damestoy M, Frcpc M	Moving forward in fall prevention: An intervention to improve balance among older adults in real-world settings	Am J Public Health	95(11):2049-2056	2005
Rodeheffer RJ, Gerstenblith G, Becker LC, Fleg JL, Weisfeldt ML and Lakatta EG	Exercise cardiac output is maintained with advancing age in healthy human subjects: cardiac dilatation and increased stroke volume compensate for a diminished heart rate	Circulation	69:203-213	1984
Romero-Corral A, Montori VM, Somers VK, Korinek J, Thomas RJ, Allison TG, Mookadam F, Lopez-Jimenez F.	Association of bodyweight with total mortality and with cardiovascular events in coronary artery disease: a systematic review of cohort studies.	Lancet	368(9536):666-78.	2006
Rosenbaum M, Vandenborne K, Goldsmith R, Simoneau JA, Heymsfield S, Joannisse DR, Hirsch J, Murphy E, Matthews D, Segal KR, Roumie CL, Elasy TA, Greevy R, Griffin MR, Liu X, Stone WJ, Wallston KA, Dittus RS, Alvarez V, Cobb J, Speroff T.	Effects of experimental weight perturbation on skeletal muscle work efficiency in human subjects.	Am J Physiol Regul Integr Comp Physiol.	285(1):R183-92.	2003
Rubin RR, Peyrot M Saudek CD	Improving blood pressure control through provider education, provider alerts, and patient education: a cluster randomized trial.	Ann Intern Med	145(3):165-75.	2006
Ruoti, R.G., Troup, J.T., Berger, R.A.	Effect of diabetes education on self-care, metabolic control, and emotional well-being	Diabetes Care	12(10) 673-679	1989
Sacheck JM, Milbury PE, Cannon JG, Roubenoff R, Blumberg JB.	The effects of nonswimming water exercises on older adults.	J Orthop Sports Phys Ther	19: 140-145	1994
斎藤花織 上嶋健治 鎌田潤也 佐藤 滋 齋藤 雅彦 小林 昇 谷口泰代 川副浩平 平盛勝彦	Effect of vitamin E and eccentric exercise on selected biomarkers of oxidative stress in young and elderly men. 高齢者における心臓外科手術後の監視型運動療法の意義:入院中の運動療法の経過は加齢の影響を受けるか	Free Radic Biol Med	34(12):1575-88.	2003
Sala E, Roca J, Marrades RM, Alonso J, Gonzalez De Suso JM, Moreno A, Barbera JA, Nadal J, de Jover L, Rodriguez-Roisin R, Saibach NM, Mayo NE, Robichaud-Ekstrand S, Hanley JA, Richards CL, Wood-Dauphinee S.	Effects of endurance training on skeletal muscle bioenergetics in chronic obstructive pulmonary disease. The effect of a task-oriented walking intervention on improving balance self-efficacy poststroke: a randomized, controlled trial.	循環器科	45: 488-490	1999
Sallinen J, Fogelholm M, Pakarinen A, Juvonen T, Volek JS, Kraemer WJ, Alen M.	Effects of strength training and nutritional counseling on metabolic health indicators in Peak oxygen uptake during running and arm cranking normalized to total and regional skeletal muscle mass measured by magnetic resonance imaging.	Am J Respir Crit Care Med.	159(6):1726-1734.	1999
Sanada K, Kearns CF, Kojima K, and Abe T.		J Am Geriatr Soc.	53(4), 576-582	2005
		Can J Appl Physiol	30(6):690-707.	2005
		Eur J Appl Physiol	93: 687-693	2005

Sanada K, Kearns CF, Midorikawa T, and Abe T.	Prediction and validation of total and regional skeletal muscle mass by ultrasound in Japanese adults.	Eur J Appl Physiol	96: 24-31	2006
Santa-Clara H, Fernhall B, Mendes M, Sardinha LB	Effects of a 1 year combined aerobic- and weight-training exercise programme on aerobic capacity and ventilatory threshold in patients suffering from coronary artery disease	Eur J Appl Physiol	87: 568-575	2002
Sasayama S, Izumi T, Seino Y, Ueshima K, Asanoi H	Effects of nocturnal oxygen therapy on outcome measures in patients with chronic heart failure and Cheyne-Stokes respiration	Circ J	70: 1-7	2006
Satariano WA, McAuley E.	Promoting physical activity among older adults: from ecology to the individual.	Am J Prev Med.	25(3 Suppl 2):184-192	2003
Sattin RW, Easley KA, Wolf SL, Chen Y, Kutner MH.	Reduction in fear of falling through intense tai chi exercise training in older, transitionally frail	J Am Geriatr Soc	53(7):1168-78.	2005
Saxton JM, Daley A, Woodroofe N, Coleman R, Powers H, Nutrie N, Siddall V, Crank H.	Study protocol to investigate the effect of a lifestyle intervention on body weight, psychological health status and risk factors associated with disease recurrence in women recovering from breast cancer treatment	BMC Cancer	6:35	2006
Schaap LA, Pluijm SM, Smit JH, van Schoor NM, Visser M, Gooren LJ, Lips P.	The association of sex hormone levels with poor mobility, low muscle strength and incidence of falls among older men and	Clin Endocrinol (Oxf)	63(2):152-60.	2005
Scheuermann-Freestone M, Madsen PL, Manners D, Blamire AM, Buckingham RE, Styles P, Radda GK, Neubauer S, Clarke K	Abnormal cardiac and skeletal muscle energy metabolism in patients with type 2 diabetes.	Circulation	107(24):3040-6	2003
Schlaich MP, Kaye DM, Lambert E, Sommerville M, Socratous F, Esler MD.	Relation between cardiac sympathetic activity and hypertensive left ventricular hypertrophy	Circulation	108(5):560-5	2003
Schuelke M, Wagner KR, Stolz LE, Hubner C, Riebel T, Komen W, Braum T, Tobin JF, Lee	Myostatin mutation associated with gross muscle hypertrophy in a child.	N Engl J Med	350: 2682-2688	2004
Schuler PB, Leblanc PA, Marzilli TS	Effect of physical activity on the production of specific antibody in response to the 1998-99 influenza virus vaccine in older adults	J Sports Med Phys Fitness	43(3):404	2003
Schulte JN and Yarasheski KE.	Effects of resistance training on the rate of muscle protein synthesis in frail elderly people.	Int J Sport Nutr Exerc Metab	11 Suppl: S111-118	2001
Schunk K, Pitton M, Duber C, Kersjes W, Schadmand-Fischer S, Thelen M.	Dynamic phosphorus-31 magnetic resonance spectroscopy of the quadriceps muscle: effects of age and sex on spectroscopic results.	Invest Radiol.	34(2):116-125	1999
Scremin G, Kenney WL.	Aging and the skin blood flow response to the unloading of baroreceptors during heat and cold stress.	J Appl Physiol	96(3):1019-25	2004
Seip RL, Otvos J, Bilbie C, Tsongalis GJ, Miles M, Zoeller R, Visich P, Gordon P, Angelopoulos TJ, Pesscatello L, Moyna N, Serpell J.	The effect of apolipoprotein E genotype on serum lipoprotein particle response to exercise. Beneficial effects of pet ownership on some aspects of human health and behaviour.	Atherosclerosis	In press	2006
Seynnes O, Fiatarone Singh MA, Hue O, Pras P, Legros P, Bernard PL.	Physiological and functional responses to low-moderate versus high-intensity progressive resistance training in frail elders.	J R Soc Med	84(12):717-20.	1991
		J Gerontol A Biol Sci Med Sci	59(5):503-9.	2004