

Cohen-mansfield J, Marx MS, Gurainik JM	Motivators and barriers to exercise in an older community-dwelling population	J Aging Phys Act.	11(2), 242-253	2003
Colbert LH, Mai V, Perkins SN, Berrigan D, Lavigne JA, Wimbrow HH, Alford WG, Haines DC, Srinivas P, Hursting SD.	Exercise and intestinal polyp development in APCMin mice.	Med Sci Sports Exerc	35(10):1662-9.	2003
Colbert LH, Visser M, Simonsick EM, Tracy RP, Newman AB, Kritchevsky SB, Pahor M, Taaffe DR, Brach J, Rubin S, Harris TB	Physical activity, exercise, and inflammatory markers in older adults: findings from the Health, Aging and Body Composition Study	J Am Geriatr Soc	52(7):1098-104	2004
Colcombe SJ, Erickson KI, Raz N, Webb AG, Cohen NJ, McAuley E, Kramer AF.	Aerobic fitness reduces brain tissue loss in aging humans.	J Gerontol A Biol Sci Med Sci	58(2):176-80.	2003
Colcombe SJ, Kramer AF, Erickson KI, Scalf P, McAuley E, Cohen NJ, Webb A, Jerome GJ, Marquez DX, Elavsky S.	Cardiovascular fitness, cortical plasticity, and aging.	Proc Natl Acad Sci U S A	101(9):3316-21. Epub 2004 Feb 20.	2004
Cole CR, Blackstone EH, Pashkow FJ, Snader CE, Lauer MS.	Heart-rate recovery immediately after exercise as a predictor of mortality.	N Engl J Med	341(18):1351-7.	1999
Cole CR, Foody JM, Blackstone EH, Lauer MS.	Heart rate recovery after submaximal exercise testing as a predictor of mortality in a cardiovascularly healthy cohort.	Ann Intern Med	132(7):552-5.	2000
Conley KE, Esselman PC, Jubrias SA, Cress ME, Inglin B, Mogadam C, Schoene RB.	Ageing, muscle properties and maximal O(2) uptake rate in humans.	J Physiol.	526 Pt 1:211-7.	2000
Conley KE, Jubrias SA, Esselman PC.	Oxidative capacity and ageing in human	J Physiol.	526 Pt 1:203-10.	2000
Connelly DM, Vandervoort AA.	Effects of isokinetic strength training on concentric and eccentric torque development in the ankle dorsiflexors of older adults.	J Gerontol A Biol Sci Med Sci	55(10): B465-72	2000
Connelly, D. M., C. L. Rice, M. R. Roos, and A. A. Vandervoort.	Motor unit firing rates and contractile properties in tibialis anterior of young and old men.	J Appl Physiol	87: 843-852	1999
Cononie CC, Graves JE, Pollock ML, Phillips MI, Sumners C, and Hagberg JM.	Effect of exercise training on blood pressure in 70- to 79-yr-old men and women.	Med Sci Sports Exerc	23: 505-511	1991
Conroy MB, Cook NR, Manson J, Buring J, Lee IM	Past physical activity, current physical activity, and risk of coronary heart disease	Med Sci Sports Exerc	37(8):1251-1256	2005
Cook JN, DeVan AE, Schleifer JL, Anton MM, Cortez-Cooper MY, Tanaka H.	Arterial compliance of rowers: implications for combined aerobic and strength training on arterial elasticity.	Am J Physiol Heart Circ Physiol	290(4):H1596-600.	2006
Cooper CS, Taaffe DR, Guido D, Packer E, Holloway L, Marcus R.	Relationship of chronic endurance exercise to the somatotrophic and sex hormone status of	Eur J Endocrinol	138(5):517-23.	1998
Cooper KH, Pollock ML, Martin RP, White SR, Linnerud AC, Jackson A.	Physical fitness levels vs selected coronary risk factors. A cross-sectional study.	J A M A	236(2):166-9	1976
Copeland JL, Consitt LA, Tremblay MS.	Hormonal responses to endurance and resistance exercise in females aged 19-69	J Gerontol A Biol Sci Med Sci	57(4):B158-65.	2002
Cornelissen VA, Fagard RH	Effects of endurance training on blood pressure, blood pressure-regulating mechanisms, and cardiovascular risk factors	Hypertension	46:667-75	2005
Costes, F., Denis, C., Roche, F., Prieur, F., Enjolras, F. and Barthelemy, J-C.	Age-associated alteration of muscle oxygenation measured by near infrared spectroscopy during exercise	Archives of Physiology and bioch	107(2):159-67.	1999
Cox JH, Cortright RN, Dohm GL, Houmard JA.	Effect of aging on response to exercise training in humans: skeletal muscle GLUT-4 and insulin sensitivity.	J Appl Physiol	86(6):2019-25.	1999

Cox RH, Hubbard JW, Lawler JE, Sanders BJ, Mitchell VP.	Exercise training attenuates stress-induced hypertension in the rat.	Hypertension	7(5):747-51	1985
Cress ME, Bucher DM, Prohaska T, Rimmer J, Brown M, Macera C, DePietro L, Chodzko-Cress ME, Buchner DM, Questad KA, Esselman PC, deLateur BJ, Schwartz RS, Cress ME, Conley KE, Baiding SL, Hansen-Smith F, Konczak J.	Best practices for physical activity programs and behavior counseling in older adult Exercise: effects on physical functional performance in independent older adults. Functional training: muscle structure, function, and performance in older women.	Eur Rev Aging	3:34-42	2006
Crist DM, Mackinnon LT, Thompson RF, Atterbom HA, Egan PA.	Physical exercise increases natural cellular-mediated tumor cytotoxicity in elderly women.	J Gerontol A Biol Sci Med Sci	54(5):M242-8.	1999
Crombie IK, Irvine L, Williams B, McGinnis AR, Slane PW, Alder EM, McMurdo MET	Why older people do not participate in leisure time physical activity: a survey of activity levels, beliefs and deterrents	J Orthop Sports Phys Ther.	24(1):4-10.	1996
Crow RS, Rautaharju PM, Prineas RJ, Connert JE, Furberg C, Broste S, and Stamler J.	Risk factors, exercise fitness and electrocardiographic response to exercise in 12,866 men at high risk of symptomatic coronary heart disease.	Gerontology	35:66-71	1989
Crowther GJ, Milstein JM, Jubrias SA, Kushmerick MJ, Gronka RK, Conley KE.	Altered energetic properties in skeletal muscle of men with well-controlled insulin-dependent (type 1) diabetes.	Age Ageing	33: 287-292	2004
D'Acquisto, L.J., D'Acquisto, D.M., Renne, D.	Metabolic and cardiovascular responses in older women during shallow-water exercise.	Am J Cardiol	57: 1075-1082	1986
Dalsgaard MK, Quistorff B, Danielsen ER,	A reduced cerebral metabolic ratio in exercise reflects metabolism and not accumulation of lactate within the human brain	Am J Physiol Endocrinol Metab.	284(4):E655-662.	2003
Danneskiold Samsøe, B., Lyngberg, K., Risum, T., Telling, M.	The effect of water exercise therapy given to patients with rheumatoid arthritis.	J Strength Cond Res	15: 12-19	2001
Dansinger ML, Gleason JA, Griffith JL, Selker HP, Schaefer EJ.	Comparison of the Atkins, Ornish, Weight Watchers, and Zone diets for weight loss and heart disease risk reduction: a randomized trial.	J Physiol	554(Pt 2):571-8.	2004
Davis JA, Storer TW, Caiozzo VJ, and Pham PH.	Lower reference limit for maximal oxygen uptake in men and women.	Scand J Rehab Med	19: 31-35	1987
Davis, J W; Ross, P D; Preston, S D; Nevitt, M C; Wasnich, R D	Strength, physical activity, and body mass index: relationship to performance-based measures and activities of daily living among older Japanese women in Hawaii	J A M A	5:293(1):43-53.	2005
Davy KP, DeSouza CA, Jones PP, and Seals DR.	Elevated heart rate variability in physically active young and older adult women.	Clin Physiol Funct Imaging	22: 332-338	2002
Davy KP, Miniclier NL, Taylor JA, Stevenson ET, and Seals DR.	Elevated heart rate variability in physically active postmenopausal women: a	J Am Geriatr Soc	46(3) : 274-279	1998
Davy KP, Willis WL, and Seals DR.	Influence of exercise training on heart rate variability in post-menopausal women with elevated arterial blood pressure.	Clin Sci (Lond)	94: 579-584	1998
De Angelis KL, Oliveira AR, Werner A, Bock P, Bello-Klein A, Fernandes TG, Bello AA, Irigoyen MC	Exercise training in aging: hemodynamic, metabolic, and oxidative stress evaluations	Am J Physiol	271: H455-460	1996
		Clin Physiol	17: 31-40	1997
		Hypertension	30:767-771	1997

de Vreede PL, Samson MM, van Meeteren NL, Duursma SA, Verhaar HJ.	Functional-task exercise versus resistance strength exercise to improve daily function in older women: a randomized, controlled trial	J Am Geriatr Soc	53(1):2-10.	2005
Dean, D.J., Brozinick, J.T., Cushman, S.W., and G.D. Cartee.	Calorie restriction increases cell surface GLUT-4 in insulin-stimulated skeletal muscle.	Am J Physiol	275: E957-E964	1998
Dedrick ME, Clarkson PM.	The effects of eccentric exercise on motor performance in young and older women.	Eur J Appl Physiol Occup Physiol	60(3):183-6.	1990
Dehail P, Joseph PA, Faux P, Rainfray M, Emeriau JP, Barat M, Bourdel-Marchasson I.	Early changes in isokinetic lower limb muscle strength in recovering geriatric subjects on the basis of nutritional status.	J Nutr Health Aging.	9(5):356-363.	2005
Dehn MM, Bruce RA.	Longitudinal variations in maximal oxygen intake with age and activity.	J Appl Physiol	33: 805-807	1972
Dela, F., Mikines, K.J., von Linstow, M., Secher, N.H., and H. Galbo.	Effect of training on insulin-mediated glucose uptake in human muscle.	Am J Physiol	263: E1134-1143	1992
Delmonico MJ, Ferrell RE, Meerasahib A, Martel GF, Roth SM, Kostek MC, Hurley BF.	Blood pressure response to strength training may be influenced by angiotensinogen A-20C and angiotensin II type I receptor A1166C genotypes in older men and women.	J Am Geriatr Soc	53(2):204-10.	2005
Dengel DR, Brown MD, Ferrell RE, Reynolds TH 4th, Supiano MA.	Exercise-induced changes in insulin action are associated with ACE gene polymorphisms in older adults.	Physiol Genomics	11(2):73-80.	2002
DeSouza CA, Shapiro LF, Clevenger CM, Dinunno FA, Monahan KD, Tanaka H, Seals DR.	Regular aerobic exercise prevents and restores age-related declines in endothelium-dependent vasodilation in healthy men.	Circulation	102(12): 1351-7	2000
Devereux, K., Robertson, D., Briffa, N.K.	Effects of a water-based program on women 65 years and over: a randomised controlled trial. Independent contribution of myocardial perfusion defects to exercise capacity and heart rate recovery for prediction of all-cause mortality in patients with known or suspected Aging and forearm postjunctional alpha-adrenergic vasoconstriction in healthy men.	Aust J Physiother	51: 102-108	2005
Diaz LA, Brunken RC, Blackstone EH, Snader CE, and Lauer MS.	Age-associated arterial wall thickening is related to elevations in sympathetic activity in impaired modulation of sympathetic alpha-adrenergic vasoconstriction in contracting forearm muscle of ageing men.	J Am Coll Cardiol	37: 1558-1564	2001
Dinenno FA, Dietz NM, Joyner MJ.	Age-related decreases in basal limb blood flow in humans: time course, determinants and habitual exercise effects.	Circulation	106(11):1349-54	2002
Dinenno FA, Jones PP, Seals DR, Tanaka H	Limb blood flow and vascular conductance are reduced with age in healthy humans: relation to elevations in sympathetic nerve activity and declines in oxygen demand.	Am J Physiol Heart Circ Physiol	278:H1205-10	2000
Dinenno FA, Masuki S, Joyner MJ.	Age-related decreases in basal limb blood flow in humans: time course, determinants and habitual exercise effects.	J Physiol	567(Pt 1):3111-21	2005
Dinenno FA, Seals DR, DeSouza CA, Tanaka H.	Limb blood flow and vascular conductance are reduced with age in healthy humans: relation to elevations in sympathetic nerve activity and declines in oxygen demand.	J Physiol	531(Pt 2):573-9	2001
Dinenno, F.A., Jones, P.P., Seals, D.R. and Tanaka, H.	Reductions in basal limb blood flow and vascular conductance with human ageing: role for augmented alpha-adrenergic	Circulation	100(2):164-70.	1999
Dinenno, F.A., Tanaka, H., Stauffer, B.L. & Seals, D.R.	Reductions in basal limb blood flow and vascular conductance with human ageing: role for augmented alpha-adrenergic	J Physiol	536: 977-983.	2001

Dionne IJ, Melancon MO, Brochu M, Ades PA, Poehlman ET.	Age-related differences in metabolic adaptations following resistance training in The epidemiology of physical activity and physical function in older people.	Exp Gerontol	39(1):133-8.	2004
Dipietro L	A survey for assessing physical activity among older adults.	Med Sci Sports Exerc	28(5):596-600	1996
Dipietro L, Caspersen CJ, Ostfeld AM, Nadel ER.	Physical activity and coronary heart disease in middle-aged and elderly men: the Honolulu Heart Program	Med Sci Sports Exerc	25(5):628-642	1993
Donahue RP, Abbott RD, Reed DM, Yano K	Effects of a 16-month randomized controlled exercise trial on body weight and composition in young, overweight men and women: the Midwest Exercise Trial.	Am J Public Health.	78:683-685	1988
Donnelly JE, Hill JO, Jacobsen DJ, Potteiger J, Sullivan DK, Johnson SL, Heelan K, Hise M, Fennessey PV, Sonko B, Sharp T, Jakicic JM, Blair SN, Tran ZV, Mavo M, Gibson C.	Lifetime physical activity and breast cancer risk in pre- and postmenopausal women	Arch Intern Med	163(11):1343-50.	2003
Dorn J, Vena J, Brasure J, Freudenheim J, Graham S	Exercise induces recruitment of the "insulin-responsive glucose transporter."	Med Sci Sports Exerc	35(2):278-85	2003
Douen, A.G., Ramial, T., Rastogi, S., Bilan, P.J., Cartee, G.D., Vranic, M., Holloszy, J.O., and A. Klip.	Neuroplasticity: changes in grey matter induced by training.	J Biol Chem	265: 13427-13440	1990
Draganski B, Gaser C, Busch V,	Moderate exercise may attenuate some aspects of immunosenescence.	Nature	427(6972):311-2.	2004
Drela N, Kozdron E, Szczypiorski P.	Exercise-induced signs of muscle overuse in children.	BMC Geriatr	29:4:8.	2004
Drinkwater BL, Horvath SM, Wells CL. Aerobic power of females, ages 10 to 68.	Is estradiol cardioprotection a nitric oxide-mediated effect	J Gerontol	30: 385-394	1975
Duarte JA, Magalhaes JF, Monteiro L, Almeida-Dias A, Soares JM, Appell HJ.	Women walking for health and fitness. How much is enough?	Int J Sports Med	20(2):103-8.	1999
Duncan AC, Petrie JR, Brosnan MJ, Devlin AM, Bass RA, Charnock-Jones DS, Connell JM, Dominiczak AE, Lumsden MA.	Functional reach: a new clinical measure of comparison of lifestyle and structured interventions to increase physical activity and cardiorespiratory fitness - a randomized trail -	Hum Reprod	17(7):1918-1924	2002
Duncan JJ, Gordon NF, Scott CB.	Exercise treatment for depression: efficacy and dose response.	JAMA.	266:3295-3299	1991
Duncan PW, Weiner DK, Chandler J,	High-intensity resistance training improves glycemic control in older patients with type 2 diabetes	J Gerontol	45:M192-197	1990
Dunn AL, Marcus BH, Kampert JB, Garcia ME, Kohl III HW, Blair SN	Home-based resistance training is not sufficient to maintain improved glycemic control following supervised training in older individuals with type 2 diabetes	J A M A	281: 327-334	1999
Dunn AL, Trivedi MH, Kampert JB, Clark CG, Chambliss HO	Leptin sensitivity in skeletal muscle is modulated by diet and exercise.	Am J Prev Med	28(1):1-8.	2005
Dunstan DW, Daly RM, Owen N, Jolley D, De Courten M, Shaw J, Zimmet P.	Blood lipid and lipoprotein adaptations to exercise: a quantitative analysis.	Diabetes Care	25(10):1729-36.	2002
Dunstan DW, Daly RM, Owen N, Jolley D, Vuilikh E, Shaw J, Zimmet P.	Diabetes Care	Diabetes Care	28(1):3-9.	2005
Durstine JL, Grandjean PW, Davis PG, Ferguson MA, Alderson NL, DuBose KD.	Sports Med	Sports Med	31(15): 1033-62	2001
Dyck DJ	Med Sci Sports Exerc	Med Sci Sports Exerc	33(4):189-94	2005 ?

Edinger JD, Morey MC, Sullivan RJ, Higginbotham MB, Marsh GR, Dailey DS, Edward P. Weiss, Robert J. Spina, John O. Holloszy, and Ali A. Ehsani	Aerobic Fitness, Acute Exercise and Sleep in Older Men. Gender differences in the decline in aerobic capacity and its physiological determinants during the later decades of life	Sleep J Appl Physiol	16(4):351-359 101(3):938-44	1993 2006
Egawa江川賢一, 種田行男, 荒尾孝, 松月弘恵, 白子みゆき	地域における基本健康診査を活用した生活習慣病予防プログラムの開発のための基礎的検討	体力研究	102, 15-29	2004
Egawa江川賢一, 種田行男, 荒尾孝, 松月弘恵, 白子みゆき	地域保健事業における生活習慣病予防に適用可能な運動行動セルブモニタリングの有用性	体力研究	103, 10-23	2005
Egawa江川賢一, 神野宏司, 種田行男, 永松俊哉, 北島義典, 真家英俊, 荒尾孝	地域在宅高齢者を対象とした生活体力維持増進プログラムの効果に関する研究	体力研究	100, 1-10	2002
Egawa江川賢一, 神野宏司, 種田行男, 永松俊哉, 北島義典, 真家英俊, 荒尾孝	地域在宅高齢者を対象とした生活体力維持増進プログラムの効果に関する研究(2) 介入頻度による身体・精神・社会的な生活機能への効果	体力研究	101, 18-29	2003
Ekkelund U, Brage S, Franks PW, Hennings S, Emms S, and Wareham NJ.	Physical activity energy expenditure predicts progression toward the metabolic syndrome independently of aerobic fitness in middle-aged healthy Caucasians: the Medical Research Council Ely Study.	Diabetes Care	28: 1195-1200	2005
Elavsky S, McAuley E, Motl RW, Konopack JF, Marquez DX, Hu L, Jerome GJ, Diener E.	Physical activity enhances long-term quality of life in older adults: efficacy, esteem, and affective influences.	Ann Behav Med	30(2):138-45.	2005
Emery CF, Blumenthal JA.	Perceived change among participants in an exercise program for older adults	Gerontologist.	30:516-521	1990
Emery CF, Gatz M.	Psychological and cognitive effects of an exercise program for community-residing older adults	Gerontologist.	30:184-188	1990
Engels HJ, Drouin J, Zhu W, Kazmierski JF.	Effects of low-impact, moderate-intensity exercise training with and without wrist weights on functional capacities and mood states in Promoter but not exon 7 polymorphism of endothelial nitric oxide synthase affects training-induced correction of endothelial dysfunction	Gerontology	44(4):239-44.	1998
Erb S, Baither Y, Linke A, Adams V, Shu Y, Lenk K, Gielen S, Dilz R, Schuler G, Hambrecht R.	Effects of low-impact, moderate-intensity exercise training with and without wrist weights on functional capacities and mood states in Promoter but not exon 7 polymorphism of endothelial nitric oxide synthase affects training-induced correction of endothelial dysfunction	Arterioscler Thromb Vas Biol	23(10):1814-1819	2003
Eriksson KF, Lindgärde F	No excess 12-year mortality in men with impaired glucose tolerance who participated in the Malmö Preventive Trial with diet and	Diabetologia	41(9):1010-6	1998
Esaki K, Hamaoka T, Radegran G, Boushel R, Hansen J, Katsumura T, Haga S, Mizuno M	Association between regional quadriceps oxygenation and blood oxygen saturation during normoxic one-legged dynamic knee extension.	Eur J Appl Physiol	95(4):361-70	2005
Eskurza I, Donato AJ, Moreau KL, Seals DR, Tanaka H.	Changes in maximal aerobic capacity with age in endurance-trained women: 7-yr follow-up.	J Appl Physiol	92(6):2303-8.	2002
Esmarck B, Andersen J L., Olsen S, Richter E.A., Mizuno M, Kjaer M	Timing of postexercise protein intake is important for muscle hypertrophy with resistance training in elderly humans	J Physiol	535 (Pt 1), 301-311,	2001
Ettlinger WH Jr, Burns R, Messier SP, Applegate W, Rejeski WJ, Morgan T, Shumaker S, Berry MJ, O'Toole M, Monu J, Craven T	A randomized trial comparing aerobic exercise and resistance exercise with a health education program in older adults with knee osteoarthritis. The Fitness, Arthritis, and Seniors Trial (FAST)	J A M A	277(1):25-31.	1997

Evans EM, Racette SB, Peterson LR, Villareal DT, Greiwe JS, Holloszy JO	Aerobic power and insulin action improve in response to endurance exercise training in healthy 77-87 yr olds.	J Appl Physiol	98: 40-45	2005
Evans WJ.	Effects of exercise on body composition and functional capacity of the elderly.	J Gerontol A Biol Sci Med Sci	50 Spec No:147-50.	1995
Faber MJ, Bosscher RJ, Chin A Paw MJ, van Wieringen PC.	Effects of exercise programs on falls and mobility in frail and pre-frail older adults: A multicenter randomized controlled trial.	Arch Phys Med Rehabil	87(7):885-96.	2006
Fabre C, Chamari K, Mucci P, Masse-Biron J, Prefaut C	Improvement of cognitive function by mental and/or individualized aerobic training in healthy elderly subjects	Int J Sports Med	23: 415-421	2002
Fagard R	Exercise is good for your blood pressure: effects of endurance training and resistance	Clin Exp Pharmacol Physiol	33: 853-856	2006
Fahey JL, Schnelle JF, Boscardin J, Thomas JK, Gorre ME, Aziz N, Sadeghi H, Nishanian P	Distinct categories of immunologic changes in frail elderly	Mech Ageing Dev	115(1-2):1-20	2000
Fahiman M, Boardley D, Flynn MG, Braun WA, Lambert CP, Bouillon LE	Effects of endurance training and resistance training on plasma lipoprotein profiles in elderly	J Gerontol A Biol Sci Med Sci	57:B54-B60	2002
Fahiman M, Boardley D, Flynn MG, Braun WA, Lambert CP, Bouillon LE	Effects of endurance training on selected parameters of immune function in elderly	Gerontology	46(2):97-104	2000
Fairey AS, Courneya KS, Field CJ, Bell GJ, Jones LW, Mackey JR	Randomized controlled trial of exercise and blood immune function in postmenopausal breast cancer survivors.	J Appl Physiol	98(4):1534-40.	2005
Fatouros IG, Jamurtas AZ, Viliotou V, Poulipoulou S, Fotinakis P, Taxildaris K.	Oxidative stress responses in older men during endurance training and detraining.	Med Sci Sports Exerc	36(12):2065-72.	2004
Fatouros IG, Kambas A, Katrabasas I, Leontsini D, Chatzinikolaou A, Jamurtas AZ, Douroudos I, Aggelousis N, Taxildaris K.	Resistance training and detraining effects on flexibility performance in the elderly are intensity-dependent.	J Strength Cond Res	20(3):634-642	2006
Fatouros IG, Kambas A, Katrabasas I, Nikolaidis K, Chatzinikolaou A, Leontsini D, Taxildaris K	Strength training and detraining effects on muscular strength, anaerobic power, and mobility of inactive older men are intensity	Br J Sports Med	39: 776-780	2005
Fatouros IG, Taxildaris K, Tokmakindis SP, Kalapotharakos V, Aggelousis N, Athanasopoulos S, Zeeris I, Katrabasas I	The effects of strength training, cardiovascular training, cardiovascular training and their combination on flexibility of inactive adults	Int J Sports Med	23: 112-119	2002
Fatouros IG, Tournis S, Leontsini D, Jamurtas AZ, Sxina M, Thomakos P, Manousaki M, Douroudos I, Taxildaris K, Mitrakou A.	Leptin and adiponectin responses in overweight inactive elderly following resistance training and detraining are intensity related.	J Clin Endocrinol Metab	90(11):5970-7	2005
Feder G, Cryer C, Donovan S, Carter Y on behalf of the Guideline's Development Group	Guidelines for the prevention of falls in people over 65		321:1007-11	2000
Ferretich AK, Kirby TE, Alway SE.	Cardiovascular and muscular adaptations to combined endurance and strength training in elderly women.	Acta Physiol Scand	164(3):259-67.	1998
Ferrara CM, Goldberg AP, Ortmeier HK, Ryan AS.	Effects of aerobic and resistive exercise training on glucose disposal and skeletal muscle metabolism in older men.	J Gerontol A Biol Sci Med Sci	61(5):480-7.	2006
Ferretti G, Antonutto G, Denis C, Hoppeler H, Minetti AE, Narici MV, Desplanches D.	The interplay of central and peripheral factors in limiting maximal O2 consumption in man after prolonged bed rest.	J Physiol.	501 (Pt 3):677-686.	1997

Ferri, A, Scaglioni, G, Pousson, M, Capodaglio, P, Van Hoecke, J, Narici, MV	Strength and power changes of the human plantar flexors and knee extensors in response to resistance training in old age.	Acta Physiol Scand	177: 69-78	2003
Ferrier KE, Waddell TK, Gatzka CD, Cameron JD, Dart AM, and Kingwell BA.	Aerobic exercise training does not modify large-artery compliance in isolated systolic hypertension	Hypertension	38: 222-226	2001
Ferrucci L, Izmirlian G, Leveille S, Phillips CL, Corti MC, Brock DB, Guralnik JM.	Smoking, physical activity, and active life expectancy.	Am J Epidemiol	149:645-653	1999
Ferry A, Le Page C, Rieu M	Sex as a determining factor in the effect of exercise on in vivo autoimmune response	J Appl Physiol	76(3):1172-5	1994
Fiatarone MA, Marks EC, Ryan ND, Meredith CN, Lipsitz LA, Evans WJ.	High-intensity strength training in nonagenarians. Effects on skeletal muscle.	J A M A	263:3029-3034	1990
Fiatarone MA, Morley JE, Bloom ET, Benton D, Solomon GF, Makinodan T.	The effect of exercise on natural killer cell activity in young and old subjects.	J Gerontol	44(2):M37-45	1989
Fiatarone MA, O'Neill EF, Ryan ND, Clements KM, Solares GR, Nelson ME, Roberts SB, Kehayias JJ, Lipsitz LA, Evans WJ.	Exercise training and nutritional supplementation for physical frailty in very elderly people.	N Engl J Med	330:1769-1775	1994
Fisher KJ, Li F, Michael Y, Cleveland M.	Neighborhood-level influences on physical activity among older adults: a multilevel	J Aging Phys Act.	12(1), 45-63	2004
Fitzgerald MD, Tanaka H, Tran ZV, Seals DR.	Age-related declines in maximal aerobic capacity in regularly exercising vs. sedentary women: a meta-analysis.	J Appl Physiol	83, 160-165.	1997
Fleg JL, and Lakatta EG.	Role of muscle loss in the age-associated reduction in VO2 max.	J Appl Physiol	65: 1147-1151	1988
Fleg, J. L., O'Connor, F., Gerstenblith, G., Becker, L.C., Clulow, J., Schulman, S.P. and Lakatta, E.G.	Impact of age on the cardiovascular response to dynamic upright exercise in healthy men and women.	J Appl Physiol	78, 890-900.	1995
Flynn MG, Fahiman M, Braun WA, Lambert CP, Bouillon LE, Brolinson PG, Armstrong CW	Effects of resistance training on selected indexes of immune function in elderly women	J Appl Physiol	86(6):1905-13	1999
Fogelholm M, Kukkonen-Harjula K, Nenonen A, Pasanen M.	Effects of Walking Training on Weight Maintenance After a very-Low-Energy Diet in Premenopausal Obese Women: A randomized	Arch Inetrn Med	160:2177-2184	2000
Foster VL, Hume GJ, Byrnes WC, Dickinson AL, Chatfield SJ.	Endurance training for elderly women: moderate vs low intensity	J Gerontol.	44:M184-188	1989
Franks PW, Luan J, Browne PO, Harding AH, O'Rahilly S, Chatterjee VK, Wareham NJ.	Does peroxisome proliferator-activated receptor gamma genotype (Pro12Ala) modify the association of physical activity and dietary fat with fasting insulin level?	Metabolism	53(1):11-6.	2004
Franks, P. W., S. Bhattacharyya, J. Luan, C. Montague, J. Brennand, B. Challis, S. Brage, U. Ekelund, R. P. Middelberg, S. O'Rahilly, and N. J. Wareham	Association between physical activity and blood pressure is modified by variants in the G-protein coupled receptor 10	Hypertension	43:224-228	2004
Frederiksen H, Bathum L, Worm C, Christensen K, Puggaard L.	ACE genotype and physical training effects: a randomized study among elderly Danes.	Aging Clin Exp Res	15(4):284-91.	2003
Fried LF, Lee JS, Shlipak M, Chertow GM, Green C, Ding J, Harris T, Newman AB	Chronic kidney disease and functional limitation in older people: health, aging and body composition study	J Am Geriatr Soc	54(5):750-6	2006
Friedenreich CM	Physical activity and breast cancer risk: the effect of menopausal status.	Med Sci Sports Exerc	32(4):180-4	2000?

Friedmann E, Thomas SA.	Pet ownership, social support, and one-year survival after acute myocardial infarction in the Cardiac Arrhythmia Suppression Trial (CAST). Socioepidemiologic and Health-Related	Am J Cardiol	76(17):1213-7.	1995
Friis RH, Nomura WL, Ma CX, Swan JH	Correlates of Walking for Exercise Among the Elderly: Results from the Longitudinal Study of Strength training in older women: early and late changes in whole muscle and single cells	J Aging Phys Act.	11(1), 54-65	2003
Frontera WR, Hughes VA, Kivickas LS, Kim SK, Foldvari M, Roubenoff R.	A cross-sectional study of muscle strength and mass in 45- to 78-yr-old men and women.	Muscle Nerve	28:601-8	2003
Frontera WR, Hughes VA, Lutz KJ, Evans WJ	Strength training and determinants of Vo2max in older men.	J Appl Physiol	71: 644-650	1991
Frontera WR, Meredith CN, O'Reilly KP, Evans WJ	Aging of skeletal muscle: a 12-yr longitudinal study.	J Appl Physiol	68: 329-333	1990
Frontera, W. R., V. A. Hughes, R. A. Fielding, M. A. Flatarone, W. J. Evans, and R.	Whole-body metabolic map with positron emission tomography of a man after running.	J Appl Physiol	88: 1321-1326	2000
Fujimoto T, Itoh M, Kurmano H, Tashiro M, Ido T.	Skeletal muscle glucose uptake response to exercise in trained and untrained men.	Lancet	348(9022):266	1996
Fujimoto T, Kempainen J, Kalliokoski KK,	Effects of exercise training on physical activity in older people: a randomized controlled trial.	Med Sci Sports Exerc	35(5):777-83.	2003
Fujita K, Nagatomi R, Hozawa A, Ohkubo T, Sato K, Anzai Y, Sauvaget C, Watanabe Y, Tamagawa A, Tsujii.	Brain functional activity during gait in normal subjects: a SPECT study.	J Epidemiol	13(2):120-6.	2003
Fukuyama H, Ouchi Y, Matsuzaki S,	Influence of age on length and passive elastic stiffness characteristics of the calf muscle-tendon unit in women.	Neurosci Lett	228(3):183-6.	1997
Gajdosik, R. L., D. W. Vander Linden, and A. K. Williams.	Inverse association between physical inactivity and mental health in men and women.	Phys Ther	79: 827-838	1999
Galper DI, Trivedi MH, Barlow CE, Dunn AL, Kampert JB	Resistance exercise dosage in older adults: single- versus multiset effects on physical performance and body composition.	Med Sci Sports Exerc	38(1):173-8	2006
Galvao DA, Taaffe DR.	Differential cell adhesion molecule expression and lymphocyte mobilisation during prolonged aerobic exercise	J Am Geriatr Soc.	53(12), 2090-2097	2005
Gannon GA, Rhind SG, Shek PN, Shephard RJ.	Physical activity and its determinants in severe chronic obstructive pulmonary disease	Eur J Appl Physiol	84(4):272-82	2001
Garcia-Aymerich J, Felez MA, Escarabill J, Marrades RM, Morera J, Elosua R, Anto JM	Trp64Arg variant of the beta3-adrenoceptor and insulin resistance in obese postmenopausal women.	Med Sci Sports Exerc	36(10):1667-73	2004
Garcia-Rubi E, Starling RD, Tchernof A, Matthews DE, Walston JD, Shuldiner AR, Silver K, Poehlman ET, and Calles-Escandon Garza AA, Ha TG, Garcia C, Chen MJ, Russo-Neustadt AA.	Exercise, antidepressant treatment, and BDNF mRNA expression in the aging brain.	J Clin Endocrinol Metab	83: 4002-4005	1998
Gates PE, Tanaka H, Graves J, Seals DR	Left ventricular structure and diastolic function with human ageing. Relation to habitual exercise and arterial stiffness	Pharmacol Biochem Behav	77(2):209-20.	2004
Gauchard GC, Tessier A, Jeandel C, Perrin PP	Improved muscle strength and power in elderly exercising regulatory	Eur Heart J	24:2213-20	2003
		Int J Sports Med	24; 71-74	2003

GCG Wendel, AJ Schuit, EJM Feskens, HC Boshuizen, WMM Verschuren, WHM Saris, and D Kromhout	Physical activity and stroke. A meta-analysis of observational data	Int J Epidemiol	33:787-798	2004
Geiss LS, Pan L, Cadwell B, Gregg EW, Benjamin SM, Engelgau MM	Changes in incidence of diabetes in U.S. adults, 1997-2003.	Am J Prev Med	30(5):371-7.	2006
Georgiades E, Benan WM, Kilduff LP, Hadjicharalambous M, Mackie EE, Wilson J, Ward SA, Pitsiladis YP.	Chronic fatigue syndrome: new evidence for a central fatigue disorder.	Clin Sci	105(2):213-8.	2003
Giannopoulou I, Fernhall B, Carhart R, Weinstock RS, Baynard T, Figueroa A, Kanaley JA.	Effects of diet and/or exercise on the adipocytokine and inflammatory cytokine levels of postmenopausal women with type 2	Metabolism	54(7):866-75	2005
Gill TM, Williams CS, Tinetti ME.	Assessing risk for the onset of functional dependence among older adults; the role of physical performance.	J Am Geriatr Soc	43(6):603-9	1995
Gillespie LD, Gillespie WJ, Robertson MC, Lamb SE, Cumming RG, Rowe BH	Interventions for preventing falls in elderly people	Cochrane Review. In: The Cochr Issue 2		2005
Gillespie LD, Gillespie WJ, Robertson MC, Lamb SE, Cumming RG, Rowe BH.	Interventions for preventing falls in elderly people.	Cochrane Database Syst Rev	(4):CD000340	2003
Giresi PG, Stevenson EJ, Theilhaber J, Koncarevic A, Parkinson J, Fielding RA, Gitlin LN, Winter L, Dennis MP, Corcoran M, Schinfeld S, Hauck WW.	Identification of a molecular signature of sarcopenia	Physiol Genomics	21:253-63	2005
Gohil K, Rothfuss L, Lang J, Packer L.	A randomized trial of a multicomponent home intervention to reduce functional difficulties in older adults.	J Am Geriatr Soc	54(5):809-16.	2006
Goldhammer E, Tanchilevitch A, Maor I, Beniamini Y, Rosenschein U, Sagiv M, Gollnick, P.D., Armstrong, R.B., Saitin, B., Saubert, C.W., Sembrowich, W.L., and R.E. Shepherd.	Effect of exercise training on tissue vitamin E and ubiquinone content.	J Appl Physiol	63(4):1638-41.	1987
Gomez-Merino D, Bequet F, Berthelot M, Chennaoui M, Guezennec C.Y.	Exercise training modulates cytokines activity in coronary heart disease patients.	Int J Cardiol	100(1):93-9	2005
Goran, M.I., Poehlman, E.T.	Effect of training on enzyme activity and fiber composition of human skeletal muscle.	J Appl Physiol	34: 107-111	1973
Goto Y, Sumida H, Ueshima K, Adachi H, Nohara R, Itoh H	Site-dependent effects of an acute intensive exercise on extracellular 5-HT and 5-HIAA	Neurosci Lett.	301(2):143-6.	2001
Gottlieb, S.S., Fisher, M.L., Freudenberger, R., Robinson, S., Zietowski, G., Alves, L., Krichten, C., Vaitkevicius, P., McCarter, R. Graafmans WC, Ooms ME, Hofstee HM, Bezemer PD, Boufer LM, Lips P.	Endurance training does not enhance total energy expenditure in healthy elderly persons. Markedly improved skeletal muscle function with local muscle training in patients with chronic heart failure.	Am J Physiol	263: E950-957	1992
Green D, Walsh JH, Mariorana A, Burke V, Taylor R, O'Driscoll G	Safety and implementation of exercise testing and training after coronary stenting in patients with acute myocardial infarction.	Clin Cardiol.	19(7):568-574	1996
Gordon A, Tyni-Lenne R, Persson H, Kaijser L, Hultman E, Sylven C.	Effects of exercise training on peak performance and quality of life in congestive heart failure patients.	Circ J	66: 930-936	2002
Graafmans WC, Ooms ME, Hofstee HM, Bezemer PD, Boufer LM, Lips P.	Falls in the elderly: a prospective study of risk factors and risk profiles.	J Card Fail	5: 188-194	1999
Hadjicharalambous M, Mackie EE, Wilson J, Ward SA, Pitsiladis YP.	Comparison of resistance and conduit vessel nitric oxide-mediated vascular function in vivo: effects of exercise training	Am J Epidemiol	143(11):1129-36.	1996
Hadjicharalambous M, Mackie EE, Wilson J, Ward SA, Pitsiladis YP.	Comparison of resistance and conduit vessel nitric oxide-mediated vascular function in vivo: effects of exercise training	J Appl Physiol	97:749-755	2004

Gregg EW, Cauley JA, Stone K, Thompson TJ, Bauer DC, Cummings SR, and Ensrud KE.	Relationship of changes in physical activity and mortality among older women.	J A M A	289: 2379-2386	2003
Gregg EW, Gerzoff RB, Caspersen CJ, Williamson DF, Narayan KM.	Relationship of walking to mortality among US adults with diabetes.	Arch Intern Med	163(12):1440-7.	2003
Greig CA, Botella J, Young A	The quadriceps strength of healthy elderly people remeasured after eight years.	Muscle Nerve	16: 6-10	1993
Greiner A, Esterhammer R, Messner H, Biebl M, Muhlthaler H, Fraedrich G, Jaschke WR, Schocke MF.	incremental calf exercise in patients with unilaterally symptomatic peripheral arterial disease measured by phosphor 31 magnetic resonance spectroscopy.	J Vasc Surg.	43(5):978-986.	2006
Grewe J.S, Holloszy J.O. and C.F. Semenkovich.	Exercise induces lipoprotein lipase and GLUT-4 protein in muscle independent of adrenergic-receptor signaling.	J Appl Physiol	89: 176-181	2000
Grewe JS, Cheng B, Rubin DC, Yarasheski KE, Semenkovich CF.	Resistance exercise decreases skeletal muscle tumor necrosis factor alpha in frail elderly	FASEB J	15:475-82	2001
Guralnik JM, Ferrucci L, Simonsick EM, Salive ME, Wallace RB	Lower-extremity function in persons over age of 70 years as a predictor of subsequent	N Engl J Med	332:556-561	1995
Haber P, Honiger B, Klicpera M, Niederberger M	Effects in elderly people 67-76 years of age of three-month endurance training on a bicycle	Eur Heart J.	5 suppl. E:37-39	1984
Haddad F, Zaldivar F, Cooper DM, Adams GR.	IL-6-induced skeletal muscle atrophy.	J Appl Physiol	98(3):911-7	2005
Haffner SM, Mykkanen L, Festa A, Burke JP, Stern MP	Insulin-Resistant Prediabetic Subjects Have More Atherogenic Risk Factors Than Insulin-Sensitive Prediabetic Subjects Implications for Preventing Coronary Heart Disease During the	Circulation	101(9):975-80	2000
Hagberg JM, Graves JE, Limacher M, Woods DR, Leggett SH, Cononie C, Gruber JJ, Hagberg JM, Hickson RC, Ehsani AA, Holloszy JO.	Cardiovascular responses of 70- to 79-yr-old men and women to exercise training. Faster adjustment to and recovery from submaximal exercise in the trained state	J Appl Physiol	66: 2589-2594	1989
Hagberg JM, McCole SD, Brown MD, Ferrell RE, Wilund KR, Huberty A, Douglass LW, and Moore GE	ACE insertion/deletion polymorphism and submaximal exercise hemodynamics in postmenopausal women.	J Appl Physiol	48:218-24	1980
Hage C, Mattsson E, Stahle A.	Long-term effects of exercise training on physical activity level and quality of life in elderly coronary patients--a three- to six-year follow-up.	Physiother Res Int	8(1):13-22.	2003
Hagerman FC, Walsh SJ, Staron RS, Hikida RS, Gilders RM, Murray TF, Toma K, and Ragg KE.	Effects of high-intensity resistance training on untrained older men. I. Strength, cardiovascular, and metabolic responses.	J Gerontol A Biol Sci Med Sci	55: B336-346	2000
Hajduczuk G, Chapleau MW, Johnson SL, Abboud FM	Increase in sympathetic activity with age. I. Role of impairment of arterial baroreflexes	Am J Physiol	260:H1113-20	1991
Hakim AA, Petrovitch H, Burchfiel CM, Ross GW, Rodriguez BL, White LR, Yano K, Curb JD, Abbott RD.	Effects of walking on mortality among nonsmoking retired men.	N Engl J Med	338:94-99	1998
Hakkinen K, Alen M, Kallinen M, Newton RU, Kraemer WJ.	Neuromuscular adaptation during prolonged strength training, detraining and re-strength training in middle-aged and elderly people.	Eur J Appl Physiol	83(1):51-62.	2000

Hakkinen K, Kallinen M, Linnamo V, Pastinen UM, Newton RU, Kraemer WJ.	Neuromuscular adaptations during bilateral versus unilateral strength training in middle-aged and elderly men and women. Changes in electromyographic activity, muscle fibre and force production characteristics during heavy resistance/power strength training in middle-aged and older men and women.	Acta Physiol Scand	158(1):77-88.	1996
Hakkinen K, Kraemer WJ, Newton RU, Alen M.	Effects of heavy resistance/power training on maximal strength, muscle morphology, and hormonal response patterns in 60-75-year-old men and women.	Acta Physiol Scand	171(1):51-62.	2001
Hakkinen K, Kraemer WJ, Pakarinen A, Triplett-McBride T, McBride JM, Hakkinen A, Alen M, McGuigan MR, Bronks R, Newton RU.	Selective muscle hypertrophy, changes in EMG and force, and serum hormones during strength training in older women.	Can J Appl Physiol	27(3):213-31.	2002
Hakkinen K, Pakarinen A, Kraemer WJ, Hakkinen A, Valkeinen H, Alen M.	Basal concentrations and acute responses of serum hormones and strength development during heavy resistance training in middle-aged and elderly men and women.	J Gerontol A Biol Sci Med Sci	55(2):B95-105.	2000
Hakkinen K, Pakarinen A, Newton RU, Kraemer WJ.	Acute hormone responses to heavy resistance lower and upper extremity exercise in young versus old men.	Eur J Appl Physiol Occup Physio	77(4):312-9.	1998
Hakkinen K, Pakarinen A.	Muscle strength and serum testosterone, cortisol and SHBG concentrations in middle-aged and elderly men and women.	Acta Physiol Scand	148(2):199-207.	1993
Hakkinen K, Pakarinen A.	Serum hormones and strength development during strength training in middle-aged and elderly males and females.	Acta Physiol Scand	150(2):211-9.	1994
Halverstadt A, Phares DA, Roth S, Ferrell RE, Goldberg AP, Hagberg JM.	Interleukin-6 genotype is associated with high-density lipoprotein cholesterol responses to exercise training.	Biochim Biophys Acta	15:1734(2):143-51.	2005
Hambrecht R, Fiehn E, Yu J, Niebauer J, Weigl C, Hilbrich L, Adams V, Riede U, Schuler G.	Effects of endurance training on mitochondrial ultrastructure and fiber type distribution in skeletal muscle of patients with stable chronic various intensities of leisure time physical activity in patients with coronary artery disease: effects on cardiorespiratory fitness and progression of coronary atherosclerotic lesions.	J Am Coll Cardiol	22: 468-477	1993
Hambrecht R, Niebauer J, Marburger C, Grunze M, Kalberer B, Hauer K, Schlierf G, Kubler W, and Schuler G.	Percutaneous coronary angioplasty compared with exercise training in patients with stable coronary artery disease: a randomized trial.	Circulation	109: 1371-1378	2004
Hambrecht R, Wolf A, Gielen S, Linke A, Hofer J, Erbs S, Schoene N, Schuler G.	Effect of exercise on coronary endothelial function in patients with coronary artery disease.	N Engl J Med	342(7):454-60.	2000
Hameed M, Orrell RW, Cobbold M, Goldspink G, Harridge SD.	Expression of IGF-I splice variants in young and old human skeletal muscle after high resistance exercise.	J Physiol	547:247-54	2003

Hammeren J, Powers S, Lawler J, Criswell D, Martin D, Lowenthal D, Pollock M.	Exercise training-induced alterations in skeletal muscle oxidative and antioxidant enzyme activity in senescent rats.	Int J Sports Med	13(5):412-6.	1992
Hannukainen J, Kalliokoski KK, Nuutila P, Fujimoto T.	In Vivo Measurements of Glucose Uptake in Human Achilles Tendon During Different Exercise Intensities.	Int J Sports Med	26(9):727-731.	2005
Hara Y, Hagihara A, Ikematsu H, Nobutomo K	Efficacy of influenza vaccine among elderly patients by physical activity status	Environmental Health and Preve	7: 183-188	2002
Harada T, Okagawa S, Kubota K.	Jogging improved performance of a behavioral branching task: implications for prefrontal The Newcastle exercise project: a randomized controlled trial of methods to promote physical activity in primary care	Neurosci Res	49(3):325-37	2004
Harland J, White M, Drinkwater C, Chinn D, Farr L, Howel D.	controlled trial of methods to promote physical activity in primary care	B M J	319:828-832	1999
Harridge, S. D. R., A. Kryger, and A. Stensgaard.	Knee extensor strength, activation, and size in very elderly people following strength training.	Muscle Nerve	22: 831-839	1999
Harrington D, Anker SD, Chua TP, Webb-Peploe KM, Ponikowski PP, Poole-Wilson PA,	Skeletal muscle function and its relation to exercise tolerance in chronic heart failure.	J Am Coll Cardiol.	30(7):1758-1764	1997
Hartikainen J, Mantysaari M, Mussalo H, Tahvanainen K, Lansimies E, and Pyorala K.	Good exercise capacity at hospital discharge predicts recovery of baroreflex sensitivity after myocardial infarction.	Eur Heart J	16: 1520-1525	1995
Haskell WL, Alderman EL, Fair JM, Maron DJ, Mackey SF, Superko HR, Williams PT, Johnstone IM, Champagne MA, Krauss RM, Farquhar JW.	Effects of intensive multiple risk factor reduction on coronary atherosclerosis and clinical cardiac events in men and women with coronary artery disease. The Stanford Coronary Risk	Circulation	89: 975-90	1994
Hass CJ, Gregor RJ, Waddell DE, Oliver A, Smith DW, Fleming RP, Wolf SL.	The influence of Tai Chi training on the center of pressure trajectory during gait initiation in older adults.	Arch Phys Med Rehabil	85: 1593-1598	2004
Hassmen P, Ceci R, Backman L.	Exercise for older women: a training method and its influences on physical and cognitive	Eur J Appl Physiol Occup Physio	64(5):460-6.	1992
Hassmen P, Koivula N, Uutela A. Related Articles. Links	Physical exercise and psychological well-being: a population study in Finland.	Prev Med	30(1):17-25.	2000
Hatakenaka M, Ueda M, Shigami K, Otsuka M, Masuda K	Effects of aging on muscle T2 relaxation time. Difference between fast- and slow-twitch	Invest Radiol	36: 692-698	2001
Hauer K, Lamb SE, Jorstad EC, Todd C, Becker C (on behalf of the Profane-Group)	Systematic review of definitions and methods of measuring falls in randomised controlled fall prevention trials	Age Ageing	35:5-10	2006
Hauer K, Hildebrandt W, Sehl Y, Edler L, Oster P, Droge W.	Improvement in muscular performance and decrease in tumor necrosis factor level in old age after antioxidant treatment.	J Mol Med	81(2):118-25	2003
Hauer K, Specht N, Schuler M, Bartsch P, Oster P.	Intensive physical training in geriatric patients after severe falls and hip surgery.	Age Ageing	31(1):49-57.	2002
Hayashi T, Hirshman M.F., Kurth E.J., Winder W.W., and L.J. Goodyear.	Evidence for 5'AMP-activated protein kinase mediation of the effect of muscle contraction on glucose transport.	Diabetes	47: 1369-1373	1998
Hayes SC, Rowbottom D, Davies PS, Parker TW, Bashford J.	Immunological changes after cancer treatment and participation in an exercise program	Med Sci Sports Exerc	35(1):2-9.	2003

Haykowsky MJ, Teo KK, Quinney AH, Humen DP, and Taylor DA.	Effects of long term resistance training on left ventricular morphology.	Can J Cardiol	16: 35-38	2000
Hayward R, Ruangthai R, Schneider CM, Hyslop RM, Strange R, Westerlind KC, Heilbronn LK, de Jonge L, Frisard MI, DeLany JP, Larson-Meyer DE, Rood J, Nguyen T, Martin CK, Volaufova J, Most MIM, Greenway FL, Smith SR, Deutsch WA, Williamson DA, Ravussin E. Pennington GALERIE Team.	Training enhances vascular relaxation after chemotherapy-induced vasoconstriction Effect of 6-month calorie restriction on biomarkers of longevity, metabolic adaptation, and oxidative stress in overweight individuals: a randomized controlled trial.	Med Sci Sports Exerc J A M A	36(3):428-34 295(13):1539-48.	2004 2006
Heibostad JL, Sletvold O, Moe-Nilssen R.	Home training with and without additional group training in physically frail old people living at home: effect on health-related quality of life and physical activity and reduced occurrence of non-insulin-dependent diabetes mellitus.	Clinical Rehabilitation N Engl J Med	18(5):498-508 325(3):147-52.	2004 1991
Helmrich SP, Ragland DR, Leung RW, Paffenbarger RS Jr.	Physical activity and the common cold in men administered vitamin E and beta-carotene.	Med Sci Sports Exerc	35(11):1815-20.	2003
Hemila H, Virtamo J, Albanes D, Kaprio J.	Resistance and aerobic training in older men: effects on VO2peak and the capillary supply to skeletal muscle.	J Appl Physiol	82(4):1305-10	1997
Hermelahti M, Kujala UM, Kaprio J, Sarna S	Long-term vigorous training in young adulthood and later physical activity as predictors of hypertension in middle-aged and older men	In J Sports Med	23:178-182	2002
Heirer F, San Juan AF, Fleck SJ, Balmer J, Perez M, Canete S, Earnest CP, Foster C.	Combined aerobic and resistance training in breast cancer survivors: a randomized.	Int J Sports Med	27: 573-580	2006
Hess JA, Woollacott M	Effect of high-intensity strength-training on functional measures of balance ability in balance-impaired older adults.	J Manipulative Physiol Ther	28: 582-590	2005
Heyn P, Abreu BC, Ottenbacher KJ.	The effects of exercise training on elderly persons with cognitive impairment and dementia: a meta-analysis.	Arch Phys Med Rehabil	85(10):1694-704.	2004
Heyneman, C.A., Premo, D.E.	A 'water walkers' exercise program for the	Public Health Rep	107: 213-217	1992
Hicks, A. L., and N. McCartney.	Gender differences in isometric contractile properties and fatigability in elderly human	Can J Appl Physiol	21: 441-454	1996
Higaki J, Baba S, Katsuya T, Sato N, Ishikawa K, Mannami T, Ogata J, Ogihara T.	Deletion allele of angiotensin-converting enzyme gene increases risk of essential hypertension in Japanese men: the Suita hypertension study.	Circulation	101(17):2060-5	2000
Higuchi 樋口 博之, 綾部 誠也, 進藤宗洋, 吉武 裕, 田中宏晴	加齢度センサーを内蔵した歩数計による若年者と高齢者も日常生活活動量の比較	体力科学	52:111-118	2003
Hirschhorn K, Hirschland BP, Kraus H.	Hypokinetic disease: role of inactivity in production of disease.	Br J Phys Med	19(8):180-5	1956
Ho CW, Beard JL, Farrell PA, Minson CT, Kenney WL.	Age, fitness, and regional blood flow during exercise in the heat.	J Appl Physiol	82(4):1126-35	1997
Hokanson JE, Kamboh MI, Scarborough S, Eckel RH, Hamman RF.	Effects of the hepatic lipase gene and physical activity on coronary heart disease risk.	Am J Epidemiol	158(9):836-43.	2003
Holloszy, J.O.	Biochemical adaptations in muscle. Effects of exercise on mitochondrial O2 uptake and respiratory enzyme activity in skeletal muscle.	J Biol Chem	242: 2278-2282	1967

Holloszy, J.O. and Narahara, H.T.	Studies of tissue permeability. X. Changes in permeability to 3-methylglucose associated with contraction of isolated frog muscles.	J Biol Chem	240: 3493-3500	1965
Holm L, Esmarck B, Mizuno M, Hansen H, Suetta C, Holmich P, Krogsgaard M, Kjaer M	The effect of protein and carbohydrate supplementation on strength training outcome of rehabilitation in ACL patients	J Orthop Res	24(11):2114-23	2005
Holm L, Esmarck B, Suetta C, Matsumoto K, Doi T, Mizuno M, Miller BF, Kjaer M	Postexercise nutrient intake enhances leg protein balance in early postmenopausal women	J Gerontol A Biol Sci Med Sci	60(9):1212-8	2005
Hopkins DR, Murrah B, Hoeger WW, Rhodes RC	Effect of low-impact aerobic dance on the functional fitness of elderly women	Gerontologist.	30:189-192	1990
Hoppeler H, Howald H, Conley K, Lindstedt SL, Claassen H, Vock P, and Weibel ER.	Endurance training in humans: aerobic capacity and structure of skeletal muscle.	J Appl Physiol	59: 320-327	1985
Horska A, Fishbein KW, Fleg JL, Spencer RG.	The relationship between creatine kinase kinetics and exercise intensity in human forearm is unchanged by age.	Am J Physiol Endocrinol Metab.	279(2):E333-339.	2000
Houmard, J. A., Shinebarger, M. H., Dolan, P. L., Leggett-Frazier, N., Bruner, R. K., McCammon, M. R., Israel, R. G., Dohm, G. L.	Exercise training increases GLUT-4 protein concentration in previously sedentary middle-aged men.	Am J Physiol	264 (6 Pt 1), E896-901	1993
Houmard, J.A., Weidner, M.L., Gavigan, K.E., Thndall, G.L., Hickey, M.S. and Aymen, A.	Fiber type and citrate synthase activity in the human gastrocnemius and vastus lateralis with diet, lifestyle, and the risk of type 2 diabetes	J Appl Physiol	85(4):1337-41.	1998
Hu FB, Manson JE, Stampfer MJ, Colditz G, Liu S, Solomon CG, Willett WC.	Diet, lifestyle, and the risk of type 2 diabetes mellitus in women.	N Engl J Med	345(11):790-7	2001
Hu FB, Sigal RJ, Rich-Edwards JW, et al.	Walking compared with vigorous physical activity and risk of type 2 diabetes in women: A prospective study.	J A M A	282:1433-1439	1999
Hu FB, Stampfer MJ, Solomon C, Liu S, Colditz GA, Speizer FE, Willett WC, Manson	Physical activity and risk for cardiovascular events in diabetic women.	Ann Intern Med	134(2):96-105.	2001
Huang G, Gibson CA, Tran ZV, and Osness WH.	Controlled endurance exercise training and VO2max changes in older adults: a meta-analysis	Prev Cardiol	8: 217-225	2005
Hue OA, Seynnes O, Ledrole D, Colson SS, Bernard PL	Effects of a physical activity program on postural stability in older people	Aging Clin Exp Res	16: 356-362	2004
Huffman DM, Altana TS, Mawhinney TP, Thomas TR.	Effect of n-3 fatty acids on free tryptophan and exercise fatigue.	Eur J Appl Physiol	92(4-5):584-91.	2004
Hughes SL, Williams B, Molina LC, Bayles C, Bivant LL, Harris JR, Hunter R, Ivey S.	Characteristics of physical activity programs for older adults: results of a multisite survey.	Gerontologist.	45(5), 667 –675	2005
Hunter GR, Wetzstein CJ, McIlafferty CL, Zuckerman PA, Landers KA, Bamman MM	High-resistance versus variable-resistance training in older adults	Med Sci Sports Exerc	33: 1759-1764	2001
Hunter, G.R., Wetzstein, C.J., Fields, D.A., Brown, A., Bamman, M.M.	Resistance training increases total energy expenditure and free-living physical activity in older adults.	J Appl Physiol	89: 977-984	2000
Hurley BF, Hagberg JM, Goldberg AP, Seals DR, Ehsani AA, Brennan RE, Holloszy JO	Resistive training can reduce coronary risk factors without altering O2max or percent body fat	Med Sci Sports Exerc	20:150-154	1988
Hurley BF, Seals DR, Ehsani AA, Cartier L-J, Dalsky GP, Hagberg JM, Holloszy JO	Effects of high-intensity strength training on cardiovascular function.	Med Sci Sports Exerc	16:483-488	1984
Ibanez J, Izquierdo M, Arguelles I, Forga L, Larrison JL, Garcia-Unciti M, Idoate F, Gorostiaga EM.	Twice-weekly progressive resistance training decreases abdominal fat and improves insulin sensitivity in older men with type 2 diabetes.	Diabetes Care	28(3):662-7.	2005

Iemitsu M, Maeda S, Jesmin S, Otsuki T, Miyauchi T.	Exercise training improves aging-induced downregulation of VEGF angiogenic signaling cascade in the heart.	Am J Physiol Heart Circ Physiol	291(3):H1290-8	2006
Iemitsu M, Maeda S, Otsuki T, Sugawara J, Tanabe T, Jesmin S, Kuno S, Ajsaka R, Miyauchi T, Matsuda M.	Polymorphism in endothelin-related genes limits exercise-induced decreases in arterial stiffness in older subjects.	Hypertension	47(5):928-36	2006
Iemitsu M, Miyauchi T, Maeda S, Tanabe T, Takanashi M, Irukayama-Tomobe Y, Sakai S, Ohmori H, Matsuda M, Yamaguchi I.	Aging-induced decrease in the PPAR-alpha level in hearts is improved by exercise training	Am J Physiol Heart Circ Physiol	283:H1750-H1760	2002
Iemitsu M, Miyauchi T, Maeda S, Tanabe T, Takanashi M, Matsuda M, Yamaguchi I.	Exercise training improves cardiac function-related gene levels through thyroid hormone receptor signaling in aged rats	Am J Physiol Heart Circ Physiol	286:H1696-H1705	2004
Inoue T, Matsuoka M, Nagahama K, Iseki C, Touma T, Iseki K, Kinjo K, and Takishita S.	Cardiovascular risk factors associated with pulse pressure in a screened cohort in	Hypertens Res	26: 153-158	2003
Inoue Y, Havenith G, Kenney WL, Loomis JL, Buskirk ER.	Exercise- and methylcholine-induced sweating responses in older and younger men: effect of heat acclimation and aerobic fitness.	Int J Biometeorol	42(4):210-6	1999
Inoue Y, Shibasaki M, Hirata K, Araki T.	Relationship between skin blood flow and sweating rate, and age related regional	Eur J Appl Physiol Occup Physio	79(1):17-23	1998
Inoue Y.	Longitudinal effects of age on heat-activated sweat gland density and output in healthy active	Eur J Appl Physiol Occup Physio	74(1-2):72-7	1996
Irwin ML, McTiernan A, Bernstein L, Gilliland FD, Baumgartner R, Baumgartner K, Ballard-Irwin ML, Yasui Y, Ulrich CM, Bowen D, Rudolph RE, Schwartz RS, Yukawa M, Aiello E, Potter JD, McTiernan A.	Physical activity levels among breast cancer survivors	Med Sci Sports Exerc	36(9):1484-91	2004
Isbell DC, Berr SS, Toledano AY, Epstein FH, Meyer CH, Rogers WJ, Harthun NL, Hagspiel KD, Weltman A, Kramer CM.	Effect of exercise on total and intra-abdominal body fat in postmenopausal women: a randomized controlled trial.	J A M A	289(3):323-30.	2003
Ishida K, Sato Y, Katayama K, Miyamura M.	Delayed calf muscle phosphocreatine recovery after exercise identifies peripheral arterial disease.	J Am Coll Cardiol.	47(11):2289-95.	2006
Ishiji T, Yamakita T, Sato T, Tanaka S, Fujii S.	Initial ventilatory and circulatory responses to dynamic exercise are slowed in the elderly	J Appl Physiol	89: 1771-1777	2000
Islam MM, Nasu E, Rogers ME, Koizumi D, Rogers NL, Takeshima N.	Resistance training improves insulin sensitivity in NIDDM subjects without altering maximal oxygen uptake.	Diabetes Care	21(8):1353-5.	1998
Ivey FM, Tracy BL, Lemmer JT, NessAiver M, Metter EJ, Fozard JL, Hurley BF	Effects of combined sensory and muscular training on balance in Japanese older adults.	Prev Med	39(6):1148-55	2004
Iwashita S, Takeno Y, Okazaki K, Itoh J, Kamijo Y, Masuki S, Yanagidaira Y, Nose H.	Effects of strength training and detraining on muscle quality: age an gender comparisons.	J Gerontol	55A: B152-B157	2000
Izquierdo M, Hakkinen K, Anton A, Garrues M, Ibanez J, Ruesta M, Gorostiaga EM.	Triaxial accelerometry to evaluate walking efficiency in older subjects.	Med Sci Sports Exerc	35(10):1766-72	2003
Izquierdo M, Hakkinen K, Anton A, Garrues M, Ibanez J, Ruesta M, Gorostiaga EM.	Maximal strength and power, endurance performance, and serum hormones in middle-aged and elderly men.	Med Sci Sports Exerc	33(9):1577-87.	2001
Izquierdo M, Hakkinen K, Ibanez J, Anton A, Garrues M, Ruesta M, Gorostiaga EM.	Effects of strength training on submaximal and maximal endurance performance capacity in middle-aged and older men.	J Strength Cond Res	17(1):129-39.	2003
Izquierdo M, Hakkinen K, Ibanez J, Garrues M, Anton A, Zuniga A, Larrion JL, Gorostiaga EM.	Effects of strength training on muscle power and serum hormones in middle-aged and older	J Appl Physiol	90(4):1497-507.	2001

Izquierdo M, Ibanez J, Hakkinen K, Kraemer WJ, Larrion JL, Gorostiaga EM	Once weekly combined resistance and cardiovascular training in healthy older men	Med Sci Sports Exerc	36 : 435-443	2004
Izquierdo M, J. Ibanez, E. Gorostiaga, M. Garrues, A. Zuniga, A. Anton, A. Larrion, and K. Hakkinen.	Maximal strength and power characteristics in isometric and dynamic actions of the upper and lower extremities in middle-aged and older	Acta Physiol Scand	167: 57-68	1999
Jackson AS, Beard EF, Wier LT, Ross RM, Stuteville JE, Blair SN.	Changes in aerobic power of men, ages 25-70 yr.	Med Sci Sports Exerc	27: 113-120	1995
Jackson AS, Wier LT, and Ross RM.	The validity of non-exercise cardiorespiratory fitness prediction models.	Med Sci Sports Exerc	27: 1096-1098	1995
Jakicic JM, Marcus BH, Gallagher KI, Napolitano M, Lang W.	Effect of exercise duration and intensity on weight loss in overweight, sedentary women: a randomized trial.	J A M A	290(10):1323-30.	2003
Jakicic JM, Polley BA, Wing RR.	Accuracy of self-reported exercise and the relationship with weight loss in overweight	Med Sci Sports Exerc	30(4):634-638	1998
Jakicic JM, Winters C, Lang W, Wing RR.	Effects of intermittent exercise and use of home exercise equipment on adherence, weight loss, and fitness in overweight women: a	J A M A	282(16):1554-60.	1999
James Dziura; Stanislav V. Kasi; Loretta Di Pietro	Physical Activity Reduces Type 2 Diabetes Risk in Aging Independent of Body Weight Change	JPAH	1(1): 19-28	2004
Jang SH, Byun WM, Chang Y, Han BS, Ahn SH.	Combined functional magnetic resonance imaging and transcranial magnetic stimulation evidence of ipsilateral motor pathway with congenital brain disorder: a case report.	Arch Phys Med Rehabil	82(12):1733-6.	2001
Janssen I, Baumgartner RN, Ross R, Rosenberg IH, and Roubenoff R.	Skeletal muscle cutpoints associated with elevated physical disability risk in older men	Am J Epidemiol	159: 413-421	2004
Janssen, I., S. B. Heymsfield, Z. Wang, and R. Ross.	Skeletal muscle mass and distribution in 468 men and women aged 18-88 yr.	J Appl Physiol	89: 81-88	2000
Jasperse JL, Seals DR, Callister R.	Active forearm blood flow adjustments to handgrip exercise in young and older healthy	J Physiol	15:474(2):353-60	1994
Jentsch-Ullrich K, Koenigsmann M, Mohren M, Franke A	Lymphocyte subsets' reference ranges in an age- and gender-balanced population of 100 healthy adults--a monocentric German study	Clin Immunol	116(2):192-7	2005
Jesse A. Berlin and Graham A. Colditz	A meta-analysis of physical activity in the prevention of coronary heart disease	American Journal of Epidemiology	132:612-628	1990
Jette AM, Harris BA, Sleeper L, Lachman ME, Heislain D, Giorgetti M, Levenson SF, Harris BA, Levenson C, Wernick M, Krebs D.	A home-based exercise program for nondisabled older adults. Exercise--it's never too late: the strong-for-life program.	J Am Geriatr Soc Am J Public Health	44(6):644-649 89(1): 66-72	1996 1999
Johnson BD, Badr MS, Dempsey JA.	Impact of the aging pulmonary system on the response to exercise.	Clin Chest Med	15: 229-246	1994
Jonason, T., Henrikssen, E., Kangro, T., Nilsson, H. Vessby. B. and Ringqvist, J.	Stiffness of the common carotid artery in healthy 50-years-p-old subjects	Clinical Physiology	17(6):569-77.	1997
Jones MT, Norton KI, Black DM, Graham RE, Armstrong RB.	Effect of regular voluntary exercise on resting cardiovascular responses in SHR and WKY pregnant rats.	J Appl Physiol	73(2):713-20	1992
Jones NL, Markrides L, Hitchcock C, Chypchar T, McCartney N.	Normal standards for an incremental progressive cycle ergometer test.	Am Rev Respir Dis	131: 700-708	1985

Jones, SW, Hill RJ, Krasney PA, O'Conner B, Peirce N, Greenhaff PL	Disuse atrophy and exercise rehabilitation in humans profoundly affects the expression of genes associates with the regulation of skeletal muscle mass.	FASEB J	18: 1025-1027	2004
Jordan AN, Jurca GM, Locke CT, Church TS, Blair SN	Pedometer indices for weekly physical activity recommendations in postmenopausal women.	Med Sci Sports Exerc	37(9):1627-32.	2005
Joseph A, Chromiak, Ben R, Abadie, Ronald A, Braswell, Yun S, Koh, Daniel R, Chilek	Resistance training exercise acutely reduce intraocular pressure in physically active men and women	J Strength Cond Res	17(4):715-720.	2003
Jouven X, Empana JP, Schwartz PJ, Desnos M, Courbon D, and Ducimetiere P.	Heart-rate profile during exercise as a predictor of sudden death.	N Engl J Med	352: 1951-1958	2005
Joyner MJ.	Physiologic limiting factors and distance running: influence of gender and age on record	Exerc Sport Sci Rev	21: 103-133	1993
Jubrias S A, Odderson lbR, Esselman PC, Conley KE	Decline in isokinetic force with age: muscle cross-sectional area and specific force.	Pflugers Arch-Eur J Physiol	434: 246-253	1997
Jubrias SA, Esselman PC, Price LB, Cress ME, Conley KE.	Large energetic adaptations of elderly muscle to resistance and endurance training.	J Appl Physiol.	90(5):1663-70.	2001
Judge JO, Lindsey C, Underwood M, Winsemius D	Balance improvements in older women: effects of exercise training.	Phys Ther	73: 254-262	1993
Judge JO, Underwood M, Gennosa T.	Exercise to improve gait velocity in older	Arch Phys Med Rehabil	74:400-406	1993
Julin CM, Thomas DP.	Effects of age and exercise training on size and composition of the rat left main coronary artery.	J Gerontol	48(3):B101-7.	1993
Jurca R, Lamonte MJ, Barlow CE, Kampert JB, Church TS, Blair SN.	Association of muscular strength with incidence of metabolic syndrome in men.	Med Sci Sports Exerc	37(11):1849-55.	2005
Jurca R, Lamonte MJ, Church TS, Earnest GP, Fitzgerald SJ, Barlow CE, Jordan AN, Kampert JB, Blair SN	Associations of muscle strength and aerobic fitness with metabolic syndrome in men	Med Sci Sports Exerc	36(8):1301-7	2004
Kagaya, A. and Homma, S.	Brachial arterial blood flow during static handgrip exercise of short duration at varying intensities studied by a Doppler ultrasound	Acta Physiol Scand	160(3):257-65.	1997
Kagaya, A., Muraoka, Y., Matsuda, M., Kuno, S., Shimizu, S., Yamamoto, Y., Kera, N. and Kimura, Y.	Forearm work capacity in association with age and daily physical activity in elderly women.	In A. Gunji (ed), Inactivity, Health	61-66	2001
Kahara, T., T. Hayakawa, Y. Nagai, A. Shimizu, and T. Takamura	Gln27Glu polymorphism of the beta2 adrenergic receptor gene in healthy Japanese men is associated with the change of fructosamine level caused by exercise	Diabetes Res Clin Pract	64:207-212	2004
Kahara, T., T. Takamura, T. Hayakawa, Y. Nagai, H. Yamaguchi, T. Katsuki, K. Katsuki, M. Katsuki, and K. Kobayashi	PPARGgamma gene polymorphism is associated with exercise-mediated changes of insulin resistance in healthy men	Metabolism	52:209-212	2003
Kahara, T., T. Takamura, T. Hayakawa, Y. Nagai, H. Yamaguchi, T. Katsuki, K. Katsuki, M. Katsuki, and K. Kobayashi	Prediction of exercise-mediated changes in metabolic markers by gene polymorphism	Diabetes Res Clin Pract	57:105-110	2002
Kahn, S. E., Larson, V. G., Beard, J. C., Cain, K. C., Fellingham, G. W., Schwartz, R. S., Veith, R. C., Stratton, J. R., Cerqueira, M. D., Kakiyama, T., Matsuda, M. and Koseki, S.	Effect of exercise on insulin action, glucose tolerance, and insulin secretion in aging.	Am J Physiol	258 (6 Pt 1), E937-43	1990
Kakiyama, T., Matsuda, M. and Koseki, S.	Effect of physical on the distensibility of the aortic wall in healthy males	Angiology	49(9): 749-57	1998

Kakiyama 柿山哲治, 松田光生, 小関迪	運動週間が大動脈脈波速度に及ぼす影響—運動の開始時期および継続期間—	日本運動生理学雑誌	2: 151-158	1995
Kalaphotharakos VI, Michalopoulos M, Godolias G, Tokmakidis SP, Malliou PV, Gourgoulis V.	The Effects of High- and Moderate- Resistance Training on Muscle Function in the Elderly.	Journal of Aging and Physical Ac	12(2):131-143	2004
Kalliokoski KK, Knuuti J, Nuutila P.	Relationship between muscle blood flow and oxygen uptake during exercise in endurance-trained and untrained men.	J Appl Physiol	98(1):380-3.	2005
Kalliokoski KK, Laaksonen MS, Takala TO, Knuuti J, Nuutila P.	Muscle oxygen extraction and perfusion heterogeneity during continuous and intermittent static exercise.	J Appl Physiol	94(3):953-8.	2003
Kalliokoski KK, Langberg H, Ryberg AK, Scheede-Bergdahl C,	The effect of dynamic knee-extension exercise on patellar tendon and quadriceps femoris muscle glucose uptake in humans studied by positron emission tomography.	J Appl Physiol	99(3):1189-92.	2005
Kalliokoski KK, Oikonen V, Takala TO, Sipilä H, Knuuti J, Nuutila P.	Enhanced oxygen extraction and reduced flow heterogeneity in exercising muscle in endurance-trained men.	Am J Physiol Endocrinol Metab	280(6):E1015-21.	2001
Kanehisa H, Kubo K, Fukunaga T	The effects of squat training, using body weight, on the stiffness of tendon structures of the vastus lateralis muscle in middle-aged and young adults.	Int Sport Med J	5: 277-297	2004
Kanehisa H, Miyatani M, Azuma K, Kuno S, Fukunaga T	Influences of age and sex on abdominal muscle and subcutaneous fat thickness	Eur J Appl Physiol	91: 534-537	2004
Kaneko, M., Y. Morimoto, M. Kimura, K. Fuchimoto, and T. Fuchimoto.	A kinematic analysis of walking and physical fitness testing in elderly women.	Can J Sport Sci	16: 223-228	1991
Kang HS, Gutin B, Barbeau P, Owens S, Lemmon CR, Allison J, Litaker MS, Le NA, Kapasi ZF, Ouslander JG, Schnelle JF, Kutner M, Fahey JL	Physical training improves insulin resistance syndrome markers in obese adolescents. Effects of an exercise intervention on immunologic parameters in frail elderly nursing home residents.	Med Sci Sports Exerc	34(12):1920-7.	2002
Kaplan GA, Seeman TE, Cohen RD, Knudsen LP, Guralnik J.	Mortality among the elderly in the Alameda County Study: behavioral and demographic risk factors.	J Gerontol A Biol Sci Med Sci	58(7):636-43	2003
Kara B, Pinar L, ugur F, Oguz M	Correlations between aerobic capacity, pulmonary and cognitive function in the older population.	Am J Public Health.	77:307-312	1987
Karamanidis K, Arampatzis A	Mechanical and morphological properties of human quadriceps femoris and triceps surae muscle-tendon unit in relation to aging and endurance exercise.	Int J Sports Med	26: 220-224	2005
Kasch FW, Wallace JP.	Physiological variables during 10 years of endurance exercise.	J Biomech	39: 406-417	2006
Katz A, Broberg S, Sahlin K. and J. Wahren.	Leg glucose uptake during maximal dynamic exercise in humans.	Med Sci Sports Exerc	8: 5-8	1976
Katzel LI, Bleecker ER, Colman EG, Rogus EM, Sorkin JD, Goldberg AP.	Effects of weight loss vs aerobic exercise training on risk factors for coronary disease in healthy, obese, middle-aged and older men. A randomized controlled trial.	Am J Physiol	251: E65-E70	1986
Katzmarzyk PT, Church TS, Janssen I, Ross R, and Blair SN.	Metabolic syndrome, obesity, and mortality: impact of cardiorespiratory fitness.	J A M A	274(24):1915-21.	1995
Katzmarzyk PT, Leon AS, Wilmore JH, Skinner JS, Rao DC, Rankinen T, Bouchard C.	Targeting the metabolic syndrome with exercise: evidence from the HERITAGE Family Study.	Diabetes Care	28: 391-397	2005
		Med Sci Sports Exerc	35(10):1703-9	2003

Kawakami Y, Akima H, Kubo K, Muraoka Y, Hasegawa H, Kouzaki M, Imai M, Suzuki Y, Gunji A, Kanehisa H, Fukunaga T, Kawanaka K, Tabata I, Tanaka A, Higuchi M.	Changes in muscle size, architecture, and neural activation after 20 days of bed rest with and without resistance exercise.	Eur J Appl Physiol	84: 7-12	2001
Kawano H, Tanaka H, and Miyachi M.	Effects of high-intensity intermittent swimming on glucose transport in rat epitrochlearis	J Appl Physiol	84(6):1852-7.	1998
Keen DA, Yue GH, Enoka RM	Resistance training and arterial compliance: keeping the benefits while minimizing the Training-related enhancement in the control of motor output in elderly humans	J Hypertens	24: 1753-1759	2006
Kelley GA, Kelley KS, Tran ZV.	Walking, lipids, and lipoproteins: a meta-analysis of randomized controlled trials.	J Appl Physiol	77: 2648-2658	1994
Kemmler W, Wildt L, Engelke K, Pintag R, Pavel M, Bracher B, Weineck J, Kalender W.	Acute hormonal responses of a high impact physical exercise session in early Mitochondrial function and oxygen supply in normal and in chronically ischemic muscle: a combined 31P magnetic resonance spectroscopy and near-infrared spectroscopy	Pre Med	38(5):651-61	2004
Kemp GJ, Roberts N, Bimson WE, Bakran A, Harris PL, Gilling-Smith GL, Brennan J, Rankin A, Frostick SP.	High intensity exercise decreases global brain glucose uptake in humans.	Eur J Appl Physiol	90(1-2):199-209	2003
Kemppainen J, Aalto S, Fujimoto T, Kalliokoski KK, Langsjo J, Oikonen V, Rinne J, Nuutila P, Kempainen J, Fujimoto T, Kalliokoski KK,	Myocardial and skeletal muscle glucose uptake during exercise in humans.	J Vasc Surg.	34(6):1103-1110.	2001
Kenneth E. Powell, Paul D. Thompson, Carl J. Caspersen, and Julliete S. Kendrick	Physical activity and the incidence of coronary heart disease	J Physiol	568(Pt 1):323-32.	2005
Kenney WL and Ho CW.	Age alters regional distribution of blood flow during moderate-intensity exercise.	Ann. Rev. Public Health	8:253-287	1987
Kent-Braun, J. A., A. V. Ng, and K. Young.	Skeletal muscle contractile and noncontractile components in young and older women and Specific strength and voluntary muscle activation in young and elderly women and Is physical activity counseling effective for older people? A cluster randomized, controlled trial in primary care	J Appl Physiol	79(4):1112-9	1995
Kerse N, Elley CR, Robinson E, Arroll B	Intermuscular adipose tissue-free skeletal muscle mass: estimation by dual-energy X-ray absorptiometry in adults.	J Appl Physiol	88: 662-668	2000
Kim J, Heshka S, Gallagher D, Kotler DP, Mayer L, Albu J, Shen W, Freda PU, and Heymsfield SB.	Effect of exercise intensity and frequency on lipid levels in men with coronary heart disease: Training Level Comparison Trial.	J Appl Physiol	87: 22-29	1999
Kim JR, Oberman A, Fletcher GF, and Lee JY.	An Epidemiological Study of Insomnia Among the Japanese General Population.	J Am Geriatr Soc	53:1951-1956	2005
Kim K, Uchiyama M, Okawa M, Liu X, Ogihara R.	NOS3 genotype-dependent correlation between blood pressure and physical activity.	J Am Geriatr Soc	97: 655-660	2004
Kimura T, Yokoyama T, Matsumura Y, Yoshiike N, Date C, Muramatsu M, Tanaka H, King AC, Haskell WL, Taylor CB, Kraemer HC, DeBusk.	Group- vs Home-Based Exercise Training in Healthy Older Men and Women.	Sleep	23(1):41-47	2000
King AC, Haskell WL, Young DR, Oka RK, Stefanick ML.	Long-term effects of varying intensities and formats of physical activity on participation rates, fitness, and lipoproteins in men and women aged 50 to 65 years.	Hypertension	41(2):355-60.	2003
		J A M A	266(11):1535-1542	1991
		Circulation	91(10):2596-604.	1995

King AC, Oman RF, Brassington GS, Bliwise DL, Haskell WL.	Moderate-Intensity Exercise and Self-rated Quality of Sleep in Older Adults. Comparative effects of two physical activity programs on measured and perceived physical functioning and other health-related quality of life outcomes in older adults.	JAMA	277(1):32-37	1997
King AC, Pruitt LA, Phillips W, Oka R, Rodenburg A, Haskell WL.	Breast and ovarian cancer risks due to inherited mutations in BRCA1 and BRCA2. Well-being, cerebral function, and physical fatigue after nocturnal hypoglycemia in IDDM. Four weeks of cycle training increases basal production of nitric oxide from the forearm	J Gerontol A Biol Sci Med Sci	55(2): M74-83	2000
King MC, Marks JH, and Mandell JB.	Increasing Physical Activity in People With Type 2 Diabetes	Science	302: 643-646	2003
King P, Kong MF, Parkin H, Macdonald IA, Tattersall RB.	Effects of a 12-month physical activity counseling intervention on glycaemic control and on the status of cardiovascular risk factors in people with Type 2 diabetes	Diabetes Care	21(3):341-5.	1998
Kingwell BA, Sherrard B, Jennings GL, Dart AM	Promoting and maintaining physical activity in people with type 2 diabetes.	Am J Physiol	272:H1070-7	1997
Kirk A, Macintyre P, Mutrie N, Fisher M.	Endurance exercise training reduces glucose-stimulated insulin levels in 60- to 70-yr-old men and women.	Diabetes Care	26(4):1186-1192	2003
Kirk A, Mutrie N, Macintyre, Fisher M.	High age-related decline in physical activity in people with type 2 diabetes.	Diabetologia	47:821-832	2004
Kirk AF, Mutrie N, Macintyre PD, Fisher MB.	High age-related decline in physical activity in people with type 2 diabetes.	Am J Prev Med	27(4):289-96	2004
Kirwan JP, Kohrt WM, Wojta DJ, Bourey RE, Holloszy JO	High age-related decline in physical activity in people with type 2 diabetes.	J Gerontol	48:M84-M90	1993
Kitabatake北島 義典, 種田行男, 永松俊哉, 神野宏司, 江川賢一, 真家英俊, 荒尾孝	High age-related decline in physical activity in people with type 2 diabetes.	体力研究	102, 7-14	2004
Kitabatake北島 義典, 種田行男, 荒尾孝, 永松俊哉, 神野宏司, 江川賢一, 真家英俊	High age-related decline in physical activity in people with type 2 diabetes.	体力研究	100, 21-30	2002
Kitabatake北島 義典, 種田行男, 神野宏司, 江川賢一, 永松俊哉, 西嶋洋子, 荒尾孝	High age-related decline in physical activity in people with type 2 diabetes.	体力研究	96, 26-33	1999
Kitahara A, Hamaoka T, Murase N, Homma T, Kurosawa Y, Ueda C, Nagasawa T, Ichimura S, Motobe M, Yashiro K, Nakano S, Kiuchi Y, Mishima HK, Hotehama Y, Furumoto A, Hirota A, Onari K.	High age-related decline in physical activity in people with type 2 diabetes.	Med Sci Sports Exerc.	35(10):1697-1702.	2003
Kivela SL, Pakkala K.	High age-related decline in physical activity in people with type 2 diabetes.	Jpn J Ophthalmol	38:191-195	1994
Kizu A, Koyama H, Tanaka S, Maeno T, Komatsu M, Fukumoto S, Emoto M, Shoji T, Inaba M, Shioi A, Miki T, Nishizawa Y.	High age-related decline in physical activity in people with type 2 diabetes.	J Am Geriatr Soc	49(3):290-6.	2001
Klein, C. S., C. L. Rice, and G. D. Marsh.	High age-related decline in physical activity in people with type 2 diabetes.	Atherosclerosis	170(1):87-91	2003
Klitgaard H, Mantoni M, Schiaffino S, Auson S, Gorza L, Laurent-Winter C, Schnohr P, Saltin B	High age-related decline in physical activity in people with type 2 diabetes.	Acta Physiol Scand	140: 41-54	1990
Klitgaard H, Ausoni S, Damiani E.	High age-related decline in physical activity in people with type 2 diabetes.	Acta Physiol Scand	137(1):23-31.	1989
Knowler WC, Barrett-Conner E, Fowler SE, et al.	High age-related decline in physical activity in people with type 2 diabetes.	N Engl J Med	346:393-403	2002