

Koch DW, Leuenberger UA, Proctor DN.	Augmented leg vasoconstriction in dynamically exercising older men during acute sympathetic stimulation.	J Physiol	551(Pt 1):337-44	2003
Kohno神野宏司, 江川賢一, 種田行男, 永松俊哉, 北島義典, 真冢英俊, 荒尾孝	トランスセオレタイカル・モデルを用いた生活体力維持増進プログラムの地域在宅高齢者への介入	体力研究	100, 11-20	2002
Kohno神野宏司, 江川賢一, 種田行男, 永松俊哉, 北島義典, 真冢英俊, 西嶋洋子, 青木和江, メー	高齢者の生活体力維持増進プログラム終了1年後における効果	体力研究	98, 1-9	2000
ル優子, 菅屋孝				
Kohno神野宏司, 種田行男, 江川賢一, 永松俊哉, 北島義典, 西嶋洋子, 青木和江, メール優子, 荒	生活体力の維持増進のための健康づくりプログラムの開発	体力研究	96, 15-25	1999
Kohrt WM, Kirwan JP, Staten MA, Bourey RE, King DS, Holloszy JO	Insulin resistance in aging is related to abdominal obesity.	Diabetes	42:273-281	1993
Kohrt WM, Malley MT, Coggan AR, Spina RJ, Ogawa T, Ehsani AA, Bourey RE, Martin WH, III, Holloszy JO	Effects of gender, age, and fitness level on the response of O <sub>2</sub> max to training in 60 to 71 yr-olds.	J Appl Physiol	71:2004-2011	1991
Kohrt WM, Malley MT, Dalsky GP, Holloszy JO	Body composition of healthy sedentary and trained, young and older men and women.	Med Sci Sports Exerc	24:832-837	1992
Kohut ML, Arntson BA, Lee W, Rozeboom K, Yoon KJ, Cunnick JE, McElhaney J	Moderate exercise improves antibody response to influenza immunization in older adults. Moderate exercise is associated with enhanced antigen-specific cytokine, but not IgM antibody production in aged mice.	Vaccine	22(17-18):2298-306	2004
Kohut ML, Boehm GW, Moynihan JA.		Mech Ageing Dev	122(11):1135-50.	2001
Kohut ML, Lee W, Martin A, Arnston B, Russell DW, Ekkekakis P, Yoon KJ, Bishop A, Cunnick JE	The exercise-induced enhancement of influenza immunity is mediated in part by improvements in psychosocial factors in older adults.	Brain Behav Immun	19(4):357-66	2005
Koivisto, V. A., Yki-Jarvinen, H., DeFronzo, R.	Physical training and insulin sensitivity.	Diabetes Metab Rev	1(4), 445-81	1986
Komine H, Matsukawa K, Tsuchimochi H, Murata J.	Central command blunts the baroreflex bradycardia to aortic nerve stimulation at the onset of voluntary static exercise in cats	Am J Physiol Heart Circ Physiol	285(2):H516-26	2003
Kornatz KW, Christou EA, Enoka RM	Practice reduces motor unit discharge variability in a hand muscle and improves manual dexterity in old adults	J Appl Physiol	98: 2072-2080	2005
Kosaka K, Noda M, Kuzuya T.	Prevention of type 2 diabetes by lifestyle intervention: a Japanese trial in IGT males.	Diabetes Res Clin Pract	67(2):152-62	2005
Kostek MC, Delmonico MJ, Reichel JB, Roth SM, Douglass L, Ferrell RE, Hurley BF	Muscle strength response to strength training is influenced by insulin-like growth factor 1 genotype in older adults.	J Appl Physiol	98(6):2147-2154	2005
Kostek MC, Delmonico MJ, Reichel JB, Roth SM, Douglass L, Ferrell RE, Hurley BF.	Muscle strength response to strength training is influenced by insulin-like growth factor 1 genotype in older adults.	J Appl Physiol	98:2147-54	2005
Kostka T, Arsac LM, Patricot MC, Berthouze SE, Lacour JR, Bonnefoy M.	Leg extensor power and dehydroepiandrosterone sulfate, insulin-like growth factor-I and testosterone in healthy	Eur J Appl Physiol	82(1-2):83-90.	2000
Kostka T, Berthouze SE, Lacour J, Bonnefoy M.	The symptomatology of upper respiratory tract infections and exercise in elderly people.	Med Sci Sports Exerc	32(1):46-51.	2000
Kouvonen A, Kivimaki M, Elovainio M, Virtanen M, Linna A, Vahtera J	Job strain and leisure-time physical activity in female and male public sector employees.	Prev Med	41(2):532-9.	2005

Kozaki 神崎素樹, 政二 慶, 宮谷昌枝, 村岡哲郎, 長期運動トレーニングによる高齢者の平衡機能減退の抑制.	体力科学 (Suppl.)	52: 157-166	2003
Kraemer WJ, Hakkinen K, Newton RU, Nindl BC, Volek JS, McCormick M, Gotshalk LA, Gordon SE, Fleck SJ, Campbell WW.	J Appl Physiol	87(3):982-92.	1999
Kraemer WJ, Keuning M, Ratamess NA, Volek JS, McCormick M, Bush JA, Nindl BC, Gordon SE, Mazzetti SA, Newton RU, Gomez AL, Wickham RB, Rubin MR, and Hakkinen K.	Med Sci Sports Exerc	33: 259-269	2001
Kramer AF, Hahn S, Cohen NJ, Banich MT, McAuley E, Harrison CR, Chason J, Vakil E, Batdeil L, Boileau RA, Colcombe A.	Nature	29:400(6743):418-9	1999
Kraus WE, Torgan CE, Duscha BD, Norris J, Brown SA, Cobb FR, Bales CW, Annex BH, Samsa GP, Houmard JA, Slentz CA.	Med Sci Sports Exerc	33(10):1774-84.	2001
Krebs DE, Jette AM, Assmann SF.	Arch Phys Med Rehabil	79(12):1489-95	1998
Kretzschmar M, Muller D, Hubscher J, Marin E, Klinger W.	Int J Sports Med	12(2):218-22.	1991
Kristiansen S, Gade J, Wojtaszewski JF, Kiens B, Richter EA.	J Appl Physiol	89(3):1151-8.	2000
Kritchevsky SB, Nicklas BJ, Visser M, Simonsick EM, Newman AB, Harris TB, Lange EM, Penninx BW, Goodpaster BH, Satterfield S, Colbert LH, Rubin SM, Pahor M.	J A M A	294(6):691-8	2005
Kritz-Silverstein D, Barrett-Connor E, Corbeau C.	Am J Epidemiol	153(6):596-603.	2001
Kronenberg RS, Drage CW.	J Clin Invest	52: 1812-1819	1973
Kubo K, Akima H, Kouzaki M, Ito M, Kawakami Y, Kanahisa H, Fukunaga T.	Eur J Appl Physiol	83: 463-468	2000
Kubo K, Akima H, Ushiyama J, Tabata I, Fukuoka H, Kanehisa H, Fukunaga T.	Scand J Med Sci Sports	14: 296-302	2004
Kubo K, Akima H, Ushiyama J, Tabata I, Fukuoka H, Kanehisa H, Fukunaga T.	Br J Sports Med	38: 324-330	2004
Kubo K, Kanehisa H, Azuma K, Ishizu M, Kuno S, Okada M, Fukunaga T.	Int J Sports Med	24: 125-130	2003
Kubo K, Kanehisa H, Azuma K, Ishizu M, Kuno S, Okada M, Fukunaga T.	Med Sci Sports Exerc	35: 39-44	2003
Kubo K, Kanehisa H, Miyatani M, Tachi M, Fukunaga T.	Acta Physiol Scand	178: 25-32	2003
Kubo 久保啓太郎, 東香壽美, 金久博昭, 久野譜也, 福永哲夫	体力科学	52(suppl): 119-126	2003

Kukkonen-Harjula KT, Borg PT, Nenonen AM, Fogelholm MG.	Effects of a weight maintenance program with or without exercise on the metabolic syndrome: a randomized trial in obese men.	Prev Med	41(3-4):784-90.	2005
Kurabayashi H, Kubota K, Machida I, Tamura K, Take H, Shirakura T	Effects of physical therapy on immunological parameters in patients with cerebrovascular diseases	J Med	27(3-4):171-5	1996
Kurabayashi H, Machida I, Handa H, Yoshida Y, Akiba T, Itoh K, Tamura J, Kubota K	Effects of physical therapy on cytokines and two color analysis-lymphocyte subsets in patients with cerebrovascular diseases	J Med	30(1-2):31-7	1999
Kuruganti U, Parker P, Rickards J, Tingley M, Sexsmith J.	Bilateral isokinetic training reduces the bilateral leg strength deficit for both old and young	Eur J Appl Physiol	94(1-2):175-179	2005
Kutsuzawa T, Shioya S, Kurita D, Haida M, Yamabayashi H.	Effects of age on muscle energy metabolism and oxygenation in the forearm muscles.	Med Sci Sports Exerc.	33(6):901-906.	2001
La Rovere MT, Bersano C, Gnemmi M, Specchia G, and Schwartz PJ.	Exercise-induced increase in baroreflex sensitivity predicts improved prognosis after myocardial infarction.	Circulation	106: 945-949	2002
Laaksonen DE, Lindstrom J, Lakka TA, Eriksson JG, Niskanen L, Wikstrom K, Aunola S, Keinanen-Kiukkaanniemi S, Laakso M, Valle TT, Ilanne-Parikka P, Louheranta A, Hamalainen H, Rastas M, Salminen V, Cepaitis Z, Hakumaki M, Kaikkonen H, Harkonen P, Sundvall J, Tuomilehto J.	Physical activity in the prevention of type 2 diabetes: the Finnish diabetes prevention study.	Diabetes	54(1):158-65.	2005
Laforest S., D. M. St-Pierre, J. Cyr, and D. Gayton. Eur. 60: 104-111, 1990.	Effects of age and regular exercise on muscle strength and endurance.	J Appl Physiol	60: 104-111	1990
Laforet RG, Rossi JS, Prochaska JO, Velicer WF, Levesque DA, McHorney CA	Stage of regular exercise and health-related quality of life	Prev Med.	28(4), 349-360	1999
Laidlaw, D. H., K. W. Kornatz, D. A. Keen, S. Suzuki, and R. M. Enoka.	Strength training improves the steadiness of slow lengthening contractions performed by old	J Appl Physiol	87: 1786-1795	1999
Lajoie Y	Effect of computerized feedback postural training on posture and attentional demands in sedentary lifestyle, poor cardiorespiratory fitness, and the metabolic syndrome	Aging Clin Exp Res	16: 363-368	2004
Lakka TA, Laaksonen DE, Lakka HM, Mannikko N, Niskanen LK, Rauramaa R, Lakka TA, Laukkanen JA, Rauramaa R, Salonen R, Lakka HM, Kaplan GA, Salonen Lakka, T. A., T. Rankinen, S. J. Weisnager, Y. C. Chagnon, H. M. Lakka, O. Ukkola, N. Boule, T. Rice, A. S. Leon, J. S. Skinner, J. H. Wilmore, D. C. Rao, R. Bergman, and C. Lamb SE, Jorstad-Stein EC, Hauer K, becker C, the Prevention of Falls Network Europe and Outcomes Consensus Group	Cardiorespiratory fitness and the progression of carotid atherosclerosis in middle-aged men. Leptin and leptin receptor gene polymorphisms and changes in glucose homeostasis in response to regular exercise in nondiabetic individuals: the HERITAGE family study Development of a common outcome data set for fall injury prevention trials: The Prevention of Falls Network Europe Consensus	Med Sci Sports Exerc Ann Intern Med Diabetes	35(8):1279-86 134(1):12-20. 53:1603-1608	2003 2001 2004
Lanza IR, Befroy DE, Kent-Braun JA.	Age-related changes in ATP-producing pathways in human skeletal muscle in vivo.	J Appl Physiol.	99(5):1736-1744.	2005
Lanza IR, Towse TF, Caldwell GE, Wingmore DM, Kent-Braun JA	Effects of age on human muscle torque, velocity, and power in two muscle groups	J Appl Physiol	95: 2361-2369	2003
Larson E, Wang L, Bowen JD, McCormick WC, Teri ML, Crane P, Mand WK	Exercise is associated with reduced risk for incident dementia among persons 65 years of	Ann Intern Med	144:73-81	2006

Larsson L, Li X Yu F, Degens H	Age-related changes in contractile properties and expression of myosin isoforms in single skeletal muscle cells.	Muscle Nerve	Suppl.5: S74-S78	1997
Larsson, L.	Physical training effects on muscle morphology in sedentary males at different ages.	Med Sci Sports Exerc	14: 203-206	1982
Larsson, L., G. Grimby, and J. Karlsson.	Muscle strength and speed of movement in relation to age and muscle morphology.	J Appl Physiol	46: 451-456	1979
Latham N, Anderson C, Bennett D, Stretton C.	Progressive resistance strength training for physical disability in older people.	Cochrane Database Syst Rev	(2):CD002759.	2003
Latham NK, Anderson CS, Lee A, Bennett DA, Moseley A, Cameron ID; Fitness Collaborative Group.	A randomized, controlled trial of quadriceps resistance exercise and vitamin D in frail older people: the Frailty Interventions Trial in Elderly Subjects (FITNESS)	J Am Geriatr Soc	51(3):291-9.	2003
Laukkanen JA, Lakka TA, Rauramaa R, Kuhanen R, Venalainen JM, Salonen R, Laurin D, Verreault R, Lindsay J, MacPherson K, Rockwood K.	Cardiovascular fitness as a predictor of mortality in men.	Arch Intern Med	161(6):825-31.	2001
Lavie CV, Milani RV.	Physical activity and risk of cognitive impairment and dementia in elderly persons.	Arch Neurol	58(3):498-504.	2001
Lawrenson L, Poole JG, Kim J, Brown C, Patel P and Richardson RS.	Impact of aging on hostility in coronary patients and effects of cardiac rehabilitation and exercise training in elderly persons.	Am J Geriatr Cardiol	13(3):125-30	2004
Lazarov O, Robinson J, Tang YP, Hairston IS, Korade-Mirnic Z, Lee VM, Hersh LB, Sapolsky RM, Mirnic K, Sisodia SS.	Vascular and metabolic response to isolated small muscle mass exercise: effect of age.	Am J Physiol Heart Circ Physiol	285(3):H1023-31.	2003
Lechman ME, Neupert SD, Bertrand R, Jette AM	Environmental enrichment reduces Abeta levels and amyloid deposition in transgenic mice.	Cell	120(5):701-13.	2005
Ledin T, Kronhed AC, Moller C, Moller M, Odkvist LM, Olsson B.	The effects of strength training on memory in older adults	J Aging Physical Activity	14: 59-73	2006
Lee C, Russell A. Related Articles, Links	Effects of balance training in elderly evaluated by clinical tests and dynamic posturography.	J Vestib Res	1: 129-138	1990-1991
Lee CD, Blair SN	Effects of physical activity on emotional well-being among older Australian women: cross-sectional and longitudinal analyses.	J Psychosom Res	54(2):155-60.	2003
Lee CD, Blair SN	Cardiorespiratory fitness and smoking-related and total cancer mortality in men.	Med Sci Sports Exerc	34(5):735-9	2002
Lee IM, Hsieh CC, Paffenbarger RS Jr.	Cardiorespiratory fitness and stroke mortality in men. The Exercise intensity and longevity in men. The Harvard Alumni Health Study.	Med Sci Sports Exerc	34(4):592-5	2002
Lee IM, Manson JE, Hennekens CH, Paffenbarger RS Jr.	Body weight and mortality. A 27-year follow-up of middle-aged men.	J A M A	273(15):1179-84.	1995
Lee IM, Paffenbarger RS Jr.	Associations of light, moderate, and vigorous intensity physical activity with longevity. The Harvard Alumni Health Study.	J A M A	270(23):2823-8.	1993
Lee IM, Paffenbarger RS Jr.	Change in body weight and longevity.	Am J Epidemiol	151(3):293-9.	2000
Lee IM, Paffenbarger RS Jr.	Physical activity and stroke incidence: the Harvard Alumni Health Study.	J A M A	268(15):2045-9.	1992
Lee IM, Sesso HD, Oguma Y, Paffenbarger	Physical activity and stroke incidence: the Harvard Alumni Health Study.	Stroke	29(10):2049-54.	1998
	The "weekend warrior" and risk of mortality.	Am J Epidemiol	160(7):636-41.	2004

Lee IM, Sesso HD, Oguma Y, Paffenbarger RS Jr.	Relative intensity of physical activity and risk of coronary heart disease.	Circulation	107(8):1110-6.	2003
Lee IM, Sesso HD, Paffenbarger RS Jr.	Physical activity and coronary heart disease risk in men: does the duration of exercise episodes predict risk?	Circulation	102(9):981-6.	2000
Lee J, Lee S, Shin S, and Kang HS.	Association between the GNB3 polymorphism and blood pressure in young Korean men.	Med Sci Sports Exerc	37: 1138-1143	2005
Lee S, Kuk JL, Katzmarzyk PT, Blair SN, Church TS, and Ross R.	Cardiorespiratory fitness attenuates metabolic risk independent of abdominal subcutaneous and visceral fat in men.	Diabetes Care	28: 895-901	2005
Lee SH, Kwon HM, Kim YJ, Lee KM, Kim M, Yoon BW.	Effects of hsp70.1 gene knockout on the mitochondrial apoptotic pathway after focal cerebral ischemia.	Stroke	35(9):2195-2199	2004
Lee, I-Min	Physical activity in women: how much is good enough?	J A M A	290(10): 1377-1379	2003
Lees FD, Clarkr PG, Nigg CR, Newman P.	Barriers to exercise behavior among older adults: a focus-group study.	J Aging Phys Act.	13(1), 22-33	2005
Lehmann R, Vokac A, Niedermann K, Agosti K, Spinaz GA	Loss of abdominal fat and improvement of the cardiovascular risk profile by regular moderate exercise training in patients with NIDDM	Diabetologia	38:1313-1319	1995
Levine JA, Eberhardt NL, and Jensen MD.	Role of nonexercise activity thermogenesis in resistance to fat gain in humans.	Science	283: 212-214	1999
Levy RL, Linde JA, Feld KA, Crowell MD, Jeffery RW.	The association of gastrointestinal symptoms with weight, diet, and exercise in weight-loss program participants.	Clin Gastroenterol Hepatol	3(10):992-6.	2005
Levy WC, Cerqueira MD, Abrass IB, Schwartz RS, Stratton JR	Endurance exercise training augments diastolic filling at rest and during exercise in healthy young and older men	Circulation	88:116-126	1993
Lexell J, Taylor CC, and Sjostrom M.	What is the cause of the ageing atrophy? Total number, size and proportion of different fiber types studied in whole vastus lateralis muscle from 15- to 83-year-old men.	J Neurol Sci	84: 275-294	1988
Li F, Fisher KJ, Bauman A, Ory MG, Chodzko-Zajko W, Harmer P, Bosworth M, Cleveland M.	Neighborhood influences on physical activity in middle-aged and older adults: a multilevel perspective.	J Aging Phys Act.	13(1), 87-114	2005
Li F, Fisher KJ, Harmer P	Improving physical function and blood pressure in older adults through cobblestone mat walking: A randomized trial	J Am Geriatr Soc	53:1305-12	2005
Li F, Harmer P, Fisher KJ, McAuley E	Tai chi: Improving functional balance and predicting subsequent falls in older persons	Med Sci Sports Exerc	36(12):2046-2052	2004
Li W, Keegan THM, Sternfeld B, Sinden S, Quesenberry CP, Kelsey JL	Outdoor falls among middle-aged and older adults: A neglected public health problem	Am J Public Health	96:1192-1200	2006
Lichtman SW, Pisanska K, Berman ER, Pestone M, Dowling H, Offenbacher E, Weisel H, Heshka S, Matthews DE, Heymsfield SB.	DISCREPANCY BETWEEN SELF-REPORTED AND ACTUAL CALORIC INTAKE AND EXERCISE IN OBESE SUBJECTS.	N Engl J Med	327:1893-1898	1992
Lim, Kim; Taylor, Lee	Factors associated with physical activity among older people--a population-based study	Prev Med	40(1): 33-40	2005

Lind L and Andrien B.	Heart rate recovery after exercise is related to the insulin resistance syndrome and heart rate variability in elderly men.	Am Heart J	144: 666-672	2002
Linda Chung and Yuk-Chow Ng	Age-related alterations in expression of apoptosis regulatory proteins and heat shock proteins in rat skeletal muscle.	Biochim Biophys Acta	1762(1) : 103-109	2006
Lindle RS, Metter EJ, Lynch NA, Fleg JL, Fozard JL, Tobin J, Roy TA, Hurley Lindstrom J, Louheranta A, Mannelin M, Rastas M, Salminen V, Eriksson J, Uusitupa M, Tuomilehto J.	Age and gender comparisons of muscle strength in 654 women and men aged 20-93 yr. The Finnish Diabetes Prevention Study (DPS): Lifestyle intervention and 3-year results on diet and physical activity.	J Appl Physiol	83: 1581-1587	1997
Litbrand H, Rosendahl E, Lindelof N, Lundin-Olsson L, Gustafson Y, Nyberg L.	A high-intensity functional weight-bearing exercise program for older people dependent in activities of daily living and living in residential care facilities: evaluation of the applicability with focus on cognitive function.	Phys Ther	86(4):489-98.	2006
Liu-Ambrose T, Khan KM, Eng JJ, Janssen PA, Lord SR, McKay HA	Resistance and agility training reduce fall risk in women aged 75 to 85 with low bone mass: a 6-month randomized, controlled trial.	J Am Geriatr Soc	52: 657-665	2004
Liu-Ambrose T, Khan KM, Eng JJ, Lord SR, McKay HA.	Balance confidence improves with resistance or agility training. Increase is not correlated with objective changes in fall risk and physical	Gerontology	6: 373-382	2004
Liu-Ambrose TY, Khan KM, Eng JJ, Lord SR, Lentle B, McKay HA.	Both resistance and agility training reduce back pain and improve health-related quality of life in older women with low bone mass.	Osteoporos Int.	16(11), 1321-1329	2005
Loimaala A, Huikuri HV, Koobi T, Rinne M, Nenonen A, and Vuori I.	Exercise training improves baroreflex sensitivity in type 2 diabetes.	Diabetes	52: 1837-1842	2003
Lopez-Lopez C, LeRoith D, Torres-Aleman I.	Insulin-like growth factor I is required for vessel remodeling in the adult brain.	Proc Natl Acad Sci U S A	101(26):9833-8. Epub 2004 Jun 21.	2004
Lord SR, Ward JA, Williams P, Strudwick M.	The effect of a 12-month exercise trial on balance, strength, and falls in older women: a randomized controlled trial.	J Am Geriatr Soc	43(11): 1198-206	1995
Luquet S, Perez FA, Hnasko TS, Palmiter RD.	NPY/AgRP neurons are essential for feeding in adult mice but can be ablated in neonates.	Science	310(5748):683-5	2005
Lynch, N. A., E. J. Metter, R. S. Lindle, J. L. Fozard, J. D. Tobin, T. A. Roy, J. L. Fleg, and B. F. Hurley.	Muscle quality. I. Age-associated differences between arm and leg muscle groups.	J Appl Physiol	86: 188-194	1999
Macaluso A, Young A, Gibb KS, Rowe DA, De Vito G.	Cycling as a novel approach to resistance training increases muscle strength, power, and selected functional abilities in healthy older	J Appl Physiol	95(6):2544-2553	2003
MacDonald AL, Philip A, Harrison M, Bone AJ, Watt PW	Monitoring exercise-induced changes in glycemic control in type 2 diabetes.	Med Sci Sports Exerc	38(2):201-7	2006
Mack GW, Weseman CA, Langhans GW, Scherzer H, Gillen CM, Nadel ER.	Body fluid balance in dehydrated healthy older men: thirst and renal osmoregulation.	J Appl Physiol	76(4): 1615-23	1994
Maeda S, Iemitsu M, Miyauchi T, Kuno S, Matsuda M, Tanaka H.	Aortic stiffness and aerobic exercise: mechanistic insight from microarray analyses.	Med Sci Sports Exerc	37(10):1710-6.	2005
Maeda S, Miyauchi T, Iemitsu M, Tanabe T, Yokota T, Goto K, Yamaguchi I, Matsuda M	Effects of exercise training on expression of endothelin-1 mRNA in the aorta of aged rats.	Clin Sci	Suppl 48:118S-123S	2002

Maeda S, Tanabe T, Miyauchi T, Otsuki T, Sugawara J, Iemitsu M, Kuno S, Ajisaka R, Yamaguchi I, Matsuda M	Aerobic exercise training reduces plasma endothelin-1 concentration in older women	J Appl Physiol	95:336-41	2003
Maeda S, Tanabe T, Otsuki T, Sugawara J, Iemitsu M, Miyauchi T, Kuno S, Ajisaka R, Magnusson G, Kajiser L, Isberg B, and Saltin B.	Moderate regular exercise increases basal production of nitric oxide in elderly women Cardiovascular responses during one-and two-legged exercise in middle-aged men.	Hypertens Res Acta Physiol Scand	27(12):947-953 150(4):353-62.	2004 1994
Magnusson, S. P., N. Beyer, H. Abrahamsen, P. Aagaard, K. Neergaard, and M. Kjaer.	Increased cross-sectional area and reduced tensile stress of the Achilles tendon in elderly compared with young women.	J Gerontol	58: 123-127	2003
Makrides L, Heigenhauser GJ, Jones NL.	High-intensity endurance training in 20-to 30- and 60-to 70-yr-old healthy men	J Appl Physiol	69: 1792-1798	1990
Makrides L, Heigenhauser GJ, McCartney N, Jones NL.	Maximal short term exercise capacity in healthy subjects aged 15-70 years.	Clin Sci	69: 197-205	1985
Malbut KE, Dinan S, Young A.	Aerobic training in the 'oldest old': the effect of 24 weeks of training.	Age Ageing	31(4):255-60.	2002
Manini, T.M., Everhart, J.E., Patel, K.V., Schoeller, D.A., Colbert, L.H., Visser, M., Tylavsky, F., Bauer, D.C., Goodpaster, B.H., Manson JE, Hu FB, Rich-Edwards JW, Colditz GA, Stampfer MJ, Willett WC, Speizer FE, Hennekens CH.	Daily activity energy expenditure and mortality among older adults.	J A M A	296: 171-179	2006
Manson JE, Hu FB, Rich-Edwards JW, Colditz GA, Stampfer MJ, Willett WC, Speizer FE, Hennekens CH.	A prospective study of walking as compared with vigorous exercise in the prevention of coronary heart disease in women.	N Engl J Med	341(9):650-8.	1999
Manson JE, Nathan DM, Krolewski AS, Stampfer MJ, Willett WC, Hennekens CH.	A prospective study of exercise and incidence of diabetes among US male physicians.	J A M A	268(1):63-7.	1992
Margarita R, Aghemo P, Rovelli E.	Indirect determination of maximal O2 consumption in man.	J Appl Physiol	20(5):1070-3	1965
Mariorana A, O'Driscoll G, Cheetham C, Demo L, Stanton K, Goodman C, Taylor R, Green D, Markel, T.A., Daley III, J.C., Hogeman, C.S. Herr, M.D., Khan, M.H., Gray, K.S., Kunselman & A.R., and Sinoway L.I.	The effect of combined aerobic and resistance training on vascular function in type 2 diabetes	J Am Coll Cardiol	38:860-866	2001
Marshall AL, Leslie ER, Bauman AE, Marcus BH, Owen N.	Ageing and exercise pressor reflex in humans.	Circulation	107(5):675-8.	2003
Marsh AP, Katula JA, Pacchia CF, Johnson LC, Kourv KL, Rejeski WJ	Effects of treadmill and overground walking on function and attitudes in older adults	Med Sci Sports Exerc	38: 1157-1164	2006
Marshall AL, Leslie ER, Bauman AE, Marcus BH, Owen N.	Print Versus Website Physical Activity Programs: A Randomized Trial	Am J Prev Med	25(2):88-94	2003
Martin WH 3rd, Kohrt WM, Malley MT, Korte E, Stoltz S.	Exercise training enhances leg vasodilatory capacity of 65-yr-old men and women	J Appl Physiol	69(5):1804-9	1990
Martin VH 3rd, Ogawa T, Kohrt WM, Malley MT, Korte E, Kieffer PS, Schechtman KB.	Effects of aging, gender, and physical training on peripheral vascular function. Accumulating Short Bouts of Running Exercise Throughout the Day Reduces Postprandial Plasma Triacylglycerol Concentrations and Resting Blood Pressure in Healthy Young Men	Circulation	84(2):654-664	1991
Masashi Miyashita; Stephen Francis Burns ; David John Stensel	Gender-related differences in erythrocyte glutathione peroxidase activity in healthy Relation of systemic and local muscle exercise capacity to skeletal muscle characteristics in men with congestive heart failure.	JPAH Clin Endocrinol	3(1):112-123 57(5):663-7.	2006 2002
Massafa C, Gioia D, De Felice C, Muscettola M, Longini M, Buonocore G.				
Massie BM, Simonini A, Sahgal P, Wells L, Dudley GA.		J Am Coll Cardiol.	27(1):140-145.	1996



Matsuda M, Nosaka T, Sato M, Ohshima N	Effects of physical exercise on the elasticity and elastic components of the rat aorta	Eur J Appl Physiol Occup Physio	66:122-6	1993
Matsukawa K, Komine H, Nakamoto T, Murata J.	Central command blunts sensitivity of arterial baroreceptor-heart rate reflex at onset of voluntary static exercise	Am J Physiol Heart Circ Physiol	290(1):H200-8	2006
Matthews CE, Ainsworth BE, Thompson RW, Bassett DR.	Sources of variance in daily physical activity levels as measured by an accelerometer.	Med Sci Sports Exerc	34(8):1376-1381	2002
Matthews CE, Freedson PS, Hebert JR	Seasonal Variation in Household, Occupational, and Leisure Time Physical Activity: Longitudinal Analyses from the Seasonal Variation of Blood Cholesterol Study, American	J Epidemiol	153(2) : 172-183	2001
Matthews CE, Hebert JR, Freedson PS, Stanek EJ, Merriam PA, Ebbeling CB Ockene Maul I, Laubli T, Oliveri M, Krueger H.	Sources of Variance in Daily Physical Activity Levels in the Seasonal Variation of Blood	Am J Epidemiol	153(10): 987-995	2001
Mayer-Davis EJ, D'Agostino R Jr, Karfer AJ, Haffner SM, Rewers MJ, Saad M, Bergman RN.	Long-term effects of supervised physical training in secondary prevention of low back intensity and amount of physical activity in relation to insulin sensitivity: the Insulin Resistance Atherosclerosis Study.	Eur Spine J	14(6):599-611	2005
Mazzeo RS, Rajkumar C, Rolland J, Blaher B, Jennings G, Esler M	Immune response to a single bout of exercise in young and elderly subjects	J A M A	279(9):669-74.	1998
McAuley E, Elavsky S, Jerome GJ, Konopack JF, Marquez DX.	Physical activity-related well-being in older adults: social cognitive influences.	Mech Ageing Dev	100(2):121-32	1998
McAuley E, Elavsky S, Motl RW, Konopack JF, Hu L, Marquez DX.	Physical activity, self-efficacy, and self-esteem: longitudinal relationships in older adults.	Psychol Aging.	20(2), 295-302	2005
McAuley E, Katula J, Mihalko SL, Blissmer B, Duncan TE, Pena M, Dunn E.	Mode of physical activity and self-efficacy in older adults: a latent growth curve analysis.	J Gerontol B Psychol Sci Soc Sc 60B(5),	268-275	2005
McCann IL, Holmes DS.	Influence of aerobic exercise on depression.	J Gerontol B Psychol Sci Soc Sc 54(5):	P283-92	1999
McCartney N, McKeivie RS, Martin J, Sale DG, MacDougall JD.	Weight-training-induced attenuation of the circulatory response of older males to weight ventilatory response to exercise and carbon dioxide in elderly and younger humans.	J Pers Soc Psychol	46(5):1142-7	1984
McConell AK, Semple ES, Davies CT.	A comparison of the ventilatory responses to exercise of elderly and younger humans.	J Appl Physiol	74(3):1056-60	1993
McConnell AK, Davies CT.	A 30-year follow-up of the Dallas Bedrest and Training Study: I. Effect of age on the cardiovascular response to exercise	Eur J Appl Physiol	66: 332-337	1993
McGuire DK, Levine BD, Williamson JW, Snell PG, Blomqvist CG, Saltin B, Mitchell JH	The relationship of hypercapnic ventilatory responses to age, gender and athleticism.	J Gerontol	47: B137-B141	1992
McGurk SP, Blanksby BA, Anderson MJ.	The Diabetes Network Internet-Based Physical Activity Intervention	Circulation	104:1350-7	2001
McKay HG, Seeley JR, King D, Glasgow RE, Eakin EG.	Effects of exercise training in patients with heart failure: the Exercise Rehabilitation Trial	Sports Med	19: 173-183	1995
McKelvie RS, Teo KK, Roberts R, McCartney N, Humen D, Montague T, Hendrican K, Yusuf	Influence of the interleukin-6 -174 G/C gene polymorphism on exercise training-induced changes in glucose tolerance indexes.	Diabetes Care	24(8):1328-1334	2001
McKenzie JA, Weiss EP, Ghiu IA, Kulaputana O, Phares DA, Ferrell RE, Hagberg JM.		Am Heart J	144(1):23-30	2002
		J Appl Physiol	97(4):1338-42.	2004



McMillan-Price J, Petocz P, Atkinson F, O'Neill K, Samman S, Steinbeck K, Caterson I, Brand-Miller J.	Comparison of 4 diets of varying glycaemic load on weight loss and cardiovascular risk reduction in overweight and obese young adults: a randomized controlled trial.	Arch Intern Med	166(14):1466-75.	2006
McMurdo ME, Rennie L.	A controlled trial of exercise by residents of old people's homes.	Age Ageing	22(1): 11-5	1993
McNeil JK, LeBlanc EM, Joyner M.	The effect of exercise on depressive symptoms in the moderately depressed elderly.	Psychol Aging	6(3):487-8.	1991
McPherron AC, Lawler AM, Lee SJ.	Regulation of skeletal muscle mass in mice by a new TGF-beta superfamily member.	Nature	387:83-90	1997
Meijer EP, Goris AH, Wouters L & Westerterp KR	Physical inactivity as a determinant of the physical activity level in the elderly.	Int J Obes Relat Metab Disord	25(7): 935-9	2001
Meijer EP, Westerterp KR, Verstappen FTJ	Effects of exercise training on physical activity and substrate utilization in the elderly	Int J Sports Med	21: 499-504	2000
Meijer EP, Westerterp KR, Verstappen FTJ	Effects of exercise training on total daily physical activity in elderly humans	Eur J Appl Physiol	80: 16-21	1999
Meirhaeghe, A., N. Helbecque, D. Cottel, and P. Arnouyel	Beta2-adrenoceptor gene polymorphism, body weight, and physical activity	Lancet	353:896	1999
Melanson EL, Knoll JR, Bell ML, Donahoo WT, Hill JO, Nyssse L.J, Lanningham-Foster L, Peters JC, Levine JA	Commercially available pedometers: considerations for accurate step counting.	Prev Med	39(2):361-8.	2004
Menshikova EV, Ritov VB, Fairfull L, Ferrell RE, Kelley DE, Goodpaster BH.	Effects of exercise on mitochondrial content and function in aging human skeletal muscle.	J Gerontol A Biol Sci Med Sci	61(6):534-40.	2006
Menshikova EV, Ritov VB, Toledo FG, Ferrell RE, Goodpaster BH, Kelley DE.	Effects of weight loss and physical activity on skeletal muscle mitochondrial function in	Am J Physiol Endocrinol Metab	288(4):E818-25.	2005
Mensink GB, Deketh M, Mui MD, Schuit AJ, Hoffmeister H.	Physical activity and its association with cardiovascular risk factors and mortality	Epidemiology	7:391-397	1996
Messier SP, Royer TD, Craven TE, O'Toole ML, Burns R, Ettinger WH Jr.	Long-term exercise and its effect on balance in older, osteoarthritic adults: results from the Fitness, Arthritis, and Seniors Trial (FAST).	J Am Geriatr Soc	48: 131-138	2000
Metter EJ, Lynch N, Conwit R, Lindle R, Tobin J, Hurley B	Muscle quality and age: cross-sectional and longitudinal comparisons.	J Gerontol	54A: B207-B218	1999
Meuleman JR, Brechue VF, Kubilis PS, Lowenthal DT.	Exercise training in the debilitated aged: strength and functional outcomes.	Arch Phys Med Rehabil	81(3):312-8.	2000
Michael J. Belman and Glenn A. Gaesser	Exercise training below and above the lactate threshold in the elderly	Med. Sci. Sports Exerc.	23:562-568	1991
Mikesky AE, Topp R, Wigglesworth JK, Harsha DM, Edward JE	Efficacy of a home-based training program for older adults using elastic tubing	Eur J Appl Physiol	69: 316-320	1994
Mikkelsson LO, Nupponen H, Kaprio J, Kautiainen H, Mikkelsen M, and Kujala UM.	Adolescent flexibility, endurance strength, and physical activity as predictors of adult tension neck, low back pain, and knee injury: a 25 year follow up study.	Br J Sports Med	40: 107-113	2006
Miller JP, Pratley RE, Goldberg AP, Gordon P, Rubin M, Treuth MS, Ryan AS, Hurley BF.	Strength training increases insulin action in healthy 50- to 65-yr-old men.	J Appl Physiol	77(3):1122-7.	1994
Mingrone G, Rosa G, Di Rocco P, Manco M, Capristo E, Castagneto M, Vettor R, Gasbarrini G, Greco AV.	Skeletal muscle triglycerides lowering is associated with net improvement of insulin sensitivity, TNF-alpha reduction and GLUT4	Int J Obes Relat Metab Disord	26(9):1165-72.	2002

Minotti JR, Johnson EC, Hudson TL, Zuroske G, Murata G, Fukushima E, Cagle TG, Chick TW, Massie BM, Icenogle MV.	Skeletal muscle response to exercise training in congestive heart failure.	J Clin Invest.	86(3):751-758.	1990
Minson CT, Holowatz LA, Wong BJ, Kenney WL, Wilkins BW.	Decreased nitric oxide- and axon reflex-mediated cutaneous vasodilation with age	J Appl Physiol	93(5):1644-9	2002
Minson CT, Wladkowski SL, Cardell AF, Pawelczyk JA, Kenney WL.	Age alters the cardiovascular response to direct passive heating.	J Appl Physiol	84(4):1323-32	1998
Miszko TA, Cress ME, Slade JM, Covey CJ, Agrawal SK, Doerr CE.	Effect of strength and power training on physical function in community-dwelling older	J Gerontol A Biol Sci Med Sci	58(2):171-5.	2003
Mitchell D, Haan MN, Steinberg FM, Visser M.	Body composition in the elderly: the influence of nutritional factors and physical activity.	J Nutr Health Aging.	7(3):130-9	2003
Miura S, Yamaguchi Y, Urata H, Himeshima Y, Otsuka N, Tomita S, Yamatsu K, Nishida S, Saku K.	Efficacy of a multicomponent program (patient-centered assessment and counseling for exercise plus nutrition [PACE+Japan]) for lifestyle modification in patients with essential	Hypertension Research	27(11):859-864	2004
Miyachi M, Donato AJ, Yamamoto K, Takahashi K, Gates PE, Moreau KL, Tanaka H.	Greater age-related reductions in central arterial compliance in resistance-trained men	Hypertension	41:130-5	2003
Miyachi M, Iemitsu M, Okutsu M, and Onodera S.	Effects of endurance training on the size and blood flow of the arterial conduction vessels	Acta Physiol Scand	163: 13-16	1998
Miyachi M, Kawano H, Sugawara J, Takahashi K, Hayashi K, Yamazaki K, Tabata I, and Miyachi M, Tanaka H, Yamamoto K, Yoshioka A, Takahashi K, and Onodera S.	Unfavorable effects of resistance training on central arterial compliance: a randomized Effects of one-legged endurance training on femoral arterial and venous size in healthy	Circulation	110: 2858-2863	2004
Miyai N, Arita M, Miyashita K, Morioka I, Shiraiishi T, and Nishio I.	Blood pressure response to heart rate during exercise test and risk of future hypertension. Exercise and postprandial lipemia: effect of	J Appl Physiol	90: 2439-2444	2001
Miyashita M, Burns SF, Stensel DJ.	continuous compared with intermittent activity patterns.	Hypertension	39: 761-766	2002
Miyatani M, Kanehisa H, Azuma K, Kuno S, Fukunaga T	Site-related differences in muscle loss with aging	Am J Clin Nutr	83(1):24-9.	2006
Miyazaki H, Oh-ishi S, Ookawara T, Kizaki T, Toshinai K, Ha S, Haga S, Ji LL, Ohno H.	Strenuous endurance training in humans reduces oxidative stress following exhausting	Int J Sport Health Sci	1: 34-40	2003
Mizuno M	Human respiratory muscles: fibre morphology and capillary supply.	Eur J Appl Physiol	84(1-2):1-6.	2001
Mizuno M, Kimura Y, Iwakawa T, Oda K, Ishii K, Ishiwata K, Nakamura Y, Muraoka I.	Regional differences in blood flow and oxygen consumption in resting muscle and their relationship during recovery from exhaustive	Eur Respir J	4(5):587-601	1991
Mizuno M, Kimura Y, Tokizawa K, Ishii K, Oda K, Sasaki T, Nakamura Y, Muraoka I, Ishiwata K.	Greater adenosine A(2A) receptor densities in cardiac and skeletal muscle in endurance-trained men: a [(11)C]ITMSX PET study.	J Appl Physiol	95(6):2204-10.	2003
Mizuno M, Quistorff B, Theorell H, Theorell M, Chance B.	Effects of oral supplementation of coenzyme Q10 on 31P-NMR detected skeletal muscle energy metabolism in middle-aged post-polio subjects and normal volunteers.	Nucl Med Biol	32(8):831-6.	2005
Mohiaddin RH, Underwood SR, Bogren HG, Firmin DN, Klipstein RH, Rees RS, Longmore DB	Regional aortic compliance studied by magnetic resonance imaging: the effects of age, training, and coronary artery disease	Mol Aspects Med	18 Suppl:S291-8	1997
		Br Heart J	62:90-96	1989

Mokdad AH, Bowman BA, Ford ES, et al	The continuing epidemics of obesity and diabetes in the United States.	J A M A	286:1195-1200	2001
Mokdad AH, Marks JS, Stroup DF, Gerberding JL	Prevalence and consequences of obesity in the United States.	J A M A	291: 1238-1245	2004
Molloy DW, Beerschoten DA, Borrie MJ, Crilly RG, Cape RD.	Acute effects of exercise on neuropsychological function in elderly subjects	J Am Geriatr Soc	36(1):29-33.	1988
Monahan KD, Dinunno FA, Seals DR, Clevenger CM, Desouza CA, Tanaka H	Age-associated changes in cardiovascular baroreflex sensitivity are related to central	Am J Physiol Heart Circ Physiol	281:H284-9	2001
Monahan KD, Dinunno FA, Seals DR, Halliwill JR.	Smaller age-associated reductions in leg venous compliance in endurance exercise-	Am J Physiol Heart Circ Physiol	281(3):H1267-73	2001
Monahan KD, Tanaka H, Dinunno FA, Seals DR.	Central arterial compliance is associated with age- and habitual exercise-related differences in cardiovascular baroreflex sensitivity.	Circulation	104:1627-1632	2001
Moreau KL, Donato AJ, Seals DR, DeSouza CA, Tanaka H	Regular exercise, hormone replacement therapy and the age-related decline in carotid arterial compliance in healthy women	Cardiovasc Res	57:861-8	2003
Moreau KL, Donato AJ, Seals DR, Dinunno FA, Blackett SD, Hoetzer GL, Desouza CA.	Arterial intima-media thickness: site-specific associations with HRT and habitual exercise. Is there a threshold between peak oxygen uptake and self-reported physical functioning in older adults.?	Am J Physiol Heart Circ Physiol	283(4):H1409-17	2002
Morey MC, Pieper CF, Cornoni-Huntley J	Daytime activity and risk factors for late-life insomnia.	Med Sci Sports Exerc	30(8):1223-1229	1998
Morgan K.	The effect of home-based bench step exercise on aerobic capacity, lower extremity strength and static balance in older adults	J Sleep Res	12:231-238	2003
Mori Y, Ayabe M, Yahiro T, Tobina T, Kiyonaga A, Shindo M, Yamada T, Tanaka H	Attenuation of skeletal muscle atrophy via protease inhibition	Int Journal Sport Health Sci	99(5):1719-1727	2005
Morris CA, Morris LD, Kennedy AR, Sweeney HL.	Exercise in leisure time: coronary attack and death rates.	J Appl Physiol	63(6):325-34	1990
Morris JN, Clayton DG, Everitt MG, Semmence AM, Burgess EH	Responsiveness of cell signaling pathways during the failed 15-day regrowth of aged Changes in triceps surae muscle architecture with sarcopenia	Br Heart J	96:398-404	1990
Morris RT, Spangenburg EE, Booth FW.	Reduced plantarflexor specific torque in the elderly is associated with a lower activation following 12-month resistance training in 70-	J Appl Physiol Scand	183: 291-298	2004
Morse CI, Thom JM, Muirhead A, Narici MV	Isn't this just bedtime snacking? The potential adverse effects of night-eating symptoms on treatment adherence and outcomes in patients with diabetes.	Eur J Appl Physiol	92: 219-226	2005
Morse SA, Ciechanowski PS, Katon WJ, Hirsch IB.	Dose Response to Exercise in Women aged 45-75 yr (DREW): design and rationale	Diabetes Care	29(8):1800-4.	2006
Morss GM, Jordan AN, Skinner JS, Dunn AL, Church TS, Earnest CP, Kampert JB, Jurca R, Blair SN	The effects of long-term low intensity aerobic training and detraining on serum lipid and lipoprotein concentrations in elderly men and	Med Sci Sports Exerc	36(2):336-44	2004
Motoyama M, Sunami Y, Kinoshita F, Irie T, Sasaki J, Arakawa K, Kiyonaga A, Tanaka H, Shindo M.		Eur J Appl Physiol Occup Physio	70(2):126-31.	1995

Mukherjee M, Shetty KR.	Variations in high-density lipoprotein cholesterol in relation to physical activity and Taq 1B polymorphism of the cholesteryl ester transfer protein gene.	Clin Genet	65(5):412-8.	2004
Murphy M, Nevill A, Neville C, Biddle S, Hardman A.	Accumulating brisk walking for fitness, cardiovascular risk, and psychological health.	Med Sci Sports Exerc	34(9):1468-74.	2002
Murphy MH, Murtagh EM, Boreham CAG, Hare LG, Nevill AM	The effect of a worksite based walking programme on cardiovascular risk in previously sedentary civil servants	BMC Public Health	6: 136	2006
Musaro A, McCullagh K, Paul A, Houghton L, Dobrowolny G, Molinaro M, Barton ER, Sweeney HL, Rosenthal N.	Localized IGF-1 transgene expression sustains hypertrophy and regeneration in senescent skeletal muscle.	Nat Genet	27:195-200	2001
Must A. et al.	Long-term morbidity and mortality of overweight adolescents. A follow-up of the Harvard Growth Study of 1922 to 1935.	N Engl J Med	327:1350-1355	1992
Myers J, Prakash M, Froelicher V, et al.	Exercise capacity and mortality among men referred for exercise testing.	N Engl J Med	346:793-801	2002
Nagamatsu T, Oida Y, Kitabatake Y, Kohno H, Egawa K, Nezu N, Arao T.	A 6-year cohort study on relationship between functional fitness and impairment of ADL in community-dwelling older persons.	J Epidemiol	13(3):142-8.	2003
Nagamatsu永松俊哉, 種田行男, 北畠義典, 神野宏司, 江川賢一, 荒屋孝, 根津直美	地域高齢者の生活体力に関する縦断研究	運動疫学研究	2Suppl. 39-43	2000
Nagamatsu永松俊哉, 種田行男, 北畠義典, 神野宏司, 江川賢一, 青木和江, メール優子, 真家英俊, 根津直美, 荒屋孝	地域高齢者の生活体力に関する縦断研究 生活体力の加齢変化と日常生活行動との関係	体力研究	99, 7-15	2000
Nakamura E, Moritani T, Kanetaka A	Effects of habitual physical exercise on physiological age in men aged 20-85 years as estimated using principal component analysis.	Eur J Appl Physiol	73: 410-418	1996
Nakamura Y, Tanaka K, Yabushita N, Sakai T, Shigematsu R	Effects of exercise frequency on functional fitness in older adult women	Arch Gerontol Geriatrics	44:163-173	2006
Nakayama K, Monma M, Fukushima T, Ohrui T, Sasaki H.	Tuberculin responses and risk of pneumonia in immobile elderly patients.	Thorax.	55(10):867-9.	2000
Narici MV, Maganaris CN, Reeves ND, Capodaglio P	Effect of aging on human muscle architecture	J Appl Physiol	95: 2229-2234	2003
Naylor AS, Persson AI, Eriksson PS, Jonsdottir IH, Thorlin T.	Extended voluntary running inhibits exercise-induced adult hippocampal progenitor proliferation in the spontaneously hypertensive	J Neurophysiol	93(5):2406-14.	2005
Naylor E, Penev PD, Orbeta L, Janssen I, Ortiz R, Colechia EF, Keng M, Finkel S, Zee PC.	Daily Social and Physical Activity Increases Slow-Wave Sleep and Daytime Neurophysiological Performance in the Elderly.	Sleep	23(1):87-95	2000
Neder JA, Nery LE, Peres C, Whipp BJ.	Reference values for dynamic responses to incremental cycle ergometry in males and females aged 20 to 80.	Am J Respir Crit Care Med	164: 1481-1486	2001
Nesher, R., Karl, I.E., and Kipnis, D.M.	Dissociation of effects of insulin and contraction on glucose transport in rat epitrochlearis	Am J Physiol	249: C226-C232	1985
Netz Y, Wu MJ, Becker BJ, Tenenbaum G.	Physical activity and psychological well-being in advanced age: a meta-analysis of intervention studies.	Psychol Aging.	20(2), 272-284	2005

Nevitt MC, Cummings SR, Hudes ES	Risk factors for injurious falls: A prospective	J Gerontol A Biol Sci Med Sci	46(5):M164-M170	1991
Newcomer SC, Leuenberger UA, Hogeman CS, Proctor DN.	Heterogeneous vasodilator responses of human limbs: influence of age and habitual endurance training.	Am J Physiol Heart Circ Physiol	289(1):H308-15	2005
Newton, Rachel S; Kemps, Eva B	General lifestyle activities as a predictor of current cognition and cognitive change in older adults: a cross-sectional and longitudinal	J Gerontol B Psychol Sci Soc Sc	60(3) : 113-120	2005
Ng AV, Callister R, Johnson DG, and Seals DR.	Endurance exercise training is associated with elevated basal sympathetic nerve activity in healthy older humans.	J Appl Physiol	77: 1366-1374	1994
Ng AV, Kent-Braun JA	Slowed muscle contractile properties are not associated with a decreased EMG/force relationship in older humans.	J Gerontol	54A: B452-B458	1999
Nicholls SJ, Lundman P, Harmer JA, Cutri B, Griffiths KA, Rye KA, Barter PJ, Celermajor DS.	Consumption of saturated fat impairs the anti-inflammatory properties of high-density lipoproteins and endothelial function.	J Am Coll Cardiol	48(4):715-20.	2006
Nichols JF, Ormizo DK, Peterson KK, Nelson KP.	Efficacy of heavy-resistance training for active women over sixty: muscular strength, body composition, and program adherence.	J Am Geriatr Soc	41(3): 205-10	1993
Nicklas BJ, Mychaleckyj J, Kritchovsky S, Palla S, Lange LA, Lange EM, Messier SP, Bowden D, Pahor M.	Physical function and its response to exercise: associations with cytokine gene variation in older adults with knee osteoarthritis.	J Gerontol A Biol Sci Med Sci	60(10):1292-8.	2005
Nicklas BJ, Ryan AJ, Treuth MM, Harman SM, Blackman MR, Hurley BF, Rogers MA.	Testosterone, growth hormone and IGF-I responses to acute and chronic resistive exercise in men aged 55-70 years.	Int J Sports Med	16(7):445-50.	1995
Nielsen AN, Mizuno M, Ratkevicius A, Mohr T, Rohde M, Mortensen SA, Quistorff B	No effect of antioxidant supplementation in triathletes on maximal oxygen uptake, 31P-NMRS detected muscle energy metabolism and muscle fatigue.	Int J Sports Med	20(3):154-8	1999
Nieman DC, Henson DA, Gusewitch G, Warren BJ, Dotson RC, Butterworth DE, Nehlsen-Cannarella SL	Physical activity and immune function in elderly women.	Med Sci Sports Exerc	25(7):823-31	1993
Nieman DC, Warren BJ, O'Donnell KA, Dotson RG, Butterworth DE, Henson DA	Physical activity and serum lipids and lipoproteins in elderly women	J Am Geriatr Soc	41(12):1339-44	1993
Nijs K, Graag C, Kok FJ, Staveren WA	Effect of family style mealtimes on quality of life, physical performance, and body weight of nursing home residents: Cluster randomised	B M J	332(7551):1180-4	2006
Nishida, Y., Tokuyama, K., Nagasaka, S., Higaki, Y., Shirai, Y., Kiyonaga, A., Shindo, M., Kusaka, I., Nakamura, T., Ishibashi, S., Tanaka, H.	Effect of moderate exercise training on peripheral glucose effectiveness, insulin sensitivity, and endogenous glucose production in healthy humans estimated by a two-compartment-labeled minimal model.	Diabetes	53, 315-20	2004
Nishime EO, Cole CR, Blackstone EH, Pashkow FJ, Lauer MS.	Heart rate recovery and treadmill exercise score as predictors of mortality in patients referred for exercise ECG.	J A M A	284(11):1392-8.	2000
Nishioka Y, Sashika H, Andho N, and Tochikubo O.	Relation between 24-h heart rate variability and blood pressure fluctuation during exercise in stroke patients.	Circ J	69: 717-721	2005

Nosaka K, Newton M, Sacco P.	Delayed-onset muscle soreness does not reflect the magnitude of eccentric exercise-induced muscle damage.	Scand J Med Sci Sports	12(6):337-46.	2002
Nose能勢博、根本賢一、永嶋秀敏	スポーツ医学分野からのヘルスプロモーションの取り組み-松本市老年体育大学の成果と今後の	臨床スポーツ医学	21(11):1245-50	2004
Nowalk MP, Prendergast JM, Bayles CM, D'Amico FJ, Colvin GC.	A randomized trial of exercise programs among older individuals living in two long-term care facilities: the FallsFREE program	J Am Geriatr Soc	49(7):859-65.	2001
Nuutila P, Peltoniemi P, Oikonen V, Larmola K,	Enhanced stimulation of glucose uptake by insulin increases exercise-stimulated glucose uptake in skeletal muscle in humans: studies using [15O]O <sub>2</sub> , [15O]H <sub>2</sub> O, [18F]fluoro-deoxy-glucose, and positron emission tomography.	Diabetes	49(7):1084-91.	2000
O'Donnell AB, Travison TG, Harris SS, Tenover JL, McKinlay JB.	Testosterone, dehydroepiandrosterone, and physical performance in older men: results from the Massachusetts Male Aging Study.	J Clin Endocrinol Metab	91(2):425-31	2006
O'Donovan G, Owen A, Bird SR, Kearney EM, Nevill AM, Jones DW, and Woolf-May K.	Changes in cardiorespiratory fitness and coronary heart disease risk factors following 24 wk of moderate- or high-intensity exercise of equal energy cost.	J Appl Physiol	98: 1619-1625	2005
Ogawa K, Oka J, Yamakawa J, Higuchi M.	Habitual exercise did not affect the balance of type 1 and type 2 cytokines in elderly people.	Mech Ageing Dev	124(8-9):951-6	2003
Ogawa T, Spina RJ, Martin WH, III, Kohrt WM, Schechtman KB, Holloszy JO, Ehsani AA	Effects of aging, sex and physical training on cardiovascular responses to exercise.	Circulation	86:494-503	1992
Ogawa小川裕, 岩崎清, 安村誠司,	地域高齢者の健康度評価に関する追跡的研究-日常生活動作能力の低下と死亡の予知を中心に-	日本公衆衛生雑誌	40:859-871	1993
Oguma Y, Sesso HD, Paffenbarger RS Jr, Lee IM.	Weight change and risk of developing type 2 diabetes.	Obes Res	13(5):945-51.	2005
Ohida T, Kamal AMM, Uchiyama M, Kim K, Takemura S, Sone T, Ishii T.	The influence of Lifestyle and Health Status Factors on Sleep Loss Among the Japanese General Population.	Sleep	24(3):333-338	2001
Ohira T, Schmitz KH, Ahmed RL, Yee D.	Effects of weight training on quality of life in recent breast cancer survivors: the Weight Training for Breast Cancer Survivors (WTBS)	Cancer	106(9):2076-83.	2006
Oida Y, Kitabatake Y, Nishijima Y, Nagamatsu T, Kohno H, Egawa K, Arai T.	Effects of a 5-year exercise-centered health-promoting programme on mortality and ADL impairment in the elderly.	Age Ageing	32(6):585-92.	2003
Oida種田行男, 北島義典, 荒尾孝, 神野宏司, 江川賢一, 永松俊哉, 西嶋洋子, 真家英俊	高齢者の生活体力の維持・改善を目的とした健康教育プログラムによる3年間の介入効果	体力研究	97, 1-13	1999
Okada S, Hirakawa K, Takada Y, Kinoshita H.	Age-related differences in postural control in humans in response to a sudden deceleration generated by postural disturbance.	Eur J Appl Physiol	85(1-2):10-8	2001
Okada S, Hirakawa K, Takada Y, Kinoshita H.	Relationship between fear of falling and balancing ability during abrupt deceleration in aged women having similar habitual physical	Eur J Appl Physiol	85(6):501-6	2001
Okazaki K, Iwasaki K, Prasad A, Palmer MD, Martini ER, Fu Q, Arbab-Zadeh A, Zhang R, Levine BD.	Dose-response relationship of endurance training for autonomic circulatory control in healthy seniors.	J Appl Physiol	99(3):1041-9	2005

Okazaki K, Kamijo Y, Takeno Y, Okumoto T, Masuki S, Nose H.	Effects of exercise training on thermoregulatory responses and blood volume in older men.	J Appl Physiol	93(5):1630-7	2002
Okazaki岡崎和伸、源野広和、森川真悠子、能勢博	運動基準・指針を生かす個別プログラム	体育の科学	56(8):627-634	2006
Okura T, Nakata Y, Tanaka K.	Effects of exercise intensity on physical fitness and risk factors for coronary heart disease.	Obes Res	11(9): 1131-9	2003
Orchard TJ, Temprosa M, Goldberg R, Haffner S, Ratner R, Marcovina S, Fowler S; Diabetes Prevention Program Research Group.	The effect of metformin and intensive lifestyle intervention on the metabolic syndrome: the Diabetes Prevention Program randomized trial.	Ann Intern Med	19:142(8):611-9.	2005
Overend TJ, Cunningham DA, Kramer JF, Lefcoe MS, Paterson DH	Knee extensor and knee flexor strength: cross-sectional area ratios in young and elderly men	J Gerontol A Biol Sci Med Sci	6: M204-M210	1992
Owen N, Humpel N, Leslie E, Bauman A, Sallis JF.	Understanding environmental influences on walking: Review and research agenda.	Am J Prev Med.	27(1), 67-76	2004
Owen N, Lee C, Naccarella L, HaagK.	Exercise by Mail: A Mediated Behavior-Change Program for Aerobic Exercise	J Sport Psychol	9:346-357	1987
Owino V, Yang SY, Goldspink G.	Age-related loss of skeletal muscle function and the inability to express the autocrine form of insulin-like growth factor-1 (IGF) in response to mechanical overload.	FEBS Lett	505:259-63	2001
Paddon-Jones D, Sheffield-Moore M, Zhang XJ, Volpi E, Wolf SE, Aarsland A, Ferrando AA, Wolfe RR.	Amino acid ingestion improves muscle protein synthesis in the young and elderly.	Am J Physiol Endocrinol Metab.	Mar;286(3):E321-8.	2004
Paffenbarger RS Jr, Hyde RT, Wing AL, Lee IM, Jung DL, Kampert JB.	The association of changes in physical-activity level and other lifestyle characteristics with mortality among men.	N Engl J Med	328(8):538-45.	1993
Paffenbarger RS, Jr., Hyde RT, Wing AL, and Hsieh CC.	Physical activity, all-cause mortality, and longevity of college alumni.	N Engl J Med	314:605-613	1986
Paffenbarger RS, Jr., Kampert JB, Lee IM, Hyde RT, Leung RW, and Wing AL.	Changes in physical activity and other lifestyle patterns influencing longevity.	Med Sci Sports Exerc	26: 857-865	1994
Pan XR, Li GW, Hu Y H, Wang JX, Yang WY, An ZX, Hu ZX, Lin J, Xiao JZ, Cao HB, Liu PA, Jiang XG, Jiang YY, Wang JP, Zheng H, Zhang H, Bennett PH and Howard BV	Effects of diet and exercise in preventing NIDDM in people with impaired glucose tolerance. The Da Qing IGT and Diabetes Study	Diabetes Care	20(4):537-544	1997
Pang MY, Eng JJ, Dawson AS, McKay HA, Harris JE.	A community-based fitness and mobility exercise program for older adults with chronic stroke: a randomized, controlled trial.	J Am Geriatr Soc	53(10):1667-74.	2005
Pappas GP, Olcott EW, Drace JE.	Imaging of skeletal muscle function using (18)FDG PET: force production, activation, and	J Appl Physiol	90(1):329-37.	2001
Parise G, Phillips SM, Kaczor JJ, Tarnopolsky MA.	Antioxidant enzyme activity is up-regulated after unilateral resistance exercise training in older NADPH oxidase p22phox gene variants are associated with systemic oxidative stress biomarker responses to exercise training.	Free Radic Biol Med	39(2):289-95.	2005
Park JY, Ferrell RE, Park JJ, Hagberg JM, Phares DA, Jones JM, Brown MD.	Contraction-mediated mTOR, p70S6k, and ERK1/2 phosphorylation in aged skeletal	J Appl Physiol	99(5):1905-11.	2005
Parkington JD, LeBrasseur NK, Siebert AP, Fielding RA.		J Appl Physiol	97:243-8	2004



Pate RR, Pratt M, Blair SN, Haskell WL, Macera CA, Bouchard C, Buchner D, Ettinger W, Heath GW, King AC, et al.	Physical activity and public health. A recommendation from the Centers for Disease Control and Prevention and the American College of Sports Medicine.	J A M A	273(5): 402-7	1995
Paterson DH, Cunningham DA, Koval JJ, and St Croix CM.	Aerobic fitness in a population of independently living men and women aged 55-86 years.	Med Sci Sports Exerc	31: 1813-1820	1999
Paterson DH, Govindasamy D, Vidmar M, Cunningham DA, and Koval JJ.	Longitudinal study of determinants of dependence in an elderly population.	J Am Geriatr Soc	52: 1632-1638	2004
Patten C, Kamen G, Rowland DM	Adaptations in maximal motor unit discharge rate to strength training in young and older Selected Contribution: Identification of	Muscle Nerve	24: 542-550	2001
Pattison JS, Folk LC, Madsen RW, Booth FW.	differentially expressed genes between young and old rat soleus muscle during recovery from immobilization-induced atrophy	J Appl Physiol	95:2171-9	2003
Pattison JS, Folk LC, Madsen RW, Childs TE, Booth FW.	Transcriptional profiling identifies extensive downregulation of extracellular matrix gene expression in sarcopenic rat soleus muscle.	Physiol Genomics	15:34-43	2003
Peltoniemi P, Yki-Jarvinen H, Oikonen V, Oksanen A, Takala TO,	Resistance to exercise-induced increase in glucose uptake during hyperinsulinemia in insulin-resistant skeletal muscle of patients with Cardiovascular, neuromuscular, and metabolic alternations with age leading to frailty.	Diabetes J Gerontol	50(6):1371-7 48: 61-7	2001 1993
Pendergast DR, Fisher NM, Calkins E.	Inflammatory markers and incident mobility limitation in the elderly.	J Am Geriatr Soc	52(7):1105-13	2004
Penninx BW, Kritchevsky SB, Newman AB, Nicklas BJ, Simonsick EM, Rubin S, Nevitt M, Visser M, Harris T, Pahor M	Cardiorespiratory adaptation of COPD patients to physical training on land and in water.	Eur Respir J	9: 248-252	1996
Perk, J., Perk, L., Boden, C.	A randomized controlled trial of group aerobic exercise in primary care patients with persistent unexplained physical symptoms.	Fam Pract	19(6):665-74.	2002
Petersen EW, Carey AL, Sacchetti M, Steinberg GR, Macaulay SL, Febralo MA, Petrella, R. J., D. A. Cunningham, A. A. Vandervoort, and D. H. Paterson. Eur.	Acute IL-6 treatment increases fatty acid turnover in elderly humans in vivo and in tissue Comparison of twitch potentiation in the gastrocnemius of young and elderly men.	Am J Physiol Endocrinol Metab J Appl Physiol	288(1):E155-62 58: 395-399	2004 1989
Petruzzello SJ, Hall EE, Ekkekakis P.	Regional brain activation as a biological marker of affective responsiveness to acute exercise: influence of fitness.	Psychophysiology	38(1):99-106.	2001
Petruzzello SJ, Landers DM.	State anxiety reduction and exercise: does hemispheric activation reflect such changes?	Med Sci Sports Exerc	26(8):1028-35.	1994
Petruzzello SJ, Tate AK.	Brain activation, affect, and aerobic exercise: an examination of both state-independent and state-dependent relationships.	Psychophysiology	34(5):527-33.	1997
Phares DA, Halverstadt AA, Shuidiner AR, Ferrell RE, Douglass LW, Ryan AS, Goldberg AP, Hagberg JM.	Association between body fat response to exercise training and multilocus ADR genotypes.	Obes Res	12(5):807-15.	2004
Phillippaerts RM, Westerterp KR, Lefevre J	Comparison of Two Questionnaires with a Tri-Axial Accelerometer to Assess Physical Activity	Int J Sports Med	22:34-39	2001

Phillips SK, Bruce SA, Newton D, Woledge RC	The weakness of older age is not due to failure of muscle activation.	J Gerontol	47A: M45-M49	1992
Pickering, G.P., Fellmann, N., Morio, B., Ritz, P., Amonchot, A., Vermorel, M., Coudert, J.	Effects of endurance training on the cardiovascular system and water	J Appl Physiol	83: 1300-1306	1997
Pierzga JM, Frymoyer A, Kenney WL.	Delayed distribution of active vasodilation and altered vascular conductance in aged skin.	J Appl Physiol	94(3):1045-53	2003
Pijnappels M, Bobbert MF, van Dieen JH	Push-off reactions in recovery after tripping discriminate young subjects, older non-fallers and older fallers	Gait & Posture	21:388-394	2005
Pinto BM, Friedman R, Marcus BH, Kelly H, Tennstedt S, Gillman M.	Effects of a Computer-Based, Telephone-Counseling System on Physical Activity.	Am J Prev Med	23(2):113-120	2002
Pinto BM, Goldstein MG, Ashba J, Sciamanna CN, Jette A.	Randomized controlled trial of physical activity counseling for older primary care patients.	Am J Prev Med	29(4):247-55.	2005
Pivarnik JM, Reeves MJ, Rafferty AP	Seasonal Variation in Adult Leisure-Time Physical Activity.	Med Sci Sports Exerc	35(6):1004-1008	2003
Ploutz Snyder, L.L., Giamis, E.L., Formikell, M., Rosenbaum, A.E.	Resistance training reduces susceptibility to eccentric exercise-induced muscle dysfunction in older women.	J Gerontol A Biol Sci Med Sci	56: B384-390	2001
Ploutz-Snyder LL, Manini T, Ploutz-Snyder RJ, Wolf DA.	Functionally relevant thresholds of quadriceps femoris strength.	J Gerontol A Biol Sci Med Sci	57A(4):B144-52	2002
Ploutz-Snyder LL, Yackel AE, Rosenbaum AE, Romikell M	Use of muscle functional magnetic resonance imaging with older individuals	J Gerontol	55A: B504-B511	2000
Poehlman ET, Dvorak RV, DeNino WF, Brochu M, Ades PA.	Effects of resistance training and endurance training on insulin sensitivity in nonobese, young women: a controlled randomized trial.	J Clin Endocrinol Metab	85(7):2463-8.	2000
Pogliaghi S, Terziotti P, Cevese A, Balestrieri F, Schena F.	Adaptations to endurance training in the healthy elderly: arm cranking versus leg cycling.	Eur J Appl Physiol	97: 723-731	2006
Pollock ML, Carroll JF, Graves JE, Leggett SH, Braith RW, Limacher M, Hagberg JM.	Injuries and adherence to walk/jog and resistance training programs in the elderly.	Med Sci Sports Exerc	23(10): 1194-200	1991
Pollock ML, Foster C, Knapp D, Rod JL, Schmidt DH.	Effect of age and training on aerobic capacity and body composition of master athletes.	J Appl Physiol	62: 725-731	1987
Poole, J.G., Lawrenson, L., Kim, J., Brown, C. & Richardson, R.S.	Vascular and metabolic response to cycle exercise in sedentary humans: effect of age.	Am J Physiol Heart Circ Physiol	284:H1251-1259	2003
Porreca E, Di Febbo C, Pintor S, Baccante G, Gatta V, Moretta V, Nisio MD, Palka C, Cuccurullo F, and Stuppia L.	Microsatellite polymorphism of the human leptin gene (LEP) and risk of cardiovascular disease.	Int J Obes (Lond)	30(2):209-13.	2005
Porter, M. M., A. A. Vandervoort, and J. Lexell.	Aging of human muscle: structure, function and adaptability.	Scand J Med Sci Sports	5: 129-142	1995
Posner JD, Gorman KM, Klein HS, and Cline CJ.	Ventilatory threshold: measurement and variation with age.	J Appl Physiol	63: 1519-1525	1987
Posner JD, Gorman KM, Windsor-Landsberg L, Larsen J, Bleiman M, Shaw C, Rosenberg B, Knebl J.	Low to moderate intensity endurance training in healthy older adults: physiological responses after four months.	J Am Geriatr Soc	40(1):1-7.	1992
Poulin MJ, Cunningham DA, Paterson DH, Kowalchuk JM, Smith WD.	Ventilatory sensitivity to CO <sub>2</sub> in hyperoxia and hypoxia in older aged humans.	J Appl Physiol	75: 2209-2216	1993
Poulin MJ, Cunningham DA, Paterson DH, Rechnitzer PA, Ecclestone NA, Koval JJ.	Ventilatory response to exercise in men and women 55 to 86 years of age.	Am J Respir Crit Care Med	149: 408-415	1994

Powers SK, Criswell D, Lawler J, Ji LL, Martin D, Herb RA, Dudley G.	Influence of exercise and fiber type on antioxidant enzyme activity in rat skeletal muscle.	Am J Physiol	266(2 Pt 2):R375-80.	1994
Pratley R, Nicklas B, Rubin M, Miller J, Smith A, Smith M, Hurley B, Goldberg A.	Strength training increases resting metabolic rate and norepinephrine levels in healthy 50- to 65-yr-old men.	J Appl Physiol	76(1):133-7.	1994
Prefaut C, F Anselme, C Caillaud, J Masse-	Exercise-induced hypoxemia in older athletes	J Appl Physiol	76: 120-126	1994
Price GM, Uauy R, Breeze E, Bulpitt CJ, Fletcher AE.	Weight, shape, and mortality risk in older persons: elevated waist-hip ratio, not high body mass index, is associated with a greater risk of DNA sequence variation in the promoter region of the VEGF gene impacts VEGF gene expression and maximal oxygen consumption.	Am J Clin Nutr	84(2):449-460.	2006
Prior SJ, Hagberg JM, Paton CM, Douglass LW, Brown MD, McLenithan JC, Roth SM.	Sequence variation in hypoxia-inducible factor 1alpha (HIF1A): association with maximal oxygen consumption.	Am J Physiol Heart Circ Physiol	290(5):H1848-55.	2006
Prioux J, Ramonatxo M, Hayot M, Mucci P, Prefaut C.	Effect of ageing on the ventilatory response and lactate kinetics during incremental exercise in older men.	Physiol Genomics	15(1):20-6.	2003
Proctor DN, Koch DW, Newcomer SC, Le KU, Leuenberger UA.	Impaired leg vasodilation during dynamic exercise in healthy older women.	Eur J Appl Physiol	81: 100-107	2000
Proctor, D. N., and M. J. Joyner.	Skeletal muscle mass and the reduction of VO2max in trained older subjects.	J Appl Physiol	95(5):1963-1970	2003
Proctor, D. N., P. H. Shen, N. M. Dietz, T. J. Eickhoff, L. A. Lawler, E. B. Ebersold, D. L. Loeffler, and M. J. Joyner.	Reduced blood flow during dynamic exercise in older endurance-trained men.	J Appl Physiol	82: 1411-1415	1997
Proctor, D.N. and Joyner, M.J.	Reduced leg blood flow during dynamic exercise in older endurance-trained men.	J Appl Physiol	85(1):68-75.	1998
Proctor, D.N., Newcomer, S.C., Koch, D.W., Le, K.U., MacLean, D.A. and Leuenberger, D.N.	Leg blood flow during submaximal cycle ergometry is not reduced in healthy older men.	J Appl Physiol	94(5):1859-69	2003
Proctor, DN, Joyner MJ	Skeletal muscle mass and the reduction of V O2max in trained older subjects.	J Appl Physiol	82(5): 1411-1415	1997
Province MA, Hadley EC, Hornbrook MC, Lipsitz LA, Miller JP, Mulrow CD, Ory MG, Sattin RW, Tinetti ME, Wolf SL.	The effects of exercise on falls in elderly patients. A preplanned meta-analysis of the FICSIT Trials. Frailty and Injuries: Cooperative Studies of Intervention Techniques.	J A M A	273(17):1341-7.	1995
Pruchnic R, Katsiaras A, He J, Kelley DE, Winters C, Goodpaster BH.	Exercise training increases intramyocellular lipid and oxidative capacity in older adults.	Am J Physiol Endocrinol Metab	287(5):E857-62	2004
Puente-Maestu L, Tena T, Trascasa C, Perez-Parra J, Godoy R, Garcia MJ, Stringer VW	Training improves muscle oxidative capacity and oxygenation recovery kinetics in patients with chronic obstructive pulmonary disease	Eur J Appl Physiol	88: 580-587	2003
Puggaard L.	Effects of training on functional performance in 65, 75 and 85 year-old women: Experiences deriving from community based studies in older adults.	Scand J Med Sci Sports	13(1):70-76	2003
Rabon-Stith KM, Hagberg JM, Phares DA, Kostek MC, Delmonico MJ, Roth SM, Ferrell RE, Conway JM, Ryan AS, Hurley BF.	Vitamin D receptor FokI genotype influences bone mineral density response to strength training, but not aerobic training.	Exp Physiol	90(4):653-61.	2005
Radom-Aizik S, Hayek S, Shahar I, Rechavi G, Kaminski N, Ben-Dov I.	Effects of aerobic training on gene expression in skeletal muscle of elderly men.	Med Sci Sports Exerc	37(10):1680-96	2005

Rafamantanisoa HH, Ebine N, Yoshioka M, Higuchi H, Yoshitake Y, Tanaka H, Saitoh S, Jones PJ.	Validation of three alternative methods to measure total energy expenditure against the doubly labeled water method for older adults.	J Nutr Sci Vitaminol (Tokyo)	48(6):517-23.	2002
Rail LC, Roubenoff R, Cannon JG, Abad LW, Dinarello CA, Meydani SN.	Effects of progressive resistance training on immune response in aging and chronic disease.	Med Sci Sports Exerc	28(11):1356-65	1996
Ramsbottom R, Ambler A, Potter J, Jordan B, Nevill A, Williams C.	The Effect of 6 Months Training on Leg Power, Balance, and Functional Mobility of Independently Living Adults Over 70 Years Old.	Journal of Aging and Physical Ac	12(4):497-510	2004
Rankinen T, J. Gagnon, L. Perusse, Y. C. Chagnon, T. Rice, A. S. Leon, J. S. Skinner, J. H. Wilmore, D. C. Rao, and C. Bouchard	AGT M235T and ACE ID polymorphisms and exercise blood pressure in the HERITAGE Family Study	Am J Physiol Heart Circ Physiol	279:H368-374	2000
Rankinen T, T. Rice, L. Perusse, Y. C. Chagnon, J. Gagnon, A. S. Leon, J. S. Skinner, J. H. Wilmore, D. C. Rao, and C.	NOS3 Glu298Asp genotype and blood pressure response to endurance training: the HERITAGE family study	Hypertension	36:885-889	2000
Rantanen T and Avela J	Leg Extension power and waking speed in very old people living independently.	J Gerontol A Biol Sci Med Sci	52A(4):M225-M231	1997
Rantanen T, Era P, Hekkinen E	Maximal isometric strength and mobility among 75-year-old men and women.	Age Ageing	23: 132-137	1994
Rantanen T, Guralnik JM, Ferrucci L, Penninx BW, Leveille S, Sipila S, Fried LP.	Coimpairments as predictors of severe walking disability in older women.	J Am Geriatr Soc	49(1):21-7.	2001
Rantanen T, Guralnik JM, Foley D, Masaki K, Leveille S, Curb JD, White L.	Midlife hand grip strength as a predictor of old age disability.	J A M A	281(6):558-560	1999
Rantanen T, Guralnik JM, Izmirlian G, et al.	Association of muscle strength with maximum walking speed in disabled older women	Am J Phys Med Rehabil	77(4):299-305	1998
Rantanen T, K. Masaki, D. Foley, G. Izmirlian, L. White, and J. M. Guralnik.	Grip strength changes over 27 yr in Japanese-American men.	J Appl Physiol	85: 2047-2053	1998
Ravussin E, Burnand B, Schutz Y, Jequier E.	Twenty-four-hour energy expenditure and resting metabolic rate in obese, moderately obese, and control subjects.	Am J Clin Nutr	35(3):566-73	1982
Reaven G	Metabolic syndrome: Pathophysiology and implications for management of cardiovascular disease.	Circulation	106:286-288	2002
Reeves ND, Maganaris CN, Ferretti G, Narici MV	Influence of 90-day simulated microgravity on human tendon mechanical properties and the effect of resistive countermeasures	J Appl Physiol	98: 2278-2286	2005
Reeves ND, Maganaris CN, Narici MV	Strength training alters the viscoelastic properties of tendons in elderly humans	Muscle Nerve	28: 74-81	2003
Reeves ND, Maganaris CN, Narici MV.	Plasticity of dynamic muscle performance with strength training in elderly humans.	Muscle Nerve	31(3):355-364	2005
Reeves ND, Narici MV, Maganaris CN,	Effect of resistance training on skeletal muscle-specific force in elderly humans	J Appl Physiol	96: 885-892	2004
Reeves ND, Narici MV, Maganaris CN,	Effect of strength training on human patella tendon mechanical properties of older adults	J Physiol	548: 971-981	2003
Reimers CD, Harder T, and Saxe H.	Age-related muscle atrophy does not affect all muscles and can partly be compensated by physical activity: an ultrasound study.	J Neurol Sci	159: 60-66	1998

Rejeski WJ, Brawley LR, Ettinger W, Morgan T, Thompson C.	Compliance to exercise therapy in older participants with knee osteoarthritis: implications for treating disability.	Med Sci Sports Exerc	29(8):977-85.	1997
Rejeski WJ, Brawley LR.	Functional health: innovations in research on physical activity with older adults.	Med Sci Sports Exerc	38(1):93-9.	2006
Ren, J.M., Semenkovich, C.F., Gulve, E.A., Gao, J., and J.O. Holloszy.	Exercise induces rapid increases in GLUT4 expression, glucose transport capacity, and insulin-stimulated glycogen storage in muscle.	J Biol Chem	269: 14396-14401	1994
Reynolds TH 4th, Supiano MA, Dengel DR.	glucose disposal with minimal effect on the tumor necrosis factor-alpha system in older hypertensives.	Metabolism	53(3):397-402.	2004
Rhind SG, Shek PN, Shinkai S, Shephard RJ.	Effects of moderate endurance exercise and training on in vitro lymphocyte proliferation, interleukin-2 (IL-2) production, and IL-2	Eur J Appl Physiol Occup Physio	74(4):348-60	1996
Rice, C. L., D. A. Cunningham, D. H. Paterson, and J. R. Dickinson.	Strength training alters contractile properties of the triceps brachii in men aged 65-78 years.	Eur J Appl Physiol	66: 275-280	1993
Richter EA., Garetto L.P., Goodman M.N., and N.B. Ruderman.	Enhanced muscle glucose metabolism after exercise: modulation by local factors.	Am J Physiol	246: E476-E482	1984
Rico-Sanz J, Rankinen T, Joannise DR, Leon AS, Skinner JS, Wilmore JH, Rao DC, Bouchard C.	Associations between cardiorespiratory responses to exercise and the C34T AMPD1 gene polymorphism in the HERITAGE Family	Physiol Genomics	14(2):161-6.	2003
Rietjens GJ , Adam JJ , Saris VH , van Breda E. van Hamont D and Keizer HA	Physiological, Biochemical and Psychological Markers of Strenuous Training-induced Fatigue	Int. J. Sports Med	26: 16-26.	2005
Rikli RE, Edwards DJ	Effects of a three-year exercise program on motor function and cognitive processing speed in older women.	Res Q Exerc Sport	62(1):61-7	1991
Rimbert V, Boirie Y, Bedu M, Hocquette JF, Ritz P, Morio B.	Muscle fat oxidative capacity is not impaired by age but by physical inactivity: association with insulin sensitivity.	FASEB J	18(6):737-9.	2004
Rinard J, Clarkson PM, Smith LL, Grossman M.	Response of males and females to high-force eccentric exercise.	J Sports Sci	18(4):229-36.	2000
Ritchie C, Trost SG, Brown W, Armit C.	Reliability and validity of physical fitness field tests for adults aged 55 to 70 years.	J Sci Med Sport	8(1):61-70	2005
Ritz, P.	Factors affecting energy and macronutrient requirements in elderly people.	Public Health Nutr	4: 561-568	2001
Robitaille Y, Laforest S, Fournier M, Gauvin L, Parisien M, Corriveau H, Trickey F, Damestoy M, Fropc M	Moving forward in fall prevention: An intervention to improve balance among older adults in real-world settings	Am J Public Health	95(11):2049-2056	2005
Rodeheffer RJ, Gerstenblith G, Becker LC, Fleg JL, Weisfeldt ML and Lakatta EG	Exercise cardiac output is maintained with advancing age in healthy human subjects: cardiac dilatation and increased stroke volume compensate for a diminished heart rate	Circulation	69:203-213	1984
Rodnick, K.J., Henriksen, E.J., James, D.E., and J.O. Holloszy.	Exercise training, glucose transporters, and glucose transport in rat skeletal muscles.	Am J Physiol	262: C9-C14	1992
Rogers MA, Hagberg JM, Martin WH, Ehsani AA, Holloszy JO	Decline in O2max with aging in master athletes and sedentary men.	J Appl Physiol	68:2195-2199	1990