

Rogers MA, Yamamoto C, King DS, Hagberg JM, Ehsani AA, Hollloszy JO	Improvement in glucose tolerance after one week of exercise in patients with mild NIDDM.	Diabetes Care	11:613-618	1988
Rogers ME, Fernandez JE, Bohiken RM.	Training to reduce postural sway and increase functional reach in the elderly.	J Occup Rehabil	11: 291-298	2001
Roman, W. J., J. Fleckenstein, J. Stray-Gundersen, S. E. Alway, R. Peshock, and W. Romero-Corral A, Montori VM, Somers VK,	Adaptations in the elbow flexors of elderly males after heavy-resistance training.	J Appl Physiol	74: 750-754	1993
Korinek J, Thomas RJ, Allison TG, Mookadam F, Lopez-Jimenez F.	Association of bodyweight with total mortality and with cardiovascular events in coronary artery disease: a systematic review of cohort	Lancet	368(9536):666-78.	2006
Romijn JA, Coyle E.F., Sidossis L.S., Gastaldelli A., Horowitz J.F., Endert E., and R.R. Wolfe.	Regulation of endogenous fat and carbohydrate metabolism in relation to exercise intensity and duration.	Am J Physiol	265: E380-E391	1993
Rooks DS, Kiel DP, Parsons C, Hayes WC.	Self-paced resistance training and walking exercise in community-dwelling older adults: effects on neuromotor performance.	J Gerontol A Biol Sci Med Sci	52(3): M161-8	1997
Roos, M. R., C. L. Rice, D. M. Connelly, and A. A. Vandervoort.	Quadriceps muscle strength, contractile properties, and motor unit firing rates in young	Muscle Nerve	22: 1094-1103	1999
Rosenbaum M, Vandenborne K, Goldsmith R, Simoneau JA, Heymsfield S, Joannisse DR, Hirsch J, Murphy E, Matthews D, Segal KR,	Effects of experimental weight perturbation on skeletal muscle work efficiency in human subjects.	Am J Physiol Regul Integr Comp	285(1):R183-92.	2003
Ross R, Dagnone D, Jones PJ, Smith H, Paddags A, Hudson R, Janssen I.	Reduction in obesity and related comorbid conditions after diet-induced weight loss or exercise-induced weight loss in men. A randomized, controlled trial.	Ann Intern Med	133(2):92-103.	2000
Roth SM, Martel GF, Ferrell RE, Metter EJ, Hurley BF, Rogers MA.	Myostatin gene expression is reduced in humans with heavy-resistance strength training: a brief communication.	Exp Biol Med (Maywood)	228:706-9	2003
Roth SM, Martel GF, Ivey FM, Lemmer JT, Tracy BL, Metter EJ, Hurley BF, Rogers MA.	Skeletal muscle satellite cell characteristics in young and older men and women after heavy resistance strength training.	J Gerontol A Biol Sci Med Sci	56:B240-7	2001
Roth, S. M., G. F. Martel, F. M. Ivey, J. T. Lemmer, B. L. Tracy, D. E. Hurlbut, E. J. Metter, B. F. Hurley, and M. A. Rogers.	Ultrastructural muscle damage in young vs. older men after high-volume, heavy-resistance strength training.	J Appl Physiol	86: 1833-1840	1999
Roumie CL, Elasy TA, Greevy R, Griffin MR, Liu X, Stone WJ, Wallston KA, Dittus RS, Alvarez V, Cobb J, Speroff T.	Improving blood pressure control through provider education, provider alerts, and patient education: a cluster randomized trial.	Ann Intern Med	145(3):165-75.	2006
Rubenstein LZ, Josephson KR, Trueblood PR, Loy S, Harker JO, Pietruszka FM, Robbins AS.	Effects of a group exercise program on strength, mobility, and falls among fall-prone	J Gerontol A Biol Sci Med Sci	55(6): M317-21	2000
Rubin RR, Peyrot M Saudek CD	Effect of diabetes education on self-care, metabolic control, and emotional well-being	Diabetes Care	12(10) 673-679	1989
Ruotii, R.G., Troup, J.T., Berger, R.A.	The effects of nonswimming water exercises on older adults.	J Orthop Sports Phys Ther	19: 140-145	1994
Sacheck JM, Milbury PE, Cannon JG, Roubenoff R, Blumberg JB.	Effect of vitamin E and eccentric exercise on selected biomarkers of oxidative stress in young and elderly men.	Free Radic Biol Med	34(12):1575-88.	2003
Safar, M.E., Blacher, J. Mourad, J.J. and London, G.M.	Stiffness of carotid artery wall material and blood pressure in humans	Stroke	31(3):782-90.	2000

Saitoh 高藤花織 上嶋健治 鎌田潤也 佐藤 滋 高藤雅彦 小林 昇 谷口泰代 川副浩平 平盛 勝彦	高齢者における心臓外科手術後の監視型運動療 法の意義:入院中の運動療法の経過は加齢の影 響を受けるか	循環器科	45:488-490	1999
Sala E, Roca J, Marrades RM, Alonso J, Gonzalez De Suso JM, Moreno A, Barbera JA, Nadal J, de Jover L, Rodriguez-Roisin R, Saibach NM, Mayo NE, Robichaud-Ekstrand S, Hanley JA, Richards CL, Wood-Dauphinee S.	Effects of endurance training on skeletal muscle bioenergetics in chronic obstructive pulmonary disease. The effect of a task-oriented walking intervention on improving balance self-efficacy poststroke: a randomized, controlled trial.	Am J Respir Crit Care Med.	159(6):1726-1734.	1999
Salem, G. J., M.-Y. Wang, J. T. Young, M. Marion, and G. A. Greendale.	Knee strength and lower- and higher-intensity functional performance in older adults.	Med Sci Sports Exerc	32: 1679-1684	2000
Sallinen J, Fogelholm M, Pakarinen A, Juwonon I, Volek JS, Kraemer WJ, Alen M, Saitin B, Blomqvist G, Mitchell JH, Johnson RL Jr, Wilenthal K, Chapman CB.	Effects of strength training and nutritional counseling on metabolic health indicators in Response to exercise after bed rest and after training.	Can J Appl Physiol Circulation	30(6):690-707. 38(5 Suppl):VII1-78	2005 1968
Sanada K, Kearns CF, Kojima K, and Abe T.	Peak oxygen uptake during running and arm cranking normalized to total and regional skeletal muscle mass measured by magnetic resonance imaging.	Eur J Appl Physiol	93: 687-693	2005
Sanada K, Kearns CF, Midonikawa T, and Abe T.	Prediction and validation of total and regional skeletal muscle mass by ultrasound in Japanese adults.	Eur J Appl Physiol	96: 24-31	2006
Sandmand M, Bruunsgaard H, Kemp K, Andersen-Ranberg K, Pedersen AN, Skinhoj Sandri M, Sandri C, Gilbert A, Skurk C, Calabria E, Picard A, Walsh K, Schiaffino S, Lecker SH, Goldberg AL.	Is ageing associated with a shift in the balance between Type 1 and Type 2 cytokines in Foxo transcription factors induce the atrophy- related ubiquitin ligase atrogin-1 and cause skeletal muscle atrophy.	Clin Exp Immunol Cell	127(1):107-14 117:399-412	2002 2004
Santa-Clara H, Fernhall B, Mendes M, Sardinha LB	Effects of a 1 year combined aerobic- and weight-training exercise programme on aerobic capacity and ventilatory threshold in patients suffering from coronary artery disease.	Eur J Appl Physiol	87: 568-575	2002
Saris WH, Blair SN, van Baak MA, Eaton SB, Davies PS, Di Pietro L, Fogelholm M, Rissanen A, Schoeller D, Swinburn B, Tremblay A, Westertep KR & Wvatt H	How much physical activity is enough to prevent unhealthy weight gain? Outcome of the IASO 1st Stock Conference and consensus statement.	Obes Rev	4(2): 101-14	2003
Sasayama S, Izumi T, Seino Y, Ueshima K, Asanoi H	Effects of nocturnal oxygen therapy on outcome measures in patients with chronic heart failure and Cheyne-Stokes respiration	Circ J	70: 1-7	2006
Satariano WA, McAuley E.	Promoting physical activity among older adults: from ecology to the individual.	Am J Prev Med.	25(3 Suppl 2), 184-192	2003
Sattin RW, Easley KA, Wolf SL, Chen Y, Kutner MH.	Reduction in fear of falling through intense tai chi exercise training in older, transitionally frail	J Am Geriatr Soc	53(7):1168-78.	2005
Sawada SS, Muto T, Tanaka H, Lee IM, Paffenbarger RS Jr, Shindo M, Blair SN	Cardiorespiratory fitness and cancer mortality in Japanese men: a prospective study	Med Sci Sports Exerc	35(9):1546-50	2003

Saxton JM, Daley A, Woodroofe N, Coleman R, Powers H, Nutrie N, Siddall V, Crank H.	Study protocol to investigate the effect of a lifestyle intervention on body weight, psychological health status and risk factors associated with disease recurrence in women recovering from breast cancer treatment. The association of sex hormone levels with poor mobility, low muscle strength and incidence of falls among older men and Genetic associations with human longevity at the APOE and ACE loci.	BMC Cancer	6:35	2006
Schaap LA, Pluijm SM, Smit JH, van Schoor NM, Visser M, Gooren LJ, Lips P.	Abnormal cardiac and skeletal muscle energy metabolism in patients with type 2 diabetes.	Clin Endocrinol (Oxf)	63(2):152-60.	2005
Schachter F, Faure-Delanef L, Guenot F, Rouger H, Froguel P, Lesueur-Ginot L, Cohen Scheuermann-Freestone M, Madsen PL, Manners D, Blamire AM, Buckingham RE, Styles P., Radda GK, Neubauer S, Clarke K	Relation between cardiac sympathetic activity and hypertensive left ventricular hypertrophy	Nat Genet	6(1):29-32	1994
Schlaich MP, Kaye DM, Lambert E, Sommerville M, Socratous F, Esler MD.	Effect of intense strength training on standing balance, walking speed, and sit-to-stand performance in older adults.	Circulation	107(24):3040-6	2003
Schlicht J, Camaione DN, Owen SV	Myostatin mutation associated with gross muscle hypertrophy in a chaild.	Circulation	108(5):560-5	2003
Schnelle JF, MacRae PG, Giacobassi K, MacRae HS, Simmons SF, Ouslander JG.	Physical activity and cognitive decline, the role of the apolipoprotein e4 allele.	J Gerontol A Biol Sci Med Sci	56: M281-M286	2003
Schueike M, Wagner KR, Stolz LE, Hubner C, Riebel T, Komen W, Braum T, Tobin JF, Lee Schuit AJ, Feskens EJ, Launer LJ, Kromhout D.	Exercise with physically restrained nursing home residents: maximizing benefits of	J Am Geriatr Soc	44(5): 507-12	1996
Schuler PB, Leblanc PA, Marzilli TS	Effects of resistance training on the rate of muscle protein synthesis in frail elderly people.	N Engl J Med	350: 2682-2688	2004
Schulte JN and Yarasheski KE.	Effect of physical activity on the production of specific antibody in response to the 1998-99 influenza virus vaccine in older adults	Med Sci Sports Exerc	33(5):772-7	2001
Schunk K, Pitton M, Duber C, Kersjes W, Schadmand-Fischer S, Thelen M.	Effects of resistance training on the rate of muscle protein synthesis in frail elderly people. Dynamic phosphorus-31 magnetic resonance spectroscopy of the quadriceps muscle: effects of age and sex on spectroscopic results.	J Sports Med Phys Fitness	43(3):404	2003
Scremin G, Kenney WL.	Aging and the skin blood flow response to the unloading of baroreceptors during heat and cold stress.	Int J Sport Nutr Exerc Metab	11 Suppl: S111-118	2001
Seals DR, Hagberg JM, Allen WK, Hurley BF, Dalsky GP, Ehsani AA, Holloszy JO	Glucose tolerance in young and older athletes and sedentary men	Invest Radiol.	34(2):116-125	1999
Seals DR, Hagberg JM, Hurley BF, Ehsani AA, Holloszy JO	Endurance training in older men and women 1. Cardiovascular responses to exercise.	J Appl Physiol	96(3):1019-25	2004
Seals DR, Hagberg JM, Hurley BF, Ehsani AA, Holloszy JO	Effects of endurance training on glucose tolerance and plasma lipids in older men and	J Appl Physiol	56:1521-1525	1984
Seals DR, Hagberg JM, Spina RJ, Rogers MA, Schechtman KB, Ehsani AA	Enhanced left ventricular performance in endurance trained older men	J Appl Physiol	57:1024-1029	1984
Seals DR, Stevenson ET, Jones PP, DeSouza CA, Tanaka H	Lack of age-associated elevations in 24-h systolic and pulse pressures in women who exercise regularly	J A M A	252:645-649	1984
Searls YM, Smirnova IV, Fegley BR, Stehno-Bittel L	Exercise attenuates diabetes-induced ultrastructural changes in rat cardiac tissue.	Circulation	89:198-205	1994
		Am J Physiol	277:H947-55	1999
		Med Sci Sports Exerc	36(11):1863-70	2004

Seip RL, Otvos J, Bilbie C, Tsongalis GJ, Miles M, Zoeller R, Visich P, Gordon P, Angelopoulos T.J, Pescatello L, Moyna N, Serpell J.	The effect of apolipoprotein E genotype on serum lipoprotein particle response to exercise. Beneficial effects of pet ownership on some aspects of human health and behaviour.	Atherosclerosis	In press	2006
Sesso HD, Paffenbarger RS Jr, Lee IM.	Physical activity and coronary heart disease in men: The Harvard Alumni Health Study.	J R Soc Med	84(12):717-20.	1991
Seynes O, Fiatarone Singh MA, Hue O, Pras P, Legros P, Bernard PL.	Physiological and functional responses to low-moderate versus high-intensity progressive resistance training in frail elders.	Circulation	102(9):975-80.	2000
Shay KA, Roth DL.	Association between aerobic fitness and visuospatial performance in healthy older Postexercise protein metabolism in older and younger men following moderate-intensity aerobic exercise.	J Gerontol A Biol Sci Med Sci	59(5):503-9.	2004
Sheffield-Moore M, Yeckel CW, Volpi E, Wolf SE, Morio B, Chinkes DL, Paddon-Jones D, Wolfe RR.	Association of Physical Activity and Human Sleep Disorders.	Psychol Aging	7(1):15-24.	1992
Sherrill DL, Koichou K, Quan SF.	Dance-based aerobic exercise may improve indices of falling risk in older women.	Am J Physiol Endocrinol Metab	287(3):E513-22	2004
Shigematsu R, Chang M, Yabushita N, Sakai T, Nakagaichi M, Nho H, Tanaka K.	A novel exercise for improving lower-extremity functional fitness in the elderly	Arch Inetrn Med	158:1894-1898	1998
Shigematsu R, Okura T	Motor speed and lower extremity strength as predictors of fall-related bone fractures in elderly individuals	Age Ageing	31(4): 261-6	2002
Shigematsu R, Rantanen T, Saari P, Sakari-Rantala R, Kauppinen M, Sipilä S, Heikkinen E	Validation of the functional fitness age (FFA) index in older Japanese women.	Aging Clin Exp Res	18(3):242-248	2006
Shigematsu R, Tanaka K, Holland G, Nakagaichi M, Chang M, Takeshima N, Noda F, Tanaka Y, Mimura K.	Rate of perceived exertion as a tool to monitor cycling exercise intensity in older adults.	Aging Clin Exp Res	18:320-4	2006
Shigematsu R, Ueno LM, Nakagaichi M, Nho H, Tanaka K.	高齢者向け運動のアドバイザー「健康御師」の養成および活動支援	Journal of Aging and Physical Ac	12: 3-9	2004
Shigematsu 重松良祐, 中西園弓, 北村純	Physical activity and immune senescence in men	日本公衆衛生雑誌	52(4): 319-327	2005
Shinkai S, Kohno H, Kimura K, Komura T, Asai H, Inai R, Oka K, Kurokawa Y, Shephard R.	Walking speed as a good predictor for the onset of functional dependence in a Japanese rural community population.	Med Sci Sports Exerc	27 1516-1526	1995
Shinkai S, Watanabe S, Kumagai S, Fujiwara Y, Amano H, Yoshida H, Ishizaki T, Yukawa H, Suzuki T, Shibata H.	Strength training counteracts motor performance losses during bed rest.	Age Ageing	29:441-446	2000
Shinohara M, Yoshitake Y, Kouzaki M, Fukuoka H, Fukunaga T	Difficulty in losing weight by behavioral intervention for women with Trp64Arg polymorphism of the beta3-adrenergic receptor	J Appl Physiol	95: 1485-1492	2003
Shiwaku K, Nogi A, Anuurad E, Kitajima K, Enkhmaa B, Shimono K, Yamane Y.	Walking speed as a good predictor for the onset of functional dependence in a Japanese rural community population	Int J Obes Relat Metab Disord	27(9):1028-36.	2003
Shoji Shinkai, Shuichiro Watanabe, Shu Kumagai, Yoshinori Fujiwara, Hidenori Amano, Hideyo Yoshida, Tatsuro Ishizaki, Harumi Yukawa, Takao Suzuki, Hiroshi Shibata		Age and Ageing	29:441-446	2000

Shono N, Mizuno M, Nishida H, Higaki Y, Urata H, Tanaka H, Quistorff B, Saltin B, Shindo M, Nishizumi M.	Decreased skeletal muscle capillary density is related to higher serum levels of low-density lipoprotein cholesterol and apolipoprotein B in	Metabolism	48(10):1267-71	1999
Shono N, Urata H, Saltin B, Mizuno M, Harada T, Shindo M, Tanaka H.	Effects of low intensity aerobic training on skeletal muscle capillary and blood lipoprotein	J Atheroscler Thromb	9(1):78-85	2002
Short KR, Vittone JL, Bigelow ML, Proctor DN, Coenen-Schimke JM, Rys P, Nair KS.	Changes in myosin heavy chain mRNA and protein expression in human skeletal muscle with age and endurance exercise training.	J Appl Physiol	99(1):95-102.	2005
Short KR, Vittone JL, Bigelow ML, Proctor DN, Rizza RA, Coenen-Schimke JM, Nair KS.	Impact of aerobic exercise training on age-related changes in insulin sensitivity and muscle oxidative capacity.	Diabetes	52(8):1888-96.	2003
Sidney KH, Shephard RJ.	Frequency and intensity of exercise training for elderly subjects.	Med Sci Sports	10:125-131	1978
Sihvonen S, Sipilä S, Taskinen S, Era P.	Fall incidence in frail older women after individualized visual feedback-based balance	Gerontology	6: 411-416	2004
Sihvonen SE, Sipilä S, Era PA.	Changes in postural balance in frail elderly women during a 4-week visual feedback training: a randomized controlled trial.	Gerontology	50: 87-95	2004
Simmons, V., Hansen, P.D.	Effectiveness of water exercise on postural mobility in the well elderly: an experimental study on balance enhancement.	J Gerontol A Biol Sci Med Sci	51: M233-238	1996
Sindo 進藤宗洋, 田中宏暁, 小原史朗, 徳山邦夫	中高年齢者の自転車エルゴメーターによる50%VO2max強度の60分間トレーニング	体育科学	2: 139-152	1974
Singh MA, Ding W, Manfredi TJ, Solares GS, O'Neill EF, Clements KM, Ryan ND, Kehayias JJ, Fielding RA, Evans WJ.	Insulin-like growth factor I in skeletal muscle after weight-lifting exercise in frail elders.	Am J Physiol	277:E135-43	1999
Sipila S, Suominen H	Quantitative ultrasonography of muscle: detection of adaptations to training in elderly	Arch Phys Med Rehabil	77: 1173-1178	1996
Sipila, S., and H. Suominen.	Muscle ultrasonography and computed tomography in elderly trained and untrained	Muscle Nerve	16: 294-300	1993
Siu PM, Bryner RW, Martyn JK, Alway SE, Skelton DA, Young A, Greig CA, Malbut KE.	Apoptotic adaptations from exercise training in skeletal and cardiac muscles.	FASEB J	18(10):1150-1152.	2004
	Effects of resistance training on strength, power, and selected functional abilities of women aged 75 and older.	J Am Geriatr Soc	43(10):1081-7.	1995
Slattery ML, Sweeney C, Edwards S, Herrick J, Murtaugh M, Baumgartner K, Guiliano A, Sientz CA, Duschka BD, Johnson JL, Ketchum K, Aiken LB, Samsa GP, Houmard JA, Bales CW, Kraus WE.	Physical activity patterns and obesity in Hispanic and non-Hispanic white women. Effects of the amount of exercise on body weight, body composition, and measures of central obesity: STRRIDE--a randomized	Med Sci Sports Exerc	38(1):33-41.	2006
Sluijs E, Poppel M, Twisk J, Paw M, Calfas K, Mechelen W	Effect of tailored physical activity intervention delivered in general practice settings: Results of a randomized controlled trial	Arch Intern Med	164(1):31-9.	2004
	Effects of a 14-day healthy longevity lifestyle program on cognition and brain function.	Am J Public Health	95(10):1825-1831	2005
Small GW, Silverman DH, Siddarth P, Ercoli LM, Miller KJ, Lavretsky H, Wright BC, Bookheimer SY, Barrio JR, Phelps ME, Smith SA, Montain SJ, Matott RP, Zientara GP, Jolesz FA, Fielding RA.	Effects of a 14-day healthy longevity lifestyle program on cognition and brain function.	Am J Geriatr Psychiatry	14(6):538-45.	2006
	Creatine supplementation and age influence muscle metabolism during exercise.	J Appl Physiol.	85(4):1349-56.	1998

Smith TP, Kennedy SL, Fleshner M	Influence of age and physical activity on the primary in vivo antibody and T cell-mediated responses in men	J Appl Physiol	97(2):491-8	2004
Snell, P.G., Martin, W.H., Buckley, J.C., & Blomqvist, C.G.	Maximal vascular leg conductance in trained and untrained men.	J Appl Physiol	62:606-610.	1987
Sonn U, Frandin K, Grimby G	Instrumental activities of daily living related to impairments and functional limitation in 70-year-olds and changes between 70 and 76	Scand J Rehab Med	27:119-128	1995
Spiegel K, Tasali E, Penev P, Van Cauter E.	Brief communication: Sleep curtailment in healthy young men is associated with decreased leptin levels, elevated ghrelin levels, and increased hunger and appetite.	Ann Intern Med	141(11):846-50.	2004
Spina RJ, Ogawa T, Kohrt WM, Martin WH 3rd, Holloszy JO, Ehsani AA.	Differences in cardiovascular adaptations to endurance exercise training between older men and women	J Appl Physiol	75: 849-855	1993
Spina RJ, Turner MJ, and Ehsani AA.	Exercise training enhances cardiac function in response to an afterload stress in older men.	Am J Physiol	272: H995-1000	1997
Spina RJ, Turner MJ, Ehsani AA.	Beta-adrenergic-mediated improvement in left ventricular function by exercise training in older Cardiovascular adaptations to endurance exercise training in older men and women.	Am J Physiol	274(2 Pt 2):H397-404	1998
Spina, R.J.	Cardiovascular adaptations to endurance exercise training in older men and women.	Exercise and Sport Science Revi	27:317-332.	1999
Spina, R.J., Chi, M.M.-Y., Hopkins, M.G., Nemeth, P.M., Lowry, O.H., and J.O. Holloszy.	Mitochondrial enzymes increase in muscle in response to 7-10 days of cycle exercise.	J Appl Physiol	80: 2250-2254	1996
Spranger J, Kroke A, Mohlig M, Hoffmann K, Bergmann MM, Ristow M, Boeing H, Pfeiffer AF.	Inflammatory cytokines and the risk to develop type 2 diabetes: results of the prospective population-based European Prospective Investigation into Cancer and Nutrition (EPIC)-	Diabetes	52(3):812-7.	2003
Stachenfeld NS, DiPietro L, Nadel ER, Mack GW.	Mechanism of attenuated thirst in aging: role of central volume receptors.	Am J Physiol	272(1 Pt 2):R148-57	1997
Stachenfeld NS, Mack GW, Takamata A, DiPietro L, Nadel ER.	Thirst and fluid regulatory responses to hypertonicity in older adults.	Am J Physiol	271(3 Pt 2):R757-65	1996
Stahl SM.	Independent actions on fear circuits may lead to therapeutic synergy for anxiety when combining serotonergic and GABAergic agents.	J Clin Psychiatry	63(10):854-5.	2002
Stalberg E, Borges O, Ericsson M, Essen-Gistavsson B, Fawcett PRW, Bordesjo LO, Nordgren B, Uhlin R	The quadriceps femoris muscle in 20-70-year old subjects: relationship between knee extension torque, electrophysiological parameters, and muscle fiber characteristics.	Muscle Nerve	12: 382-389	1989
Starling RD, Ades PA, Poehlman ET.	Physical activity, protein intake, and appendicular skeletal muscle mass in older	Am J Clin Nutr.	70(1):91-6.	1999
Starnes JW, Beyer RE, Edington DW	Myocardial adaptations to endurance exercise in aged rats	Am J Physiol	245:H560-H566	1983
Steadman J, Donaldson N, Kaira L	A Randomized Controlled Trial of an Enhanced Balance Training Program to Improve Mobility and Reduce Falls in Elderly Patients.	J Am Geriatr Soc	51:847-852	2003

Stefanick ML, Mackey S, Sheehan M, Ellsworth N, Haskell WL, Wood PD.	Effects of diet and exercise in men and postmenopausal women with low levels of HDL cholesterol and high levels of LDL cholesterol. Eccentric endurance training in subjects with coronary artery disease: a novel exercise paradigm in cardiac rehabilitation?	N Engl J Med	339(1):12-20.	1998
Steiner R, Meyer K, Lippuner K, Schmid J-P, Saner H, Hoppeler H	Choice stepping reaction time: A composite measure of falls risk in older people	Eur J Appl Physiol	91: 572-578	2004
Stephen R, Lord, Fitzpatrick RC	Effect of weightlifting upon left ventricular function and markers of cardiomyocyte	J Gerontol A Biol Sci Med Sci	56(10):M627-M632	2001
Stephenson C, McCarthy J, Vikelis E, Shave R, Whyte G, Gaze D, George K.	The evolution of physical activity recommendations: how much is	Ergonomics	48(11-14):1585-93	2005
Steven N Blair, Michael J LaMonte and Milton Z Nichaman	Physical fitness and incidence of hypertension in healthy normotensive men and women	Am J Clin Nutr	79(5): 913S-920S	2004
Steven N. Blair, Nancy N. Goodyear, Larry W. Gibbons, and Kenneth H. Cooper	Regeneration of new fibers in muscles of old rats reduces contraction-induced injury	JAMA	252:487-490	1984
Steven T. Devor and John A. Faulkner	Fitness and fatness as predictors of mortality from all causes and from cardiovascular disease in men and women in the lipid research	J Appl Physiol	87(2): 750-756	1999
Stevens J, Cai J, Evenson KR, and Thomas R.	Cost-effectiveness of a primary care based physical activity intervention in 45-74 year old men and women: a randomized controlled trial	Am J Epidemiol	156: 832-841	2002
Stevens W, Hillsdon M, Thorogood M, MaArdle D.	Physical activity outcomes of CHAMPS II: a physical activity promotion program for older adults.	Br J Sports Med	32:236-241	1998
Stewart AL, Verboncoeur CJ, McLellan BY, Gillis DE, Rush S, Mills KM, King AC, Ritter P, Brown BW, Jr, Bortz WM 2nd, Stewart KJ, Bacher AC, Turner K, Lim JG, Hees PS, Shapiro EP, Tayback M, Ouyang P, Stewart LK, Flynn MG, Campbell WW, Craig BA, Robinson JP, McFarlin BK, Timmerman KL, Coen PM, Felker J, Talbert E, Stiggelbout M, Popkema DY, Hopman-Rock M, de Greef M, van Mechelen W.	Exercise and risk factors associated with metabolic syndrome in older adults. Influence of exercise training and age on CD14+ cell-surface expression of toll-like receptor 2 and 4. Once a week is not enough: effects of a widely implemented group based exercise programme for older adults: a randomised controlled trial	J Gerontol A Biol Sci Med Sci	56(8):M465-70.	2001
Stofan JR, DiPietro L, Davis D, Kohl HW 3rd, Blair SN.	Physical activity patterns associated with cardiorespiratory fitness and reduced mortality: the Aerobics Center Longitudinal Study.	Am J Prev Med	28(1):9-18.	2005
Stratton JR, Dunn JF, Adamopoulos S, Kemp GJ, Coats AJ, Rajagopalan B.	Training partially reverses skeletal muscle metabolic abnormalities during exercise in heart Hypothalamic-pituitary-adrenal and -gonadal axis function after exercise in sedentary and endurance trained elderly males.	Brain Behav Immun	19(5):389-97	2005
Struder HK, Hollmann W, Platen P, Rost R, Weicker H, Weber K.	Effect of exercise intensity on free tryptophan to branched-chain amino acids ratio and plasma prolactin during endurance exercise.	J Epidemiol Community Health	58(2):83-8.	2004
Struder HK, Hollmann W, Platen P, Rost R, Weicker H, Weber K.	Effect of exercise intensity on free tryptophan to branched-chain amino acids ratio and plasma prolactin during endurance exercise.	Am J Public Health.	88:1807-1813	1998
Struder HK, Hollmann W, Platen P, Rost R, Weicker H, Weber K.	Effect of exercise intensity on free tryptophan to branched-chain amino acids ratio and plasma prolactin during endurance exercise.	J Appl Physiol.	76(4):1575-82.	1994
Struder HK, Hollmann W, Platen P, Rost R, Weicker H, Weber K.	Effect of exercise intensity on free tryptophan to branched-chain amino acids ratio and plasma prolactin during endurance exercise.	Eur J Appl Physiol Occup Physio	77(3):285-8.	1998
Struder HK, Hollmann W, Platen P, Wostmann R, Ferrauti A, Weber K	Effect of exercise intensity on free tryptophan to branched-chain amino acids ratio and plasma prolactin during endurance exercise.	Can J Appl Physiol.	22(3):280-91.	1997

Struder HK, Hollmann W, Platen P, Wostmann R, Weicker H, Molderings GJ.	Effect of acute and chronic exercise on plasma amino acids and prolactin concentrations and on [3H]ketanserin binding to serotonin2A receptors on human platelets.	Eur J Appl Physiol Occup Physio 79(4):318-24.	1999
Sugawara J, Hayashi K, Yokoi T, Cortez-Cooper MY, DeVan AE, Anton MA, and Sugawara J, Inoue H, Hayashi K, Yokoi T, Kono I.	Brachial-ankle pulse wave velocity: an index of central arterial stiffness? Effect of low-intensity aerobic exercise training on arterial compliance in postmenopausal	J Hum Hypertens Hypertension Research	2005 2004
Sugawara J, Miyachi M, Moreau KL, Dinunno FA, DeSouza CA, Tanaka H.	Age-related reductions in appendicular skeletal muscle mass: association with habitual aerobic exercise status.	Clin Physiol & Func Im	2002
Sugawara J, Otsuki T, Tanabe T, Hayashi K, Maeda S, Matsuda M.	Physical activity duration, intensity, and arterial stiffening in postmenopausal women.	Am J Hypertens	2006
Sunami Y, Motoyama M, Kinoshita F, Mizooka Y, Sueta K, Matsunaga A, Sasaki J, Tanaka H, Shindo M.	Effects of low-intensity aerobic training on the high-density lipoprotein cholesterol concentration in healthy elderly subjects.	Metabolism	1999
Suominen H., E. Heikkinen, and T.	Parkatti. Effect of eight weeks' physical training on muscle and connective tissue of the M. vastus lateralis in 69-year-old men and women.	J Gerontol	1977
Suzuki J, Gao M, Batra S, Koyama T.	Effects of treadmill training on the arteriolar and venular portions of capillary in soleus muscle of young and middle-aged rats.	Acta Physiol Scand	1997
Suzuki鈴木久雄, 西河英隆, 宮武伸行, 西田裕子, 汪達敏, 藤井昌史, 高橋香代	ライフスタイル方式とエクササイズ方式による身体活動介入の長期効果	体力科学	2006
Swenson CJ, Marshall JA, Mikulich-Gilbertson SK, Baxter J, Morgenstern N	Physical activity in older, rural, Hispanic, and non-Hispanic white adults.	Med Sci Sports Exerc	2005
Tadder S, Galetta F, Viridis A, Ghiadoni L, Salvetti G, Franzoni F, Giusti C, Salvetti A.	Physical activity prevents age-related impairment in nitric oxide availability in elderly	Circulation	2000
Tadder S, Viridis A, Ghiadoni L, Salvetti G, Bernini G, Magagna A, Salvetti A.	Age-related reduction of NO availability and oxidative stress in humans.	Hypertension	2001
Tak E, Staats P, Hepen AV, Hopman-Rock M	The effects of an exercise program for older adults with osteoarthritis of the hip	J Rheumatol	2005
Takahashi高橋康輝, 袖木慎, 藤本広平, 高本健彦, 山崎健, 松枝秀二, 山元健太, 宮地元彦	有酸素生作業能力と左心室および大動脈形態との関係	体育学研究	2003
Takakura Y, Yoshida T, Yoshioka K, Umekawa T, Kogure A, Toda H, Kagawa K, Fukui S, Yoshikawa T.	Angiotensinogen gene polymorphism (Met235Thr) influences visceral obesity and insulin resistance in obese Japanese women.	Metabolism	2006
Takakura Y, Yoshioaka K, Umekawa T, Kogure A, Toda H, Yoshikawa T, and Yoshida T.	Thr54 allele of the FABP2 gene affects resting metabolic rate and visceral obesity.	Diabetes Res Clin Pract	2005
Takala TO, Nuutila P, Knuuti J, Luotolahti M, Yki-Jarvinen H.	glucose uptake in weight lifters and endurance athletes.	Am J Physiol	1999
Takamata A, Ito T, Yaegashi K, Takamiya H, Maegawa Y, Itoh T, Greenleaf JE, Morimoto T.	Effect of an exercise-heat acclimation program on body fluid regulatory responses to dehydration in older men.	Am J Physiol	1999
Takata Y, Ansai T, Awano S, Hamasaki T, Yoshitake Y, Kimura Y, Sonoki K, Wakisaka N, Fukuhara M, Takehara T	Relationship of physical fitness to chewing in an 80-year-old population.	Oral Diseases	2004

Takeshima, N., Rogers, M.E., Watanabe, E., Brechue, W.F., Okada, A., Yamada, T., Islam, M.M., Hayano, J.	Water-based exercise improves health-related aspects of fitness in older women.	Med Sci Sports Exerc	34: 544-551	2002
Talbot LA, Metter EJ, Fleg JL.	Leisure-time physical activities and their relationship to cardiorespiratory fitness in healthy men and women 18-95 years old	Med Sci Sports Exerc	32(2):417-425	2000
Tamai T, Nakai T, Takai H, Fujiwara R, Miyabo S, Higuchi M, Kobayashi S	The effects of physical exercise on plasma lipoprotein and apolipoprotein metabolism in elderly men.	J Gerontol	43:M75-79	1988
Tanabe K, Masuda K, Hirayama A, Nagase S, Kono I, Kuno S.	Effect of spontaneous exercise on antioxidant capacity in rat muscles determined by electron spin resonance.	Acta Physiol Scand	186(2):119-25.	2006
Tanabe T, Maeda S, Miyauchi T, Iemitsu M, Takanashi M, Irukayama-Tomobe Y, Yokota T, Ohmori H, Matsuda M	Exercise training improves ageing-induced decrease in eNOS expression of the aorta	Acta Physiol Scand	178:3-10	2003
Tanaka H, Reiling MJ, Seals DR.	Regular walking increases peak limb vasodilatory capacity of older hypertensive humans: implications for arterial structure	J Hypertens	16(4):423-8.	1998
Tanaka H, Seals DR, Monahan KD, Clevenger CM, DeSouza CA, Dinenna FA.	Regular aerobic exercise and the age-related increase in carotid artery intima-media thickness in healthy men.	J Appl Physiol	92(4):1458-64	2002
Tanaka K, Okura T, Shigematsu R, Nakata Y, Lee DJ, Wee SW, Yamabuki K	Target value of intraabdominal fat area for improving coronary heart disease risk factors.	Obes Res	12(4): 695-703	2004
Tanaka K, Sakai T, Nakamura Y, Umeda N, Lee DJ, Nakata Y, Hayashi Y, Akutsu T, Okura T, Yamabuki K.	Health benefits associated with exercise habituation in older Japanese men.	Aging Clin Exp Res	16(1): 53-59	2004
Tanaka K, Shigematsu R, Nakagaichi M, Kim H, Takeshima N.	The relationship between functional fitness and coronary heart disease risk factors in older Japanese adults.	Journal of Aging and Physical Ac 7:	162-174	2000
Tanaka K, Ueno ML.	Potential benefits of exercise on development of coronary collateral during chronic ischemia.	Advances in Exercise and Sports	4: 83-91	1998
Tanaka, H., DeSouza, C.A. and Seals, D.R.	Absence of age-related increase in central arterial stiffness in physically active women	Arterioscler Thromb Vas Biol	18(1):127-32.	1998
Tanaka, H., Dinenna, F.A., Monahan, K.D., Clevenger, C.M., DeSouza, C.A. and Seals, D.R.	Aging, habitual exercise, and dynamic arterial compliance	Circulation	102:1270-6	2000
Taniguchi Y, Ueshima K, Chiba I, Segawa I, Kobayashi N, Saito M, Hiramori K	A new method using pulmonary gas-exchange kinetics to evaluate efficacy of beta-blocking agents in patients with dilated cardiomyopathy.	Chest	124: 954-961	2003
Tanimoto M and Ishii N.	Effects of low-intensity resistance exercise with slow movement and tonic force generation on muscular function in young men.	J Appl Physiol	100: 1150-1157	2006
Tate CA, Taffet GE, Hudson EK, Blaylock SL, McBride RP, Michael LH	Enhanced calcium uptake of cardiac sarcoplasmic reticulum in exercise-trained old	Am J Physiol	258:H431-H435	1990
Taunton, J.E., Rhodes, E.C., Wolski, L.A., Donnelly, M., Warren, J., Elliot, J., McFarlane, L., Leslie, J., Mitchell, J., Lauridsen, B.	Effect of land-based and water-based fitness programs on the cardiovascular fitness, strength and flexibility of women aged 65-75	Gerontology	42: 204-210	1996

Taylor AH, Doust J, Webborn N.	Randomized controlled trial to examine the effects of a GP exercise referral programme in Hailsham, East Sussex, on modifiable coronary heart disease risk factors.	J Epidemiol Community Health	52:595-601	1998
Teixeira PJ, Going SB, Houtkooper LB, Cussler EC, Metcalfe LL, Blew RM, Sardinha Teixeira PJ, Going SB, Houtkooper LB, Metcalfe LL, Blew RM, Flint-Wagner HG, Cussler EC, Sardinha LB, Lohman TG, Teo KK, Ounpuu S, Hawken S, Pandey MR, Valentin V, Hunt D, Diaz R, Rashed W, Freeman R, Jiang L, Zhang X, Yusuf S; INTERHEART Study Investigators.	Exercise motivation, eating, and body image variables as predictors of weight control. Resistance training in postmenopausal women with and without hormone therapy. Tobacco use and risk of myocardial infarction in 52 countries in the INTERHEART study: a case-control study.	Med Sci Sports Exerc	38(1):179-88. 35(4):555-62. 368(9536):647-58.	2006 2003 2006
Terada S, Yokozei T, Kawanaka K, Ogawa K, Higuchi M, Ezaki O, and I. Tabata.	Effects of high-intensity swimming training on GLUT-4 and glucose transport activity in rat skeletal muscle	J Appl Physiol	90: 2019-2024	2001
The Writing Group for the Activity Counseling Trial Research Group.	Effects of Physical Activity Counseling in Primary Care. The Activity Counseling Trial: A Randomized Controlled Trial.	J A M A	286(6):677-687	2001
Thelen DG, Muriuki M, James J, Schultz AB, Ashton-Miller JA, Alexander NB	Muscle activities used by young and old adults when stepping to regain balance during a	J Electromyography and Kinesiol	10:93-101	2000
Thomas CM, Pierzga JM, Kenney WL.	Aerobic training and cutaneous vasodilation in young and older men.	J Appl Physiol	86(5):1676-86	1999
Thompson CS, Kenney WL.	Altered neurotransmitter control of reflex vasoconstriction in aged human skin.	J Physiol	558(Pt 2):697-704	2004
Thune I, Brenn T, Lund E, Gaard G	Physical activity and the risk of breast cancer	N Engl J Med	336: 1269-1275	1997
Tiedemann A, Sherrington C, Lord SR.	Physiological and psychological predictors of walking speed in older community-dwelling	Gerontology	51(6), 390-395	2005
Timonen L, Rantanen T, Timonen TE, Sulkava R.	Effects of a group-based exercise program on the mood state of frail older women after discharge from hospital.	Int J Geriatr Psychiatry	17(12):1106-11.	2002
Tipton CM, Matthes RD, Marcus KD, Rowlett KA, Leininger JR.	Influences of exercise intensity, age, and medication on resting systolic blood pressure of SHR populations.	J Appl Physiol	55(4):1305-10	1983
Tissandier O, Peres G, Fiet J, Piette F.	Testosterone, dehydroepiandrosterone, insulin-like growth factor 1, and insulin in sedentary and physically trained aged men.	Eur J Appl Physiol	85(1-2):177-84.	2001
Toft AD, Jensen LB, Bruunsgaard H, Ibfelt T, Halkjaer-Kristensen J, Febrbraio M, Pedersen Tomanek RJ	Cytokine response to eccentric exercise in young and elderly humans. Effects of age and exercise on the extent of the myocardial capillary bed	Am J Physiol Cell Physiol Anat Rec	283(1):C289-95 167:55-62	2002 1970
Tomoshige hayashi, kei Ysumura, Chika Suematsu, Kunio Okada, Satoru Fujii, and Ginji Endo	Walking to work and the risk for hypertension in men: the Osaka Health Survey	Ann Intern Med.	130:21-26	1999
Topp, R., Fahlman, M., Boardley, D.	Healthy aging: health promotion and disease prevention.	Nurs Clin North Am	39: 411-422	2004

Toraman F, Sahin G.	Age responses to multicomponent training programme in older adults.	Disability and Rehabilitation	26(8):448-454	2004
Toraman NF, Ayceman N.	Effects of six weeks of detraining on retention of functional fitness of old people after nine weeks of multicomponent training.	Br J Sports Med	39(8):565-568	2005
Toraman NF.	Short term and long term detraining: is there any difference between young-old and old	Br J Sports Med	39(8):561-4.	2005
Toth MJ, Gardner AW, Ades PA, and Poehliman ET.	Contribution of body composition and physical activity to age-related decline in peak VO2 in men and women.	J Appl Physiol	77: 647-652	1994
Tracy BL, Byrnes WC, Enoka RM	Strength training reduces force fluctuations during anisometric contractions of the quadriceps femoris muscles in old adults.	J Appl Physiol	96: 1530-1540	2003
Tracy, B. L., F. M. Ivey, D. Hurlbut, G. F. Martel, J. T. Lemmer, E. L. Siegel, E. J. Metter, J. L. Fozard, J. L. Fleg, and B. F. Trappe, T. A., D. M. Lindquist, and J. A. Carrithers.	Muscle quality. II. Effects of strength training in 65- to 75-yr-old men and women.	J Appl Physiol	86: 195-201	1999
Treuth MS, Hunter GR, Kekes-Szabo T, Weinsier RL, Goran MI, Berland L.	Muscle-specific atrophy of the quadriceps femoris with aging.	J Appl Physiol	90: 2070-2074	2001
Treuth MS, Hunter GR, Weinsier RL, Kell SH.	Reduction in intra-abdominal adipose tissue after strength training in older women.	J Appl Physiol	78(4):1425-31.	1995
Troseid M, Lappegard KT, Mollnes TE, Arnesen H, Seljeflot I.	Energy expenditure and substrate utilization in older women after strength training: 24-h calorimeter results.	J Appl Physiol	78(6):2140-6.	1995
Tsang WW, Hui-Chan CW.	Changes in serum levels of E-selectin correlate to improved glycaemic control and reduced obesity in subjects with the metabolic	Scand J Clin Lab Invest	65(4):283-90.	2005
Tsuchimochi H, Matsukawa K, Komine H, Murata J.	Effect of 4- and 8-wk intensive Tai Chi Training on balance control in the elderly.	Med Sci Sports Exerc	36: 648-657	2004
Tsuji I, Tamagawa A, Nagatomi R, Irie N, Ohkubo T, Saito M, Fujita K, Ogawa K, Sauvaget C, Anzai Y, Hozawa A, Watanabe Y, Sato A, Ohmori H, Hisamichi S.	Direct measurement of cardiac sympathetic efferent nerve activity during dynamic exercise	Am J Physiol Heart Circ Physiol	283(5):H1896-906	2002
Tsuritani I, Brooke-Wavell KS, Mastana SS, Jones PR, Hardman AE, Yamada Y.	Randomized controlled trial of exercise training for older people (Sendai Silver Center Trial; SSCT): study design and primary outcome.	J Epidemiol	10(1):55-64.	2000
Tu W, Stump TE, Damush TM, Clark DO.	Does vitamin D receptor polymorphism influence the response of bone to brisk walking in postmenopausal women?	Horm Res	50(6):315-9.	1998
Tudor-Locke C, Bell RC, Myers AM, Harris SB, Ecclestone NA, Lauzon N, Rodger NW.	The effects of health and environment on exercise-class participation in older, urban	J Aging Phys Act.	12(4), 480-496	2004
Tudor-Locke C, Burkett L, Reis JP, Ainsworth BE, Macera CA, Wilson DK.	Controlled outcome evaluation of the First Step Program: a daily physical activity intervention for individuals with type II diabetes.	Int J Obes Relat Metab Disord	28(1):113-9.	2004
Tudor-Locke CE, Myers AM, Bell RC, Harris SB, Wilson Rodger N.	How many days of pedometer monitoring predict weekly physical activity in adults?	Prev Med	40:293-298	2005
	Preliminary outcome evaluation of the First Step Program: a daily physical activity intervention for individuals with type 2 diabetes.	Patient Educ Couns	47(1):23-8.	2002

Tully MA, Cupples ME, Chan WS, McGlade K, Young JS.	Brisk walking, fitness, and cardiovascular risk: a randomized controlled trial in primary care. Exercise training reverses the age-related decline in tyrosine hydroxylase expression in rat J Gerontol A Biol Sci Med Sci hypothalamus.	Prev Med	41(2):622-8.	2005
Turner N, LaRochelle JS, Yurekli M.			52(5):B255-9.	1997
Tuomilehto J, Lindstrom J, Eriksson JG, Valle TT, Hamalainen H, Ilanne-Parikka P, Keinanen-Kiukkaanniemi S, Laakso M, Louheranta A, Rastas M, Salminen V, Uusitupa M: Finnish Diabetes Prevention Group	Prevention of type 2 diabetes mellitus by changes in lifestyle among subjects with impaired glucose tolerance.	N Engl J Med	344(18):1343-50.	2001
Tworoger SS, Chubak J, Aiello EJ, Yasui Y, Ulrich CM, Farin FM, Stapleton PL, Irwin ML, Potter JD, Schwartz RS, McTiernan A.	The effect of CYP19 and COMT polymorphisms on exercise-induced fat loss in postmenopausal women.	Obes Res	12(6):972-81.	2004
Tytell E	The fall guy: How a few brave souls can throw themselves at the ground and miss	New Scientist	184(2479-2480):48-49	2004
Ueshima K, Kamata J, Kobayashi N, Saitoh M, Taniguchi Y, Satoh S, Kawazoe K, Hiramori K	Effects of exercise training after open heart surgery on quality of life and exercise tolerance in patients with valvular heart disease	Jpn Heart J	45: 789-797	2004
Ueshima K, Suzuki T, Nasu M, Kamata J, Saitoh M, Kobayashi N, Yamzaki T, Hiramori K	Effects of exercise training on left ventricular function evaluated by the Tei index in patients with myocardial infarction	Circ J	69: 564-566	2005
Ueshima上嶋健治 小林 昇 橋本浩哉 中居賢司 平盛勝彦	労作時呼吸困難の出現時期に及ぼす加齢の影響: 高齢および若年の慢性心不全患者での検討	日老医誌	33: 371-377	1996
Ullman M, Ullman A, Sommerland H, Skottner A, Oldfors A.	Effects of growth hormone on muscle regeneration and IGF-I concentration in old	Acta Physiol Scand	140:521-5	1990
Utter AC, Nieman DC, Shannnonhouse EM, Butterworth DE, Nieman CN.	Influence of diet and/or exercise on body composition and cardiorespiratory fitness in obese women.	Int J Sport Nutr.	8(3):213-222.	1998
Uysal N, Tugyan K, Kayatekin BM, Acikgoz O, Bagriyanik HA, Gonenc S, Ozdemir D, Aksu I, Toncu A, Semini J	The effects of regular aerobic exercise in adolescence period on hippocampal neuron density, apoptosis and spatial memory.	Neurosci Lett	383(3):241-5.	2005
Vaitkevicius PV, Ebersold C, Shah MS, Gill NS, Katz RL, Narrett MJ, Applebaum GE, Parrish SM, O'Connor FC, Fleg JL.	Effects of Aerobic Exercise Training in Community-Based Subjects Aged 80 and Older: A Pilot Study.	J Am Geriatr Soc	50(12):2009-2013	2002
Vaitkevicius PV, Fleg JL, Engel JH, O'Connor FC, Wright JG, Lakatta LE, Yin FC, Lakatta	Effects of age and aerobic capacity on arterial stiffness in healthy adults	Circulation	88:1456-62	1993
Valour, D., and M. Pousson.	Compliance changes of the series elastic component of elbow flexor muscles with age in humans.	Pflug Arch	445: 721-727	2003
van Boxtel MP, Langerak K, Houx PJ, Jolles J.	Self-reported physical activity, subjective health, and cognitive performance in older	Exp Aging Res	22(4):363-79.	1996
van Boxtel MP, Paas FG, Houx PJ, Adam JJ, Teeken JC, Jolles J.	Aerobic capacity and cognitive performance in a cross-sectional aging study.	Med Sci Sports Exerc	29(10):1357-65.	1997
van Dam RM, Willett WC, Manson JE, Hu FB.	The relationship between overweight in adolescence and premature death in women.	Ann Intern Med	145(2):91-7	2006

van der Pompe G, Bernards N, Kavelaars A, Heijnen C	An exploratory study into the effect of exhausting bicycle exercise on endocrine and immune responses in post-menopausal women: relationships between vigour and plasma cortisol concentrations and lymphocyte Physical fitness related to disability in older persons.	Int J Sports Med	22(6):447-53	2001
van Heuvelen MJ, Kempen GI, Brouwer WH, de Greef MH.	Determinants of the hypercapnic and hypoxic response in normal man.	Gerontology	46(6):333-41.	2000
van Klaveren RJ, Demedits M.	Reduced amount and disrupted temporal pattern of spontaneous exercise in diabetic	Respir Physiol	113: 157-165	1998
van Lunteren E, Moyer M, Pollarine J.	Running increases cell proliferation and neurogenesis in the adult mouse dentate gyrus.	Med Sci Sports Exerc	36(11):1856-62	2004
van Praag H, Kempermann G, Gage FH	Exercise enhances learning and hippocampal neurogenesis in aged mice.	Nature Neuroscience	2(3):266-70.	1999
van Praag H, Shubert T, Zhao C, Gage FH.	Longevity of men capable of prolonged vigorous physical exercise: a 32 year follow up of 2259 participants in the Dutch eleven cities ice skating tour.	J Neurosci	25(38):8680-5.	2005
van Saase JL, Noteboom VM, and Vandenbroucke JP.	Contractile changes in opposing muscles of the human ankle joint with aging.	Br Med Jour	301: 1409-1411	1990
Vandervoort AA, McComas AJ	Age and sex effects on mobility of the human ankle.	J Appl Physiol	61: 361-367	1986
Vandervoort, A. A., B. M. Chesworth, D. A. Cunningham, D. H. Paterson, P. A. Rechnerizer, and J. J. Koval.	Better outcome after stroke with higher serum cholesterol levels	J Gerontol A Biol Sci Med Sci	47: 17-21	1992
Vauthey C, de Freitas GR, van Melle G, Devuyt DG, Bogousslavsky J	Leisure activities and the risk of dementia in the elderly	Neurology	54:1944-1949	2000
Verghese, Joe; Lipton, Richard B; Katz, Mindy J; Hall, Charles B; Derby, Carol A; Kuslansky, Gali; Ambrose, Anne F; Sliwinski, Martin; Buschke, Herman	Influence of physical exercise on old rats: changes in patterns of spontaneous activity and connective tissues.	The New England Journal Of Me	348 (25) : 2508-2516	2003
Viidik, A., and M. Skalicky.	Effect of weight loss and exercise on frailty in obese older adults	Aging (Milano)	9: 64-72	1997
Villareal D, Banks M, Sinacore DR, Siener C, Klein S	Resistance exercise and bone turnover in elderly men and women.	Arch Inetrn Med	166:860-866	2006
Vincent KR, Braith RW	Improved cardiorespiratory endurance following 6 months of resistance exercise in elderly men and women.	Med Sci Sports Exerc	34(1):17-23	2002
Vincent KR, Braith RW, Feldman RA, Kallas HE, and Lowenthal DT.	Resistance exercise and physical performance in adults aged 60 to 83.	Arch Intern Med	162: 673-678	2002
Vincent KR, Braith RW, Feldman RA, Magyarai PM, Cutler RB, Persin SA, Lennon SL, Gabr AH, Lowenthal DT.	Risk of functional decline among well elders	J Am Geriatr Soc	50(6):1100-7.	2002
Vincent Mor, John Murphy, Susan Masterson-Vincent, Cynthia Willey, Ahmad Razmpour, M. Elizabeth Jackson, David Greer, Sidney Kats	Type and intensity of activity and risk of mobility limitation: the mediating role of muscle	J Clin Epidemiol	42:895-904	1989
Visser M, Simonsick EM, Colbert LH, Brach J, Rubin SM, Kritchevsky SB, Newman AB.		J Am Geriatr Soc	53(5):762-70	2005

Vito GD, Bernardi M, Forte R, Pulejo C, Figura F	Effects of a low-intensity conditioning programme on VO ₂ max and maximal peak	Eur J Appl Physiol	80: 227-232	1999
Volpato S, Pahor M, Ferrucci L, Simonsick EM, Guralnik JM, Kritchevsky SB, Fellin R, Harris TB	Relationship of alcohol intake with inflammatory markers and plasminogen activator inhibitor-1 in well-functioning older adults: the Health, Aging, and Body Composition study	Circulation	109(5):607-12	2004
Volpi E, Kobayashi H, Sheffield-Moore M, Mittendorfer B, Wolfe RR	Essential amino acids are primarily responsible for the amino acid stimulation of muscle protein anabolism in healthy elderly adults.	Am J Clin Nutr	78(2):250-8	2003
Volpi E, Mittendorfer B, Rasmussen BB, Wolfe RR	The response of muscle protein anabolism to combined hyperaminoacidemia and glucose-induced hyperinsulinemia is impaired in the	J Clin Endocrinol Metab	85(12):4481-90	2000
Waddell TK, Dart AM, Gatzka CD, Cameron JD, Kinawell BA	Women exhibit a greater age-related increase in proximal aortic stiffness than men.	J Hypertens	19(12):2205-12	2001
Wadden TA, Berkowitz RI, Sarwer DB, Prus-Wisniewski R, Steinberg C.	Benefits of lifestyle modification in the pharmacologic treatment of obesity: a randomized trial.	Arch Intern Med	161(2):218-27.	2001
Wadell, K., Sundelin, G., Henriksson Larsen, K., Lundgren, R.	High intensity physical group training in water--an effective training modality for patients with	Respir Med	98: 428-438	2004
Wahren, J., Felig, P., Ahlborg, G., and L.	Glucose metabolism during leg exercise in	J Clin Invest	50: 2715-2725	1971
Wallace ES, White JA, Downie A, Dalzell G, and Doran D.	Influence of exercise adherence level on modifiable coronary heart disease risk factors and functional-fitness levels in middle-aged	Br J Sports Med	27: 101-106	1993
Walsh JH, Yong G, Cheetham C, Watts G, O'Driscoll G, Taylor R, Green D	Effect of exercise training on conduit and resistance vessel function in treated and untreated hypercholesterolaemic subject	Eur Heart J	24:1681-1689	2003
Walsh MC, Hunter GR, Livingstone MB.	Sarcopenia in premenopausal and postmenopausal women with osteopenia, osteoporosis and normal bone mineral density.	Osteoporosis Int	17(1):61-7.	2006
Wang AW, Gilbey HJ, Ackland TR	Perioperative exercise programs improve early return of ambulatory function after total hip arthroplasty: a randomized, controlled trial.	Am J Phys Med Rehabil	81(11):801-6	2002
Wang G, Dietz WH	Economic burden of obesity in youths aged 6 to 17 years:1979-1999.	Pediatrics	109:E81-91	2002
Wang HX, Karp A, Winblad B, Fratiglioni L, Wang HX	Late-life engagement in social and leisure activities is associated with a decreased risk of dementia: a longitudinal study from the	Am J Epidemiol	155(12), 1081-1087	2002
Wang, Z., M. Heo, R. C. Lee, D. P. Kotler, R. T. Withers, and S. B. Heymsfield.	Muscularity in adult humans: proportion of adipose tissue-free body mass as skeletal	Am J Hum Biol	13: 612-619	2001
Wannamethee SG, Shaper AG, and Alberti KG.	Physical activity, metabolic factors, and the incidence of coronary heart disease and type 2 diabetes.	Arch Intern Med	160: 2108-2116	2000
Wannamethee SG, Shaper AG, Walker M	Changes in physical activity, mortality, and incidence of coronary heart disease in older	Lancet	351(9116):1603-1608	1998
Wareham NJ, Wong MY, Hennings S, Mitchell J, Rennie K, Cruickshank K, and Dav NE.	Quantifying the association between habitual energy expenditure and blood pressure.	Int J Epidemiol	29: 655-660	2000
Wasserman K, Whipp BJ, Koyl SN, Beaver WL.	Anaerobic threshold and respiratory gas exchange during exercise.	J Appl Physiol	35(2):236-43	1973

Watanabe, E., Takeshima, N., Okada, A., Inomata, K.	Comparison of water- and land-based exercise in the reduction of state anxiety among older	Percept Mot Skills	91: 97-104	2000
Watanabe, E., Takeshima, N., Okada, A., Inomata, K.	Effects of increasing expenditure of energy during exercise on psychological well-being in	Percept Mot Skills	92: 288-298	2001
Waters DL, Brooks WM, Qualls CR, Baumgartner RN.	Skeletal muscle mitochondrial function and lean body mass in healthy exercising elderly.	Mech Ageing Dev.	124(3):301-309.	2003
Wei M, Gibbons LW, Mitchell TL, Kampert JB, Lee CD, Blair SN.	The association between cardiorespiratory fitness and impaired fasting glucose and type 2 diabetes mellitus in men.	Ann Intern Med	130(2):89-96. Erratum in: 131(5):394.	1999
Wei M, Kampert JB, Barlow CE, Nichaman MZ, Gibbons LW, Paffenbarger RS Jr, Blair SN.	Relationship between low cardiorespiratory fitness and mortality in normal-weight, overweight, and obese men.	J A M A	282(16):1547-53.	1999
Weinstein A , Maryland MA, Feigley P	Neighborhood safety and the prevalence of physical inactivity-selected states, 1996	MMWR Morb Mortal Wkly Rep.	48(7):143-146	1999
Weinstein AR, Sesso HD	Joint effects of physical activity and body weight on diabetes and cardiovascular disease.	Med Sci Sports Exerc	34(1):10-5	2006 ?
Welle S, Brooks AI, Delehanty JM, Needler N, Thornton CA.	Gene expression profile of aging in human muscle.	Physiol Genomics	14:149-59	2003
Welle S, Totterman S, Thornton C	Effect of age on muscle hypertrophy induced by resistance training.	J Gerontol	51A: M270-M275	1996
Welsh, L., and O. M. Rutherford. Eur.	Effects of isometric strength training on quadriceps muscle properties in over 55 year	J Appl Physiol	72: 219-223	1996
Westerlind KC	Physical activity and cancer prevention--mechanisms.	Med Sci Sports Exerc	35(11):1834-40	2003
Westerterp KR.	Pattern and intensity of physical activity.	Nature	410: 539	2001
Westerterp. K.R.	Alterations in energy balance with exercise.	Am J Clin Nutr	68: 970S-974S	1998
Westerterp. K.R.	Daily physical activity and ageing.	Curr Opin Clin Nutr Metab Care	3: 485-488	2000
Westerterp, K.R.	Impacts of vigorous and non-vigorous activity on daily energy expenditure.	Proc Nutr Soc	62: 645-650	2003
Westerterp, K.R., Meijer, E.P.	Physical activity and parameters of aging: a physiological perspective.	J Gerontol A Biol Sci Med Sci	2: 7-12	2001
Weuve JW, Kang JH, Manson JE, Breteler MMB, Ware JH, Grodstein F	Physical activity, including walking, and cognitive function in older women.	J A M A	292:1454-1461	2004
White H, McConnell E, Clipp E, Branch LG, Sloane R, Pieper C, Box TL.	A randomized controlled trial of the psychosocial impact of providing internet training and access to older adults.	Aging Ment Health	6(3):213-21.	2002
White LJ, Mccoy SC, Castellano V, Ferguson MA, Hou W, Dressendorfer RH, Whittemore LA, Song K, Li X, Aghajanian J, Davies M, Girgenrath S, Hill JJ, Jalenak M, Kelley P, Knight A, Maylor R, O'Hara D, Pearson A, Quazi A, Ryerson S, Tan XY, Tomkinson KN, Veldman GM, Widorn A, Wright JE, Wudvyka S, Zhao L, Wolfman NM.	Effects of resistance training on risk of coronary artery disease in women with multiple sclerosis	Scand J Clin Lab invest	66: 351-356	2006
Widrick JJ, Trappe SW, Costill DL, Fitts RH	Inhibition of myostatin in adult mice increases skeletal muscle mass and strength.	Biochem Biophys Res Commun	300:965-71	2003
Widrick JJ, Trappe SW, Costill DL, Fitts RH	Force-velocity and force-power properties of single muscle fibers from elite master runners and sedentary men.	Am J Physiol Cell Physiol	271: C676-C683	1996

Wiener DH, Fink LI, Maris J, Jones RA, Chance B, Wilson JR.	Abnormal skeletal muscle bioenergetics during exercise in patients with heart failure: role of reduced muscle blood flow.	Circulation.	73(6):1127-1136.	1986
Wildman RP, Farhat GN, Patel AS, Mackey RH, Brockwell S, Thompson T, Sutton-Ivirell Wilcox S, Dowda M, Griffin SF, Rheume C, Ory MG, Leviton L, King AC, Dunn A, Buchner DM, Bazzarre T, Estabrooks PA, Campbell-Voytal K, Bartlett-Prescott J, Dowdy D, Castro CM, Carpenter RA, Dziewaltowski DA.	Weight Change Is Associated With Change in Arterial Stiffness Among Healthy Young Adults Results of the first year of active for life: Translation of 2 evidence-based physical activity programs for older adults into community settings	Hypertension Am J Public Health	45: 187-92 96(7):1201-1209	2005 2006
Willen, C., Scherman, M.H.	Group training in a pool causes ripples on the water: experiences by persons with late effects	J Rehabil Med	34: 191-197	2002
Willen, C., Sunnerhagen, K.S., Grimby, G.	Dynamic water exercise in individuals with late poliomyelitis.	Arch Phys Med Rehabil	82: 66-72	2001
Willens HJ, Chirinos JA, Brown WV, Davis WW, Herrington DM, Mosca L, Homma S, Moussa M, Walker G, and Raines JK.	Usefulness of arterial compliance in the thigh in predicting exercise capacity in individuals without coronary heart disease.	Am J Cardiol	96: 306-310	2005
Williamson JR, Hoffmann PL, Kohrt WM, Spina RJ, Coggan AR, Holloszy O.	Endurance exercise training decreases capillary basement membrane width in older nondiabetic and diabetic adults.	J Appl Physiol	80(3):747-53.	1996
Williamson JW, McCall R, Mathews D, Ginsburg M, Mitchell JH.	Activation of the insular cortex is affected by the intensity of exercise.	J Appl Physiol	87(3):1213-9.	1999
Williamson JW, McCall R, Mathews D.	Changes in regional cerebral blood flow distribution during postexercise hypotension in	J Appl Physiol	96(2):719-24.	2004
Williamson JW, Nobrega AC, McCall R, Mathews D, Winchester P, Friberg L, Mitchell, J, and Mathews D.	Activation of the insular cortex during dynamic exercise in humans.	J Physiol	503 (Pt 2):277-83.	1997
Meuverden RA, Allison TG, Reeder GS, Roger VL.	Cardiac rehabilitation after myocardial infarction in the community.	J Am Coll Cardiol	44: 988-996	2004
Wolf SL, O'Grady M, Easley KA, Guo Y, Kressig RW, Kutner M.	The influence of intense Tai Chi training on physical performance and hemodynamic outcomes in transitionally frail older adults.	J Gerontol A Bio Sci Med Sci	61(2):184-189	2006
Wong CH, Wong SF, Pang WS, Azizah MY, Dass MJ.	Habitual walking and its correlation to better physical function: implications for prevention of physical disability in older persons.	J Gerontol A Biol Sci Med Sci.	58A(6), 555-560	2003
Wong SL, Katzmarzyk P, Nichaman MZ, Church TS, Blair SN, Ross R	Cardiorespiratory fitness is associated with lower abdominal fat independent of body mass	Med Sci Sports Exerc	36(2):286-291	2004
Woo JS, Derleth C, Stratton JR, Levy WC.	The influence of age, gender, and training on exercise efficiency.	J Am Coll Cardiol	47(5):1049-57.	2006
Woo KS, Chook P, Yu CW, Sung RY, Qiao M, Leung SS, Lam CW, Metreweli C, Celermajer Woods JA, Ceddia MA, Wolters BW, Evans JK, Lu Q, McAuley E.	Effects of diet and exercise on obesity-related vascular dysfunction in children Effects of 6 months of moderate aerobic exercise training on immune function in the	Circulation Mech Ageing Dev	109: 1981-6 109(1):1-19	2004 1999
Woods JA, Evans JK, Wolters BW, Ceddia MA, McAuley E.	Effects of maximal exercise on natural killer (NK) cell cytotoxicity and responsiveness to interferon-alpha in the young and old.	J Gerontol A Biol Sci Med Sci	53(6):B430-7	1998
Woolf SH, Krist AH, Johnson RE, Wilson DB, Rothemich SE, Norman GJ, Devers KJ.	A practice-sponsored Web site to help patients pursue healthy behaviors: an ACORN study.	Ann Fam Med	4(2):148-52. Erratum in:4(4):371.	2006

Wray DW, Uberoi A, Lawrenson L, Richardson RS.	Evidence of preserved endothelial function and vascular plasticity with age.	Am J Physiol Heart Circ Physiol	290(3):H1271-7	2006
Wylie-Rosett J, Swencionis C, Ginsberg M, Cimino C, Wassertheil-Smoller S, Caban A, Segal-Isaacson CJ, Martin T, Lewins J.	Computerized weight loss intervention optimizes staff time: the clinical and cost results of a controlled clinical trial conducted in a	J Am Diet Assoc	101:1155-1162	2001
Yaffe K, Barnes D, Nevitt M, Lui LY, Covinsky K.	A prospective study of physical activity and cognitive decline in elderly women: women who	Arch Intern Med	161(14):1703-8.	2001
Yaffe K, Blackwell T, Whitmer RA, Krueger K, Barrett Connor E.	Glycosylated Hemoglobin Level and Development of Mild Cognitive Impairment or Dementia in Older Women.	J Nutr Health Aging	10(4):293-5.	2006
Yamaga T, Yoshihara A, Ando Y, Yoshitake Y, Kimura Y, Shimada M, Nishimuta M, Miyazaki Yamamoto K, Kawada T, Kamiya A, Takaki H, Miyamoto T, Sugimachi M, and Sunagawa K.	Relationship between dental occlusion and physical fitness in an elderly population. Muscle mechanoreflex induces the pressor response by resetting the arterial baroreflex	J Gerontol A Biol Sci Med Sci	57A(9):M616-620 10:44-49	2002
Yamamoto K, Kawada T, Kamiya A, Takaki H, Sugimachi M, and Sunagawa K.	Static interaction between muscle mechanoreflex and arterial baroreflex in determining efferent sympathetic nerve activity.	Am J Physiol Heart Circ Physiol	286: H1382-1388	2004
Yamamoto K, Miyachi M, Saitoh T, Yoshioka A, and Onodera S.	Effects of endurance training on resting and post-exercise cardiac autonomic control. Changes in the albumin binding of tryptophan during postoperative recovery: a possible link with central fatigue?	Med Sci Sports Exerc	33: 1496-1502	2001
Yamamoto T, Castell LM, Botella J, Powell H, Yamamoto山元健太 高橋康輝 吉岡哲 小野寺昇 宮地元彦	持久的トレニングに伴う安静時徐脈と自律神経調節との関係	Brain Res Bull	43(1):43-6.	1997
Yamanouchi K, Nakajima H, Shinozaki T, Chikada K, Oshida Y, Sato Y, Higuchi M, Yamanouchi K, Shinozaki T, Chikada K, Nishikawa T, Ito K, Shimizu S, Ozawa N, Suzuki Y, Maeno H, Kato K & et al.	Effects of daily physical activity on insulin action in the elderly. Daily walking combined with diet therapy is a useful means for obese NIDDM patients not only to reduce body weight but also to improve	J Appl Physiol	73:2241-2245	1992
Yamatsu山津幸司, 足達淑子	男性に対する非対面の行動的減量プログラムを用いた無作為介入試験	Diabetes Care	18:775-778.	1995
Yan H, Kuroiwa A, Tanaka H, Shindo M, Kiyonaga A, Nagayama A	Effect of moderate exercise on immune senescence in men.	Eur J Appl Physiol	86(2):105-11	2001
Yarasheski KE, Bhasin S, Sinha-Hikim I, Pak-Loduca J, Gonzalez-Cadavid NF.	Serum myostatin-immunoreactive protein is increased in 60-92 year old women and men with muscle wasting.	J Nutr Health Aging	6:343-8	2002
Yarasheski KE, Pak-Loduca J, Hasten DL, Obert KA, Brown MB, Sinacore DR.	Resistance exercise training increases mixed muscle protein synthesis rate in frail women and men >=76 yr old	Am J Physiol	277:E118-25	1999
Yarasheski KE, Zachwieja JJ, Bier DM.	Acute effects of resistance exercise on muscle protein synthesis rate in young and elderly men and women.	Am J Physiol	265:E210-4	1993
Yarasheski, K.E., Zachwieja, J.J., Campbell, J.A., Bier, D.M.	Effect of growth hormone and resistance exercise on muscle growth and strength in	Am J Physiol	268: E268-276	1995
Yasunaga A, Togo F, Watanabe E, Park H, Shephard RJ, Aoyagi Y	Yearlong physical activity and health-related quality of life in older Japanese adults: the	J Aging Phy Act.	14(3), 303-316	2006
Yerg II JE Seals DR, Hagberg JM, Holloszy JO.	Effect of endurance exercise training on ventilatory function in older individuals.	J Appl Physiol	58: 791-794	1985

Yoshida T, Sakane N, Umekawa T, Sakai M, Takahashi T, and Kondo M.	Mutation of beta 3-adrenergic-receptor gene and response to treatment of obesity.	Lancet	346: 1433-1434	1995
Yoshiga CC, Higuchi M, Oka J	Serum lipoprotein cholesterols in older	Eur J Appl Physiol	87:228-232	2002
Yoshiga CC, Yashiro K, Higuchi M, Oka J	Rowing prevents muscle wasting in older men.	Eur J Appl Physiol	88:1-4	2002
Yoshioka M, Ayabe M, Yahiro T, Higuchi H, Higaki Y, St-Amand J, Miyazaki H, Yoshitake Y, Shindo M, Tanaka H.	Long-period accelerometer monitoring shows the role of physical activity in overweight and obesity.	Int J Obes	29:502-508	2005
Yoshitake Y, Matsumura Y, Shimada M, Nishimuta M, Kuniyoshi M, Kakimoto H.	Relationship between physical fitness and functional performances in older women.	In Recent Advances in physiology	299-308	1999
Yoshitake Y, Shimada M, Kimura Y, Sugeta A, Inaba D, Yonemitsu M	Relation between physical fitness and functional performance in 80-year-old men and women residing in a community for the elderly.	In Exercise for preventing comm.	147-153	1999
Yoshiuchi K, Nakahara R, Kumano H, Kuboki T, Togo F, Watanabe E, Yasunaga A, Park H, Shephard RJ, Aoyagi Y.	Yearlong physical activity and depressive symptoms in older Japanese adults: cross-sectional data from the Nakanolo Study.	Am J Geriatr Psychiatry	14(7), 621-624	2006
Young A	Exercise physiology in geriatric practice	Acta Med Scand	Suppl. 711:227-232	1986
Young A, Skelton DA	Applied physiology of strength and power in old	Int J Sport Med	15:149-151	1994
Young A, Stokes M, Crowe M	Size and strength of the quadriceps muscles of old and young women	Eur J Clin Invest	14: 282-287	1984
Young A, Stokes M, Crowe M	The size and strength of the quadriceps muscles of old and young men	Clin Physiol	5: 145-154	1985
Yue GH, Ranganathan VK, Siemionow V, Liu JZ, Sahgal V	Older adults exhibit a reduced ability of fully activate their biceps brachii muscle.	J Gerontol	54A: M249--M253	1999
Yukio Oida, Yoshinori Kitabatake, Yohko Nishijima, Toshiya Nagamatsu, Hiroshi Kohno, Kenichi Egawa, Takashi Arai	Effects of a 5-year exercise-centered health-promoting programme on mortality and ADL impairment in the elderly	Age and Ageing	32:585-592	2003
Zhang B, Sakai T, Miura S, Kiyonaga A, Tanaka H, Shindo M, Saku K.	Association of angiotensin-converting-enzyme gene polymorphism with the depressor response to mild exercise therapy in patients with mild to moderate essential hypertension.	Clin Genet	62(4):328-33	2002
Zhang YY, Johnson MC 2nd, Chow N, Wasserman K.	Effect of exercise testing protocol on parameters of aerobic function.	Med Sci Sports Exerc	23(5):625-30	1991
Zinman, B., Ruderman, N., Campaigne, B. N., Devlin, J. T., Schneider, S. H.	Physical activity/exercise and diabetes.	Diabetes Care	27 (Suppl 1), S58-62	2004
Zoll J, Sanchez H, N'Guessan B, Ribera F, Lampert E, Bigard X, Serrurier B, Fortin D, Geny B, Veksler V, Ventura-Clabier R.	Physical activity changes the regulation of mitochondrial respiration in human skeletal muscle.	J Physiol.	543(Pt 1):191-200.	2002
Zwiarska I, Walker RD, Choksy SA, Male JS, Pockley AG, Saxton JM	Upper- vs lower-limb aerobic exercise rehabilitation in patients with symptomatic peripheral arterial disease: a randomized	J Vasc Surg	42(6):1122-30	2005

II. 研究成果の刊行に関する一覧表

II. 研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の 編集者名	書 籍 名	出版社名	出版地	出版年	ページ
なし							

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
田畑 泉	高齢者のための体育論	体育の科学	55	681-668	2005
田中茂穂	エネルギー代謝におけるトレーニングの影響	トレーニング科学	17	239-244	2005
田中茂穂	運動習慣者とは？	肥満と糖尿病	5	28-29	2005
田中茂穂	肥満の評価と予防のためのエビデンス1 「肥満の定義」	体育の科学	56	65-69	2006
田中茂穂	生活習慣病予防のための身体活動・運動量	体育の科学	56	601-607	2006
田畑 泉	今、求められる身体活動・運動の指導者像	体育の科学	56	244-249	2006
宮地元彦	生活習慣病予防のための体力	体育の科学	56	608-614	2006