

Oliveira C, Westra JL, Arango D, Ollikainen M, Domingo E, Ferreira A, Velho S, Niessen R, Lagerstedt K, Alhopuro P, Laiho P, Veiga I, Teixeira MR, Ligtenberg M, Kleibeuker JH, Sijmons RH, Plukker JT, <u>Imai</u> <u>K</u> , Lage P, Hamelin R, Albuquerque C, Schwartz S Jr, Lindblom A, Peltomaki P, Yamamoto H, Aaltonen LA, Seruca R, Hofstra RM.	Distinct patterns of KRAS mutations in colorectal carcinomas according to germline mismatch repair defects and hMLH1 methylation status.	Hum Mol Genet	13	2303-2311	2004
Nosho K, Yamamoto H, Taniguchi H, Adachi Y, Yoshida Y, Arimura Y, Endo T, Hinoda Y, <u>Imai K</u> .	Interplay of IGF-II, IGF-I, IGF-I receptor, COX-2, and MMP-7 plays key roles in the early stage of colorectal carcinogenesis.	Clin Cancer Res	10	7950-7957	2004
Yamamoto H, Horiuchi S, Adachi Y, Taniguchi H, Nosho K, Min Y, <u>Imai K</u> .	Expression of ets- related transcriptional factor E1AF is associated with tumor progression and overexpression of matrilysin in human gastric cancer.	Carcino- genesis	25	325-332	2004
Yamamoto H, Vinitketkumuen A, Adachi Y, Taniguchi H, Hirata T, Miyamoto M, Nosho K, Imsumran A, Fujita M, Hosokawa M, Hinoda Y, <u>Imai</u> <u>K</u> .	Association of matrilysin-2 (MMP-26) expression with tumor progression and activation of MMP-9 in esophageal squamous cell carcinoma.	Carcino- genesis	25	2353-2360	2004

Furuta J, Umebayashi Y, Miyamoto K, Kikuchi K, Otsuka F, Sugimura T, Ushijima T.	Promoter methylation profiling of 30 genes in human malignant melanoma.	Cancer Sci	95	962-968	2004
Hagihara A, Miyamoto K, Furuta J, Hiraoka N, Wakazono K, Seki S, Fukushima S, Tsao MS, Sugimura T, Ushijima T.	Identification of 27 5' CpG islands aberrantly methylated and 13 genes silenced in human pancreatic cancers.	Oncogene	23	8705-8710	2004
Kaneda A, Wakazono K, Tsukamoto T, Watanabe N, Yagi Y, Tatematsu M, Kaminishi M, Sugimura T, Ushijima T.	Lysyl oxidase is a tumor suppressor gene inactivated by methylation and loss of heterozygosity in human gastric cancers.	Cancer Res	64	6410-6415	2004
Okochi-Takada E, Ichimura S, Kaneda A, Sugimura T, Ushijima T.	Establishment of a detection system for demethylating agents using an endogenous promoter CpG island.	Mutat Res	568	187-197	2004
Takada T, Yagi Y, Maekita T, Imura M, Nakagawa S, Tsao SW, Miyamoto K, Yoshino O, Yasugi T, Taketani Y, Ushijima T.	Methylation- associated silencing of the Wnt antagonist SFRP1 gene in human ovarian cancers.	Cancer Sci	95	741-744	2004
Etoh T, Kanai Y, Ushijima S, Nakagawa T, Nakanishi Y, Sasako M, Kitano S, Hirohashi S.	Increased DNA methyltransferase 1 (DNMT1) protein expression correlates significantly with poorer tumor differentiation and frequent DNA hypermethylation of multiple CpG islands in gastric cancers.	Am J Pathol	164	689-699	2004
Nam JS, Ino Y, Kanai Y, Sakamoto M, Hirohashi S.	5-Aza-2' - deoxycytidine restores the E- cadherin system in E- cadherin-silenced cancer cells and reduces cancer metastasis.	Clin Exp Metastas	21	49-56	2004

<u>Kanai Y</u> , Saito Y, Ushijima S, <u>Hirohashi S</u> .	Alterations in gene expression associated with the overexpression of a splice variant of DNA methyltransferase 3b, DNMT3b4, during human hepatocarcinogenesis.	J Cancer Res Clin Oncol	130	636-644	2004
Shibata T, Uryu S, Kokubu A, <u>Hosoda F</u> , Ohki M, Sakiyama T, Matsuno Y, Tsuchiya R, <u>Kanai Y</u> , Kondo T, Imoto I, <u>Inazawa J</u> , <u>Hirohashi S</u> .	Genetic classification of lung adenocarcinoma based on array-based comparative genomic hybridization analysis: its association with clinicopathological features.	Clin Cancer Res	11	6177-6185	2005
Katoh H, Shibata T, Kokubu A, Ojima H, Loukopoulos P, <u>Kanai Y</u> , Kosuge T, Fukayama M, Kondo T, <u>Sakamoto M</u> , <u>Hosoda F</u> , Ohki M, Imoto I, <u>Inazawa J</u> , <u>Hirohashi S</u> .	Genetic profile of hepatocellular carcinoma revealed by array-based comparative genomic hybridization: identification of genetic indicators to predict patient outcome.	J Hepatol	43	863-874	2005
Peng WX, Shibata T, Katoh H, Kokubu A, Matsuno Y, Asamura H, Tsuchiya R, <u>Kanai Y</u> , <u>Hosoda E</u> , Sakiyama T, Ohki M, Imoto I, <u>Inazawa J</u> , <u>Hirohashi S</u> .	Array-based comparative genomic hybridization analysis of high-grade neuroendocrine tumors of the lung.	Cancer Sci	96	661-667	2005
Yoshida Y, Shibata T, Kokubu A, Tsuta K, Matsuno Y, <u>Kanai Y</u> , Asamura H, Tsuchiya R, <u>Hirohashi S</u> .	Mutations of the epidermal growth factor receptor gene in atypical adenomatous hyperplasia and bronchioloalveolar carcinoma of the lung.	Lung Cancer	50	1-8	2005
Nitori N, Ino Y, Nakanishi Y, Yamada T, Honda K, Yanagihara K, Kosuge T, <u>Kanai Y</u> , Kitajima M, <u>Hirohashi S</u> .	Prognostic significance of tissue factor in pancreatic ductal adenocarcinoma.	Clin Cancer Res	11	2531-2539	2005

Nishizawa A, Nakanishi Y, Yoshimura K, Sasajima Y, Yamazaki N, Yamamoto A, Hanada K, <u>Kanai</u> <u>Y, Hirohashi S.</u>	Clinicopathologic significance of dysadherin expression in cutaneous malignant melanoma: Immunohistochemical analysis of 115 patients.	Cancer	103	1693-1700	2005
Naishiro Y, Yamada T, Idogawa M, Honda K, Takada M, Kondo T, <u>Imai K,</u> <u>Hirohashi S.</u>	Morphological and transcriptional responses of untransformed intestinal epithelial cells to an oncogenic β -catenin protein.	Oncogene	24	3141-3153	2005
Idogawa M, Yamada T, Honda K, Sato S, <u>Imai</u> <u>K, Hirohashi S.</u>	Poly (ADP-ribose) polymerase-1 is a component of the oncogenic T-cell factor-4/ β -catenin complex.	Gastroenterology	128	1919-1936	2005
Honda K, Yamada T, Hayashida Y, Idogawa M, Sato S, Hasegawa F, Ino Y, Ono M, <u>Hirohashi S.</u>	Actinin-4 increases cell motility and promotes lymph node metastasis of colorectal cancer.	Gastroenterology	128	51-62	2005
Hayashida Y, Honda K, Idogawa M, Ino Y, Ono M, Tsuchida A, Aoki T, <u>Hirohashi S,</u> Yamada T.	E-cadherin regulates the association between β -catenin and actinin-4.	Cancer Res	65	8836-8845	2005
Sato S, Idogawa M, Hond K, Fujii G, Kawashima H, Takekuma K, Hoshika A, <u>Hirohashi S,</u> Yamada T.	β -catenin interacts with the FUS proto- oncogene product and regulates pre-mRNA splicing.	Gastroenterology	129	1225-1236	2005
Yanagihara K, Takigahira M, Tanaka H, Komatsu T, Fukumoto H, Koizumi F, Nishio K, Ochiya T, Ino Y, <u>Hirohashi S.</u>	Development and biological analysis of peritoneal metastasis mouse models for human scirrhus stomach cancer.	Cancer Sci	96	323-332	2005
Fujii K, Kondo T, Yokoo H, Yamada T, Iwatsuki K, <u>Hirohashi S.</u>	Proteomic study of human hepatocellular carcinoma using two- dimensional difference gel electrophoresis with saturation cysteine dye.	Proteomics	5	1411-1422	2005

Seike M, Kondo T, Fujii K, Okano T, Yamada T, Matsuno Y, Gemma A, Kudoh S, <u>Hirohashi S.</u>	Proteomic signatures for histological types of lung cancer.	Proteomics	5	2939-2948	2005
Mori Y, Kondo T, Yamada T, Tsuchida A, Aoki T, <u>Hirohashi S.</u>	Two-dimensional electrophoresis database of fluorescence-labeled proteins of colon cancer cells.	J Chromatography B	823	82-97	2005
Hara T, Honda K, Ono M, Naito K, <u>Hirohashi S.</u> , Yamada T.	Identification of 2 serum biomarkers of renal cell carcinoma by surface enhanced laser desorption/ionization mass spectrometry.	J Urol	174	1213-1217	2005
Fujii K, Kondo T, Yokoo H, Yamada T, Matsuno Y, Iwatsuki K, <u>Hirohashi S.</u>	Protein expression pattern distinguishes different lymphoid neoplasms.	Proteomics	5	4274-4286	2005
Hayashida Y, Honda K, Osaka Y, Hara T, Umaki T, Tsuchida A, Aoki T, <u>Hirohashi S.</u> , Yamada T.	Possible prediction of chemoradiosensitivity of esophageal cancer by serum protein profiling.	Clin Cancer Res	11	8042-8047	2005
Honda K, Hayashida Y, Umaki T, Okusaka T, Kosuge T, Kikuchi S, Endo M, Tsuchida A, Aoki T, Itoi T, Moriyasu F, <u>Hirohashi S.</u> , Yamada T.	Possible detection of pancreatic cancer by plasma protein profiling.	Cancaer Res	65	10613-10622	2005
Takada H, Imoto I, Tsuda H, Nakanishi Y, Ichikura T, Mochizuki H, Mitsufuji S, <u>Hosoda F.</u> , <u>Hirohashi S.</u> , Ohki M, <u>Inazawa J.</u>	ADAM23, a possible tumor suppressor gene, is frequently silenced in gastric cancers by homozygous deletion or aberrant promoter hypermethylation.	Oncogene	24	8051-8060	2005

Misawa A, Inoue J, Sugino Y, Hosoi H, Sugimoto T, Hosoda F, Ohki M, Imoto I, Inazawa J.	Methylation-associated silencing of the nuclear receptor 1I2 gene in advanced-type neuroblastomas, identified by bacterial artificial chromosome array-based methylated CpG island amplification.	Cancer Res	65	10233-10242	2005
Saigusa K, Hashimoto N, Tsuda H, Yokoi S, Maruno M, Yoshimine T, Aoyagi M, Ohno K, Imoto I, Inazawa J.	Overexpressed Skp2 within 5p amplification detected by array-based comparative genomic hybridization is associated with poor prognosis of glioblastomas.	Cancer Sci	96	676-683	2005
Tanami H, Tsuda H, Okabe S, Iwai T, Sugihara K, Imoto I, Inazawa J.	Involvement of cyclin D3 in liver metastasis of colorectal cancer, revealed by genome-wide copy-number analysis.	Lab Invest	85	1118-1129	2005
Izumi H, Inoue J, Yokoi S, Hosoda H, Shibata T, Sunamori M, Hirohashi S, Inazawa J, Imoto I.	Frequent silencing of DBC1 is by genetic or epigenetic mechanisms in non-small cell lung cancers.	Hum Molec Genet	14	997-1007	2005
Takada H, Imoto I, Tsuda H, Sonoda I, Ichikura T, Mochizuki H, Okanoue T, Inazawa J.	Screening of DNA copy-number aberrations in gastric cancer cell lines by array-based comparative genomic hybridization.	Cancer Sci	96	100-110	2005
Matsumoto T, Okamoto R, Yajima T, Mori T, Okamoto S, Ikeda Y, Mukai M, Yamazaki M, Oshima S, Tsuchiya K, Nakamura T, Kanai T, Okano H, Inazawa J, Hibi T, Watanabe M.	Increase of bone marrow-derived secretory lineage epithelial cells during regeneration in the human intestine.	Gastroenterology	128	1851-1867	2005

Tanimoto T, Tsuda H, Imazeki N, Ohno Y, Imoto I, <u>Inazawa J</u> , Matsubara O.	Nuclear expression of cIAP-1, an apoptosis inhibiting protein, predicts lymph node metastasis and poor patient prognosis in head and neck squamous cell carcinomas.	Cancer Lett	224	141-151	2005
Kuroda H, Moritake H, Sawada K, Kawahara Y, Imoto I, <u>Inazawa J</u> , Sugimoto T.	Establishment of a cell line from a malignant rhabdoid tumor of the liver lacking the function of two tumor suppressor genes, hSNF5/INI1 and p16.	Cancer Genet Cytogenet	158	172-179	2005
Susumu N, Aoki D, Noda T, Nagashima Y, Hirao T, Tamada Y, Banno K, Suzuki A, Tsuda H, <u>Inazawa J</u> , Nozawa S.	Diagnostic clinical application of two- color fluorescence in situ hybridization that detects chromosome 1 and 17 alterations to direct touch smear and liquid-based thin- layer cytologic preparations of endometrial cancers.	Int J Gynecol Cancer	15	70-80	2005
Tsuda H, Morita D, Kimura M, Shinto E, Ohtsuka Y, Matsubara O, <u>Inazawa J</u> , Takami K, Mochizuki H, Tamai S, Hiraide H.	Correlation of KIT and EGFR overexpression with invasive ductal breast carcinoma of the solid-tubular subtype, nuclear grade 3, and mesenchymal or myoepithelial differentiation.	Cancer Sci	96	48-53	2005
Shinto E, Tsuda H, Ueno H, Hashiguchi Y, Hase K, Tamai S, Mochizuki H, <u>Inazawa J</u> , Matsubara O.	Prognostic implication of laminin-5 gamma 2 chain expression in the invasive front of colorectal cancers, disclosed by area- specific four-point tissue microarrays.	Lab Invest	85	257-266	2005
Tanaka E, Hashimoto Y, Ito T, Okumura T, Kan T, Watanabe G, Imamura M, <u>Inazawa J</u> , Shimada Y.	The clinical significance of Aurora-A/STK15/BTAK expression in human esophageal squamous cell carcinoma.	Clin Cancer Res	11	1827-1834	2005

Oikawa T, Ojima H, Yamasaki S, Takayama T, <u>Hirohashi S</u> , <u>Sakamoto M</u> .	Multistep and multicentric development of hepatocellular carcinoma: histological analysis of 980 resected nodules.	J Hepatol	42	225-229	2005
Nakanishi K, <u>Sakamoto M</u> , Yamasaki S, Todo S, <u>Hirohashi S</u> .	Akt phosphorylation is a risk factor for early disease recurrence and poor prognosis in hepatocellular carcinoma.	Cancer	103	307-312	2005
Yoh Z, Aishima S, Ajioka Y, Haratake J, Kage M, Kondo F, Nimura Y, <u>Sakamoto M</u> , Sasaki M, Shimamatsu K, Wakasa K, Young NP, Ming FC, Atomi Y, Nakanuma Y.	Proposal of histological criteria for intraepithelial atypical/proliferative biliary epithelial lesions of the bile duct in hepatolithiasis with respect to cholangiocarcinoma: Preliminary report based on interobserver agreement.	Pathol Int	55	180-188	2005
Horinaga M, Okita H, Nakashima J, Kanao K, <u>Sakamoto M</u> , Murai M.	Clinical and pathological significance of activation of signal transducer and activator of transcription 3 in prostate cancer.	Urology	66	671-675	2005
Miyake I, Hakomori Y, Misu Y, Nakadate H, Matsuura N, <u>Sakamoto M</u> , Sakai R.	Domain-specific function of ShcC docking protein in neuroblastoma cells.	Oncogene	24	3206-3215	2005
Masuda M, Kikuchi S, Maruyama T, Sakurai-Yageta M, Williams YN, Ghosh HP, <u>Murakami Y</u> .	TSLC (tumor suppressor in lung cancer)1 suppresses epithelial cell scattering and tubulogenesis.	J Biol Chem	280	42164-42171	2005
<u>Murakami Y</u> .	Involvement of a cell adhesion molecule, TSLC1/IGSF4, in human oncogenesis.	Cancer Sci	96	543-552	2005

Kikuchi S, Yamada D, Fukami T, Masuda M, Sakurai-Yageta M, Williams YN, Maruyama T, Asamura H, Matsuno Y, Onizuka M, <u>Murakami Y.</u>	Promoter methylation of the DAL-1/4.1B predicts poor prognosis in non- small cell lung cancer.	Clin Cancer Res	11	2954-2961	2005
Sussan TE, Pletcher MT, <u>Murakami Y,</u> Reever RH.	Tumor suppressor in lung cancer 1 (TSLC1) alters tumorigenic growth properties and gene expression.	Mol Cancer	4	28	2005
Goto A, Niki T, Chi-pin L, Matsubara D, <u>Murakami Y,</u> Funata N, Fukayama M.	Loss of TSLC expression in lung adencarcinoma: relationships with histological subtypes, gender, and prognostic significance.	Cancer Sci	96	480-486	2005
Sasaki H, Nishikata I, Shiraga T, Akamatsu E, Ishida Y, Fukami T, Hidaka T, Kubuki Y, Okayama A, Hamada K, Okabe H, <u>Murakami Y,</u> Tsubouchi H, Morishita K.	Overexpression of a cell adhesion molecule, TSLC1, as a possible molecular marker for acute type of adult T-cell leukemia.	Blood	105	1204-1213	2005
Akino K, Toyota M, Suzuki H, Mita H, Sasaki Y, Ohe-Toyota M, Issa JP, Hinoda Y, <u>Imai K,</u> Tokino T.	The Ras effector RASSF2 is a novel tumor-suppressor gene in human colorectal cancer.	Gastroenterology	129	156-169	2005
Min Y, Adachi Y, Yamamoto H, Imsumran A, Arimura Y, Endo T, Hinoda Y, Lee C-T, Nadaf S, Carbone DP, <u>Imai K.</u>	Insulin-like growth factor-I receptor blockade enhances chemotherapy and radiation responses and inhibits tumour growth in human gastric cancer xenografts.	Gut	54	591-600	2005
Kurokawa S, Arimura Y, Yamamoto H, Adachi Y, Endo T, Sato T, Suga T, Shinomura Y, <u>Imai K.</u>	Tumor matrixin expression predicts metastatic potential of stage I (pT1) colon and rectal cancers.	Gut	54	1751-1758	2005

Nosho K, Yoshida M, Yamamoto H, Taniguchi H, Adachi Y, Hinoda Y, <u>Imai K.</u>	Association of Ets-related transcriptional factor E1AF expression with overexpression of matrix metalloproteinases, COX-2 and iNOS in the early stage of colorectal carcinogenesis.	Carcinogenesis	26	892-899	2005
Nosho K, Yamamoto H, Adachi Y, Endo T, Hinoda Y, <u>Imai K.</u>	Gene expression profiling of colorectal adenomas and early invasive carcinomas by cDNA array analysis.	Br J Cancer	92	1193-1200	2005
Murai M, Toyota M, Suzuki H, Satoh A, Sasaki Y, Akino K, Ueno M, Takahashi F, Kusano M, Mita H, Yanagihara K, Endo T, Hinoda Y, Tokino T, <u>Imai K.</u>	Aberrant methylation and silencing of the BNIP3 gene in colorectal and gastric cancer.	Clin Cancer Res	11	1021-1027	2005
Alazzouzi H, Davalos V, Kokko A, Domingo E, Woerner SM, Wilson AJ, <u>Imai K.</u> Yamamoto H, Mariadason JM, Gebert JF, Aaltonen LA, Schwartz S Jr, Arango D.	Mechanisms of inactivation of the receptor tyrosine kinase EPHE2 in colorectal tumors.	Cancer Res	65	10170-10173	2005
Domingo E, Niessen RC, Oliveira C, Alhopuro P, Moutinho C, Espín E, Armengol M, Sijmons RH, Kleibeuker JH, Seruca R, Aaltonen LA, <u>Imai K.</u> Yamamoto H, Schwartz S Jr, Hofstra RMW.	BRAF-V600E is not involved in the colorectal tumorigenesis of HNPCC patients with functional MLH1 and MSH2 genes.	Oncogene	24	3995-3998	2005

Taniguchi H, Yamamoto H, Hirata T, Miyamoto M, Oki M, Noshō K, Imsumran A, Adachi Y, Endo T, <u>Imai K</u> , Shinomura Y.	Frequent epigenetic inactivation of Wnt inhibitory factor-1 in human gastrointestinal cancers.	Oncogene	24	7946-7952	2005
<u>Ushijima T</u> , Watanabe N, Shimizu K, Miyamoto K, Sugimura T, Kaneda A.	Decreased fidelity in replicating CpG methylation patterns in cancer cells.	Cancer Res	65	11-17	2005
<u>Ushijima T</u> , Okochi-Takada E.	Aberrant methylations in cancer cells: Where do they come from?	Cancer Sci	96	206-211	2005
<u>Ushijima T</u> .	Detection and interpretation of altered methylation patterns in cancer cells.	Nat Rev Cancer	5	223-231	2005
Miyamoto K, <u>Ushijima T</u> .	Diagnostic and therapeutic applications of epigenetics.	Jpn J Clin Oncol	35	293-301	2005
Miyamoto K, Fukutomi T, Akashi-Tanaka S, Hasegawa T, Asahara T, Sugimura T, <u>Ushijima T</u> .	Identification of 20 genes aberrantly methylated in human breast cancers.	Int J Cancer	116	407-414	2005
Abe M, Ohira M, Kaneda A, Yagi Y, Yamamoto S, Kitano Y, Takato T, Nakagawara A, <u>Ushijima T</u> .	CpG island methylator phenotype is a strong determinant of poor prognosis in neuroblastomas.	Cancer Res	65	828-834	2005
Nakagawa T, <u>Kanai Y</u> , Ushijima S, Kitamura T, Kakizoe T, <u>Hirohashi S</u> .	DNA hypomethylation on pericentromeric satellite regions significantly correlates with loss of heterozygosity on chromosome 9 in urothelial carcinomas.	J Urol	173	243-246	2005
Nakagawa T, <u>Kanai Y</u> , Ushijima S, Kitamura T, Kakizoe T, <u>Hirohashi S</u> .	DNA hypermethylation on multiple CpG islands associated with increased DNA methyltransferase DNMT1 protein expression during multistage urothelial carcinogenesis.	J Urol	173	1767-1771	2005

Peng DF, <u>Kanai Y</u> , Sawada M, Ushijima S, Hiraoka N, Kosuge T, <u>Hirohashi S.</u>	Increased DNA methyltransferase 1 (DNMT1) protein expression in precancerous conditions and ductal carcinomas of the pancreas.	Cancer Sci	96	403-408	2005
Chihara Y, Sugano K, Kobayashi A, <u>Kanai Y</u> , Yamamoto H, Nakazono A, Fujimoto H, Kakizoe T, Fujimoto K, <u>Hirohashi S.</u> Hirao Y.	Loss of blood group A antigen expression in bladder cancer caused by allelic loss and/or methylation of the ABO gene.	Lab Invest	85	895-907	2005
Fujii K, Kondo T, Yokoo H, Okano T, Yamada M, Yamada T, Iwatsuki K, <u>Hirohashi S.</u>	Database of two-dimensional polyacrylamide gel electrophoresis of proteins labeled with CyDye DIGE Fluor saturation dye.	Proteomics	6	1640-1653	2006
Takahashi Y, Hiraoka N, Onozato K, Shibata T, Kosuge T, Nimura Y, <u>Kanai Y</u> , <u>Hirohashi S.</u>	Solid-pseudopapillary neoplasms of the pancreas in men and women: do they differ?	Virchows Archiv	448	561-569	2006
Ono M, Shitashige M, Honda K, Isobe T, Kuwabara H, Matsuzuki H, <u>Hirohashi S.</u> Yamada T.	Label-free quantitative proteomics using large peptide data sets generated by nanoflow liquid chromatography and mass spectrometry.	Molecular & Cellular Proteomisc	5	1338-1347	2006
Okano T, Kondo T, Kakisaka T, Fujii K, Yamada M, Kato H, Nishimura H, Gemma A, Kudoh S, <u>Hirohashi S.</u>	Plasma proteomics of lung cancer by a linkage of multi-dimensional liquid chromatography and two-dimensional difference gel electrophoresis.	Proteomics	6	3938-3948	2006
Suehara Y, Kondo t, Fujii K, Hasegawa T, Kawai A, Seki K, Beppu Y, Nishimura T, Kurosawa H, <u>Hirohashi S.</u>	Proteomic signatures corresponding to histological classification and grading of soft-tissue sarcomas.	Proteomics	6	4402-4409	2006

Fujii K, Kondo T, Yamada M, Iwatsuki K, <u>Hirohashi S.</u>	Toward a comprehensive quantitative proteome database: protein expression map of lymphoid neoplasms by 2-D DIGE and MS.	Proteomics	6	4856-4876	2006
Katoh H, Shibata T, Kokubu A, Ojima H, Kosuge T, <u>Kanai Y,</u> <u>Hirohashi S.</u>	Genetic inactivation of the APC gene contributes to the malignant progression of sporadic hepatocellular carcinoma: a case report.	Genes Chromosomes Cancer	45	1050-1057	2006
Hiraoka N, Onozato K, Kosuge T, <u>Hirohashi S.</u>	Prevalence of FOXP3 ⁺ regulatory T cells increases during the progression of pancreatic ductal adenocarcinoma and its premalignant lesions.	Clin Cancer Res	12	5423-5434	2006
Hatakeyama H, Kondo T, Fujii K, Nakanishi Y, Kato H, Fukuda S, <u>Hirohashi S.</u>	Protein clusters associated with carcinogenesis, histological differentiation and nodal metastasis in esophageal cancer.	Proteomics	6	6300-6316	2006
Kondo T, <u>Hirohashi S.</u>	Application of highly sensitive fluorescent dyes (CyDye DIGE Fluor saturation dyes) to laser microdissection and two-dimensional difference gel electrophoresis (2D-DIGE) for cancer proteomics.	Nature Protocols	1	2940-2956	2006
Katoh H, Shibata T, Kokubu A, Ojima H, Fukayama M, <u>Kanai Y,</u> <u>Hirohashi S.</u>	Epigenetic instability and chromosomal instability in hepatocellular carcinoma.	Am J Pathol	168	1375-1384	2006
Imoto I, Izumi H, Yokoi S, Hosoda H, Shibata T, <u>Hosoda F,</u> <u>Ohki M,</u> <u>Hirohashi S,</u> <u>Inazawa J.</u>	Frequent silencing of the candidate tumor suppressor PCDH20 by epigenetic mechanism in non-small-cell lung cancers.	Cancer Res	66	4617-1626	2006

Kumada K, Yao R, Kawaguchi T, Karasawa M, Hoshikawa Y, Ichikawa K, Sugitani Y, Imoto I, <u>Inazawa I</u> , Sugawara M, Yanagida M, Noda T.	The selective continued linkage of centromeres from mitosis to interphase in the absence of mammalian separase.	J Cell Biol	172	835-846	2006
Nakada S, Katsuki Y, Imoto I, Yokoyama T, Nagasawa M, <u>Inazawa I</u> , Mizutani S.	Early G2/M checkpoint failure as a molecular mechanism underlying etoposide-induced chromosomal aberrations.	J Clin Invest	116	80-89	2006
Kozaki K, Imoto I, Pimkhaokham A, Hasegawa S, Tsuda H, Omura K, <u>Inazawa I</u> .	PIK3CA mutation is an oncogenic aberration at advanced stages of oral squamous cell carcinoma.	Cancer Sci	97	1351-1358	2006
Takada H, Imoto I, Tsuda H, Nakanishi Y, Sakakura C, Mitsufuji S, <u>Hirohashi S</u> , <u>Inazawa I</u> .	Genomic loss and epigenetic silencing of very low density lipoprotein receptor involved in gastric carcinogenesis.	Oncogene	25	6554-6562	2006
Nakagawa T, Pimkhaokham, A, Suzuki E, Omura K, <u>Inazawa I</u> , Imoto I.	Genetic or epigenetic silencing of low density lipoprotein receptor-related protein 1B expression in oral squamous cell carcinoma.	Cancer Sci	97	1070-1074	2006
Koide N, Yamada T, Shibata R, Mori T, Fukuma M, Yamazaki K, Aiura K, Shimazu M, <u>Hirohashi S</u> , Nimura Y, <u>Sakamoto M</u> .	Establishment of perineural invasion models and analysis of gene expression revealed an invariant chain (CD74) as a possible molecule involved in perineural invasion in pancreatic cancer.	Clin Cancer Res	12	2419-2426	2006
Takaysu K, Muramatsu Y, Mizuguchi Y, Okusaka T, Shimada K, Tkayama T, <u>Sakamoto M</u> .	CT Evaluation of the progression of hypoattenuating nodular lesions in virus-related chronic liver disease.	AJR	187	454-463	2006
Shibata R, Mori T, Du W, Chuma M, Gotoh M, Shimazu M, Ueda M, <u>Hirohashi S</u> , <u>Sakamoto M</u> .	Overexpression of cyclase-associated protein 2 in multistage hepatocarcinogenesis.	Clin Cancer Res	12	5363-5368	2006

Lung HL, Kwok A, Cheung L, Xie D, Cheng Y, <u>Murakami M</u> , Guan XY, Sham JS, Chua D, Protopopov AI, Zabarovsky ER, Tsao SW, Stanbridge EJ, Lung ML.	TSLC1 is a tumor suppressor gene associated with metastasis in nasopharyngeal carcinoma	Cancer Res	66	9385-9393	2006
Yamada D, Yoshida M, Williams YN, Fukami T, Kikuchi S, Masuda M, Maruyama M, Ohta T, Nakae D, Maekawa A, Kitamura T, <u>Murakami Y</u> .	Disruption of spermatogenic cell adhesion and male infertility in mice lacking TSLC1/IGSF4, an immunoglobulin superfamily cell adhesion molecule.	Mol Cell Biol	26	3610-3624	2006
Weyden LVD, Arends MJ, Chausiaux OE, Lange UC, Surani MA, Affara N, <u>Murakami Y</u> , Adams DJ, Bradley A.	Loss of TSLC1 causes male infertility due to a defect at the spermatid stage of spermatogenesis.	Mol Cell Biol	26	3595-3609	2006
Kikuchi S, Yamada D, Fukami T, Maruyama T, Ito A, Asamura H, Matsuno, Y, Onizuka M, <u>Murakami Y</u> .	Hypermethylation of the TSLC1/IGSF4 promoter is associated with tobacco smoking and a poor prognosis in primary non-small cell lung cancer.	Cancer	106	1751-1758	2006
Williams YN, Masuda M, Sakurai-Yageta M, Maruyama T, Shibuya M, <u>Murakami Y</u> .	Cell adhesion and prostate tumor suppressor activity of TSL2/IGSF4C, an immunoglobulin superfamily molecule homologous to TSLC1/IGSF4.	Oncogene	25	1446-1453	2006
Yamada D, Kikuchi S, Williams YN, Sakurai-Yageta M, Masuda M, Maruyama T, Tomita K, Gutmann DH, Kakizoe T, Kitamura T, <u>Murakami Y</u> .	Promoter hypermethylation of the potential tumor suppressor DAL-1/4.1B gene in renal clear cell carcinoma.	Int J Cancer	118	916-923	2006

Nosho K, Yamamoto H, Mikami M, Taniguchi H, Takahashi T, Adachi Y, Imamura A, <u>Imai</u> <u>K</u> , Shinomura Y.	Overexpression of poly(ADP-ribose) polymerase-1 (PARP-1) in the early stage of colorectal carcinogenesis.	Eur J Cancer	42	2374-2381	2006
Kusano M, Toyota M, Suzuki H, Akino K, Aoki F, Fujita M, Hosokawa M, Shinomura Y, <u>Imai K</u> , Tokino T.	Genetic, epigenetic, and clinicopathologic features of gastric carcinomas with the CpG island methylator phenotype and an association with Epstein-Barr virus.	Cancer	106	1467-1479	2006
Mikami M, Nosho K, Yamamoto H, Takahashi T, Maehata T, Taniguchi H, Adachi Y, Imamura A, Fujita M, Itoh F, <u>Imai K</u> , Shinomura Y.	Mutational analysis of b-catenin and the RAS-RAF signaling pathway in early flat-type colorectal tumours.	Eur J Cancer	42	3065-3072	2006
Kobayashi T, Sasaki Y, Oshima Y, Yamamoto H, Mita H, Suzuki H, Toyota M, Tokino T, Itoh F, <u>Imai K</u> , Shinomura Y.	Activation of the ribosomal protein L13 gene in human gastrointestinal cancer.	Int J Mol Med	18	161-170	2006
Furuta J, Nobeyama Y, Umebayashi Y, Otsuka F, Kikuchi K, <u>Ushijima T</u> .	Silencing of Peroxiredoxin 2 and aberrant methylation of 33 CpG islands in putative promoter regions in human malignant melanomas.	Cancer Res	66	6080-6086	2006
Imura M, Yamashita S, Cai LY, Furuta JI, Wakabayashi M, Yasugi T, <u>Ushijima T</u> .	Methylation and expression analysis of 15 genes and three normally-methylated genes in 13 ovarian cancer cell lines.	Cancer Lett	241	213-220	2006
Okochi-Takada E, Nakazawa K, Wakabayashi M, Mori A, Ichimura S, Yasugi T, <u>Ushijima T</u> .	Silencing of the UCHL1 gene in human colorectal and ovarian cancers.	Int J Cancer	119	1338-1344	2006

Hatada I, Fukasawa M, Kimura M, Morita S, Yamada K, Yoshikawa T, Yamanaka S, Endo C, Sakurada A, Sato M, Kondo T, Horii A, <u>Ushijima T</u> , Sasaki H.	Genome-wide profiling of promoter methylation in human.	Oncogene	25	3059-3064	2006
Arai E, <u>Kanai Y</u> , Ushijima S, Fujimoto H, Mukai K, <u>Hirohashi S</u> .	Regional DNA hypermethylation and DNA methyltransferase (DNMT) 1 protein overexpression in both renal tumors and corresponding non-tumorous renal tissues.	Int J Cancer	119	288-296	2006
Peng DF, <u>Kanai Y</u> , Sawada M, Ushijima S, Hiraoka N, Kitazawa S, <u>Hirohashi S</u> .	DNA methylation of multiple tumor-related genes in association with overexpression of DNA methyltransferase 1 (DNMT1) during multistage carcinogenesis of the pancreas.	Carcinogenesis	27	1160-1168	2006
Loukopoulos P, Shibata T, Katoh H, Kokubu A, <u>Sakamoto M</u> , Yamazaki K, Kosuge T, <u>Kanai Y</u> , <u>Hosoda E</u> , Imoto I, Ohki M, <u>Inazawa J</u> , <u>Hirohashi S</u> .	Genome-wide array-based comparative genomic hybridization analysis of pancreatic adenocarcinoma: identification of genetic indicators that predict patient outcome.	Cancer Sci	98	392-400	2007
Okano T, Kondo T, Fujii K, Nishimura T, Takano T, Ohe Y, Tsuta K, Matsuno Y, Gemma A, Kato H, Kudoh S, <u>Hirohashi S</u> .	Proteomic signature corresponding to the response to gefitinib (Iressa, ZD1839), an epidermal growth factor receptor tyrosine kinase inhibitor in lung adenocarcinoma.	Clin Cancer Res	13	799-805	2007
Idogawa M, Masutani M, Shitashige M, Honda K, Tokino T, Shinomura Y, <u>Imai K</u> , <u>Hirohashi S</u> , Yamada T.	Ku70 and poly(ADP-ribose) polymerase-1 competitively regulate β -catenin and T-cell factor-4-mediated gene transactivation: Possible linkage of DNA damage recognition and Wnt signaling.	Cancer Res	67	911-918	2007

Kobayashi N, Hiraoka N, Yamagami W, Ojima H, <u>Kanai</u> <u>Y</u> , Kosuge T, Nakajima A, <u>Hirohashi S</u> .	FOXP3 ⁺ regulatory T cells affect the development and progression of hepatocarcinogenesis.	Clin Cancer Res	13	902-911	2007
Saigusa K, Imoto I, Tanikawa C, Aoyagi M, Ohno K, Nakamura Y, <u>Inazawa J</u> .	RGC32, a novel p53-inducible gene, is located on centrosomes during mitosis and results in G2/M arrest.	Oncogene	26	1110-1121	2007
Yu W, Imoto I, Inoue J, Onda M, Emi M, <u>Inazawa J</u> .	A novel amplification target, DUSP26, promotes anaplastic thyroid cancer cell growth by inhibiting p38 MAPK activity.	Oncogene	26	1178-1187	2007
Iwasaki Y, Ueda M, Yamada T, Kondo A, Seno M, Tanizawa K, Kuroda S, <u>Sakamoto M</u> , <u>Kitajima M</u> .	Gene therapy of liver tumors with human liver-specific nanoparticles.	Cancer Gene Therapy	14	74-81	2007
Haga K, Ohno S, Yugawa T, Narisawa-Saito M, Fujita M, <u>Sakamoto M</u> , Galloway DA, Kiyono T.	Efficient immortalization of primary human cells by p16INK4a-specific short hairpin RNA or Bmi-1, combined with introduction of hTERT.	Cancer Sci	98	147-154	2007
Hirata T, Yamamoto H, Taniguchi H, Horiuchi S, Oki M, Adachi Y, <u>Imai K</u> , Shinomura Y.	Characterization of immune escape phenotype of human gastric cancers with and those without high-frequency microsatellite instability.	J Pathol	211	516-523	2007

Davalos V, Dopeso H, Velho S, Ferreira AM, Cirnes L, Díaz-Chico N, Bilbao C, Ramirez R, Rodríguez G, Falcón O, León L, Niessen R, Keller G, Dallenbach-Hellweg G, Espín E, Armengol M, Perucho M, <u>Imai K</u> , Yamamoto H, Gebert JF, Díaz-Chico JC, Hofstra RM, Woerner SM, Seruca R, Schwartz S Jr, Arango D.	High EPHB2 mutation rate in gastric but not endometrial tumors with microsatellite instability.	Oncogene	26	308-311	2007
Takahashi T, Nosho K, Yamamoto H, Mikami M, Taniguchi H, Miyamoto N, Adachi Y, Itoh F, <u>Imai K</u> , Shinomura Y.	Flat-type colorectal advanced adenomas (laterally spreading tumors) have different genetic and epigenetic alterations from protruded-type advanced adenomas.	Mod Pathol	20	139-147	2007
Abe M, Westermann F, Nakagawara A, Takato T, Schwab M, <u>Ushijima T</u> .	Marked and independent prognostic significance of the CpG island methylator phenotype in neuroblastomas.	Cancer Lett	247	253-258	2007
Hara T, Honda K, Shitashige M, Ono M, Matsuyama H, Naito K, <u>Hirohashi S</u> , Yamada T.	Mass spectrometry analysis of the native protein complex containing actinin-4 in prostate cancer cells.	Mol Cell Proteomics	in press		2007
Shitashige M, Naishiro Y, Idogawa M, Honda K, Ono M, <u>Hirohashi S</u> , Yamada T.	Involvement of splicing factor-1 in β -catenin/T cell factor-4-mediated gene transactivation and pre-mRNA splicing.	Gastroenterology	in press		2007
Yokoo H, Kondo T, Okano T, Nakanishi K, <u>Sakamoto M</u> , Kosuge T, Todo S, <u>Hirohashi S</u> .	Protein expression associated with early intrahepatic recurrence of hepatocellular carcinoma after curative surgery.	Cancer Sci	in press		2007

Higashiguchi A, Yamada T, Susumu N, Mori T, Suzuki A, Aoki D, <u>Sakamoto M.</u>	Specific expression of hepatocyte nuclear Factor-1 β in the ovarian clear cell adenocarcinoma and its application to cytological diagnosis.	Cancer Sci	in press		2007
Wakayama T, Sai Y, Ito A, Kato Y, Kurobo M, <u>Murakami Y,</u> Nakashima E, Tsuji A, Kitamura Y, Iseki S.	Heterophilic binding of the adhesion molecules poliovirus receptor and immunoglobulin superfamily 4A in the interaction between mouse spermatogenic and Sertoli cells.	Biol Reproduction	in press		2007
Ito A, Hagiya M, Oonuma J, <u>Murakami Y,</u> Yokozaki H, Takaki M.	Involvement of the SgIGSF/Necl-2 adhesion molecule in degradation of mesenteric mast cells.	J Neuro Immunol	in press		2007
Miyamoto N, Yamamoto H, Taniguchi H, Miyamoto C, Oki M, Adachi Y, <u>Imai K,</u> Shinomura Y.	Differential expression of angiogenesis-related genes in human gastric cancers with and those without high-frequency microsatellite instability.	Cancer Lett	in press		2007
Akino K, Toyota M, Suzuki H, Imai T, Maruyama R, Kusano M, Nishikawa N, Watanabe Y, Sasaki Y, Abe T, Yamamoto E, Tarasawa I, Sonoda T, Mori M, <u>Imai K,</u> Shinomura Y, Tokino T.	Identification of DFNA5 as a target of epigenetic inactivation in gastric cancer.	Cancer Sci	in press		2007
Nosho K, Yamamoto H, Takahashi T, Mikami M, Taniguchi H, Miyamoto N, Adachi Y, Arimura Y, Itoh F, <u>Imai K,</u> Shinomura Y.	Genetic and epigenetic profiling in early colorectal tumors and prediction of metastatic potential in pT1 (early invasive) colorectal cancers.	Carcino- genesis	in press		2007