

- 69) Fukaya, M., Isohata, N., Ohta, H., Aoyagi, K., Ochiya, T., Nakanishi, Y., Taniguchi, H., Sakamoto, H., Shimoda, T., Nimura, Y., Yoshida, T. and Sasaki, H. Hedgehog signal activation in gastric pit cell and in diffuse type gastric cancer. *Gastroenterology*, 131:14-29, 2006.
- 70) Ochiya, T., Honma, K., Takeshita, F. and Nagahara, S. Atelocollagen-mediated Drug Discovery Technology. *Expert Opin. Drug Discov.*, 2:159-167, 2007.
- 71) Hanai, K., Takeshita, F., Honma, K., Nagahara, S., Maeda, M., Minakuchi, Y., Sano, A. and Ochiya, T. Atelocollagen-mediated systemic DDS for nucleic acid medicines. *Ann. N Y Acad. Sci.*, 1082:9-17, 2006.
- 72) Kurokawa, Y., Honma, K., Takemasa, I., Nakamori, S., Kita-Matsuo, H., Motoori, M., Nagano, H., Dono, K., Ochiya, T., Monden, M. and Kato, K. Central genetic alterations common to all HCV-positive, HBV-positive and non-B, non-C hepatocellular carcinoma: A new approach to identify novel tumor markers. *Int. J. Oncol.*, 28:383-391, 2006.
- 73) Fujii, T., Saito, M., Iwasaki, E., Ochiya, T., Takei, Y., Hayashi, S., Ono, A., Hirao, N., Nakamura, M., Kubushiro, K., Tsukazaki, K. and Aoki, D. Intratumor injection of small interfering RNA-targeting human papillomavirus 18 E6 and E7 successfully inhibits the growth of cervical cancer. *Int. J. Oncol.*, 29:541-548, 2006.
- 74) Yanagihara, K., Takigahira, M., Takeshita, F., Komatsu, T., Nishio, K., Hasegawa, F. and Ochiya, T. A new photon counting technique for quantitatively evaluating progression of peritoneal tumor dissemination. *Cancer Res.*, 66:7532-7539, 2006.
- 75) Takeshita, F. and Ochiya, T. Therapeutic potential of RNA interference against cancer. *Cancer Sci.*, 97:689-696, 2006.
- 76) Fukasawa, M., Morita, S., Kimura, M., Horii, T., Ochiya, T. and Hatada, I. Genomic imprinting in Dicer1-hypomorphic mice. *Cytogenet. Genome Res.*, 113:138-143, 2006.
- 77) Ueda, S., Fukamachi, K., Matsuoka, Y., Takasuka, N., Takeshita, F., Naito, A., Iigo, M., Alexander, D. B., Moore, M. A., Saito, I., Ochiya, T. and Tsuda, H. Ductal origin of pancreatic adenocarcinomas induced by conditional activation of a human Haras oncogene in rat pancreas. *Carcinogenesis*, 27:2497-2510, 2006.
- 78) Watanabe, H., Ochiya, T., Ueda, S., Kominami, Y., Gon, R., Nishiki, M., Hayashi, M., Sasaki, A., Shiraishi, M., Kashimoto, N., Myojin, Y. and Kamiya, K. Differentiation of a hepatic phenotype after heterotopic transplantation of heart, kidney, brain, and skin tissues into liver in F344 rats. *Biochem. Biophys. Res. Commun.*, 354:841-845, 2007.
- 79) Tanaka, M., Ohashi, R., Nakamura, R., Shinmura, K., Kamo, T., Sakai, R., Sugimura, H. Tiam1 mediates neurite outgrowth induced by ephrin-B1 and EphA2. *EMBO J.*, 23:1075-1088, 2004.
- 80) Azuma, K., Horie, K., Inoue, S., Ouchi, Y., Sakai, R. Analysis of estrogen receptor alpha signaling complex at the plasma membrane. *FEBS Lett.*, 577:339-344, 2004.
- 81) Miyake, I., Hakomori, Y., Misu, Y., Nakadate, H., Matsuura, N., Sakamoto, M., Sakai, R. Domain-specific function of ShcC docking protein in neuroblastoma cells. *Oncogene*, 24:3206-3215, 2005
- 82) Azuma, K., Tanaka, M., Uekita, T., Inoue, S., Yokota, J., Ouchi, Y., Sakai, R. Tyrosine phosphorylation of paxillin affects the metastatic potential of human osteosarcoma. *Oncogene*, 24:4754-4764, 2005
- 83) Miyamoto, Y., Chen, L., Sato, M., Sokabe, M., Nabeshima, T., Pawson, T., Sakai, R., Mori, N. Hippocampal synaptic modulation by the phosphotyrosine adapter protein ShcC/N-Shc via interaction with the NMDA receptor. *J. Neurosci.*, 25:1826-1835, 2005

- 84) Osajima-Hakomori, Y., Miyake, I., Ohira, M., Nakagawara, A., Nakagawa, A., Sakai, R. Biological role of anaplastic lymphoma kinase in neuroblastoma. *Am. J. Pathol.*, 167:213–222, 2005
- 85) Seo, S., Asai, T., Saito, T., Suzuki, T., Morishita, Y., Nakamoto, T., Ichikawa, M., Yamamoto, G., Kawazu, M., Yamagata, T., Sakai, R., Mitani, K., Ogawa, S., Kurokawa, M., Chiba, S., Hirai , H. Crk-associated substrate lymphocyte type is required for lymphocyte trafficking and marginal zone B cell maintenance. *J. Immunol.*, 175:3492–3501, 2005
- 86) Tanaka, M., Kamata, R., Sakai, R. Phosphorylation of ephrin-B1 via the interaction with claudin following cell-cell contract formation. *EMBO J.*, 24:3700–3711, 2005.
- 87) Tanaka, M., Kamata, R., Sakai, R. EphA2 phosphorylates the cytoplasmic tail of clauden-4 and mediates paracellular permeability. *J. Biol. Chem.*, 280:42375–42382, 2005
- 88) Koike, T., Kimura, N., Miyazaki, K., Yabuta, T., Kumamoto, K., Takenoshita, S., Chen, J., Kobayashi, M., Hosokawa, M., Taniguchi, A., Kojima, T., Ishida, N., Kawakita, M., Yamamoto, H., Takematsu, H., Kozutsumi, Y., Suzuki, A., Kannagi, R. Hypoxia induces adhesion molecules on cancer cells—a missing link between Warburg effect and induction of selectin ligand carbohydrates. *Proc. Natl. Acad. Sci. USA*, 101:8132–8137, 2004.
- 89) Miyazaki, K., Ohmori, K., Izawa, M., Koike, T., Kumamoto, K., Furukawa, K., Ando, T., Kiso, M., Yamaji, T., Hashimoto, Y., Suzuki, A., Yoshida, A., Takeuchi, M., Kannagi, R. Loss of disialyl Lewis^a, the ligand for lymphocyte inhibitory receptor Siglec-7, associated with increased sialyl Lewis^a expression on human colon cancers. *Cancer Res.*, 64:4498–4505, 2004.
- 90) Kannagi, R., Izawa, M., Koike, T., Miyazaki, K., Kimura, N. Carbohydrate-mediated cell adhesion in cancer metastasis and angiogenesis. *Cancer Sci.*, 95:377–384, 2004.
- 91) Kannagi, R., Goto, Y., Fukui, F. In search of the carbohydrate structures on CD44 critical for hyaluronic acid binding – roles of sialylation and sulfation. *Trends Glycosci. Glycotechnol.*, 16:211–223, 2004.
- 92) Kannagi, R. Molecular mechanism for cancer-associated induction of sialyl Lewis X and sialyl Lewis A expression – the Warburg effect revisited. *Glycoconjugate J.*, 20:353–364, 2004.
- 93) Suzuki, A., Yoshioka, S., Sekine, M., Yonekawa, H., Takenaka, M., Kannagi, R. Core 2 GlcNAc transferase and kidney tubular cell-specific expression. *Glycoconjugate J.*, 20:151–156, 2004.
- 94) Hirata, T., Furukawa, Y., Yang, B.G., Hieshima, K., Fukuda, M., Kannagi, R., Yoshie, O., Miyasaka, M. Human PSGL-1 interacts with the skin-associated chemokine CCL27 via sulfated tyrosines at the PSGL-1 amino terminus. *J. Biol. Chem.*, 279:51775–51782, 2004.
- 95) Itano, N., Sawai, T., Atsumi, F., Miyaishi, O., Taniguchi, S., Kannagi, R., Hamaguchi, M., Kimata, K. Selective expression and functional characteristics of three mammalian hyaluronan synthases in oncogenic malignant transformation. *J. Biol. Chem.*, 279:18679–18687, 2004.
- 96) Kakizaki, I., Kojima, K., Takagaki, K., Endo, M., Kannagi, R., Ito, M., Maruo, Y., Sato, H., Yasuda, T., Mita, S., Kimata, K., Itano, N. A novel mechanism for the inhibition of hyaluronan biosynthesis by 4-methylumbelliferone. *J. Biol. Chem.*, 279:33281–33289, 2004.
- 97) Uchimura, K., Kadomatsu, K., El-Fasakhany, F.M., Singer, M.S., Izawa, M., Kannagi, R., Takeda, N., Rosen, S.D., Muramatsu, T. N-acetylglucosamine 6-O-

- sulfotransferase-1 regulates expression of L-selectin ligands and lymphocyte homing. *J. Biol. Chem.*, 279:35001-35008, 2004.
- 98) Otsubo, N., Ishida, H., Kannagi, R., Kiso, M. Design and synthesis of a novel neo-glycolipid containing sialyl Lewis X determinant carried on the mucin GlcNAc β 1-6GalNAc α core structure. *Tetrahedron Asymmetry*, 16: 1321-1327, 2005.
- 99) Satoh, T., Kanai, Y., Wu, M.H., Yokozeki, H., Kannagi, R., Lowe, J.B., Nishioka, K. Synthesis of α (1,3)fucosyltransferases IV- and VII-dependent eosinophil selectin ligand and recruitment to the skin. *Am. J. Pathol.*, 167: 787-796, 2005.
- 100) Tjew, S.L., Brown, K.L., Kannagi, R., Johnson, P. Expression of N-acetylglucosamine 6-O sulfotransferases (GlcNAc6STs) -1 and -4 in human monocytes: GlcNAc6ST-1 is implicated in the generation of the 6-sulfo N-acetyllactosamine/Lewis x epitope on CD44 and is induced by TNF- α . *Glycobiol.*, 17: 7C-13C, 2005.
- 101) Uchimura, K., Gauguet, J.M., Singer, M.S., Tsay, D., Kannagi, R., Muramatsu, T., Von Andrian, U.H., Rosen, S.D. A major class of L-selectin ligands is eliminated in mice deficient in two sulfotransferases expressed in high endothelial venules. *Nat. Immun.*, 6: 1105-1113, 2005.
- 102) Yagi, H., Takahashi, N., Yamaguchi, Y., Kimura, N., Uchimura, K., Kannagi, R., Kato, K. Development of structural analysis of sulfated N-glycans by multi-dimensional HPLC mapping methods. *Glycobiol.*, 15: 1051-1060, 2005.
- 103) Yamaguchi, M., Ishida, H., Kanamori, A., Kannagi, R., Kiso, M. 6-O-Sulfo sialylparagloboside and sialyl Lewis X neo-glycolipids containing lactamized neuraminic acid: Synthesis and antigenic reactivity against G159 monoclonal antibody. *Glycoconj. J.*, 22: 95-108, 2005.
- 104) Yin, J., Hashimoto, A., Izawa, M., Miyazaki, K., Chen, G.-Y., Takematsu, H., Kozutsumi, Y., Suzuki, A., Furuhashi, K., Cheng, F.-L., Lin, C.-H., Sato, C., Kitajima, K., Kannagi, R. Hypoxic culture induces expression of sialin, a sialic acid transporter, and cancer-associated gangliosides containing non-human sialic acid on human cancer cells. *Cancer Res.*, 66: 2937-2945, 2006.
- 105) Huang, J., Sakai, R. and Furuichi, T. The docking protein Cas links tyrosine phosphorylation signaling to elongation of cerebellar granule cell axons. *Mol. Biol. Cell.*, 17:3187-3196, 2006.
- 106) Sawada, Y., Tamada, M., Dubrin-Thaler, B., Cherniavskaya, O., Sakai, R., Tanaka, S. and Sheetz, M. P. Force sensing by mechanical extension of the Src family kinase substrate p130Cas. *Cell*, 127:1015-1026, 2006.
- 107) Akutagawa, A., Fukami, K., Banno, Y., Takenawa, T., Kannagi, R., Yokoyama, Y., Oda, K., Nagino, M., Nimura, Y., Yoshida, S., and Tamiya-Koizumi, K. Disruption of Phospholipase C δ 4 Gene Modulates the Liver Regeneration in Cooperation with Nuclear Protein Kinase C. *J. Biochem. (Tokyo)*, 140: 619-625, 2006.
- 108) Chen, G.-Y., Osada, H., Santamaria-Babi, L.F., and Kannagi, R. Interaction of GATA-3/T-bet transcription factors regulates expression of sialyl Lewis X homing receptors on Th1/Th2 lymphocytes. *Proc. Natl. Acad. Sci. U. S. A.*, 103: 16894-16899, 2006.
- 109) Helal Uddin, B.M., Hasegawa, H.H., Aminur, RM., Huang, P., Mon, N.N., Ruhul Amin, A.R., Senga, T., Kannagi, R., and Hamaguchi, M. SHP-2-Erk signaling regulates Concanavalin A-dependent production of TIMP-2. *Biochem. Biophys. Res. Commun.*, 348: 1145-1149, 2006.
- 110) Kamiyama, S., Sasaki, N., Goda, E., Ui-Tei, K., Saigo, K., Narimatsu, H., Jigami, Y., Kannagi, R., Irimura, T., and Nishihara, S. Molecular cloning and characterization of a novel 3'-phospho- adenosine 5'-phosphosulfate transporter, PAPST2. *J. Biol.*

- Chem., 281: 10945– 10953, 2006.
- 111) Kanoh, A., Seko, A., Ideo, H., Yoshida, M., Nomoto, M., Yonezawa, S., Sakamoto, M., Kannagi, R., and Yamashita, K. Ectopic expression of N-acetylglucosamine 6-O-sulfotransferase 2 in chemotherapy-resistant ovarian adenocarcinomas. *Glycoconj. J.*, 23: 453–460, 2006.
- 112) Kyogashima, M., Tamiya-Koizumi, K., Ehara, T., Li, G., Hu, R., Hara, A., Aoyama, T., and Kannagi, R. Rapid demonstration of diversity of sulfatide molecular species from biological materials by MALDI-TOF MS. *Glycobiology*, 16: 710–728, 2006.
- 113) Ohmori, K., Fukui, F., Kiso, M., Imai, T., Yoshie, O., Hasegawa, H., Matsushima, K., and Kannagi, R. Identification of cutaneous lymphocyte-associated antigen as sialyl 6-sulfo Lewis x, a selectin ligand expressed on a subset of skin-homing helper memory T cells. *Blood*, 107: 3197–3204, 2006.
- 114) Sobue, S., Iwasaki, T., Sugisaki, C., Nagata, K., Kikuchi, R., Murakami, M., Takagi, A., Kojima, T., Banno, Y., Akao, Y., Nozawa, Y., Kannagi, R., Suzuki, M., Abe, A., Naoe, T., and Murate, T. Quantitative RT-PCR analysis of sphingolipid metabolic enzymes in acute leukemia and myelodysplastic syndromes. *Leukemia*, 20: 2042–2046, 2006.
- 115) Zhuo, L., Kanamori, A., Kannagi, R., Itano, N., Wu, J., Hamaguchi, M., Ishiguro, N., and Kimata, K. SHAP potentiates the CD44-mediated leukocyte adhesion to the hyaluronan substratum. *J. Biol. Chem.*, 281: 20303–20314, 2006.
- 116) Kannagi, R., Miyazaki, K., Kimura, N., and Yin, J. Selectin-mediated metastasis of tumor cells: Alteration of carbohydrate-mediated cell-cell interactions in cancers induced by epigenetic silencing of glycogenes. In: C. Sansom and O. Markman (eds.), *Glycobiology*, pp. 274–287, Bloxham, Oxfordshire, UK.: Scion Publishing Ltd., 2007.
- 117) Kontani, K., Teramoto, K., Ozaki, Y., Sawai, S., Tezuka, N., Ishida, H., Kajino, K., Fujino, S., Yamauchi, A., Taguchi, O., Kannagi, R., Yokomise, H., and Ogasawara, K. Preparation of fully activated dendritic cells capable of priming tumor-specific cytotoxic T lymphocytes in patients with metastatic cancer using penicillin-killed streptococcus pyogenes (OK432) and anti-CD40 antibody. *Oncol. Rep.*, 17: 895–902, 2007.
- 118) Koyama, H., Hibi, T., Isogai, Z., Yoneda, M., Fujimori, M., Amano, J., Kawakubo, M., Kannagi, R., Kimata, K., Taniguchi, S., and Itano, N. Hyperproduction of hyaluronan in Neu-induced mammary tumor accelerates angiogenesis through stromal cell recruitment: Possible involvement of versican/PG-M. *Am. J. Pathol.*, 170: 1086–1099, 2007.
- 119) Li, G., Hu, R., Kamijo, Y., Nakajima, T., Aoyama, T., Inoue, T., Node, K., Kannagi, R., Kyogashima, M., and Hara, A. Establishment of a quantitative, qualitative, and high-throughput analysis of sulfatides from small amounts of sera by matrix-assisted laser desorption ionization-time of flight mass spectrometry. *Anal. Biochem.*, 362: 1–7, 2007.
- 120) Teramoto, K., Kontani, K., Fujita, T., Ozaki, Y., Sawai, S., Tezuka, N., Fujino, S., Itoh, Y., Taguchi, O., Kannagi, R., and Ogasawara, K. Successful tumor eradication was achieved by collaboration of augmented cytotoxic activity and anti-angiogenic effects following therapeutic vaccines containing helper-activating analog-loaded dendritic cells and tumor antigen DNA. *Cancer Immunol. Immunother.*, 56: 331–342, 2007.
- 121) Varki, A., Kannagi, R., and Toole, B. P. Glycosylation changes in cancer. In: A. Varki, R.D. Cummings, J.D. Esko, H.H. Freeze, G.W. Hart and J.D. Marth (eds.), *Essentials of Glycobiology*, New York: Cold Spring Harbor Laboratory Press, in press.