

- Hemmi H, Hoshino K, Kaisho T, Kuwata T, Yamamoto S, Takeuchi O, Takeshige K, Saito T, Yamaoka S, Yamamoto N, Muta T, **Takeda K**, and Akira S. Regulation of Toll-IL-1 receptor-mediated gene expression by the inducible nuclear protein I κ B ζ . *Nature* 430 : 218-222. 2004.
- Okamoto M, Furuichi S, Nishioka Y, Oshikawa T, Tano T, Ahmed SU, **Takeda K**, Akira S, Ryoma Y, Moriya Y, Saito M, Sone S, and Sato M. Expression of Toll-like receptor-4 on Dendritic cells is significant for anticancer effect of Dendritic cell-based immunotherapy in combination with an active component of OK-432, a Streptococcal preparation. *Cancer Res.* 64 : 5461-5470. 2004.
- Sato N, Takahashi N, Suda K, Nakamura M, Yamaki M, Ninomiya T, Kobayashi Y, Takada H, Shibata K, Yamamoto M, **Takeda K**, Akira S, Noguchi T, and Udagawa N. MyD88 but not TRIF is essential for osteoclastogenesis induced by lipopolysaccharide, diacyl lipopeptide, and IL-1. *J. Exp. Med.* 200 : 601-611. 2004.
- Nakasone C, Kawakami K, Hoshino T, Kawase Y, Yokota K, Yoshino K, **Takeda K**, Akira S, and Saito A. Limited role for interleukin-18 in the host protection response against pulmonary infection with *Pseudomonas aeruginosa* in mice. *Infect. Immune.* 72 : 6176-6180. 2004.
- Yang R, Murillo FM, Cui H, Blosser R, Uematsu S, **Takeda K**, Akira S, Viscidi RP, and Roden R. Papillomavirus-like particles stimulate murine bone marrow-derived Dendritic cells to produce alpha interferon and Th1 immune responses via MyD88. *J. Virol.* 78 : 1152-1160. 2004.
- Vossenkamper A, Went T, Alvarado-Esquivel C, **Takeda K**, Akira S, Pfeffer K, Alber G, Lonchner M, Forster I, and Liesenfeld O. Both IL-12 and IL-18 contribute to small intestinal Th1-type immunopathology following oral infection with *Toxoplasma gondii* but IL-12 is dominant over IL-18 in parasite control. *Eur. J. Immunol.* 34 : 3197-3207. 2004.
- Yokozeki H, Wu MH, Sumi K, Awad S, Satoh T, Katayama I, **Takeda K**, Akira S, Kaneda Y, and Nishioka K. In vivo transfection of a cis element decoy against signal transducers and activators of transcription 6 (STAT6)-binding site ameliorates IgE-mediated late-phase reaction in an atopic dermatitis mouse model. *Gene Ther.* 11 : 1753-1762. 2004.
- Sumi K, Yokozeki H, Wu MH, Satoh T, Kaneda Y, **Takeda K**, Akira S, and Nishioka K. In vivo transfection of a cis element decoy against the transcription 6 (STAT6) binding site ameliorates the response of contact hypersensitivity. *Gene Ther.* 11 : 1763-1771. 2004.
- Yukawa K, Kishino M, Hoshino K, Shirasawa N, Kimura A, Tsubota T, Awada-Makabe K, Bai T, Tanaka T, Ueyama T, Ichinose M, **Takeda K**, Akira S, and Maeda M. The kinase domain of

death-associated protein kinase is inhibitory for tubulointerstitial fibrosis in chronic obstructive nephropathy. *Int. J. Mol. Med.* 15 : 73-78. 2005.

Yamamoto M, **Takeda K**, and Akira S. TIR domain-containing adaptors define the specificity of TLR signaling. *Mol. Immunol.* 40 : 861-868. 2004.

Takeda K, and Akira S. TLR signaling pathway. *Semin Immunol.* 16 : 3-9. 2004.

Takeda K, and Akira S. Microbial recognition by Toll-like receptors. *J. Dermatol. Sci.* 34: 73-82. 2004.

Akira S, and **Takeda K**. Toll-like receptor signaling. *Nat. Rev. Immunol.* 4 : 499-511. 2004.

Takeda K, and Akira S. Toll-like receptor: ligands and signaling. *Innate Immune Response to Infection.* 257-270. 2004.

Takeda K, and Akira S. Biological roles of the STAT family in cytokine signaling. *Handbook of Experimental Pharmacology* 166 : 97-121. 2004.

Akira S, and **Takeda K**. Function of Toll-like receptor: lessons from KO mice. *C. R. Biol.* 327 : 581-589. 2004.

Kobayashi R, Kohda T, Kataoka K, Ihara H, Kozaki S, Pascual DW, Staats HF, **Kiyono H**, McGhee JR, and Fujihashi K. A novel

neurotoxic vaccine prevents mucosal botulism. *J. Immunol.* 174 : 2190-2195. 2005.

Ohmura M, Yamamoto M, Tomiyama-Miyaji C, Yuki Y, **Takeda Y**, and **Kiyono H**. Nontoxic Shiga toxin derivatives from *Escherichia coli* possess adjuvant activity for the augmentation of antigen-specific cell activation. *Infect. Immun.* 73 : 4088-4097. 2005.

Kweon MN, Yamamoto M, Rennert PD, Park EJ, Lee AY, Chang SY, Hiroi T, Nanno M, and **Kiyono H**. Prenatal blockage of lymphotoxin β receptor and TNF receptor p55 signaling cascade resulted in the acceleration of tissue genesis for isolated lymphoid follicles in the large intestine. *J. Immunol.* 174 : 4365-4372. 2005.

Nonaka S, Naito T, Chen H, Yamamoto M, Moro K, **Kiyono H**, Hamada H, and Ishikawa H. Intestinal gamma delta T cells develop in mice lacking thymus, all lymph nodes, Peyer's patches, and isolated lymphoid follicles. *J. Immunol.* 174 : 1906-1912. 2005.

Ueta M, Hamuro J, **Kiyono H**, and Kinoshita S. Triggering of TLR3 by polyI:C in human corneal epithelial cells to induce inflammatory cytokines. *Biochem. Biophys. Res. Commun.* 331 : 285-294. 2005.

Kai Y, Takahashi I, Ishikawa H, Hiroi T, Mizushima T, Matsuda C, Kishi D, Hamada H, Tamagawa H, Ito T, Yoshizaki K, Kishimoto T, Matsuda H, and **Kiyono H**. Colitis in mice

lacking the common cytokine receptor gamma chains in mediated by IL-6-producing CD4⁺T cells. *Gastroenterology* 128 : 922-934. 2005.

Hino A, Fukuyama S, Kataoka K, Kweon MN, **Fujihashi K**, and **Kiyono H**. Nasal IL-12p70DNA prevents and treats intestinal allergic diarrhea. *J. Immunol.* 174 : 423-432. 2005.

Kunisawa J, and **Kiyono H**. A marvel of mucosal T cells and secretory antibodies for the creation of first lines of defense. *Cell Mol. Life Sci.* 62 : 1308-1321. 2005.

Yuki Y, Hara-Yokoyama C, Guadiz AA, Udaka S, **Kiyono H**, and Chatterjee S. Production of a recombinant cholera toxin B subunit-insulin B chain peptide hybrid protein by *Brevibacillus choshinensis* expression system as a nasal vaccine against autoimmune diabetes. *Biotechnol. Bioeng.* 92 : 803-809. 2005.

Kunisawa J, Fukuyama S, and **Kiyono H**. Mucosa-associated lymphoid tissues in the aerodigestive tract : their shared and divergent traits and their importance to the orchestration of the mucosal immune system. *Curr. Mor. Med.* 5 : 557-572. 2005.

Takagi H, Hiroi T, Yang L, Tada Y, Yuki Y, Takamura K, Ishimitsu R, Kawauchi H, **Kiyono H**, and Takaiwa F. A rice-based edible vaccine expressing multiple T cell epitopes induce oral tolerance for inhibition of Th2-mediated IgE responses. *Proc. Nat. Acad.*

Sci. USA. 102 : 17525-17530. 2005.

Van Ginkel FW, Jackson RJ, **Yoshino N**, **Hagiwara Y**, Metzger DJ, Connell TD, Vu HL, Martin M, **Fujihashi K**, and McGhee JR. Enterotoxin-based mucosal adjuvants alter antigen trafficking and induce inflammatory responses in the nasal tract. *Infect. Immun.* 73 : 6892-6902. 2005.

Wieland CW, Florquin S, Maris NA, Hoebe K, Beutler B, **Takeda K**, Akira S, and van der Poll T. The MyD88-dependent, but not the MyD88-independent, pathway of TLR4 signaling is important in clearing nontypeable haemophilus influenzae from the mouse lung. *J. Immunol.* 175 : 6042-6049. 2005.

Sato S, Sanjo H, **Takeda K**, Ninomiya-Tsuji J, Yamamoto M, Kawai T, Matsumoto K, Takeuchi O, and Akira S. Essential function for the kinase TAK1 in innate and adaptive immune responses. *Nat. Immunol.* 6: 1087-1095. 2005.

Wieland CW, Florquin S, Maris NA, Hoebe K, Beutler B, **Takeda K**, Akira S, and van der Poll T. The MyD88-dependent, but not the MyD88-independent, pathway of TLR4 signaling is important in clearing nontypeable Haemophilus influenzae from the mouse lung. *J. Immunol.* 175 : 6042-6049. 2005.

Yukawa K, Tanaka T, Owada-Makabe K, Tsubota Y, Bai T, Maeda M, **Takeda K**, Akira S, and Iso H. Reduced prepulse inhibition of

- startle in STAT6-deficient mice. *Int. J. Mol. Med.* 16 : 673-675. 2005.
- Matsukawa A, Kudo S, Maeda T, Numata K, Watanabe H, **Takeda K**, Akira S, and Ito T. Stat3 in resident macrophages as a repressor protein of inflammatory response. *J. Immunol.* 175 : 3354-3359. 2005.
- Kato H, Sato S, Yoneyama M, Yamamoto M, Uematsu S, Matsui ., Tsujimura T, **Takeda K**, Fujita T, Takeuchi O, and Akira S. Cell type-specific involvement of RIG-I in antiviral response. *Immunity* 23 : 19-28. 2005.
- Ohkawara T, Takeda H, Nishihira J, Miyashita K, Nihiwaki M, Ishiguro Y, **Takeda K**, Akira S, Iwanaga T, Sugiyama T, and Asaka M. Macrophage migration inhibitory factor contributes to the development of acute dextran sulphate sodium-induced colitis in Toll-like receptor 4 knockout mice. *Clin. Exp. Immunol.* 141 : 412-421. 2005.
- Weiss DS, **Takeda K**, Akira S, Zychlinsky A, and Moreno E. MyD88, but not Toll-like receptors 4 and 2, is required for efficient clearance of *Brucella abortus*. *Infect. Immun.* 73 : 5137-5143. 2005.
- Yang S, Takahashi N, Yamashita T, Sato N, Takahashi M, Mogi M, Uematsu T, Kobayashi Y, Nakamichi Y, **Takeda K**, Akira S, Takada H, Udagawa N, and Furusawa K. Muramyl dipeptide enhances osteoclast formation induced by lipopolysaccharide, IL-1 β , and TNF- α through nucleotide-binding oligomerization domain 2-mediated signaling in osteoblasts. *J. Immunol.* 175 : 1956-1964. 2005.
- Shindou H, Ishii S, Yamamoto M, **Takeda K**, Akira S, and Shimizu T. Priming effect of lipopolysaccharide on acetyl-coenzyme A: lyso-platelet-activating factor acetyltransferase is MyD88 and TRIF independent. *J. Immunol.* 175 : 1177-1183. 2005.
- Kitching AR, Turner AL, Wilson GR, Semple T, Odobasic D, Timoshanko JR, O'sullivan KM, Tipping PG, **Takeda K**, Akira S, and Holdsworth SR. IL-12p40 and IL-18 in crescentic glomerulonephritis: IL-12p40 is the key Th1-defining cytokine chain, whereas IL-18 promotes local inflammation and leukocyte recruitment. *J. Am. Soc. Nephrol.* 16 : 2023-2033. 2005.
- Yang R, Murillo FM, Delannoy MJ, Blosser RL, Yutzy WH. Uematsu S, **Takeda K**, Akira S, Viscidi RP, Roden RB. B lymphocyte activation by human papillomavirus-like particles directly induces Ig class switch recombination via TLR4-MyD88. *J. Immunol.* 174 : 7912-7919. 2005.
- Yang R, Wheeler CM, Chen X, Uematsu S, **Takeda K**, Akira S, Pastrana DV, Viscidi RP, and Roden RB. Papillomavirus capsid mutation to escape dendritic cell-dependent innate immunity in cervical cancer. *J. Virol.* 79 : 6741-6750. 2005.

- Xu AW, Kaelin CB, **Takeda K**, Akira S, Schwartz MW, and Barsh GS. PI3K integrates the action of insulin and leptin on hypothalamic neurons. *J. Clin. Invest.* 115 : 951-958. 2005.
- Yukawa K, Iso H, Tanaka T, Tsubota Y, Owada-Makabe K, Bai T, **Takeda K**, Akira S, and Maeda M. Down-regulation of dopamine transporter and abnormal behavior in STAT6-deficient mice. *Int. J. Mol. Med.* 15 : 819-825. 2005.
- Kumanogoh A, Shikina T, Suzuki K, Uematsu S, Yukawa K, Kashiwamura S, Tsutsui H, Yamamoto M, Takamatsu H, Ko-Mitamura EP, Takegahara N, Marukawa S, Ishida I, Morishita H, Prasad DV, Tamura M, Mizui M, Toyofuku T, Akira S, **Takeda K**, Okabe M, and Kikutani H. Nonredundant roles of Sema4A in the immune system: Defective T cell priming and Th1/Th2 regulation in Sema4A-deficient mice. *Immunity* 22 : 305-316. 2005.
- Hirotsu T, Lee PY, Kuwata H, Yamamoto M, Matsumoto M, Kawase I, Akira S, and **Takeda K**. The nuclear I κ B protein I κ BNS selectively inhibits lipopolysaccharide-induced IL-6 production in macrophages of the colonic lamina propria. *J. Immunol.* 174 : 3650-3657. 2005.
- Araki A, Kanai T, Ishikura T, Makita S, Uraushihara K, Iiyama R, Totsuka T, **Takeda K**, Akira S, and Watanabe M. MyD88-deficient mice develop severe intestinal inflammation in dextran sodium sulfate colitis. *J. Gastroenterol.* 40 : 16-23. 2005.
- Kamezaki K, Shimoda K, Numata A, Haro T, Kakumitsu H, Yoshie M, Yamamoto M, **Takeda K**, Matsuda T, Akira S, Ogawa K, and Harada M. Roles of Stat3 and ERK in G-CSF Signaling. *Stem Cells* 23 : 252-263. 2005.
- Yukawa K, Kishino M, Goda M, Liang XM, Kimura A, Tanaka T, Bai T, Owada-Makabe K, Tsubota Y, Ueyama T, Ichinose M, Maeda M, **Takeda K**, and Akira S. STAT6 deficiency inhibits tubulointerstitial fibrosis in obstructive nephropathy. *Int. J. Mol. Med.* 15 : 225-230. 2005.
- Akamine M, Higa F, Arakaki N, Kawakami K, **Takeda K**, Akira S, and Saito A. Differential roles of Toll-like receptors 2 and 4 in in vitro responses of macrophages to *Legionella pneumophila*. *Infect. Immun.* 73 : 352-361. 2005.
- Yukawa K, Kishino M, Hoshino K, Shirasawa N, Kimura A, Tsubota Y, Owada-Makabe K, Bai T, Tanaka T, Ueyama T, Ichinose M, **Takeda K**, Akira S, and Maeda M. The kinase domain of death-associated protein kinase is inhibitory for tubulointerstitial fibrosis in chronic obstructive nephropathy. *Int. J. Mol. Med.* 15 : 73-78. 2005.
- Takeda K**. Toll-like receptors and their adaptors in innate immunity. *Cur. Med. Chem. AIAA.* 4 : 3-11. 2005.

- Takeda K**, and Akira S. Toll-like receptors in innate immunity. *Int. Immunol.* 17 : 1-14. 2005.
- Takeda K**. Evolution and integration of innate immune recognition systems: the Toll-like receptors. *J. Endotoxin Res.* 11 : 51-55. 2005.
- Maddaloni M, Staats HF, Mierzejewska D, Hoyt T, Robonson A, Callis G, **Kozaki S**, **Kiyono H**, McGhee JR, **Fujihashi K**, and Pascual DW. Mucosal vaccine targeting improves onset of mucosal and systemic immunity to botulinum neurotoxin A. *J. Immunol.* 177 : 5524-5432. 2006.
- Nochi T, and **Kiyono H**. Innate immunity in the mucosal immune system. *Curr Pharm Des.* 12 : 4203-4213. 2006.
- Duverger A, Jackson RJ, van Ginkel FW, Fischer R, Tafaro A, Leppla SH, **Fujihashi K**, **Kiyono H**, McGhee JR, and Boyaka PN. *Bacillus anthracis* edema toxin acts as an adjuvant for mucosal immune responses to nasally administered vaccine antigens. *J. Immunol.* 176 : 1776-1783. 2006.
- Hagiwara Y**, Kawamura YI, Kataoka K, Rahima B, Jackson RJ, Komase K, Dohi T, Boyaka PN, **Takeda Y**, **Kiyono H**, McGhee JR, and **Fujihashi K**. A second generation of double mutant cholera toxin adjuvants: enhanced immunity without intracellular trafficking. *J. Immunol.* 177 : 3045-3054. 2006.
- Jang MH, Sougawa N, Tanaka T, Hirata T, Hiroi T, Tohya K, Guo Z, Umemoto E, Ebisuno Y, Tang BG, Seoh JY, Lipp M, **Kiyono H**, Miyasaka M. CCR7 is critically important for migration of dendritic cells in intestinal lamina propria to mesenteric lymph nodes. *J. Immunol.* 176 : 803-810. 2006.
- Fukuyama S, Nagatake T, Kim DY, Takamura K, Park EJ, Kaisho T, Tanaka N, Kurono Y, and **Kiyono H**. Uniqueness of lymphoid chemokine requirement for the initiation and maturation of NALT organogenesis. *J. Immunol.* 177 : 4276-4280. 2006. (Cutting Edge)
- Tamagawa H, Hiroi T, Mizushima T, Ito T, Matsuda H, and **Kiyono H**. Therapeutic effects of roxithromycin in interleukin -10-deficient colitis. *Inflamm. Bowel Dis.* 2007. (in press)
- Kunisawa J, Takahashi I, and **Kiyono H**. Intraepithelial lymphocytes: their shared and divergent immunological behaviors in the small and large intestine. *Immunol. Rev.* 2007. (in press)
- Kunisawa J, Kurashima Y, Gohda M, Higuchi M, Ishikawa I, Ogahara I, and **Kiyono H**. Sphingosine 1-phosphate regulates peritoneal B cell trafficking for subsequent intestinal IgA production. *Blood* 2007. (in press)
- Kim N, Knisawa J, Kweon MN, Eog Ji G, and **Kiyono H**. Oral feeding of *Bifidobacterium bifidum* (BGN4) prevents CD4⁺ CD45RB

(high) T cell-mediated inflammatory bowel disease by inhibition of disordered T cell activation. *Clin.Immunol.* 2007. (in press)

Safa A, Bhuyian NA, Nusrin S, Ansaruzzaman A, Alam M, **Hamabata T**, **Takeda Y**, Sack DA, Nair GB. Genetic characteristics of Matlab variants of *Vibrio cholerae* O1 that are hybrids between classical and El Tor biotypes. *J. Med. Microbiol.* 55 : 1563-1569. 2006.

Koga R, Hamano S, Kuwata H, Atarashi K, Ogawa M, Hisaeda H, Yamamoto M, Akira S, Himeno K, Matsumoto M, and **Takeda K**. TLR-dependent induction of IFN- β mediates host defense against *Trypanosoma cruzi*. *J. Immunol.* 177 : 7059-7066. 2006.

Yamamoto M, Okamoto T, **Takeda K**, Sato S, Sanjo H, Uematsu S, Saitoh T, Yamamoto N, Sakurai H, Ishii KJ, Yamaoka S, Kawai T, Matsuura Y, Takeuchi O, and Akira S. Key function for the Ubc13 E2 ubiquitin-conjugating enzyme in immune receptor signaling. *Nat. Immunol.* 7 : 962-970. 2006.

Uematsu S, Jang MH, Chevrier N, Guo Z, Kumagai Y, Yamamoto M, Kato H, Sougawa N, Matsui H, Kuwata H, Hemmi H, Goban C, Kawai T, Ishii KJ, Takeuchi O, Miyasaka M, **Takeda K**, and Akira S. Detection of pathogenic intestinal bacteria by Toll-like receptor 5 on intestinal CD11c+ lamina propria cells. *Nat. Immunol.* 7 : 868 – 874. 2006.

Yoshimatsu T, Kawaguchi D, Oishi K, **Takeda K**, Akira S, Masuyama N, and Gotoh Y. Non-cell-autonomous action of STAT3 in maintenance of neural precursor cells in the mouse neocortex. *Development* 33 : 2553-2563. 2006.

Miyatsuka T, Kaneko H, Shirai T, Matsuoka TA, Yamamoto K, Kato K, Nakamura Y, Akira S, **Takeda K**, Kajimoto Y, Yamasaki Y, Sandgren EP, Kawaguchi Y, Wright CV, and Fujitani Y. Persistent expression of PDX-1 in the pancreas causes acinar-to-ductal metaplasia through Stat3 activation. *Genes Dev.* 20 : 1435-1440. 2006.

Takegagara N, Takamatsu H, Toyofuku T, Tsujimura T, Okuno T, Yukawa K, MizuiM, Yamamoto M, Prasad DV, Suzuki K, Ishii M, Terai K, Moriyama M, Nakatsuji Y, Sakoda S, Sato S, Akira S, **Takeda K**, Inui M, Takai T, Ikawa M, Okabe M, Kumanogoh A, and Kikutani H. Plexin-A1 and its interaction with DAP12 in immune responses and bone homeostasis. *Nat. Cell Biol.* 8 : 615-622. 2006.

Nakamura K, Miyagi K, Koguchi Y, Kinjo Y, Uezu K, Kinjo T, Akamine M, Fujita J, Kawamura I, Mitsuyama M, Adachi Y, Ohno N, **Takeda K**, Akira S, Miyazato A, Kaku M, and Kawakami K. Limited contribution of Toll-like receptor 2 and 4 to the host response to a fungal infectious pathogen. *Cryptococcus neoformans*. *FEMS Immunol. Med. Microbiol.* 47 : 148-154. 2006.

Yu Q, Tang C, Xun S, Yajima T, **Takeda K**, and Yoshikai Y. MyD88-dependent signaling for IL-15 production is important for the development of CD8 $\alpha\alpha$ and TCR $\gamma\delta$ intestinal intraepithelial T lymphocytes. *J. Immunol.* 176 : 6180-6185. 2006.

Inoue H, Ogawa W, Asakawa A, Okamoto Y, Nishizawa A, Matsumoto M, Teshigawara K, Matsuki Y, Watanabe E, Hiramatsu R, Notohara K, Katayose K, Okamura H, Kahn CR, Noda T, **Takeda K**, Akira S, Inui A, and Kasuga M. Role of hepatic STAT3 in brain insulin action on hepatic glucose production. *Cell Metab.* 3 : 267-75. 2006.

Kinoshita D, Hirota F, Kaisho T, Kasai M, Izumi K, Bando Y, Mouri Y, Matsushima A, Niki S, Han H, Oshikawa K, Kuroda N, Maegawa M, Irahara M, **Takeda K**, Akira S, and Matsumoto M. Essential role of I κ B kinase α in thymic organogenesis required for the establishment of self-tolerance. *J. Immunol.* 176 : 3995-4002. 2006.

Santos LL, Milenkovski GP, Hall PH, Leech M, Sharma L, **Takeda K**, Akira S, Kitching AR, and Morand EF. IL-18 is redundant in T-cell responses and in joint inflammation in antigen-induced arthritis. *Immunol. Cell Biol.* 84 : 166-173. 2006.

Owaki T, Asakawa M, Kamiya S, **Takeda K**, Fukai F, Mizuguchi J, and Yoshimoto T. IL-27 suppresses CD28-mediated IL-2 production through Suppressor of Cytokine Signaling 3. *J.*

Immunol. 176 : 2773-2780. 2006.

吉田理人、五十嵐脩、寺原和孝、清野宏. 絨毛 M 細胞の形態と機能. *臨床免疫.* 45: 236-242. 2006.

廣井隆親、塚越百合子、清野宏 粘膜系好酸球様樹状細胞による免疫寛容制御 感染と免疫 221-230 2007.

2. 学会発表

Hagiwara Y, Kataoka K, Yoshino N, Dohi T, Kawamura K, Komase K, Suzuki Y, McGhee JR, and **Fujihashi K**. Nontoxic CT mutant (E112K) with second mutant in the COOH-terminal KDEL of the α subunit are effective mucosal adjuvants. 12th International Congress of Immunology. Montreal. Canada. July 18-23. 2004.

Hagiwara Y, Dohi T, Kawamura K, **Yoshino N**, Kataoka K, Komase K, Suzuki Y, **Kiyono H**, McGhee JR, and **Fujihashi K**. Nontoxic CT (E112K) mutated in the COOH-terminal KDEL of the α subunit elicits mucosal adjuvant activity without intracellular trafficking. 4th World Congress on Vaccines and Immunization. Tsukuba. Ibaraki. Sept.30-Oct.3. 2004.

Hagiwara Y, Hino A, Kataoka K, Komase K, Suzuki Y, **Kiyono H**, McGhee JR, and **Fujihashi K**. Nontoxic mutant CT (E112K/KDGL) elicits antigen-specific CD8⁺ cytotoxic T lymphocyte (CTL) responses. 第 34 回日本免疫学会学術集会. 札幌. Dec.1-3. 2004.

- 朝原 崇、清水健介、野本康二、田中隆一郎、濱端 崇、竹田美文. マウス腸内管出血性大腸菌(STEC)の病原遺伝子発現に及ぼすビフィズス菌定着の影響. 第 77 回日本細菌学会総会. 大阪. 4 月. 2004.
- 清水 健、濱端 崇、竹田美文、林 英生. なぜ Stx2 を産生する腸管出血性大腸菌の方が病原性が強いのか -Stx1とStx2の違いについて. 第 51 回毒素シンポジウム. 長崎. 7 月. 2004.
- Takeda K.** Toll-like receptors for mucosal immunity (Invited) 2004 KOSEF-JSPS Asian Science Seminar, Development of Mucosal Vaccines. Seoul Korea. Oct.24-27. 2004.
- Takeda K.** Regulation of chronic intestinal inflammation by innate immune cells. 13th International Symposium on Molecular Cell Biology of Macrophages. Osaka.. July 2. 2004.
- Takeda K.** Innate immune recognition by Toll-like receptors. Surface Barrier Immunology Study Group (SBARIS) 1st Meeting 「Innate Immunity at Mucosal Surface」 Tokyo July 9-10. 2004.
- Takeda K.** Regulation of innate immune responses by Toll-like receptors (Invited) The 3rd Awaji International Forum on Infection and Immunity. Hyogo, Japan. Aug.9.2. 2004.
- Takeda K.** Evolution and integration of innate immune recognition systems: The Toll-like receptors. The 8th conference of the International Endotoxin Society. Kyoto, Japan. Nov.5-18. 2004.
- Takeda K.** Involvement of Toll-like receptor-mediated activation of innate immunity in mycobacterial infection. 40th anniversary of Japan-US, Program for Tuberculosis and Leprosy panel. Kyoto, Japan. Dec.9. 2004.
- 山本雅裕、竹田潔、審良静男. Toll-like receptor を介した細胞内シグナル伝達機構と遺伝子発現制御. 第 25 回日本炎症・再生医学会. 東京 July 13. 2004.
- 竹田潔. Toll-like receptor による自然免疫系の活性化機構. 第 17 回日本バイオセラピー学会学術集会総会. 北九州. Nov.25. 2004.
- 竹田潔. 遺伝子改変による免疫系シグナル伝達機構の解析. 第 34 回日本免疫学会学術集会. 札幌. Dec.1-3. 2004.
- Kiyono H.** Intestinal villous M cells and eosinophilosis for regulation of mucosal immune responses. RCA-JSI International Symposium of Immunology. Yokohama. Japan. June 2005.
- Kiyono H.** Ontogeny of mucosal immune tissues. The 12th International Congress of Mucosal Immunology. Boston. USA. June 2005.
- Kiyono H.** Dynamics of mucosal antigen sampling for the induction of antigen-specific

immunity. The 36th DGFI-SSI Annual Meeting. Kiel. German. September 2005.

Chan SY, Rennert PD, Yamamoto M, Igarashi O, **Kiyono H**, and Kweon MN. Essential role of draining and mesenteric lymph nodes for the induction of mucosal immune responses by transcutaneous vaccination. 第35回日本免疫学会総会・学術集会. 横浜. 神奈川県. 12月. 2005.

Nagatake H, Fukuyama S, Kim DY, Takamura K, and **Kiyono H**. Unique chemokine receptors expression between NALT and Peyer's patch inducer cells. 第35回日本免疫学会総会・学術集会. 横浜. 神奈川県. 12月. 2005.

Hiroi T, Yoda M, Jang MH, Terahara K, Igarashi O, Takada K, Miyasaka M, Hirasawa M, and **Kiyono H**. Regulation of T cell unresponsiveness by CD11c⁺ eosinophils in the intestinal lamina propria. 第35回日本免疫学会総会・学術集会. 横浜. 神奈川県. 12月. 2005.

Kunisawa J, Kurashima Y, Higuchi M, Gohda M, Shimizu M, and **Kiyono H**. Spingosine-1-phosphate-dependent and -independent migration pathway for large intestinal intraepithelial lymphocytes following microbial stimulation. 第35回日本免疫学会総会・学術集会. 横浜. 神奈川県. 12月. 2005.

Jang MH, Sougawa N, Tanaka T, Guo Z, Hirata

T, Hiroi T, Umemoto E, Yang BG, Kipp M, **Kiyono H**, and Miyasaki M. Antigen presentation and migratory properties of novel intestinal lamina propria Dendritic subsets. 第35回日本免疫学会総会・学術集会. 横浜. 神奈川県. 12月. 2005.

Kawahara K, Hiroi T, Igarashi O, Yoda M, **Kiyono H**, and Takahashi I. Characterization of environmental sensor components of the colon. 第35回日本免疫学会総会・学術集会. 横浜. 神奈川県. 12月. 2005.

Takeda K. The roles of STATs in inflammatory responses: Lessons from the knockout mouse. American Thoracic Society. San Diego USA. May20-25. 2005.

Takeda K, Makoto Matsumoto. Toll-like receptor-dependent innate immune responses in mycobacterial infection. US-Japan cooperative medical science program. 40th Tuberculosis and Leprosy Research Conference. Seattle USA. July28-30. 2005.

Takeda K. Regulation of Toll-like receptor-mediated gene expression by nuclear I κ B proteins. The 6th EMBL Mouse Molecular Genetics Meeting. Heidelberg, Germany Sept.28-Oct.2. 2005.

竹田 潔. Toll-like receptors and pathogen recognition. 第78回日本細菌学会総会. 東京 4.4-6. 2005.

竹田 潔. Toll-like receptor と結核感染. 第80回

- 日本結核病学会. 埼玉. 5.12-13. 2005.
- 竹田潔. 自然免疫シグナルの制御機構. 第5回日本蛋白質科学会年会. 福岡. 7.1. 2005.
- 竹田潔. Toll-like receptor を介した自然免疫系の制御. 第45回日本リンパ網内系学会総会. 福岡. 7.14-15. 2005.
- 竹田潔. 自然免疫系と炎症性腸疾患. 第42回日本消化器免疫学会総会. 東京. 8.4-5. 2005.
- Takeda K.** Regulation of innate immune responses against intracellular pathogen infection. 第35回日本免疫学会学術集会. 横浜. 12.13-15. 2005.
- 桑田啓貴、竹田潔. Regulation of Toll-like receptor dependent gene induction by nuclear IκB protein IκBNS. 第35回日本免疫学会学術集会. 横浜. 12.13-15. 2005.
- 古賀律子、濱野真二郎、松本真琴、久枝一、審良静男、姫野國介、竹田潔. Involvement of Toll-like receptor-dependent activation of innate immunity in *Trypanosoma cruzi* infection. 第35回日本免疫学会学術集会. 横浜. 12.13-15. 2005.
- 松本真琴、桑田啓貴、山本雅裕、審良静男、吉開泰信、竹田潔. The role of Toll-like receptor signaling in mycobacterial infection. 第35回日本免疫学会学術集会. 横浜. 12.13-15. 2005.
- Kurashima Y, Kunisawa J, Gohda M, Higuchi M, Shimizu M, and **Kiyono H.** Different roles of sphingosine 1-phosphate in the regulation of mobility of mast cells and eosinophils in peritoneal and intestinal compartments. Immunology 2006, The Annual Meeting of The American Association of Immunologists. Massachusetts, USA. May 12th. 2006.
- Kiyono H.** M cell targeted mucosal vaccine. Immunology 2006, The Annual Meeting of The American Association of Immunologists. Massachusetts, USA. May 13th. 2006.
- Kunisawa J, Kurashima Y, Higuchi M, Gohda M, Shimizu M, and **Kiyono H.** Sphingosine-1-phosphate-mediated regulatory T cell trafficking in the large intestinal epithelium. Immunology 2006, The Annual Meeting of The American Association of Immunologists. Massachusetts, USA. May 13th. 2006.
- Takayama N, Igarashi O, Kweon MN, and **Kiyono H.** Peyer's patch NKT and CD4+CD25+ T cell mediated mucosal regulatory network for the control of intestinal allergy. Immunology 2006, The Annual Meeting of The American Association of Immunologists. Massachusetts, USA. May 13th. 2006.
- Gohda M, Kunisawa J, Kurashima Y, Higuchi M, Shimizu M, and **Kiyono H.** Regulation of peritoneal B cell mobility to intestine and subsequent production of the intestinal IgA by

phingosine -1- phosphate Immunology 2006, The Annual Meeting of The American Association of Immunologists. Massachusetts, USA. May 14th. 2006.

Terahara K, Igarashi O, Gotoh Y, Nochi T, Yuki Y, Hiroi T, **Kiyono H**. Induction of villous M-cells by intestinal environmental factors. Immunology 2006, The Annual Meeting of The American Association of Immunologists. Massachusetts, USA. May 14th. 2006.

Yuki Y, Takagi H, Nochi T, Yang L, Hiroi T, Takaiwa F, and **Kiyono H**. Development of a rice-based oral vaccine. Immunology 2006, The Annual Meeting of The American Association of Immunologists. Massachusetts, USA. May 14th. 2006.

Terahara K, Igarashi O, Yoshida Y, Nochi T, Goto G, Taguchi F, Beauchemin N, and **Kiyono H**. Novel CEACAM 1 splice variants expressed by murine small intestinal epithelium. The 20th IUBMB International Congress of Biochemistry and Molecular Biology and the 11th FAOBMB Congress. Kyoto, Japan. Jun 17th. 2006

國澤純、倉島洋介、樋口森生、合田昌史、清野宏. Sphingosine 1-phosphate receptor differently regulates naïve and activated intraepithelial T lymphocytes. 第36回日本免疫学会総会・学術総会. 大阪市, 大阪府. 12月13日. 2006.

高山尚子、五十嵐脩、権美那、清野宏. Role of NKT cells for the formation of a mucosal regulatory network in the control of intestinal allergy. 第36回日本免疫学会総会・学術総会. 大阪市, 大阪府. 12月13日. 2006.

樋口森生、國澤純、倉島洋介、合田昌史、清野宏. Cytokine regulation of epithelial cell-mediated innate and acquired phases of antigen presentation. 第36回日本免疫学会総会・学術総会. 大阪市, 大阪府. 12月13日. 2006.

野地智法、幸義和、依田昌樹、魚住明央、寺原和孝、金銅瑩、福山聡、五十嵐脩、清野宏. Immunological and biochemical characterization of M-cell by newly established monoclonal antibody. 第36回日本免疫学会総会・学術総会. 大阪市, 大阪府. 12月13日. 2006

魚住明央、野地智法、依田昌樹、幸義和、五十嵐脩、柴田宏昭、清野宏. Identification and characterization of non-human primate M-cells. 第36回日本免疫学会総会・学術総会. 大阪市, 大阪府. 12月13日. 2006.

Yoshino N, Kanekiyo M, Okamura T, **Hagiwara Y**, Someya K, Matsuo K, Ami Y, Yamamoto N, Sato S, and Honda M. Replication-deficient vaccinia virus DIs recombinant as an effective and safe mucosal vaccine for immunodeficiency virus. XVI International AIDS Conference. Toronto, Canada. Aug.18th. 2006.

吉野直人、萩原由加利、菅野祐幸、堤玲子、野田公俊、佐藤成大。リンゴポリフェノール併用によるコレラ毒素アジュバントの毒性軽減と抗原特異的抗体産生 第 10 回日本ワクチン学会。大阪市，大阪府。10 月 21 日。2006。

Hagiwara Y, Kiyono H, McGhee JR, and Fujihashi K. Double Mutant of Nontoxic Cholera Toxin dmCT E112K/KDGL Provides Potent Oral Adjuvant Activity. 第 36 回日本免疫学会総会・学術総会。大阪市，大阪府。12 月 13 日。2006。

佐藤壽男、島龍一郎、小沢綾子、竹田美文、濱端 崇。腸管出血性大腸菌 O157:H7 の Stx2 無毒化経口生ワクチンの開発。第 88 回日本細菌学会関東支部総会。浜松市，静岡県。10 月。2006。

清水 健、佐藤壽男、川上怜美、太田敏子、濱端 崇。志賀様毒素の病原性と受容体親和性との関連。第 79 回日本細菌学会総会。金沢市，石川県。3 月。2006。

清水 健、川上怜美、佐藤壽男、濱端 崇、太田敏子、野田公俊。志賀様毒素の分泌機構の解析。第 53 回毒素シンポジウム。北杜市，山梨県。7 月。2006。

Shimizu T, Kawakami Sato T, Sasaki T, Higashide M, Hamabata T, Ohta T, and Noda M. Analysis of the secretion of Shiga-like toxin in enterohemorrhagic *Escherichia coli*. 第 40 回日米医学協力委員会コレラ・細菌性腸管感染症部会日米合同会議。岐阜市，岐阜県。11 月。2006。

Takeda K. Regulation of innate immune responses. Awaji Forum. Sept.3-6. Hyogo, Japan. 2006.

Takeda K. Innate immune responses against mycobacterial infection. US-Japan cooperative medical science program, 41st Tuberculosis and Leprosy Research Conference. July19-21. Kagoshima, Japan. 2006.

Takeda K. Role of TLR in innate and acquired phase of IBD. 2006 SMI Annual Meeting. June 1. San Francisco, USA. 2006.

Takeda K. Nuclear I κ B protein-mediated regulation of innate immune responses at the intestinal mucosa. 第36回日本免疫学会学術集会。12.11-13.大阪市，大阪府。2006。

香山尚子、竹田潔。Epigenetic regulation of Toll-like receptor-dependent gene expression. 第36回日本免疫学会学術集会。12.11-13.大阪市，大阪府。2006。

財賀大行、竹田潔。Lipocalin 2 mediates anti-mycobacterial immune responses. 第36回日本免疫学会学術集会。12.11-13.大阪市，大阪府。2006。

古賀律子、竹田潔。IFN- β -dependent innate immune response against *Trypanosoma cruzi*. 第36回日本免疫学会学術集会。12.11-13.大阪市，大阪府。2006。

竹田潔。自然免疫系によるトリパノソーマ原虫の感染制御機構。第59回日本寄生虫学会。

10.28. 福岡. 2006.

竹田潔. 自然免疫系の活性制御機構. 第2回食品免疫学会. 10.23. 東京. 2006.

竹田潔. 自然免疫系の活性制御機構. 第43回補体シンポジウム. 8.19. 福岡. 2006.

竹田潔. 粘膜免疫の今後の展望. 第43回日本消化器免疫学会総会. 8.3-4. 青森. 2006.

竹田潔. 自然免疫系による炎症制御. 日本動脈硬化学会. 7.13-14. 東京. 2006.

竹田潔. I型IFNによる細胞内寄生虫原虫の感染防御機構. 第71回インターフェロンサイトカイン学会. 7.7-8. 兵庫. 2006.

G. 知的所有権の取得状況

- | | |
|-----------|----|
| 1. 特許所得 | なし |
| 2. 実用新案登録 | なし |
| 3. その他 | なし |

研究成果の刊行に関する一覧表

Yoshino N, Lu XS F, **Fujihashi K**, **Hagiwara Y**, Kataoka K, Lu D, Hirst L, Honda M, FW van Ginkel, Takeda Y, Miller CJ, **Kiyono H**, and McGhee JR. A novel adjuvant for mucosal immunity to HIV-1 gp120 in nonhuman primates. *J. Immunol.* 173 : 6850-6857. 2004.

Hino A, Kweon MN, **Fujihashi K**, McGhee JR, and **Kiyono H**. Pathological role of large intestinal IL-12p40 for the induction of Th2-type allergic diarrhea. *Am. J. Pathol.* 164 : 1327-1333. 2004.

Jang MH, Kweon MN, Iwatani K, Yamamoto M, Terahara K, Sasakawa G, Suzuki T, Nochi T, Yokota Y, Hiroi T, Tamagawa H, Iijima H, Kunisawa J, Yuki Y, and **Kiyono H**. Intestinal Villous M Cells: A new antigen entry site in the mucosal epithelium. *Proc. Natl. Asso. Sci.* 101 :6110-6115. 2004.

Shikina T, Hiroi T, Iwatani K, Jan MH, Fukuyama S, Tamura M, Kubo T, Ishikaw H, and **Kiyono H**. IgA class switch occurs in the organized nasopharynx and gut-associated lymphoid tissue, but not in the diffuse lamina proposal of airways and gut. *J. Immunol.* 172 : 6259-6264. 2004.

Yamamoto M, Kweon MN, Rennert PD, Hiroi T, Fujihashi K, McGhee JR, and **Kiyono H**. Role of gut-associated lymphoreticular tissues in antige-specific intestinal IgA immunity. *J. Immunol.* 173 : 762-769. 2004.

Ohmura-Hoshino M, Yamamoto M, Yuki Y, **Takeda Y**, and **Kiyono H**. Non-toxic Stx derivatives from *Escherichia coli* posses adjuvant activity for mucosal immunity. *Vaccine* 22 : 3751-3761. 2004.

Nochi T, Yuki Y, Terahara K, Hino A, Kunisawa J, Kweon MN, Yamaguchi T, and **Kiyono H**. Biological role of Ep-CAM in the physical interaction between epithelial cells and lymphocytes in intestinal epithelium. *Clin. Immunol.* 113 : 326-339. 2004.

Mizushima T, Ito T, Kishi D, Kai Y, Tamagawa H, Nezu R, **Kiyono H**, and Matsuda, H. Therapeutic effects of a new lymphocyte homing reagent FTY720 in interleukin -10 gene-deficient mice with colitis. *Inflamm. Bowel Dis.* 10 : 182-192. 2004.

Ueta M, Nochi T, Jang MH, Park EJ, Igarashi O, Hino A, Kawasaki S, Shikina T, Hiroi T, Kinoshita S, and **Kiyono H**. Intracellularly expressed TLR2s and TLR4s contribution to an immunosilent environment at the ocular mucosal epithelium. *J. Immunol.* 173 : 3337-3347. 2004.

Kiyono H, and Fukuyama S. NALT-versus Peyer's-patch-mediated mucosal immunity. 2004. *Nature*

Rev. Immunol. 4 : 699-710. 2004.

Asahara T, Shimizu K, Nomoto K, **Hamabata T**, Ozawa A, **Takeda Y**. Probiotic Bifidobacteria protect mice from lethal infection with Shiga toxin-producing *Escherichia coli* O157:H7. Infect. Immun. 72 : 2240-2247. 2004.

Nusrin S, Khan GY, Bhuiyan NA, Ansaruzzaman M, Hossain MA, Safa A, Khan R, Faruque SM, Sack DA, **Hamabata T**, **Takeda Y**, and Nair GB. Diverse CTX phages among toxigenic *Vibrio cholerae* O1 and O139 strains isolated between 1994 and 2002 in an area where cholera is endemic in Bangladesh. J. Clin. Microbiol. 42 : 5854-5856. 2004.

Tamura S, and Kurata T. Defense mechanisms against influenza virus infection in the respiratory tract mucosa. J. Infect. Dis. 56 : 236-247. 2004.

Hokuno T, Ikegami M, Yoshida M, **Takeda K**, Akira S, Perl AT, Hull WM, and Whisett JA. Stat-3 is required for pulmonary homeostasis during hyperoxia. J. Clin. Invest. 113 : 28-37. 2004.

Into T, Kiura K, Yasuda M, Kataoka H, Inoue N, Hasebe A, **Takeda K**, Akira S, and Shibata K. Stimulation of human Toll-like receptor (TLR)2 and TLR6 with membrane lipoproteins of *Mycoplasma Fermentas* induces apoptotic cell death after NK-kB activation. Cell Microbiol. 6 : 187-199. 2004.

Akazawa T, Masuda H, Saeki Y, Matsumoto M. **Takeda K**, Tsujimura K, Kuzushima K, Takahashi T, Asuma I, Akira S, Toyoshima K, and Seya, T. Adjuvant-mediated tumor regression and tumor-specific cytotoxic response are impaired in MyD88-deficient mice. Cancer Res. 64 : 757-764. 2004.

Rachmilewitz D, Katakura K, Karmeli F, Hayashi T, Reinus C, Rudensky B, Akira S, **Takeda K**, Lee J, Takabayashi K, and Raz E. Toll-like receptor 9 signaling mediates the anti-inflammatory effects of probiotics in murine experimental colitis. Gastroenterology 126 : 520-528. 2004.

Inoue H, Ogawa W, Ozaki M, Haga S, Matsumoto M, Hashimoto N, Kido Y, Mori T, Sakaue H, Iguchi H, Hiramatsu R, Keroith D, **Takeda K.**, Akira S, and Kasuga M. Role of stat3 in regulation of hepatic gluconeogenic genes and carbohydrate metabolism in vivo. Nat. Med. 10 : 168-174. 2004.

Liu B, Mori I, Hossain MJ, Dong L, **Takeda K**, and Kimura Y. Interleukin-18 improves the early defence system against influenza virus infection by augmenting natural killer cell-mediated cytotoxicity. *J. Gen. Virol.* 85 : 423-428. 2004.

Robben PM, Mordue DG, Truscott SM, **Takeda K**, Akira S, and Sibley LD. Production of IL-12 by macrophages infected with *Toxoplasma gondii* depends on the parasite genotype. *J. Immunol.* 172: 3686-3694. 2004.

Yukawa K, Hoshino K, Kishino M, Mune M, Shirasawa N, Kimura A, Tsubota Y, Owada-Makabe K, Tanaka T, Ichinose M, Maeda M, **Takeda K**, and Akira S. Deletion of kinase domain in death-associated protein kinase attenuates renal tubular cell apoptosis in chronic obstructive uropathy. *Int. J. Mol. Med.* 13 : 515-520. 2004.

Weiss DS, Raupach B, **Takeda K**, Akira S, and Zychlinsky A. Toll-like receptors are temporally involved in host defense. *J. Immunol.* 172 : 4463-4469. 2004.

Li Y, Ishii K, Hisaeda H, Hamano S, Shang M, Nakanishi K, Yoshimoto T, Henmi H, **Takeda K**, Akira S, Iwakura Y, and Himeno K. IL-18 gene therapy develops Th1-type immune responses in *Leishmania major*-infected BALB/c mice: is the effect mediated by the CpG signaling TLR9? *Gene Ther.* 11 : 941-948. 2004.

Ikushima H, Nishida T, **Takeda K**, Ito T, Yasuda T, Yano M, Akira S, and Matsuda H. Expression of Toll-like receptor 2 and 4 is down-regulated after operation. *Surgery* 135 : 376-385. 2004.

Kawakami K, Kinjo Y, Uezu K, Miyagi K, Kinjo T, Yara S, Koguchi Y, Miyazono A, Shibuya K, Iwakura Y, **Takeda K**, Akira S, and Saito A. Interferon- γ production and host protective response against *Mycobacterium tuberculosis* in mice lacking both IL-12p40 and IL-18. *Microbes. Infect.* 6 : 339-349. 2004.

Gorogawa S, Fujitani Y, Kaneto H, Hazama Y, Watada H, Miyamoto Y, **Takeda K**, Akira S, Magnuson MA, Yamasaki Y, Kajimoto Y, and Hori M. Insulin secretory defects and impaired islet architecture in pancreatic beta-cell-specific STAT3 knockout mice. *Biochem. Biophys. Res. Commun.* 319 : 1159-1170. 2004.

Hemmi H, Takeuchi O, Sato S, Yamamoto M, Kaisho T, Sanjo H, Kawai T, Hoshino K, **Takeda K**, and Akira S. The roles of two I κ B kinase-related kinases in lipopolysaccharide and double stranded

RNA signaling and viral infection. *J. Exp. Med.* 199 : 1641-1650. 2004.

Kishino M, Yukawa K, Hoshino K, Kimura A, Shirasawa N, Otani H, Tanaka T, Owada-Makabe K, Tsubota Y, Maeda Y, Ichinose M, **Takeda K**, Akira S, and Mune M. Deletion of the kinase domain in death-associated protein kinase attenuates tubular cell apoptosis in renal ischemia-reperfusion injury. *J. Am. Soc. Nephrol.* 15 : 1826-1834. 2004.

Yamamoto M, Yamazaki S, Uematsu S, Sato S, Hemmi H, Hoshino K, Kaisho T, Kuwata T, Yamamoto S, Takeuchi O, Takeshige K, Saito T, Yamaoka S, Yamamoto N, Muta T, **Takeda K**, and Akira S. Regulation of Toll-IL-1 receptor-mediated gene expression by the inducible nuclear protein I κ B ζ . *Nature* 430 : 218-222. 2004.

Okamoto M, Furuichi S, Nishioka Y, Oshikawa T, Tano T, Ahmed SU, **Takeda K**, Akira S, Ryoma Y, Moriya Y, Saito M, Sone S, and Sato M. Expression of Toll-like receptor-4 on Dendritic cells is significant for anticancer effect of Dendritic cell-based immunotherapy in combination with an active component of OK-432, a Streptococcal preparation. *Cancer Res.* 64 : 5461-5470. 2004.

Sato N, Takahashi N, Suda K, Nakamura M, Yamaki M, Ninomiya T, Kobayashi Y, Takada H, Shibata K, Yamamoto M, **Takeda K**, Akira S, Noguchi T, and Udagawa N. MyD88 but not TRIF is essential for osteoclastogenesis induced by lipopolysaccharide, diacyl lipopeptide, and IL-1. *J. Exp. Med.* 200 : 601-611. 2004.

Nakasone C, Kawakami K, Hoshino T, Kawase Y, Yokota K, Yoshino K, **Takeda K**, Akira S, and Saito A. Limited role for interleukin-18 in the host protection response against pulmonary infection with *Pseudomonas aeruginosa* in mice. *Infect. Immune.* 72 : 6176-6180. 2004.

Yang R, Murillo FM, Cui H, Blosser R, Uematsu S, **Takeda K**, Akira S, Viscidi RP, and Roden R. Papillomavirus-like particles stimulate murine bone marrow-derived Dendritic cells to produce alpha interferon and Th1 immune responses via MyD88. *J. Virol.* 78 : 1152-1160. 2004.

Vossenkamper A, Went T, Alvarado-Esquivel C, **Takeda K**, Akira S, Pfeffer K, Alber G, Lonchener M, Forster I, and Liesenfeld O. Both IL-12 and IL-18 contribute to small intestinal Th1-type immunopathology following oral infection with *Toxoplasma gondii* but IL-12 is dominant over IL-18 in parasite control. *Eur. J. Immunol.* 34 : 3197-3207. 2004.

Yokozeki H, Wu MH, Sumi K, Awad S, Satoh T, Katayama I, **Takeda K**, Akira S, Kaneda Y, and

Nishioka K. In vivo transfection of a cis element decoy against signal transducers and activators of transcription 6 (STAT6)-binding site ameliorates IgE-mediated late-phase reaction in an atopic dermatitis mouse model. *Gene Ther.* 11 : 1753-1762. 2004.

Sumi K, Yokozeki H, Wu MH, Satoh T, Kaneda Y, **Takeda K**, Akira S, and Nishioka K. In vivo transfection of a cis element decoy against of the transcription 6 (STAT6) binding site ameliorates the response of contact hypersensitivity. *Gene Ther.* 11 : 1763-1771. 2004.

Yukawa K, Kishino M, Hoshino K, Shirasawa N, Kimura A, Tsubota T, Awada-Makabe K, Bai T, Tanaka T, Ueyama T, Ichinose M, **Takeda K**, Akira S, and Maeda M. The kinase domain of death-associated protein kinase is inhibitory for tubulointerstitial fibrosis in chronic obstructive nephropathy. *Int. J. Mol. Med.* 15 : 73-78. 2005.

Yamamoto M, **Takeda K**, and Akira S. TIR domain-containing adaptors define the specificity of TLR signaling. *Mol. Immunol.* 40 : 861-868. 2004.

Takeda K, and Akira S. TLR signaling pathway. *Seminar Immunol.* 16 : 3-9. 2004.

Takeda K, and Akira S. Microbial recognition by Toll-like receptors. *J. Dermatol. Sci.* 34 : 73-82. 2004.

Akira S, and **Takeda K**. Toll-like receptor signaling. *Nat. Rev. Immunol.* 4 : 499-511. 2004.

Takeda K, and Akira S. Toll-like receptor:ligands and signaling. *Innate Immune Response to Infection.* 257-270. 2004.

Takeda K, and Akira S. Biological roles of the STAT family in cytokine signaling. *Handbook of Experimental Pharmacology* 166 : 97-121. 2004.

Akira S, and **Takeda K**. Function of Toll-like receptor: lessons from KO mice. *C. R. Biol.* 327 : 581-589. 2004.

Kobayashi R, Kohda T, Kataoka K, Ihara H, Kozaki S, Pascual DW, Staats HF, **Kiyono H**, McGhee JR, and **Fujihashi K**. A novel neurotoxoid vaccine prevents mucosal botulism. *J. Immunol.* 174 : 2190-2195. 2005.