

研究成果の刊行に関する一覧表（平成16年度～平成18年度）

分担研究者氏名： 沢田 哲治

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	沢田哲治	抗CCP抗体と関節リウマチ	炎症と免疫	12巻 3号	317-321	2004
2	Chang X, Yamada R, <u>Sawada T</u> , Suzuki A, Kochi Y, Yamamoto K.	The inhibition of antithrombin by peptidylarginine deiminase 4 may contribute to pathogenesis of rheumatoid arthritis.	Rheumatology	44(3)	293-8	2005
3	Chang X, Yamada R, Suzuki A, <u>Sawada T</u> , Yoshino S, Tokuhiro S, Yamamoto K.	Localization of peptidylarginine deiminase 4 (PAD4) and citrullinated protein in synovial tissue of rheumatoid arthritis.	Rheumatology	44(1)	40-50	2005
4	Kawaide R, Yamada R, Kobayashi K, Tokuhiro S, Suzuki A, Kochi Y, Chang X, Sekine A, Tsunoda T, <u>Sawada T</u> , Furukawa H, Nakamura Y, Yamamoto K.	CUL1, a component of E3 ubiquitin ligase, alters lymphocyte signal transduction with possible effect on rheumatoid arthritis.	Genes Immun	6(3)	194-202	2005
5	Suzuki A, Yamada R, Ohtake-Yamanaka M, Okazaki Y, <u>Sawada T</u> , Yamamoto K.	Anti-citrullinated collagen type I antibody is a target of autoimmunity in rheumatoid arthritis.	Biochem Biophys Res Commun.	333(2)	418-426	2005
6	Kochi W, Yamada R, Suzuki A, Harley JD, Shirasawa S, <u>Sawada T</u> , Lee SC, Tokuhiro S, Chang X, Sekine A, Takeuchi A, Tsunoda T, Ohmishi Y, Kaufman RM, Kang KP, Kang C, Otsubo S, Yudou W, Minori A, Kakei T, Nakamura Y, Sasekita T, Yamamoto K.	A functional variant in FCRL3, encoding Fc receptor-like 3, is associated with rheumatoid arthritis and several autoimmunities.	Nat Genet.	37(5)	478-485	2005
7	Y Takizawa, <u>T Sawada</u> , A Suzuki, R Yamada, T Inoue, K Yamamoto.	Peptidylarginine deiminase 4 (PAD4) identified as a conformation-dependent autoantigen in rheumatoid arthritis.	Scandinavian Journal of Rheumatology	34(3)	212-215	2005
8	Okazaki Y, <u>Sawada T</u> , Nagatani K, Komagata Y, Inoue T, Muto S, Itai A, Yamamoto K.	Effect of Nuclear Factor- κ B Inhibition on Rheumatoid Fibroblast-like Synoviocytes and Collagen Induced Arthritis.	J Rheumatol	32(8)	1440-1447	2005
9	Chang X, Yamada R, Suzuki A, Kochi Y, <u>Sawada T</u> , Yamamoto K.	Citrullination of fibronectin in rheumatoid arthritis synovial tissue.	Rheumatology	44(11)	1374-1382	2005
10	Okazaki Y, Suzuki A, <u>Sawada T</u> , Ohtake-Yamanaka M, Inoue T, Hasebe T, Yamada, R, Yamamoto K.	Identification of citrullinated eukaryotic translation initiation factor 4G1 as novel autoantigen in rheumatoid arthritis.	Biochem Biophys Res Commun	341(1)	94-100	2006
11	Takizawa Y, Suzuki A, <u>Sawada T</u> , Ohsaka M, Inoue T, Yamada R, Yamamoto K.	Citrullinated fibrinogen detected as a soluble citrullinated autoantigen in rheumatoid arthritis synovial fluids.	Ann Rheum Dis	65(8)	1013-20	2006
12						
13						
14						
15						
16						

研究成果の刊行に関する一覧表（平成16年度～平成18年度）

分担研究者氏名： 中島 敦夫

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1 F Kanamaru, H Iwai, To Ikeda, A Nakajima, I Ichikawa, M Azuma.	Expression of membrane-bound and soluble receptor activator of NF- κ B ligand (RANKL) in human T cells.	Immunol. Let.	94	239-246	2004
2 M Tanno, A Nakajima, T Ishiwata, Z Naito, S Yoshino.	Effect of general anesthesia on the abnormal immune response in patients with rheumatoid arthritis.	Clin. Exp. Rheumatol.	22	727-732	2004
3 S Ishigami, A Nakajima, T Matsuzaki, M Tanno, H Suzuki, S Yoshino	The effects of mirthful laughter on growth hormone axis in patients with rheumatoid arthritis.	Clin. Exp. Rheumatol.	23	651-657	2005
4 K Miyake, N Ueki, K Suzuki, Y Shiraji, M. Kusunoki, T. Hiratsuka , H. Nishigaki, A. Tatsuguchi, S. Futangami, K. Wada, T. suku, A. Nakajima, S. Yoshino, C. Sakamoto.	Preventive therapy for non-steroidal anti-inflammatory drug-induced ulcers in Japanese patients with rheumatoid arthritis: the current situation and a prospective controlled-study of the preventive effects of lansoprazole or famotidine.	Aliment Pharmacol Ther.	21	67-72	2005
5 T Matsuzaki, A Nakajima, S Ishigami, M Tanno, S Yoshino.	Mirthful laughter differentially affects serum pro- and anti-inflammatory cytokine levels depending on the level of disease activity in patients with rheumatoid arthritis.	Rheumatol. (Oxford)	45	182-186	2006
6 中島 敦夫、高橋 央、吉野 横一	管理不良関節リウマチのコントロール：リウマチ内科医への提言。	モダンフィジシャン	25	697-699	2005
7 中島 敦夫。	TNFファミリーの制御による関節リウマチ治療の可能性。	日本医科大学医学会雑誌	1	204-206	2005
8 K Kamata, S Kamijo, A Nakajima, A Koyanagi, H Kurosawa, H Yagita, K Okumura.	Involvement of TNF-like weak inducer of apoptosis in the pathogenesis of collagen-induced arthritis.	J. Immunol.	177	6433-6439.	2006
9 M Tanno, I Nakamura, K Ito, HI Tanaka, H Ohta, M Kobayashi, A Tachihara, M Nagashima, S Yoshino, A Nakajima.	Modeling and cost-effectiveness analysis of etanercept in adults with rheumatoid arthritis in Japan- A preliminary analysis.	Mod Rheumatol.	16	77-84	2006
10 A Nakajima.	Application of cellular gene therapy in rheumatoid arthritis.	Mod. Rheumatol.	16	269-334	2006
11 S Kamijo, A Nakajima, K Ikeda, K Aoki, K Ohya, H Akiba, H Yagita, K Okumura.	Amelioration of bone loss in collagen-induced arthritis by neutralizing anti-RANKL monoclonal antibody.	Bioch. Biophy. Res. Com.	347	124-132	2006
12 A Nakajima, S Kamijo, T Yoshioka.	Visualization of antigen-specific T cell in living arthritic mice.	J. Nippon Med. Sch. 2006.	73	298-299	2006
13					
14					
15					
16					

研究成果の刊行に関する一覧表（平成16年度～平成18年度）

分担研究者氏名： 津谷 喜一郎

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Tamaoki M, Gushima H, <u>Tsutani K</u>	Pharmacogenomics in Japan	Pharmacogenomics Journal	4	288-90	2004
2	Tamaoki M, Gushima H, <u>Tsutani K</u>	Pharmacogenomics in Asia	Pharmacogenomics	5(8)	1023-7	2004
3	Ono S, Kato O, <u>Tsutani K</u> , Kodama Y	Utilisation of foreign clinical data in Japanese new drug approval review- on what basis did the regulatory agency accept them?	Int Pharm Med	18(3)	159-65	2004
4	津谷喜一郎	免疫学的ツールと経済評価	日本臨床免疫学会会誌	26(4)	180-1	2004
5	津谷喜一郎, 五十嵐中	生物学的製剤と薬剤経済評価	日本臨床	63 (suppl)	711-8	2005
6	津谷喜一郎, 五十嵐中	リウマチ治療薬の経済評価	medicina	42(5)	750-4	2005
7	成倫慶, 五十嵐中, 辻香織, 津谷喜一郎	日韓の抗リウマチ薬適応外使用の現状	臨床薬理	36 (suppl)	S203	2005
8	五十嵐中, 成倫慶, 津谷喜一郎	関節リウマチ治療の費用対効果	内科	99(4)	刊行予定	2007
9						
10						
11						
12						
13						
14						
15						
16						

研究成果の刊行に関する一覧表（平成16年度～平成18年度）

分担研究者氏名： 山中 寿

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Tanaka E, Saito A, Kamitsujii S, Yamada T, Nakajima A, Taniguchi A, Hara M, Tomatsu T, <u>Yamanaka H</u> , Kamatani N.	Impact of shoulder, elbow, and knee joint involvement on assessment of rheumatoid arthritis using the American College of Rheumatology Core Data Set.	Arthritis Rheum.	53	864-71	2005
2	Tanaka E, Singh G, Saito A, Syouji A, Yamada T, Urano W, Nakajima A, Taniguchi A, Tomatsu T, Hara M, Saito T, Kamatani N, <u>Yamanaka H</u> .	Prevalence of Helicobacter pylori infection and risk of upper gastrointestinal ulcer in patients with rheumatoid arthritis in Japan.	Mod Rheumatol.	15	340-5	2005
3	Furuya T, Kotake S, Inoue E, Nanke Y, Yago T, Kobashigawa T, Ichikawa N, Tanaka E, Momohara S, Nakajima A, Hara M, Tomatsu T, <u>Yamanaka H</u> , Kamatani N.	RISK Factors Associated with Incident Clinical Vertebral and Nonvertebral Fractures in Japanese Women with Rheumatoid Arthritis: A Prospective 54-month Observational Study.	J Rheumatol.	34	303-10	2006
4	Yamada T, Nakajima A, Inoue E, Tanaka E, Hara M, Tomatsu T, Kamatani N, <u>Yamanaka H</u> .	Increased risk of tuberculosis in patients with rheumatoid arthritis in Japan.	Ann Rheum Dis.	65	1661-3	2006
5	Nakajima A, Kamitsujii S, Saito A, Tanaka E, Nishimura K, Horikawa N, Ozaki N, Tomatsu T, Hara M, Kamatani N, <u>Yamanaka H</u> .	Disability and patient's appraisal of general health contribute to depressed mood in rheumatoid arthritis in a large clinical study in Japan.	Mod Rheumatol.	16	151-7	2006
6	Tanaka E, Inoue E, Kawaguchi Y, Tomatsu T, <u>Yamanaka H</u> , Hara M, Kamatani N.	Acceptability and usefulness of mizoribine in the management of rheumatoid arthritis in methotrexate-refractory patients and elderly patients, based on analysis of data from a large-scale observational cohort study.	Mod Rheumatol.	16	214-9	2006
7	Kajiyama H, Akama H, <u>Yamanaka H</u> , Shoji A, Matsuda Y, Tanaka E, Nakajima A, Terai C, Hara M, Tomatsu T, Saltoh T, Kamatani N.	One third of Japanese patients with rheumatoid arthritis use complementary and alternative medicine.	Mod Rheumatol.	16	355-9	2006
8	Iwatani M, Inoue E, Nakamura T, Nakajima A, Hara M, Tomatsu T, Kamatani N, <u>Yamanaka H</u> .	Efficacy profile of bucillamine in rheumatoid arthritis patients in a large observational cohort study, IORRA.	Mod Rheumatol.	16	376-80	2006
9	<u>Yamanaka H</u> , Tohma S.	Potential impact of observational cohort studies in Japan on rheumatoid arthritis research and practice.	Mod Rheumatol.	16	75-6	2006
10	Inoue E, <u>Yamanaka H</u> , Hara M, Tomatsu T, Kamatani N.	Comparison of Disease Activity Score (DAS)28- erythrocyte sedimentation rate and DAS28- C-reactive protein threshold values.	Ann Rheum Dis.	66	407-9	2007
11	Iikuni N, Nakajima A, Inoue E, Tanaka E, Okamoto H, Hara M, Tomatsu T, Kamatani N, <u>Yamanaka H</u> .	What's in season for rheumatoid arthritis patients? Seasonal fluctuations in disease activity.	Rheumatology (Oxford)	Jan 29; [Epub ahead of print]		2007
12						
13						
14						
15						
16						