

文 献

- 1) 高岡正敏：住環境の変化—ダニ数の関係—。アレルギー性疾患は増えているか—調査結果と原因—（宮本昭正編），国際医学出版，1987，p54
- 2) 信太隆夫：図説スギ花粉症改訂2版（信太隆夫ほか編），金原出版，1991，p37
- 3) von Mutius E, Fritzsche C, Weiland SK et al : Prevalence of asthma and allergic disorders among children in united Germany : a descriptive comparison. *BMJ* 305 : 1395-1399, 1992
- 4) Ishizaki T, Koizumi K, Ikemori R et al : Studies of prevalence of Japanese cedar pollinosis among the residents in a densely cultivated area. *Annals of Allergy* 58 : 265-270, 1987
- 5) Sakurai Y, Nakamura K, Teruya K et al : Prevalence and risk factors of allergic rhinitis and cedar pollinosis among Japanese men. *Prev Med* 27 : 617-622, 1998
- 6) 小林隆弘，飯嶋麻里子，細川友和：大気汚染物質が花粉症様病態に与える影響。アレルギー科 16 : 441-449, 2003
- 7) Muranaka M, Suzuki S, Koizumi K et al : Adjuvant activity of diesel-exhaust particulates for the production of IgE antibody in mice. *J Allergy Clin Immunol* 77 : 616-623, 1986
- 8) Diaz-Sanchez D, Tsien A, Fleming J et al : Combined diesel exhaust particulate and ragweed-specific IgE and skews cytokine production to a T helper cell 2-type pattern. *J Immunol* 158 : 2406-2413, 1997
- 9) Terada N, Maesako K, Hiruma K et al : Diesel exhaust particulates enhance eosinophil adhesion to nasal epithelial cells and cause degranulation. *Int Arch Allergy Immunol* 114 : 167-174, 1997
- 10) 寺田修久，Woo Jeong Kim，野村知弘ほか：シックハウス症候群とアレルギー性鼻炎との関係。Prog Med 23 : 3237-3242, 2003
- 11) Strachen DP : Hay fever, hygiene and household size. *BMJ* 299 : 1259-1260, 1989
- 12) Kramer U, Heinrich J, Wjst M et al : Age of entry to day nursery and allergy in later childhood. *Lancet* 355 : 450-454, 1999
- 13) Braun-Fahrlander C, Gassner M, Grize L et al : Prevalence of hay fever and allergic sensitization in farmer's children and their peers living in the same rural community. *SCRIPOL team. Swiss Study on Childhood Allergy and Respiratory Symptoms with Respect to Air Pollution. Clin Exp Allergy* 29 : 28-34, 1999
- 14) Braun-Fahrlander C, Riedler J, Herz U et al : Environmental exposure to endotoxin and its relation to asthma in school-age children. *N Engl J Med* 347 : 869-877, 2002
- 15) Matricard PM, Rosmini F, Panetta V et al : Hay fever and asthma in relation to markers of infection in the United States. *J Allergy Clin Immunol* 110 : 381-387, 2002
- 16) 岡本美孝，松崎全成：ウイルス感染と気道アレルギー。アレルギー科 3 : 282-289, 1997
- 17) Avila PC, Abisheganaden JA, Wong H et al : Effects of allergic inflammation of the nasal mucosa on the severity of rhinovirus 16 cold. *J Allergy Clin Immunol* 105 : 923-932, 2000
- 18) Freiherst J, Piedro P, Okamoto Y et al : Effect of respiratory syncytial virus infection on the uptake of and immune response to other inhaled antigens. *Proc Soc Exp Biol Med* 188 : 191-197, 1988
- 19) Suzuki S, Suzuki Y, Yamamoto N et al : Influenza A Virus infection increases IgE production and airway responsiveness in aerosolized antigen-exposed mice. *J Allergy Clin Immunol* 102 : 732-740, 1998
- 20) Shirakawa T, Enomoto T, Shimazu S et al : The inverse association between tuberculin responses and atopic disorders. *Science* 275 : 77-79, 1997
- 21) Jang AS, Son MH : The association of airway hyperresponsiveness and tuberculin responses. *Allergy* 57 : 341-345, 2002
- 22) Adams JF et al : Decline in total serum IgE after treatment for tuberculosis. *Lancet* 353 : 2030, 1999
- 23) 渡辺直熙，今井 透，遠藤朝彦ほか：ブタ回虫感染による鼻アレルギーの増加。アレルギー 48 : 1023, 1997
- 24) 岡本美孝，松崎全成，河野 正ほか：寄生虫と鼻アレルギー。アレルギー科 9 : 58-63, 2000
- 25) Saito S, Sakai M, Sasaki Y et al : Quantitative analysis of peripheral blood Th0, Th1, Th2 and the Th1 : Th2 cell ratio during normal human pregnancy and preeclampsia. *Clin Exp Immunol* 117 : 550-555, 1999
- 26) Prescott SL, Macaubas C, Smallacombe T et al : Development of allergen-specific T-cell memory in atopic and normal children. *Lancet* 353 : 196-200, 2000