

- Yamamoto Y, Udagawa N, Matsuura S, Nakamichi Y, Horiuchi H, Hosoya A, Nakamura M, Ozawa H, Takaoka K, Penninger JM, Noguchi T, Takahashi N: Osteoblasts provide a suitable microenvironment for the action of receptor activator of nuclear factor- $\kappa$ B ligand. *Endocrinology*, 147: 3366–3374, 2006.
- Imai Y, Terai H, Nomura-Furuwatari C, Mizuno S, Matsumoto K, Nakamura T, Takaoka K: Hepatocyte growth factor contributes to fracture repair by upregulating the expression of BMP receptors. *J Bone Miner Res*, 20: 1723–1730, 2005.
- Ito Y, Sakai T, Tomo H, Nakao Y, Inui K, Koike T, Nakatsuchi T, Takaoka K: Computerized assessment of Bankart lesions under tension with magnetic resonance arthrography. *J Shoulder Elbow Surg*, 14: 247–251, 2005.
- Kaito T, Myoui A, Takaoka K, Saito N, Nishikawa M, Tamai N, Ohgushi H, Yoshikawa H: Potentiation of the activity of bone morphogenetic protein-2 in bone regeneration by a PLA-PEG/hydroxyapatite composite. *Biomaterials*, 26: 73–79, 2005.
- Kobayashi S, Shiraki M, Takaoka K: Effects of concurrent therapy for patients with osteoporosis. *Clin Cal*, 15: 661–665, 2005.
- Komatsu T, Kadoya Y, Nakagawa S, Yoshida G, Takaoka K: Movement of the posterior cruciate ligament during knee flexion—MRI analysis. *J Orthop Res*, 23: 334–339, 2005.
- Matsui Y, Kadoya Y, Uehara K, Kobayashi A, Takaoka K: Rotational deformity in varus osteoarthritis of the knee: analysis with computed tomography. *Clin Orthop Relat Res*, 433: 147–151, 2005.
- Matsumoto I, Ito Y, Tomo H, Nakao Y, Takaoka K: Case reports: ossified mass of the rotator cuff tendon in the subacromial bursa. *Clin Orthop Relat Res*, 437: 247–250, 2005.
- Minoda Y, Kobayashi A, Iwaki H, Miyaguchi M, Kadoya Y, Ohashi H, Takaoka K: Polyethylene wear particle generation in vivo in an alumina medial pivot total knee prosthesis. *Biomaterials*, 26: 6034–6040, 2005.
- Nakamura Y, Wakitani S, Saito N, Takaoka K: Expression profiles of BMP-related molecules induced by BMP-2 or -4 in muscle-derived primary culture cells. *J Bone Miner Metab*, 23: 426–434, 2005
- Nakaya H, Shimizu T, Isobe K, Tensho K, Okabe T, Nakamura Y, Nawata M, Yoshikawa H, Takaoka K, Wakitani S: Microbubble-enhanced ultrasound exposure promotes uptake of methotrexate into synovial cells and enhanced antiinflammatory effects in the knees of rabbits with antigen-induced arthritis. *Arthritis Rheum*, 52: 2559–2566, 2005.
- Namikawa T, Terai H, Suzuki E, Hoshino M, Toyoda H, Nakamura H, Miyamoto S, Takahashi N, Ninomiya T, Takaoka K: Experimental spinal fusion with recombinant human bone morphogenetic protein-2 delivered by a synthetic polymer and beta-tricalcium phosphate in a rabbit model, *Spine*, 30: 1717–1722, 2005.
- Nawata H, Soen S, Takayanagi R, Tanaka I, Takaoka K, Fukunaga M, Matsumoto T, Suzuki Y, Tanaka H, Fujiwara S, Miki T, Sagawa A, Nishizawa Y, Seino Y: The Subcommittee to Study Diagnostic Criteria for Glucocorticoid-Induced Osteoporosis. Guidelines on the management and treatment of glucocorticoid-induced osteoporosis of the Japanese Society for Bone and Mineral Research (2004). *J Bone Miner Metab*, 23:105–109, 2005.
- Nawata M, Wakitani S, Nakaya H, Tanigami A, Seki T, Nakamura Y, Saito N, Sano K, Hidaka E, Takaoka K: Use of bone morphogenetic protein 2 and diffusion chambers to engineer cartilage tissue for the repair of defects in articular cartilage. *Arthritis Rheum*, 52: 155–163, 2005.
- Ohta H, Wakitani S, Tensho K, Horiuchi H, Wakabayashi S, Saito N, Nakamura Y, Nozaki K, Imai Y, Takaoka K: The effects of heat on the biological activity of recombinant human bone morphogenetic protein-2. *J Bone Miner Metab*, 23: 420–425, 2005.
- Saito N, Murakami N, Takahashi J, Horiuchi H, Ota H, Kato H, Okada T, Nozaki K, Takaoka K: Synthetic biodegradable polymers as drug delivery systems for bone morphogenetic proteins. *Adv Drug Deliv Rev*, 57: 1037–1048, 2005.
- Sugama R, Kadoya Y, Kobayashi A, Takaoka K: Preparation of the flexion gap affects the extension gap in total knee arthroplasty. *J Arthroplasty*, 20: 602–607, 2005.
- Tada M, Inui K, Koike T, Takaoka K: Use of local electroporation enhances methotrexate effects with minimum dose in

- adjuvant-induced arthritis. *Arthritis Rheum*, 52: 637–641, 2005.
- Tamai N, Myoui A, Hirao M, Kaito T, Ochi T, Tanaka J, Takaoka K, Yoshikawa H: A new biotechnology for articular cartilage repair: subchondral implantation of a composite of interconnected porous hydroxyapatite, synthetic polymer (PLA-PEG), and bone morphogenetic protein-2 (rhBMP-2). *Osteoarthritis Cartilage*, 13: 405–417, 2005.
  - Tokuyama M, Ohashi H, Iwamoto H, Takaoka K, Okubo M: Individuality and reproducibility in high-speed motion of volleyball spike jumps by phase-matching and averaging. *J Biomech*, 38: 2050–2057, 2005.
  - Tomo H, Ito Y, Aono M, Takaoka K: Chest wall deformity associated with osteochondroma of the scapula: a case report and review of the literature. *J Shoulder Elbow Surg*, 14: 103–106, 2005.
  - Toyoda H, Ito Y, Tomo H, Nakao Y, Koike T, Takaoka K: Evaluation of rotator cuff tears with magnetic resonance arthrography. *Clin Orthop Relat Res*, 439: 109–115, 2005.
  - Toyoda H, Terai H, Sasaoka R, Oda K, Takaoka K: Augmentation of bone morphogenetic protein-induced bone mass by local delivery of a prostaglandin E EP4 receptor agonist. *Bone*, 37: 555–562, 2005.
  - Yuzawa Y, Ebara S, Kamimura M, Tateiwa Y, Kinoshita T, Itoh H, Takahashi J, Karakida O, Sheena Y, Takaoka K: Magnetic resonance and computed tomography-based scoring system for the differential diagnosis of vertebral fractures caused by osteoporosis and malignant tumors. *J Orthop Sci*, 10: 345–352, 2005.
  - Hata Y, Saitoh S, Murakami N, Kobayashi H, Takaoka K: Atrophy of the deltoid muscle following rotator cuff surgery. *J Bone Joint Surg Am*, 86-A: 1414–1419, 2005.
  - Horiuchi H, Hashikura Y, Hisa K, Saito N, Ikegami T, Nakazawa Y, Karakida O, Kobayashi S, Nawata M, Kawasaki S, Takaoka K: Osteonecrosis of the femoral head in Japanese adults after liver transplantation: a preliminary report. *J Orthop Sci*, 9: 119–121, 2005.
  - Masahiro Yoneda, Hidetomi Terai, Yuuki Imai, Takao Okada, Kazutoshi Nozaki, Hikaru Inoue, Shimpei Miyamoto, Kunio Takaoka: Repair of an Intercalated Long Bone Defect with a Synthetic Biodegradable Bone-inducing Implant. *Biomaterials*. 26: 5145–5152. 2005.
  - Horiuchi H, Saito N, Kinoshita T, Wakabayashi S, Tsutsumimoto T, Otsuru S, Takaoka K: Enhancement of recombinant human bone morphogenetic protein-2 (rhBMP-2)-induced new bone formation by concurrent treatment with parathyroid hormone and a phosphodiesterase inhibitor, pentoxifylline. *J Bone Miner Metab*, 22: 329–334, 2004.
  - Hoshi M, Morimura K, Wanibuchi H, Wei M, Okochi E, Ushijima T, Takaoka K, Fukushima S: No-observed effect levels for carcinogenicity and for in vivo mutagenicity of a genotoxic carcinogen. *J Toxicol Sci*, 81: 273–279, 2004.
  - Isobe K, Shimizu T, Nikaïdo T, Takaoka K: Low-voltage electrochemotherapy with low-dose methotrexate enhances survival in mice with osteosarcoma. *Clin Orthop Relat Res*, 426: 226–231, 2004.
  - Kobayashi A, Minoda Y, Kadoya Y, Ohashi H, Takaoka K, Saltzman CL: Ankle arthroplasties generate wear particles similar to knee arthroplasties. *Clin Orthop Relat Res*, 424: 69–72, 2004.
  - Kobayashi S, Saito N, Nawata M, Horiuchi H, Iorio R, Takaoka K: Total hip arthroplasty with bulk femoral head autograft for acetabular reconstruction in DDH. Surgical technique. *J Bone Joint Surg Am* 86-A: 11–17, 2004.
  - Matsushita N, Terai H, Okada T, Nozaki K, Inoue H, Miyamoto S, Takaoka K: A new bone-inducing biodegradable porous beta-tricalcium phosphate. *J Biomed Mater Res*, 70: 450–458, 2004.
  - Minoda Y, Kobayashi A, Iwaki H, Miyaguchi M, Kadoya Y, Ohashi H, Takaoka K: Characteristics of polyethylene wear particles isolated from synovial fluid after mobile-bearing and posterior-stabilized total knee arthroplasties. *J Biomed Mater Res Part B*: 1–6, 2004.
  - Minoda Y, Sakawa A, Fukuoka S, Tada K, Takaoka K: Blood management for patients with hemoglobin level lower than 130 g/l in total knee arthroplasty. *Arch Orthop Trauma Surg*, 124: 317–319, 2004.
  - Okamoto T, Namikawa K, Asano T, Takaoka K, Kiyama H: Differential regulation of the regulatory subunits for phosphatidylinositol 3-kinase in response to motor nerve injury. *Brain Res Mol Brain Res*: 119–125, 2004.

- Saito N, Horiuchi H, Kobayashi S, Nawata M, Takaoka K: Continuous local cooling for pain relief following total hip arthroplasty. *J Arthroplasty*, 19: 334–337, 2004.
- Sasaoka R, Terai H, Toyoda H, Imai Y, Sugama R, Takaoka K: A prostanoid receptor EP4 agonist enhances ectopic bone formation induced by recombinant human bone morphogenetic protein-2. *Biochem Biophys Res Commun*, 318: 704–709, 2004.
- Tokuhara Y, Kadoya Y, Nakagawa S, Kobayashi A, Takaoka K: The flexion gap in normal knees. An MRI study. *J Bone Joint Surg Br*, 86: 1133–1136, 2004.
- Toyoda H, Nakamura H, Konishi S, Terai H, Takaoka K: Does chronic cervical myelopathy affect respiratory function? *J Neurosurg Spine*, 1: 175–178, 2004.
- Akita S, Tamai N, Myoui A, Nishikawa M, Kaito T, Takaoka K, Yoshikawa H: Capillary vessel network integration by inserting a vascular pedicle enhances bone formation in tissue-engineered bone using interconnected porous hydroxyapatite ceramics. *Tissue Eng*, 10: 789–795, 2004.
- Inui K, Maeno T, Tada M, Takaoka K, Koike T: Open reduction of the dislocated hip in juvenile idiopathic arthritis: a case report. *Mod Rheumatol*. 14:399–401. 2004.
- Hoshi M, Wanibuchi H, Salim E. I., Morimura K, Murai T, Nomura T, Takaoka K, Fukushima S: Carcinogenic Potential of 2-Amino-3-methylimidazo[4,5-f]quinoline (IQ) in Severe Combined Immunodeficient (SCID) Mice. *Journal of Toxicologic Pathology*; 17: 17–23, 2004.
- Saito N, Horiuchi H, Murakami N, Takahashi J, Okada T, Nozaki K, Takaoka K: New Synthetic Biodegradable Polymers for Bone Morphogenetic Protein Delivery Systems. *Tissue Engineering And Novel Delivery Systems*; 475–482, 2004.
- Toyoda, H., Seki, M., Nakamura, H. Inoue, Y., Yamano, Y. and Takaoka, K.: Intradural extramedullary hemangioblastoma differentiated by MR images in the cervical spine. *J Spinal Dis ord. Tech*; 4:343–347, 2004.
- 岩城啓好, 高岡邦夫: 一過性大腿骨頭萎縮症, 化膿性股関節炎, 結核性股関節炎 整形外科 Knack & Pitfalls 股関節外科の要点と盲点 スタンダード編 II-6 p80-2 文光堂 2005.
- 岩城啓好, 高岡邦夫: セラミックオンセラミック人工股関節 整形外科 Knack & Pitfalls 股関節外科の要点と盲点 応用編 III-6 p270-1 文光堂 2005.

#### 分担研究者: 廣田良夫

- Kondo K, Tanaka T, Hirota Y, Kawamura H, Miura H, Sugioka Y, Inoue H, Kurosaka M, Yamashita T, Shirata K, Iwamoto Y: Factors associated with functional limitation in stair climbing in female Japanese patients with knee osteoarthritis. *J Epidemiol*, 16: 21–29, 2006.
- Kaneshiro Y, Oda Y, Iwakiri K, Masada T, Iwaki H, Hirota Y, Kondo K, Takaoka K: Low hepatic cytochrome P450 3A activity is a risk for corticosteroid-induced osteonecrosis. *Clin Pharmacol Ther*, 80: 396–402, 2006.
- Fujieda M, Maeda A, Kondo K, Kaji M, Hirota Y: Inactivated influenza vaccine effectiveness in children under 6 years of age during the 2002–2003 season. *Vaccine*, 24: 957–963, 2006.
- Ozasa K, Kawahito Y, Doi T, Watanabe Y, Washio M, Mori M, Kase T, Maeda A, Hirota Y: Retrospective assessment of influenza vaccine effectiveness among the non-institutionalized elderly population in Japan. *Vaccine*, 24: 2537–2543, 2006.
- Hara M, Tanaka K, Hirota Y: Immune response to influenza vaccine in healthy adults and the elderly: association with nutritional status. *Vaccine*, 23: 1457–1463, 2005.
- Tanaka K, Miyake Y, Sasaki S, Ohya Y, Miyamoto S, Matsunaga I, Yoshida T, Hirota Y, Oda H; The Osaka Maternal and Child Health Study Group: Active and passive smoking and tooth loss in Japanese women: Baseline data from the Osaka Maternal and Child Health Study. *Ann Epidemiol*, 15: 351–357, 2005.

- Miyake Y, Sasaki S, Ohya Y, Miyamoto S, Matsunaga I, Yoshida T, Hirota Y, Oda H; The Osaka Maternal and Child Health Study Group: Soy, isoflavones, and prevalence of allergic rhinitis in Japanese females: The Osaka Maternal and Child Health Study. *J Allergy Clin Immunol*, 115: 1176-1183, 2005.
- Miyake Y, Miyamoto S, Ohya Y, Sasaki S, Matsunaga I, Yoshida T, Hirota Y, Oda H; The Osaka Maternal and Child Health Study Group: Association of active and passive smoking with allergic disorders in pregnant Japanese women: baseline data from the Osaka Maternal and Child Health Study. *Ann Allergy Asthma Immunol*, 94: 644-651, 2005.
- Komiya T, Negoro N, Kondo K, Miura K, Hirota Y, Yoshikawa J: Clinical significance of von willebrand factor in patients with adult dermatomyositis. *Clin Rheumatol*, 24: 352-357, 2005.
- Maeda A, Kohdera U, Fujieda M, Kase T, Hirota Y: Evaluation of inactivated influenza vaccine in children aged 6-36 months. *Int Congr Ser 1263*: 666-669, 2004.
- Miyake Y, Ohya Y, Sasaki S, Miyamoto S, Matsunaga I, Yoshida T, Hirota Y, Oda H: Was the prevalence of Japanese childhood atopic eczema symptoms overestimated in the ISAAC study?. *J Allergy Clin Immunol*, 113: 571, 2004.
- Miyake Y, Miyamoto S, Ohya Y, Sasaki S, Matsunaga I, Yoshida T, Hirota Y, Oda H; The Osaka Maternal and Child Health Study Group: Relationship between active and passive smoking and total serum IgE levels in Japanese women: Baseline data from the maternal and child health study. *Int Arch Allergy Immunol*, 135: 221-228, 2004.
- Asano T, Takahashi KA, Fujioka M, Inoue S, Ueshima K, Hirata T, Okamoto M, Satomi Y, Nishino H, Tanaka T, Hirota Y, Kubo T: Relationship between post-renal-transplant osteonecrosis of the femoral head and gene polymorphisms related to coagulation and fibrinolytic system in Japanese. *Transplantation*, 77: 220-225, 2004.
- 廣田良夫: 質疑応答「乳幼児におけるインフルエンザワクチンの有効率」. *日本醫事新報*. 4267:110-111, 2006.
- 廣田良夫: インフルエンザワクチンの適応と評価. *総合臨牀*. 54(2): 261-268, 2005.
- 藤枝恵, 廣田良夫: インフルエンザ. *臨牀看護*. 31(2): 219-224, 2005.
- 廣田良夫: インフルエンザワクチン(成人). *臨牀と微生物*. 32(5): 467-470, 2005.
- 廣田良夫: 新興再興感染症, 感染症法, 予防接種. *標準公衆衛生・社会医学*. 102-113, 131-135, 136-141, 医学書院, 東京, 2005.
- 廣田良夫: 質疑応答「インフルエンザワクチンの有効性・安全性の検証」. *日本醫事新報*. 4245:97-98, 2005.
- 廣田良夫: 質疑応答「インフルエンザ予防接種の有効率と相対危険」. *日本醫事新報*. 4249:98, 2005.
- 福井充, 廣田良夫: 治療成績評価基準に求められる要件. *脊椎脊髄ジャーナル*. 17(1):18-25, 2004.
- 廣田良夫: 乳幼児, 学童に対するインフルエンザワクチンの予防効果. *小児内科* 2004; 36(3): 462-466.
- 廣田良夫: 感染症. 「社会・環境と健康」田中平三, 辻一郎, 吉池信雄, 大賀英史, 編. Pp.187-191, 南江堂, 東京, 2004.
- 廣田良夫: インフルエンザワクチン. *小児科* 2004; 45(4): 889-899.
- 田中隆, 廣田良夫: ステロイド性大腿骨頭壊死症の発症頻度と予測因子. *炎症と免疫* 2004; 12(3): 361-364.
- 田中隆, 廣田良夫, 西口修平: 我が国における C 型肝炎ウイルスと肝細胞癌の疫学. *日本臨牀* 2004; 62(7):611-614.
- 田中隆, 福島若葉, 大藤さとこ, 廣田良夫, 西口修平, 関守一, 塩見進: C型肝炎細胞癌発生に及ぼす飲酒習慣の関与について. *アルコールと医学生物学* 2004; 24:127-131.
- 廣田良夫: 小児におけるインフルエンザワクチン接種の考え方. *保育と保健* 2004; 10(2): 29-33.
- 藤枝恵, 加地正郎, 廣田良夫: 乳幼児におけるインフルエンザワクチン有効性に関する研究(2002/2003 年シーズン). *臨牀と研究* 1943-1946; 81(12).
- 田中隆, 廣田良夫, 大腿骨頭壊死症の疫学 *関節外科* 2004; 23:1265-1268.

#### 分担研究者: 進藤裕幸

- Sakimura K, Matsumoto T, Miyamoto C, Osaki M, Shindo H: Effects of insulin-like growth factor I on transforming growth factor beta1 induced chondrogenesis of synovium-derived mesenchymal stem cells cultured in a polyglycolic acid scaffold.

Cells Tissues Organs,183(2): 55-61,2006.

- Matsumoto T, Tsurumoto T, Shindo H: Interleukin-6 levels in synovial fluids of patients with rheumatoid arthritis correlated with the infiltration of inflammatory cells in synovial membrane. *Rheumatol Int*, Epub ahead of print, 2006.
- Tsurumoto T, Matsumoto T, Yonekura A, Shindo H: Nanobacteria-like particles in human arthritic synovial fluids. *J Proteome Res*, 5(5):1276-8, 2006.
- Nishimura S, Tsurumoto T, Yonekura A, Adachi K, Shindo H: Antimicrobial susceptibility of *Staphylococcus aureus* and *Staphylococcus epidermidis* biofilms isolated from infected total hip arthroplasty cases. *J Orthop Sci*, 11(1): 46-50, 2006.
- Yabe Y, Matsumoto T, Tsurumoto T, Shindo H: Immunohistological localization of Notch receptors and their ligands Delta and Jagged in synovial tissues of rheumatoid arthritis. *J Orthop Sci*, 10(6): 589-94, 2005 Nov.
- Suehiro M, Hirano T, Shindo H: Osteonecrosis induced by standing in growing Wistar Kyoto rats. *J Orthop Sci*,10(5): 501-7, 2005.
- Koseki H, Matsumoto T, Ito S, Doukawa H, Enomoto H, Shindo H: Analysis of polyethylene particles isolated from periprosthetic tissue of loosened hip arthroplasty and comparison with radiographic appearance. *J Orthop Sci*,10: 284-90,2005.
- Iwanaga H, Matsumoto T, Enomoto H, Okano K, Hishikawa Y, Shindo H, Koji T: Enhanced expression of insulin-like growth factor-binding proteins in human osteoarthritic cartilage detected by immunohistochemistry and in situ hybridization. *Osteoarthritis Cartilage*, 13: 439-48, 2005.
- Nobuta M, Tsukazaki T, Shibata Y, Xin C, Moriishi T, Sakano S, Shindo H, Yamaguchi A: Critical regulation of bone morphogenetic protein-induced osteoblastic differentiation by Delta1/Jagged1-activated Notch1 signaling. *J Biol Chem*; 280(16):15842-8,2005.
- Nishiguchi M, Takamura N, Abe Y, Kono M, Shindo H, Aoyagi K: Pilot study on the use of tourniquet: a risk factor for pulmonary thromboembolism after total knee arthroplasty? *Thromb Res*, 115: 271-6, 2005.
- Wada M, Kumagai K, Shindo H: Warfarin reduces the incidence of osteonecrosis of the femoral head in spontaneously hypertensive rats. *J Orthop Sci*, 9: 585-590, 2004.
- Ito S, Matsumoto T, Enomoto H, Shindo H: Histological analysis and biological effects of granulation tissue around loosened hip prostheses in the development of osteolysis. *J Orthop Sci* 9: 478-87, 2004.
- 津田圭一, 榎本寛, 原田真一, 岡野邦彦, 尾崎誠, 宮本力, 姫野修平, 進藤裕幸, 長期透析患者の股関節障害に対する人工関節置換術(THA)の治療成績 整形外科と災害外科(0037-1033)54 巻 4 号 Page798-803 2005.
- 米倉暁彦 弦本敏行, 進藤裕幸,【人工関節術後感染 予防と対策】 治療 人工関節術後感染に対する二期的手術 関節外科(0286-5394)24 巻 8 号 Page968-973 2005.
- 松本智子,進藤裕幸,軟骨形成に於ける BMP の役割 日本臨床 2005 Oct;63 Suppl 10:422-5.
- 米倉暁彦, 弦本敏行, 進藤裕幸,【運動器の 10 年】 世界運動における筋・骨格系疾患の予防・治療戦略 骨増殖性病変の現状と展望 変形性関節症の予防と治療戦略 THE BONE(0914-7047)19 巻 4 号 Page453-457 2005.
- 弦本敏行, 米倉暁彦, 西村誠介, 安達耕一, 進藤裕幸, 平瀧洋一, Static culture system で形成された黄色ブドウ球菌 バイオフィルムの定量的画像解析 BACTERIAL ADHERENCE&BIOFILM(1348-6071)18 巻 Page37-40 2005.
- 高木康行 熊谷謙治, 江頭昌幸, 岡崎成弘, 進藤裕幸, 峰雅宣, 皮膚筋炎に骨軟部腫瘍を伴った 2 症例 整形外科と災害外科(0037-1033)54 巻 1 号 Page81-85 2005.
- 弦本敏行 進藤裕幸,【糖尿病と透析療法】 合併症対策 糖尿病性壊疽 外科的治療 その適応臨床透析 (0910-5808)21 巻 1 号 Page63-68 2005.
- 進藤裕幸:高齢者の股関節外科の問題点を中心に:2003 年度掖済会長崎病院会報.27-37,2004.
- 原田真一, 進藤裕幸:人工股関節置換術におけるの standard neck 使用例と long neck 使用例の治療成績の比較:Hip Joint.30 巻.551-554,2004.
- 岡野邦彦, 進藤裕幸:両側変形性股関節症における病型の一一致率についての検討:Hip Joint.30 巻.302-304,2004.

- ・ 千葉恒, 進藤裕幸:変形性股関節症における大腿骨頭の骨棘形成と骨盤傾斜の関連:Hip Joint.30 巻.298-301,2004.
- ・ 岡野邦彦,進藤裕幸:変形性股関節症における大腿骨頭骨棘の程度と腰椎及び橈骨骨量値との関連:Hip Joint.30 巻.294-297,2004.
- ・ 土井口祐一, 進藤裕幸:変形性股関節症に対する人工股関節全置換術後の骨盤傾斜変化:Hip Joint.30 巻.450-453,2004.
- ・ 川原奈津美, 進藤裕幸:立位 X 線撮影において病期変化を生じた変形性股関節症症例の検討:Hip Joint.30 巻.145-149,2004.
- ・ 岡野邦彦, 進藤裕幸:"骨頭円形指数"を使用した二ノ宮 3 型における寛骨臼回転骨切り術の適応に関する検討:Hip Joint.30 巻.139-144,2004.
- ・ 安達信二, 進藤裕幸:MRI を用いた RA 股関節骨及び滑膜病変の検討:整形外科と災害外科.53 巻 2 号.348-352,2004.
- ・ 高原智洋, 進藤裕幸:人工股関節置換術における前側方アプローチ(Hardinge 法と Dall 法)の有用性と問題点:整形外科と災害外科.53 巻 1 号.101-106,2004.
- ・ 土井口祐一,進藤裕幸:【Hip-spine syndrome の現況】 骨盤傾斜異常と股関節症の進展メカニズム 股関節正面像を用いた骨盤傾斜の解析から:関節外科.23 巻 4 号 .484-492,2004.
- ・ 原田真一, 進藤裕幸:【股関節手術手技のポイント】 大腿骨頭壊死症に対する手術のポイント Bipolar 型人工骨頭(BHA):関節外科.23 巻 4.190-194,2004.
- ・ 進藤裕幸:【股関節手術手技のポイント】 RAO のポイント 寛骨臼回転骨切り術(田川式):関節外科.23 巻 4.108-112,2004.

#### 分担研究者:長澤浩平

- ・ Sherriff-Tadano R, Ohta A, Morito F, Mitamura M, Haruta Y, Koarada S, Tada Y, Nagasawa K, Ozaki I: Antifibrotic effects of hepatocyte growth factor on scleroderma fibroblasts and analysis of its mechanism. *Mod Rheumatol*, in press.
- ・ Koarada S, Haruta Y, Mitamura M, Morito F, Tada Y, Ohta A, Nagasawa K: Ex vivo CD4<sup>+</sup> T-cell cytokine expression from patients with Sjogren's syndrome following in vitro stimulation to induce proliferation. *Rheumatology*, 45: 392-399, 2006.
- ・ Nagasawa K, Tada Y, Koarada S, Tsukamoto H, Horiuchi T, Yoshizawa S, Murai K, Ueda A, Haruta Y, Ohta A: Prevention of steroid-induced osteonecrosis of femoral head in systemic lupus erythematosus by anti-coagulant. *Lupus*, 15: 354-357, 2006.
- ・ Tada Y, Koarada S, Tomiyoshi Y, Morito F, Mitamura M, Haruta Y, Ohta A, Nagasawa K: Role of inducible costimulator in the development of lupus in MRL/lpr mice. *Clinical Immunology*, 120: 179-188, 2006.
- ・ Tsukamoto H, Nagafuji K, Horiuchi T, Miyamoto T, Aoki K, Takase K, Henzan H, Himeji D, Koyama T, Miyake K, Inoue Y, Nakashima H, Otsuka T, Tanaka Y, Nagasawa K, Harada M: A phase I-II trial of autologous peripheral blood stem cell transplantation in the treatment of refractory autoimmune disease. *Ann Rheum Dis*, 65: 508-514, 2006.
- ・ Wahio M, Horiuchi T, Kiyohara C, Kodama H, Tada Y, Asami T, Takahashi H, Kobashi G, Abe T, Tanaka H, Nogami N, Harada M, Tsukamoto H, Ide S, Nagasawa K, Ushiyama O, Hotokebuchi T, Okamoto K, Sakamoto N, Sasaki S, Miyake Y, Yokoyama T, Mori M, Oura A, Sinomura Y, Suzuki H, Yamamoto M, Inaba Y, Nagai M : Smoking, drinking, sleeping habits, and other lifestyle factors and the risk of systemic lupus erythematosus in Japanese females: findings from the KYSS study. *Mod Rheumatol*, 16: 143-150, 2006.
- ・ Nagasawa K, Tada Y, Koarada S, Horiuchi T, Tsukamoto H, Murai K, Ueda A, Yoshizawa S, Ohta A: Very early development of steroid-associated osteonecrosis of femoral head in systemic lupus erythematosus: prospective study by MRI. *Lupus*, 14: 385-390, 2005.
- ・ Takahashi K, Hayashi S, Ushiyama O, Sueoka N, Fukuoka M, Nagasawa K: Development of microscopic polyangitis in

patients with chronic airway disease. Lung, 183: 273-281, 2005.

- Koarada S, Ide M, Haruta Y, Tada Y, Ushiyama O, Morito F, Ohta A, Nagasawa K: Two cases of antinuclear antibody negative lupus showing increased proportion of B cells lacking RP105. J Rheumatol, 32: 562-564, 2005.
- 長澤浩平: 膠原病におけるステロイド治療の実際. 臨床と研究 2004; 81: 747-750.

#### 分担研究者: 松野丈夫

- Ito H, Matsuno T, Minami A: Fixation with poly-L-lactide screws in hip osteotomies. Clin Orthop, 444: 169-175, 2006.
- Ito H, Matsuno T, Minami A: Relationship between bone marrow edema and development of symptoms in patients with osteonecrosis of the femoral head. Am J Roentgenol, 186(6): 1761-1770, 2006.
- Onodera S, Majima T, Ito H, Matsuno T, Kishimoto T, Minami A: Cementless Total hip arthroplasty using the modular S-ROM prosthesis combined with corrective proximal femoral osteotomy. J Arthroplasty, 21(5): 664-669, 2006.
- Ito H, Matsuno T, Minami A: Fixation with Poly-L-lactide Screws in Hip Osteotomies Clin Orthop Relat Res, 443: 169-175, 2006.
- Onodera S, Majima T, Abe Y, Ito H, Matsuno T, Minami A: Transtrochanteric rotational osteotomy for osteonecrosis of the femoral head: relation between radiographic features and secondary collapse. J Orthop Sci, 10(4): 367-373, 2005.
- Ito H, Matsuno T, Minami A: Pre-coated femoral components in hybrid total hip arthroplasty. J Bone Joint Surg, 87(B): 306-309, 2005.
- Ito H, Matsuno T, Aok Y, Minami A: Total hip arthroplasty using an Omniflex modular system: 5 to 12 years followup. Clin Orthop, 419: 98-106, 2004.
- Ito H, Matsuno T: Periprosthetic acetabular bone loss using a constrained acetabular component. Arch Orthop Trauma Surg, 124: 137-9, 2004.
- 伊藤浩, 平山光久, 谷野弘昌, 大水信幸, 松野丈夫. 後方進入法による MIS-THA の検討. 骨・関節・靭帯, 19: 399-406, 2006.
- 伊藤浩, 丹代晋, 松野丈夫. 骨盤の疲労骨折, 脆弱性骨折. 整形外科診療実践ガイド(守屋秀繁他 編): 文光堂, 東京, p.811-812, 2006.
- 伊藤 浩, 松野丈夫, 谷野弘昌, 大水信幸, 中村聡喜, 西村生哉, 石田敏真, 比嘉 昌: 日本人の股関節骨格形態に適合した人工股関節の開発, 関節外科 24(1): 71-76, 2005.
- 伊藤 浩, 松野丈夫: 「大腿骨内反骨切り術」, 執刀医のためのサージカルテクニック 下肢(龍唄之助・編), メディカルビュー社: 44-53, 2005.
- 伊藤 浩, 松野丈夫, 寺西 正, 平山光久, 岡本 巡: Hybrid THA の手技と成績, リウマチ科 33(1): 95-101, 2005.

#### 分担研究者: 松本俊夫

- Iki M, Morita A, Ikeda Y, Sato Y, Akiba T, Matsumoto T, Nishino H, Kagamimori S, Kagawa Y, Yoneshima H; JPOS Study Group. Biochemical markers of bone turnover predict bone loss in perimenopausal women but not in postmenopausal women—the Japanese Population-based Osteoporosis (JPOS) Cohort Study. Osteoporos Int. 17:1086-95. Epub 2006.
- Abe M, Matsumoto T. Bone destruction in multiple myeloma. Ann N Y Acad Sci, 1068: 319-326, 2006.
- Ikeda Y, Yagi S, Yamaguchi H, Fujimura M, Hashizume S, Aihara K, Akaike M, Azuma H, Matsumoto T: Intra-vascular ultrasound findings of diffuse coronary atherosclerotic change in systemic lupus erythematosus with secondary antiphospholipid syndrome. Circ J, 70: 1082-1085, 2006.
- Kawai S, Koishihara Y, Iida S, Ozaki S, Matsumoto T, Kosaka M, Yamada-Okabe H: Construction of a conventional non-radioisotope method to quantify HM1.24 antigens: Correlation of HM1.24 levels and ADCC activity of the

- humanized antibody against HM1.24. *Leuk Res*, 30: 949–956, 2006.
- Ito Y, Inoue D, Kido S, Matsumoto T: c-Fos degradation by the ubiquitin–proteasome proteolytic pathway in osteoclast progenitors. *Bone*, 2005 Dec;37(6):842–9. Epub 2005.
  - Jalili A, Ozaki S, Hara T, Shibata H, Hashimoto T, Abe M, Nishioka Y, Matsumoto T: Induction of HM1.24 peptide-specific cytotoxic T lymphocytes by using peripheral blood stem cell harvests in patients with multiple myeloma. *Blood*, 106: 3538–45, 2005.
  - Ikeda Y, Aihara K, Sato T, Akaike M, Yoshizumi M, Suzaki Y, Izawa Y, Fujimura M, Hashizume S, Kato M, Yagi S, Tamaki T, Kawano H, Matsumoto T, Azuma H, Kato S: Androgen Receptor Gene Knockout Male Mice Exhibit Impaired Cardiac Growth and Exacerbation of Angiotensin II-induced Cardiac Fibrosis. *J Biol Chem*, 280: 29661–29666, 2005.
  - Iwase T, Nagaya N, Fujii T, Itoh T, Ishibashi-Ueda H, Yamagishi M, Miyatake K, Matsumoto T, Kangawa K: Adrenomedullin enhances angiogenic potency of bone marrow transplantation in a rat model of hindlimb ischemia. *Circulation*, 11:356–362, 2005.
  - Iwase T, Nagaya N, Fujii T, Itoh T, Murakami S, Matsumoto T, Kanagawa K, Kitamura S: Comparison of angiogenic potency between mesenchymal stem cells and mononuclear cells in a rat model of hindlimb ischemia. *Cardiovasc Res*, 66: 543–551, 2005.
  - Kato M, Azuma H, Akaike M, Iuchi T, Aihara K, Ikeda Y, Fujimura M, Yoshida T, Yamaguchi H, Hashizume S, Matsumoto T: Aspirin inhibits thrombin action on endothelial cells via up-regulation of aminopeptidase N/CD13 expression. *Atherosclerosis*, 183: 49–55, 2005.
  - Matsumoto T, Miki T, Hagino H, Sugimoto T, Okamoto S, Hirota T, Tanigawa Y, Hayashi Y, Fukunaga M, Shiraki M, Nakamura T: A New Active Vitamin D, ED-71, Increases Bone Mass in Osteoporotic Patients under Vitamin D Supplementation: A Randomized, Double Blind, Placebo-controlled Clinical Trial. *J Clin Endocrinol Metab*, 90: 5031–5036, 2005.
  - Nawata H, Soen S, Takayanagi R, Tanaka H, Takaoka K, Fukunaga M, Matsumoto T, Tanaka H, Fujiwara S, Miki T, Sagawa A, Nishizawa Y, Seino Y: Guidelines on the management and treatment of glucocorticoid-induced osteoporosis (2004 edition). *J Bone Miner Metab*, 23: 105–109, 2005.
  - Shibata H, Abe M, Hiura K, Wilde J, Moriyama K, Sano T, Kitazoe K, Hashimoto T, Ozaki S, Wakatsuki S, Kido S, Inoue D, Matsumoto T: Malignant B-lymphoid cells with bone lesions express receptor activator of nuclear factor- $\kappa$ B ligand and vascular endothelial growth factor to enhance osteoclastogenesis. *Clin Cancer Res*, 11 : 6109–6115, 2005.
  - Yoshida T, Azuma H, Aihara K, Fujimura M, Akaike M, Mitsui T, Matsumoto T: Vascular smooth muscle cell proliferation is dependent upon upregulation of mitochondrial transcription factor A (mtTFA) expression in injured rat carotid artery. *Atherosclerosis*, 178: 39–47, 2005.
  - Iki M, Akiba T, Matsumoto T, Nishino H, Kagamimori S, Kagawa Y, Yoneshima H; JPOS Study Group. Reference database of biochemical markers of bone turnover for the Japanese female population. Japanese Population-based Osteoporosis (JPOS) Study. *Osteoporos Int*. Dec;15(12):981–91, 2004.
  - Watanabe Y, Ohshima H, Mizuno K, Sekiguchi C, Fukunaga M, Kohri K, Rittweger J, Felsenberg D, Matsumoto T, Nakamura T: Intravenous pamidronate prevents femoral bone loss and renal stone formation during 90-day bed rest. *J Bone Miner Res*, 19(11): 1771–1778, 2004.
  - Tanimoto Y, Yokozeki M, Hiura K, Matsumoto K, Nakanishi H, Matsumoto T, Marie PJ, Moriyama K: A soluble form of fibroblast growth factor receptor 2 (FGFR2) with S252W mutation acts as an efficient inhibitor for the enhanced osteoblastic differentiation caused by FGFR2 activation in Apert syndrome. *J Biol Chem*, 279(44): 45926–45934, 2004.
  - Takamori N, Azuma H, Kato M, Hashizume S, Akaike M, Tamura K, Matsumoto T: High plasma heparin cofactor II activity is associated with reduced incidence of in-stent restenosis after percutaneous coronary intervention. *Circulation*, 104: 481–486, 2004.



- Inoue D, Kido S, Matsumoto T: Transcriptional induction of fosB/delta fosB gene by mechanical stress in osteoblasts. *J Biol Chem*, 279(48): 49795-49803, 2004.
- Aihara K, Azuma H, Takamori N, Kanagawa Y, Akaike M, Fujimura M, Yoshida T, Hashizume S, Kato M, Yamaguchi H, Kato S, Ikeda Y, Arase T, Kondo A, Matsumoto T: Heparin cofactor II is a novel protective factor against carotid atherosclerosis in elderly individuals. *Circulation*, 109: 2761-2765, 2004.
- Aihara K, Azuma H, Akaike M, Ikeda Y, Yamashita M, Sudo T, Hayashi H, Yamada Y, Endoh F, Fujimura M, Yoshida T, Yamaguchi H, Hashizume S, Kato M, Yoshimura K, Yamamoto Y, Kato S, Matsumoto T: Disruption of nuclear vitamin D receptor gene causes enhanced thrombogenicity in mice. *J Biol Chem*, 279: 35798-35802, 2004.
- Takamori N, Azuma H, Kato M, Hashizume S, Aihara K, et al.: High plasma heparin cofactor II activity is associated with reduced incidence of in-stent restenosis after percutaneous coronary intervention. *Circulation*, 109: 481-486, 2004.

#### 分担研究者:松本忠美

- Ichiseki T, Kaneuji A, Kitamura K, Matsumoto T: Does oxidative stress play a role in steroid-induced osteonecrosis models?. *Med Hypotheses*, 66: 1048, 2006.
- Ichiseki T, Matsumoto T: Oxidative stress may underlie the sex differences seen in steroid-induced osteonecrosis models. *Med Hypotheses*, 66: 1256, 2006.
- Fukui K, Kominami R, Shinohara H, Matsumoto T: Glucocorticoid induces micro-fat embolism in the rabbit: a scanning electron microscopic study. *J Orthop Res*, 24: 675-83, 2006.
- Ichiseki T, Ueda Y, Katsuda S, Kitamura K, Kaneuji A, Matsumoto T: Oxidative stress by glutathione depletion induces osteonecrosis in rats. *Rheumatology*, 45: 287-90, 2006.
- Kaneuji A, Sugimori T, Ichiseki T, Fukui K, Yamada K, Matsumoto T: The relationship between stem subsidence and improvement in the radiolucency in polished tapered stems. *Int Orthop*, 30: 87-90, 2006.
- Ichiseki T, Kaneuji A, Katsuda S, Ueda Y, Sugimori T, Matsumoto T: DNA oxidation injury in bone early after steroid administration is involved in the pathogenesis of steroid-induced osteonecrosis. *Rheumatology*, 44: 456-460, 2005.
- Kabata T, Kubo T, Matsumoto T, Hirata T, Fujioka M, Takahashi KA, Yagisita S, Kobayashi M, Tomita K : Onset of steroid-induced osteonecrosis in rabbits and its relationship to hyperlipaemia and increased free fatty acids. *Rheumatology*, 44: 1233-7, 2005.
- T. Okuda, H. Hosokawa, K. Hiromura, S. Kaneko, T. Matsumoto, Complex regional pain syndrome in upper and lower limbs that showed an alleviating trend after thoracotomy: a case report, *The Pain Clinic* 17:327-330, 2005.
- Ichiseki T, Matsumoto T, Nishino M, Kaneuji A, Katsuda S: Oxidative stress and vascular permeability in steroid-induced osteonecrosis model. *J Orthop Sci*, 9: 509-15, 2004.
- Fukui K, Kominami R, Kaneuji A, Matsumoto T, Shinohara H: A new method of perfusion fixation for the rabbit femur. *Okajimas Folia Anat Jpn*, 81: 57-62, 2004.
- 松本忠美, 整形外科 術前・術後のマネジメント(第2版)(伊藤達雄, 他編) 医学書院, 東京 174-176 2005.
- 松本忠美, 杉森端三, 股関節外科の要点と盲点 文光堂, 東京 250-255 2005.
- 松本忠美, 安元定幸, 整形外科学・外傷学(第7版)(岩本幸英, 他編) 文光堂, 東京 785-796 2005.
- 松本忠美, 市堰 徹, 特発性大腿骨頭壊死症, 臨床と研究 82:1127-1129 2005.
- 松本忠美, Impaction bone graft(大腿骨側再置換術), 平成 16 年度宮城股関節研究会録 15-37 2005.
- 市堰徹, 西野暢, 兼氏歩, 杉森端三, 松本忠美, 加畑多文, ステロイド性骨壊死発生の予防 生体内酸化ストレスの関与 *Hip Joint* 2004 30:211-214.
- 市堰徹, 勝田吾吾, 西野暢, 兼氏歩, 杉森端三, 松本忠美, 抗酸化剤の投与によるステロイド性骨壊死予防の可能性 *日本整形外科学会雑誌* 2004 8(8):S774.

- ・ 松本忠美,特発性大腿骨頭壊死 山口徹編 今日の治療指針(2002年版) 医学書院 2002:663-664.

#### 分担研究者:渥美敬

- ・ Atsumi T, Kajiwara T, Hiranuma Y, Tamaoki S, Asakura Y: Posterior rotational osteotomy for nontraumatic osteonecrosis with extensive collapsed lesions in young patients. J Bone Joint Surg Am, 88 3:42-7, 2006.
- ・ 渥美敬 柁原俊久 平沼泰成 玉置聡 朝倉靖博:進行期広範囲大腿骨頭壊死症に対する後方回転骨切り術の有用性.骨・関節・靭帯 2005(18):1083-1089.
- ・ 平沼泰成,渥美敬,山野賢一,柁原俊久,武村康,玉置聡,中村健太郎,朝倉靖博,加藤英治,渡辺実:MRAngiographyによる股関節周囲血管描出の試み Hip joint 2005 vol. 31 129-132.
- ・ 平沼泰成,渥美敬:CTの要点 Knack&Pitfalls 股関節外科の要点と盲点 文光堂 2005 42-45.
- ・ 平沼泰成,渥美敬:MR-angiographyの要点 Knack&Pitfalls 股関節外科の要点と盲点文光堂 2005 50-51.
- ・ 渥美敬,平沼泰成,玉置聡,朝倉靖博,柁原俊久,武村康,山野賢一:大腿骨頭壊死症に対する後方回転骨切り術の関節温存効果 Hip joint 2005(31) 25-30.
- ・ 渥美敬,柁原俊久,平沼泰成,玉置聡,朝倉靖博:進行期広範囲大腿骨頭壊死症に対する後方回転骨切り術の有用性.骨・関節・靭帯 2005(18)1083-1089.
- ・ 朝倉靖博,平沼泰成,渥美敬,柁原俊久,玉置聡,中村健太郎,加藤英治,渡辺実:Stage1 特発性大腿骨頭壊死症の壊死体積について-病期の進行との関係- Hip joint 2005(31) 393-396.

#### 分担研究者:吉村了勇

- ・ Kaihara S, Okamoto M, Akioka K, Ogino S, Higuchi A, Kadotani Y, Nobori S, Yoshimura N: Improved graft survival in ABO-incompatible living donor kidney transplantation. Transplant Proc, 37: 4: 1840-5, 2005.
- ・ Sakagami J, Sogame Y, Kataoka K, Kanemitsu D, Takada R, Ito R, Motoyoshi T, Mitsufuji S, Okanoue T, Akioka K, Okamoto M, Yoshimura N: Endoscopic resection for the diagnosis of visceral Kaposi's sarcoma. Journal of Gastroenterology, 40: 98-103, 2005.
- ・ Yoshimura N, Akioka K, Ushigome H, Kadotani Y, Ogino S, Wakabayashi Y, Higuchi A, Nobori S, Kaihara S, Okamoto M: Twenty-five-year Survival of Living Related Kidney Transplants: Thirty-five Years' Experience. Transplant Proc, 37: 687-689, 2005.
- ・ Okamoto M, Wakabayashi Y, Higuchi A, Kadotani Y, Ogino S, Ushigome H, Akioka K, Kaihara S, Yoshimura N: Therapeutic Drug Monitoring of Mycophenolic Acid in Renal Transplant Recipients. Transplant Proc, 37: 859-860, 2005.
- ・ Kadotani Y, Okamoto M, Akioka K, Ushigome H, Ogino S, Nobori S, Higuchi A, Wakabayashi Y, Kaihara S, Yoshimura N: Renovascular Reconstruction of Grafts With Renal Artery Variations in Living Kidney Transplantation. Transplant Proc, 37: 1049-1051, 2005.
- ・ Kadotani Y, Okamoto M, Akioka K, Ushigome H, Ogino S, Nobori S, Higuchi A, Wakabayashi Y, Kaihara S, Yoshimura N: Management and Outcome of Living Kidney Grafts with Multiple Arteries. Surg Today, 35: 459-466, 2005.
- ・ Okamoto M, Akioka K, Higuchi A, Kadotani Y, Ushigome H, Satoshi Kaihara, Yoshimura N: Clinicopathological evaluation of renal allograft treated with anti-CD25 monoclonal antibody. Clinical Transplantation 19 Suppl.14: 49- 53, 2005.
- ・ Akioka K, Okamoto M, Ushigome H, Kadotani Y, Ogino S, Higuchi A, Wakabayashi Y, Kaihara S, Yoshimura N: Recurrence of focal glomerulosclerosis in post-renal transplant recipients: report of two cases Transplant Proc, 36(7): 2167-8, 2004.
- ・ Yoshimura N, Okamoto M, Akioka K, Kaihara S: Optimization of the use of cyclosporine in renal transplantation. Transplant Proc, 36: 181S-185S, 2004.

- Okamoto M, Omori Y, Ichida M, Nobori S, Higuchi A, Kadotani Y, Akioka K, Itoh K, Fushiki S, Yoshimura N, An autopsy case of bacterial septic shock 12 years following ABO-incompatible renal transplantation Clin Transplant; 18:44-9, 2004..
- Yoshimura N, Okamoto M, Akioka K, Kaihara S, Optimization of the use of cyclosporine in renal transplantation Transplant Proc; 36:181S-185S, 2004.
- 吉村了勇,岡本雅彦,貝原聡,秋岡清一,瓜生原健嗣,牛込秀隆,昇修治.外科免疫.臨床外科 61 :3: 325- 331 ,2006.
- 岡本雅彦,秋岡清一,牛込秀隆,瓜生原健嗣,貝原聡,吉村了勇.特集:周術期管理の原理と原則 II.臓器障害と周術期管理 6.慢性腎不全患者の周術期管理.外科 67: 11: 1291-1294, 2005.
- 吉村了勇,岡本雅彦,秋岡清一,牛込秀隆,昇修治,瓜生原健嗣,貝原聡.特集“臓器移植に伴う腎障害”腎移植の実体と合併症.腎と透析 59: 6: 927-934, 2005.
- 秋岡清一,岡本雅彦,瓜生原健嗣,貝原聡,吉村了勇,ミコフェノール酸モフェチル中止後に急性拒絶反応を起こした 1 例.Renal Transplantation 6: 1: 14-15, 2005.
- 岡本雅彦,秋岡清一,牛込秀隆,荻野史朗,門谷弥生,昇修治,樋口濃史,若林良浩,瓜生原健嗣,貝原聡,吉村了勇.ABO血液型不適合移植における代謝拮抗剤のコンバージョンについて.THERAPEUTIC RESEARCH 26: 4: 617- 621, 2005.
- 岡本雅彦,秋岡清一,吉村了勇.糖尿病の移植治療.京都府立医科大学雑誌 114: 4: 235- 241, 2005.
- 貝原聡,瓜生原健嗣,牛込秀隆,秋岡清一,岡本雅彦,吉村了勇.肝移植と悪性腫瘍.移植40: 3: 242-247, 2005.
- 岡本雅彦,荻野史朗,秋岡清一,昇修治,牛込秀隆,瓜生原健嗣,貝原聡,吉村了勇.リツキシマブ,ミコフェノール酸モフェチルを含む 4 剤併用免疫抑制療法を行ったクロスマッチ陽性二次移植症例.Renal Transplantation 6: 3: 14-15, 2005.
- 瓜生原健嗣,牛込秀隆,秋岡清一,貝原聡,岡本雅彦,吉村了勇.特集「移植と感染症」臓器移植における細菌感染.移植 40: 4: 330-337, 2005.
- 吉村了勇,岡本雅彦,貝原聡,秋岡清一,瓜生原健嗣,牛込秀隆,昇修治.腎移植における免疫抑制療法.今日の移植 18: 6: 587-594, 2005.
- 岡本雅彦,秋岡清一,昇修治,牛込秀隆,瓜生原健嗣,貝原聡,国府孝敏,吉村了勇.糖尿病における免疫抑制剤の使い方—京都府立医科大学における経験—.今日の移植 18: 6: 737-740, 2005.
- 吉村了勇.免疫治療薬.〔編著〕遠藤政夫,栗山欣弥,大熊誠太郎,田中利男,樋口宗史.医科薬理学改訂 4 版.東京:南山堂,513- 523,2005.
- 吉村了勇,岡本雅彦,秋岡清一,瓜生原健嗣,貝原聡.腎移植とプロテアーゼインヒビター.プロテアーゼインヒビター臨床編 編集:吉川敏一.東京:診断と治療社,169- 175,2005.

#### 分担研究者:佛淵孝夫

- Mawatari M, Higo T, Tsutsumi Y, Shigematsu M, Hotokebuchi T.: Effectiveness of Autologous Fibrin in Reducing Postoperative Blood Loss in Total Hip Arthroplasty. J Orthop Surg, 14: 122-127, 2006.
- Masamori Shigematsu, Masaru Kitajima, Kenji Ogawa, Takami Higo, Takao Hotokebuchi:Effects of Hydrogen Peroxide Solution on Artificial Hip Joint Implants; The Journal of Arthroplasty; 20, 5, 639-646, 2005.
- 河野俊介,重松正森,園畑素樹,馬渡正明,佛淵孝夫,当科における人工股関節置換術の短期成績 Hip Joint 32:402-410,2006
- 植木里紀,重松正森,本岡勉,佛淵孝夫,人工股関節全置換術後の歩行の検討 整形外科と災害外科 55(1): 61-54, 2006
- 河野俊介,重松正森,藤林功,佛淵孝夫:当科における人工股関節再置換術の短期成績～ステム側の評価を中心に～.整形外科と災害外科 54(1):6-10,2005.
- 小河賢司,北島将,重松正森,峯光徳,佛淵孝夫,急速破壊型股関節症の検討(第 5 報) THA 後に急速な対側骨頭の破壊を来した症例の検討 整形外科と災害外科 2004 53:25.

- ・ 小河賢司,北島将,重松正森,佛淵孝夫,急速破壊型股関節症の検討(第 2 報) 周術期及び術早期の問題点について 整形外科と災害外科 2004 53(4):895-898.
- ・ 小河賢司,北島将,重松正森,峯光徳,佛淵孝夫,急速破壊型股関節症の検討(第 5 報) THA 後に急速な対側骨頭の破壊を来した症例の検討 整形外科と災害外科 2004; 53:25.
- ・ 小河賢司,北島将,重松正森,佛淵孝夫,急速破壊型股関節症の検討(第 2 報) 周術期及び術早期の問題点について 整形外科と災害外科 2004; 53(4):895-898.
- ・ 小河賢司,小峯光徳,北島将,重松正森,佛淵孝夫,急速破壊型股関節症の関節滑膜内破骨細胞についての検討 日本整形外科学会雑誌 2004; 78(8): S1112.

#### 分担研究者:遠藤直人

- ・ Yamako G, Tokunaga K, et al.: Morphological and mechanical evaluation of the cancellous bone in the rat femoral head after traumatic osteonecrosis. J Biomech Eng: in press.
- ・ Yamako G, Tokunaga K, et al.: Development of a novel extra-articular device for reduction the weight bearing of the hip joint. J Biomech Sci Eng: in press.
- ・ Kondo N, Tokunaga K, et al.: High dose glucocorticoid hampers bone formation and resorption after bone marrow ablation in rat. Microsc Res Tech, 69(10): 839-46, 2006.
- ・ Kawashima H, Ogose A, Hotta T, Ito T, Endo N, Kawashima H, Tamura K, Nakano K.: Effect of Incadronate on Proliferation of Mesenchymal Tumor Cells with or without Activated Ras Mutation. J Exp Clin Cancer Res, 24: 617-624, 2005.
- ・ Ogose A, Hotta T, Kawashima H, Kondo N, Gu W, Kamura T, Endo N.: Comparison of hydroxyapatite and beta tricalcium phosphate as bone substitutes after excision of bone tumors. J Biomed Mat Res B, 72: 94-101, 2005.
- ・ Ogose A, Umezumi H, Kawashima H, Nomoto N, Hotta T, Endo N.: Primary synovial lymphoma with osteoclast-like giant cells presented as a tenosynovial giant cell tumor. J Clin Oncol, 23: 3847-3848, 2005.
- ・ Wang ,X., Kimura,S., Yazawa,T., Endo,N.: Cerebrospinal Fluid Sampling by Lumbar Puncture in Rats -Repeated Measurements of Nitric Oxide Metabolites. J Neurosci Methods, 145: 89-95, 2005.
- ・ Zenzai,K.,Shibata,M.,Endo,N.: Long-term outcome of radial shortening with or without ulnar shortening for treatment of Kienbock's disease. J Hand Surg (Br), 30, 2: 226-228, 2005.
- ・ Kawashima,H.,Ogose,A.,Gu,W.,Nishio,J.,Kudo,N.,Kondo,N.,Hotta,T.,Umezumi,H.,Tohyama,T.,Nishijima,H.,Iwasaki,H.,Endo,N.: Establishment and characterization of a novel myxofibrosarcoma cell line. Cancer Genet Cytogenet, 161: 28-35, 2005.
- ・ Watanabe,K.,Hasegawa,K.,Hirano,T.,Uchiyama,S.,Endo,N.: Use of the Scoliosis Research Society Outcomes Instrument to Evaluate Patient Outcome in Untreated Idiopathic Scoliosis Patients in Japan Part I : Comparison With Nonscoliosis Group : Preliminary/Limited Review in a Japanese Population. Spine, 30, 10: 1197-1201, 2005.
- ・ Watanabe,K.,Hasegawa,K.,Hirano,T.,Uchiyama,S.,Endo,N.: Use of the Scoliosis Research Society Outcomes Instrument to Evaluate Patient Outcome in Untreated Idiopathic Scoliosis Patients in Japan Part II: Relation Between Spinal Deformity and Patient Outcomes. Spine, 30, 10: 1202-1205, 2005.
- ・ Watanabe,K.,Hasegawa,K.,Hirano,T.,Endo,N.,Yamazaki,A.,Honma,T.: Anterior spinal decompression and fusion for cervical flexion myelopathy in young patients. J.Neurosurg Spine, 3: 86-91, 2005.
- ・ Eimori K, Ogose A, Hotta T, Kawashima H, Omori G, Endo N.: Treatment of pathological fracture of the femur due to diffuse hemangioma in the lower extremity. A report of two cases. J Bone Joint Surg Br, 87: 412-414, 2005.
- ・ Kondo N, Ogose A, Tokunaga K, Ito T, Arai K, Kudo N, Inoue H, Irie H, Endo N.: Bone formation and resorption of highly purified  $\beta$ -tricalcium phosphate in the rat femoral condyle. Biomaterials, 26: 5600-5608, 2005.

- Wang X, Kimura S, Yazawa T, Endo N: Cerebrospinal fluid sampling by lumbar puncture in rats - repeated measurements of nitric oxide metabolites. *J Neurosci Methods*, 145: 1-2, 89-95, 2005.
- Gu, W., Ogose, A., Kawashima, H., Umezumi, H., Kudo, N., Hotta, T., Endo, N.: Congenital dermatofibrosarcoma protuberans with fibrosarcomatous and myxoid change. *J Clin Pathol*, 58: 984-986, 2005.
- Yoshizawa T, Takizawa F, Iizawa F, Ishibashi O, Kawashima H, Matsuda A, Endo N, Kawashima H: Homeobox protein MSX2 acts as a molecular defense mechanism for preventing ossification in ligament fibroblasts *Mol Cell Biol*, 24(8): 3460-72, 2004.
- 渡辺 牧人, 長谷川和宏, 平野 徹, 渡辺 聡, 遠藤直人 頸椎に発生した良性骨芽細胞腫の 1 例, *新潟整形外科学会誌* 21:5-7 2005.
- 渡辺 慶, 渡辺 聡, 遠藤直人, 生沼武男, 矢澤 隆 腰部脊柱管狭窄症患者のQOL～Short form-36を用いた preliminary study ～ *新潟整形外科学会誌* 21:25-28 2005.
- 伊藤知之, 高野玲子, 徳永邦彦, 小熊雄二郎, 根津貴広, 遠藤直人 大腿骨頭前方回転骨切り術を施行した特発性大腿骨頭壊死症 15 例の短中期成績 *新潟整形外科学会誌* 21:37-42 2005.
- 遠藤直人, 骨粗鬆症治療薬, *医薬ジャーナル*, 新薬展望増刊号, 41S-1, 239-242, 2005.
- 遠藤直人, 運動器(骨と関節, 脊椎, 脊髄)疾患への取り組み: ADL と QOL 向上をめざす, *理療*, 34, 1-9, 2005.
- 遠藤直人, 大川 豊, PTH の現状と臨床への応用, 第 4 回カルシトニン/副甲状腺ホルモン研究会 proceeding, 22-24, 2005.
- 遠藤直人, 佐久間真由美, 骨粗鬆症における治療評価法 一骨密度, 骨代謝および QOL 評価一, *PTM*, 8, 5, 2005.
- 遠藤直人, 骨粗鬆症の診断, 治療ガイドライン 診療ガイドライン骨粗鬆症, 2005.
- 遠藤直人, 骨代謝マーカーの測定法の進歩, *リウマチ科*, 33, 2, 113-117, 2005.
- 遠藤直人, 薬剤と EBM 活性型ビタミン D 製剤, *骨粗鬆症治療*, 4, 34-337, 2005.
- 大森 豪, 遠藤栄之助, 遠藤直人, 整形外科手術後の肺塞栓症発生と予防の試み, *新潟医学会誌*, 119, 162-168, 2005.
- 生越章, 堀田哲夫, 川島寛之, 近藤直樹, 伊藤知之, 工藤尚子, 谷文光, 遠藤直人, 今泉聡, 骨腫瘍手術における高純度  $\beta$ -リン酸三カルシウム( $\beta$ -TCP)の有用性, *別冊整形外科*, 47, 165-171, 2005.
- 生越章, 堀田哲夫, 川島寛之, 須貝美佳, 梅津哉, 遠藤直人, 細胞診が有用であった悪性リンパ腫に併発した関節水腫, *整形外科*, 55, 1687-1688, 2005.
- 藤澤純一, 荒井勝光, 村井文寛, 遠藤直人, RA 人工膝関節置換術施行症例の術前後のQOL調査-副腎皮質ステロイド内服の有無による検討-, *Osteoporosis Japan*, 13, 3, 149-152, 2005.
- 近藤直樹, 徳永邦彦, 伊藤知之, 荒井勝光, 伊藤雅之, 北原 洋, 網塚憲生, 李 敏啓, 高野玲子, 遠藤直人. 骨髄損傷後骨再生モデルにおけるステロイドの影響, *別冊整形外科*, 48, 35-40, 2005.
- 王顕軍, 長谷川和宏, 木村慎二, 渡辺 慶, 平野 徹, 遠藤直人, 頸部脊髄症に対する黒川式椎弓形成術の術後成績不良因子の検討, *東北整形災害外科学会雑誌*, 49, 1, 1-5, 2005.
- 遠藤直人 佐久間真由美. 骨粗鬆症治療薬剤の使い分け *THE BONE* 20(1):73-78, 2006.

#### 分担研究者: 加藤茂明

- Takezawa S, Yokoyama A, Okada M, Fujiki R, Iriyama A, Yanagi Y, Ito H, Takada I, Kishimoto M, Miyajima A, Takeyama K, Umesono K, Kitagawa H, Kato S: A cell cycle-dependent co-repressor for photoreceptor cell-specific nuclear receptor (PNR). *EMBO J*, 2006, in press.
- Yokota K, Shibata H, Kurihara I, Kobayashi S, Suda N, Murai-Takeda A, Saito I, Kitagawa H, Kato S, Saruta T, Itoh H: Coactivation of the N-terminal transactivation of mineralocorticoid receptor by Ubc9. *J Biol Chem*, 2006, in press.
- Yamaoka K, Shindo M, Iwasaki K, Yamaoka I, Yamamoto Y, Kitagawa H, Kato S: Multiple co-activator complexes support

- ligand-induced transactivation function of VDR. *Arch Biochem Biophys*, 2006, in press.
- Yamada T, Kawano H, Koshizuka Y, Fukuda T, Yoshimura K, Kamekura S, Saito T, Ikeda T, Kawasaki Y, Azuma Y, Ikegawa S, Hoshi K, Chung U, Nakamura K, Kato S, Kawaguchi H: Carminerin contributes to chondrocyte calcification during endochondral ossification. *Nat Med*, 12: 665–670, 2006.
  - Yamamoto K, Sokabe T, Matsumoto T, Yoshimura K, Shibata M, Ohura N, Fukuda T, Sato T, Sekine K, Kato S, Isshiki M, Fujita T, Masuda H, Kobayashi M, Kawamura K, Kamiya A, Ando J: Impaired flow-dependent control of vascular tone and remodeling in P2X4-deficient mice. *Nat Med*, 12: 133–137, 2006.
  - Li M, Hener P, Zhang Z, Kato S, Metzger D, Chambon P: Topical vitamin D3 and low-calcemic analogs induce thymic stromal lymphopoietin in mouse keratinocytes and trigger an atopic dermatitis. *Proc Natl Acad Sci U S A*, 103: 11736–11741, 2006.
  - Shiina H, Matsumoto T, Sato T, Igarashi K, Miyamoto J, Takemasa S, Sakari M, Takada I, Nakamura T, Metzger D, Chambon P, Kanno J, Yoshikawa H, Kato S: Premature ovarian failure in androgen receptor-deficient mice. *Proc Natl Acad Sci U S A*, 103: 224–229, 2006.
  - Oishi H, Kitagawa H, Wada O, Takezawa S, Tora L, Kouzu-Fujita M, Takada I, Yano T, Yanagisawa J, Kato S: An hGCN5/TRRAP HAT complex coactivates BRCA1 transactivation function through histone modification. *J Biol Chem*, 281: 20–26, 2006.
  - Kim M-S, Fujiki R, Murayama A, Kitagawa H, Yamamoto K, Yamamoto Y, Mihara M, Takeyama K, Kato S: 1 $\alpha$ , 25(OH) $_2$ D $_3$  -induced transrepression by vitamin D receptor through E-box-type elements in the human parathyroid hormone gene promoter. *Mol Endocrinol*, 2006.
  - Kishimoto M, Fujiki R, Takezawa S, Sasaki Y, Nakamura T, Yamaoka K, Kitagawa H, Kato S: Nuclear receptor mediated gene regulation through chromatin remodeling and histone modifications. *J Endocrinol*, 53: 157–172, 2006.
  - Urushino N, Yamamoto K, Kagawa N, Ikushiro S, Kamakura M, Yamada S, Kato S, Inouye K, Sakaki T: Interaction between mitochondrial CYP27B1 and adrenodoxin: Role of Arginine 458 of Mouse CYP27B1. *Biochemistry*, 45: 4405–4412, 2006.
  - Tateishi Y, Sonoo R, Sekiya Y, Sunahara N, Kawano M, Wayama M, Hirota R, Kawabe Y, Murayama A, Kato S, Kimura K, Yanagisawa J: Turning off estrogen receptor beta-mediated transcription requires estrogen-dependent receptor proteolysis. *Mol Cell Biol*, 26: 7966–7976, 2006.
  - Yamaoka K, Kim M-S, Takada I, Takeyama K, Kamimura T, Kato S: Culture serum-induced conversion from agonist to antagonist of a Vitamin D analog, TEI-9647. *J Steroid Biochem Mol Biol*, 100: 177–183, 2006.
  - Katsu Y, Kohno S, Oka T, Mitsui N, Tooi O, Santo N, Urushitani H, Fukumoto Y, Kuwabara K, Ashikaga K, Minami S, Kato S, Ohta Y, Guillet LJ Jr., Iguchi T: Molecular cloning of estrogen receptor alpha (ER $\alpha$ ; ESR1) of the Japanese giant salamander, *Andrias japonicus*. *Mol Cell Endocrinol*, 257–258: 84–94, 2006.
  - Chan T, Satow R, Kitagawa H, Kato S, Asashima M: Ledgerline, a Novel *Xenopus laevis* Gene, Regulates Differentiation of Presomitic Mesoderm During Somitegenesis. *Zoolog Sci*, 23: 689–697, 2006.
  - Masuhiro Y, Mezaki Y, Sakari M, Takeyama K, Yoshida T, Inoue K, Yanagisawa J, Hanazawa S, O'Malley B W, Kato S: Splicing potentiation by growth factor signals via estrogen receptor phosphorylation. *Proc Natl Acad Sci U S A*, 102: 8126–8131, 2005.
  - Fujiki R, Kim M, Sasaki Y, Yoshimura K, Kitagawa H, Kato S: Ligand-induced transrepression by VDR through association of WSTF with acetylated histones. *EMBO J*, 24: 3881–3894, 2005.
  - Fan W, Yanase T, Nomura M, Okabe T, Goto K, Sato T, Kawano H, Kato S, Nawata H: Androgen receptor null male mice develop late-onset obesity caused by decreased energy expenditure and lipolytic activity but show normal insulin sensitivity with high adiponectin secretion. *Diabetes*, 54: 1000–1008, 2005.
  - Saito H, Maeda A, Ohtomo S, Hirata M, Kusano K, Kato S, Ogata E, Segawa H, Miyamoto K, Fukushima N: Circulating

- FGF-23 is regulated by 1 alpha,25-Dihydroxyvitamin D<sub>3</sub> and phosphorus in vivo. *J Biol Chem*, 280: 2543–2549, 2005.
- Yamamoto K, Uchida E, Urushino N, Sakaki T, Kagawa N, Sawada N, Kamakura M, Kato S, Inouye K, Yamada S: Identification of amino acid residue of CYP27B1 responsible for binding of 25-hydroxyvitamin D<sub>3</sub> whose mutation causes vitamin D-dependent rickets type I. *J Biol Chem*, 280: 30511–30516, 2005.
  - Ikeda Y, Aihara K, Sato T, Akaike M, Yoshizumi M, Suzaki Y, Izawa Y, Fujimura M, Hashizume S, Kato M, Yagi S, Tamaki T, Kawano H, Matsumoto T, Azuma H, Kato S, Matsumoto T: Androgen receptor gene knockout male mice exhibit impaired cardiac growth and exacerbation of angiotensin II-induced cardiac fibrosis. *J Biol Chem*, 280: 29661–29666, 2005.
  - Matsumoto T, Takeyama K, Sato T, Kato S: Study of androgen receptor functions by genetic models. *J. Biochem.*, 138: 105–110, 2005.
  - Inoue Y, Segawa H, Kaneko I, Yamanaka S, Kusano K, Kawakami E, Furutani J, Ito M, Kuwahata M, Saito H, Fukushima N, Kato S, Kanayama H, Miyamoto K: Role of the vitamin D receptor in FGF23 action on phosphate metabolism. *Biochem J*, 390: 325–331, 2005.
  - Ogawa S, Oishi H, Mezaki Y, Kouzu-Fujita M, Matsuyama R, Nakagomi M, Mori E, Murayama E, Nagasawa H, Kitagawa H, Yanagisawa J, Kato S: Repressive domain of unliganded human estrogen receptor alpha associates with Hsc70. *Genes Cells*, 10: 1095–1102, 2005.
  - Furutani T, Takeyama K, Koutoku H, Ito S, Taniguchi N, Suzuki E, Kudoh M, Shibasaki M, Shikama H, Kato S: Human expanded polyQ androgen receptor mutants in neurodegeneration as a novel ligand target. *J Pharmacol Exp Ther*, 315: 545–552, 2005.
  - Furutani T, Takeyama K, Koutoku H, Ito S, Taniguchi N, Suzuki E, Kudoh M, Shibasaki M, Shikama H, Kato S: A role of androgen receptor protein in cell growth of an androgen-independent prostate cancer cell line. *Biosci Biotechnol Biochem*, 69: 2236–2239, 2005.
  - Unno A, Takada I, Takezawa S, Oishi H, Baba A, Shimizu T, Tokita A, Yanagisawa J, Kato S: TRRAP as a hepatic coactivator of LXR and FXR function. *Biochem Biophys Res Commun*, 327: 933–938, 2005.
  - Takada I, Suzawa M, Kato S: Nuclear receptors as targets for drug development: crosstalk between peroxisome proliferator-activated receptor  $\gamma$  and cytokines in bone marrow-derived mesenchymal stem cells. *J Pharmacol Sci*, 97: 184–189, 2005.
  - Nakagawa K, Kawaura A, Kato S, Takeda E, Okano T: 1 alpha,25-dihydroxyvitamin D<sub>3</sub> is a preventive factor in the metastasis of lung cancer. *Carcinogenesis*, 26: 429–440, 2005.
  - Nakagawa K, Sasaki Y, Kato S, Kubodera N, Okano T: 22-Oxa-1 alpha.,25-dihydroxyvitamin D<sub>3</sub> inhibits metastasis and angiogenesis in lung cancer. *Carcinogenesis*, 26: 1044–1054, 2005.
  - Kallay E, Bises G, Bajna E, Bieglmayer C, Gerdenitsch W, Steffan I, Kato S, Armbrrecht HJ, Cross HS: Colon-specific regulation of vitamin D hydroxylases—a possible approach for tumor prevention. *Carcinogenesis*, 26: 1581–1589, 2005.
  - Capuano P, Radanovic T, Wagner CA, Bacic D, Kato S, Uchiyama Y, St-Arnaud R, Murer H, Biber J: Intestinal and renal adaptation to a low Pi-diet of type II Na-Pi-cotransporters in VDR and 1 alpha-OHase deficient mice. *Am J Physiol Cell Physiol*, 288: C429–C434, 2005.
  - Kambayashi H, Otake Y, Takada K, Funasaka Y, Ichihashi M, Kato S: N-retinoyl-D-glucosamine, a new retinoic acid agonist, mediates topical retinoid efficacy with no irritation on photoaged skin. *Br J Dermatol*, 153: 30–36, 2005.
  - Meindl S, Rot A, Hoetzenecker W, Kato S, Cross S, Elbe-Burger A: Vitamin D receptor ablation alters skin architecture and homeostasis of dendritic epidermal T cells. *Br J Dermatol*, 152: 231–241, 2005.
  - Wada-Hiraike O, Yano T, Nei T, Matsumoto Y, Nagasaka K, Takizawa S, Oishi H, Arimoto T, Nakagawa S, Yasugi T,

- Kato S, Taketani Y: The DNA mismatch repair gene hMSH2 is a potent coactivator of oestrogen receptor alpha. *Br J Cancer*, 92: 2286–2291, 2005.
- Bando T, Sekine K, Kobayashi S, Watabe AM, Rump A, Tanaka M, Suda Y, Kato S, Morikawa Y, Manabe T, Miyajima A: Neuronal leucine-rich repeat protein 4 functions in hippocampus-dependent long-lasting memory. *Mol Cell Biol*, 25: 4166–4175, 2005.
- Kato S, Sato T, Watanabe T, Takemasa S, Masuhiro Y, Ohtake F, Matsumoto T: Function of nuclear sex hormone receptors in gene regulation. *Cancer Chemother Pharmacol*, 56 (Suppl. 7): 4–9, 2005.
- Kato S, Fujiki R, Kitagawa H: Chapter 17, Promoter targeting of vitamin D receptor through a chromatin remodeling complex. In *Vitamin D*, 2nd Edition, ed. by Feldman D, Pike JW, Glorieux FH, Elsevier, Inc., San Diego, CA: 305–312, 2005.
- Sato T, Matsumoto T, Kawano H, Watanabe T, Uematsu Y, Sekine K, Fukuda T, Aihara K, Krust A, Yamada T, Nakamichi Y, Yamamoto Y, Nakamura T, Yoshimura K, Yoshizawa T, Metzger D, Chambon P, Kato S: Brain masculinization requires androgen receptor function. *Proc Natl Acad Sci U S A*, 101: 1673–1678, 2004.
- Murayama A, Kim M, Yanagisawa J, Takeyama K, Kato S: Transrepression by a liganded nuclear receptor via a bHLH activator through co-regulator switching. *EMBO J*, 23: 1598–1608, 2004.
- Tateishi Y, Kawabe Y, Chiba T, Murata S, Ichikawa K, Murayama A, Tanaka K, Baba T, Kato S, Yanagisawa J: Ligand-dependent switching of ubiquitin-proteasome pathways for estrogen receptor. *EMBO J*, 23: 4813–4823, 2004.
- Yamada T, Kawano H, Sekine K, Matsumoto T, Fukuda T, Azuma Y, Itaka K, Chung UI, Chambon P, Nakamura K, Kato S, Kawaguchi H: SRC-1 is necessary for skeletal responses to sex hormones in both males and females. *J Bone Miner Res*, 19: 1452–1461, 2004.
- Aihara KI, Azuma H, Akaike M, Ikeda Y, Yamashita M, Sudo T, Hayashi H, Yamada Y, Endoh F, Fujimura M, Yoshida T, Yamaguchi H, Hashizume S, Kato M, Yoshimura K, Yamamoto Y, Kato S, Matsumoto T: Disruption of nuclear vitamin D receptor gene causes enhanced thrombogenicity in mice. *J Biol Chem*, 279: 35798–35802, 2004.
- Kouzmenko AP, Takeyama K, Ito S, Furutani T, Sawatsubashi S, Maki A, Suzuki E, Kawasaki Y, Akiyama T, Tabata T, Kato S: Wnt/beta-catenin and estrogen signaling converge in vivo. *J Biol Chem*, 279: 40255–40258, 2004.
- Maki A, Sawatsubashi S, Ito S, Shirode Y, Suzuki E, Zhao Y, Yamagata K, Kouzmenko A, Takeyama K, Kato S: Juvenile hormones antagonize ecdysone actions through co-repressor recruitment to EcR/USP heterodimers. *Biochem Biophys Res Commun*, 320: 262–267, 2004.
- Sawatsubashi S, Maki A, Ito S, Shirode Y, Suzuki E, Zhao Y, Yamagata K, Kouzmenko A, Takeyama K, Kato S: Ecdysone receptor-dependent gene regulation mediates histone poly (ADP-ribosylation). *Biochem Biophys Res Commun*: 268–272, 2004.
- Uchida E, Kagawa N, Sasaki T, Urushino N, Sawada N, Kamakura M, Ohta M, Kato S, Inouye K: Purification and characterization of mouse CYP27B1 overproduced by an Escherichia coli system coexpressing molecular chaperonins GroEL/ES. *Biochem Biophys Res Commun* 323: 505–511, 2004.
- Takeyama K, Ito S, Sawatsubashi S, Shirode Y, Yamamoto A, Suzuki E, Maki A, Yamagata K, Zhao Y, Kouzmenko A, Tabata T, Kato S: A novel genetic system for analysis of co-activators for the N-terminal transactivation function domain of the human androgen receptor. *Biosci Biotechnol Biochem*, 68: 1209–1215, 2004.
- Wada O, Oishi H, Takada I, Yanagisawa J, Yano T, Kato S: BRCA1 function mediates a TRAP/DRIP complex through direct interaction with TRAP220. *Oncogene*, 23: 6000–6005, 2004.
- Kahata K, Hayashi M, Asaka M, Hellman W, Kitagawa H, Yanagisawa J, Kato S, Imamura T, Miyazono K: Regulation of transforming growth factor-beta and bone morphogenetic protein signalling by transcriptional coactivator GCN5. *Genes Cells*, 9: 143–151, 2004.
- Ito S, Takeyama K, Yamamoto A, Sawatsubashi S, Shirode Y, Kouzmenko A, Tabata T, Kato S: In vivo potentiation of



- human oestrogen receptor  $\alpha$  by Cdk7-mediated phosphorylation. *Genes Cells*, 9: 983–992, 2004.
- Kato S, Fujiki R, Kitagawa H: Vitamin D receptor (VDR) promoter targeting through a novel chromatin remodeling complex. *J Steroid Biochem Mol Biol*, 89–90: 173–178, 2004.
  - Kato S, Matsumoto T, Kawano H, Sato T, Takeyama K: Function of androgen receptor in gene regulations. *J Steroid Biochem Mol Biol*, 89–90: 627–633, 2004.
  - Ikeda K, Ogawa S, Tsukui T, Horie-Inoue K, Ouchi Y, Kato S, Muramatsu M, Inoue S: Protein phosphatase 5 is a negative regulator of estrogen receptor-mediated transcription. *Mol Endocrinol*, 18: 1131–1143, 2004.
  - Kawasumi M, Okada T, Yamada M, Miyamae-Kaneko M, Matsuoka M, Nakahara J, Tomita T, Iwatsubo T, Kato S, Aiso S, Nishimoto I, Kouyama K: Targeted introduction of V642I mutation in amyloid precursor protein gene causes functional abnormality resembling early stage of Alzheimer's disease in aged mice. *Eur J Neurosci*, 19: 2826–2838, 2004.
  - Segawa H, Kaneko I, Yamanaka S, Ito M, Kuwahata M, Inoue Y, Kato S, Miyamoto K: Intestinal Na-Pi cotransporter adaptation to dietary Pi content in vitamin D receptor null mice. *Am J Physiol Renal Physiol*, 287: F39–F47, 2004.
  - Peters JM, Kato S, Gonzalez F: The United States–Japan workshop on: the role of nuclear receptors in carcinogenesis. *Mol Carcinog*, 41: 77–84, 2004.
  - Fan W, Yanase T, Wu Y, Kawate H, Saitoh M, Oba K, Nomura M, Okabe T, Goto K, Yanagisawa J, Kato S, Takayanagi R, Nawata H: Protein kinase A potentiates Ad4BP/SF-1 transactivation by re-integrating the subcellular dynamic interactions of the nuclear receptor with its cofactors, GCN5/TRRAP, and suppressor, DAX-1: a laser confocal imaging study in living KGN cells. *Mol Endocrinol*, 18: 127–141, 2004.

#### 分担研究者:田中良哉

- Nakano K, Saito K, Mine S, Matsushita S, Tanaka Y: CD44 signaling up-regulates Fas Ligand expression on T cells leading to activation-induced cell death. *Apoptosis*, in press.
- Mine S, Okada Y, Kawahara C, Tabata T, Tanaka Y: Serum hyaluronan concentration as a marker of angiopathy in patients with diabetes mellitus. *Endocr J*, in press.
- Nakano K, Okada Y, Saito K, Tanikawa R, Sawamukai N, Sasaguri Y, Kohro T, Wada Y, Kodama T, Tanaka Y: Rheumatoid synovial endothelial cells produce macrophage-colony stimulating factor leading to osteoclastogenesis of rheumatoid arthritis. *Rheumatology*, in press.
- Tokunaga M, Saito K, Kawabata D, Imura Y, Fujii T, Nakayamada S, Tsujimura S, Nawata M, Iwata S, Azuma T, Mimori T, Tanaka Y: Efficacy of rituximab (anti-CD20) for refractory systemic lupus erythematosus involving the central nervous system. *Ann Rheum Dis*, in press.
- Nakayamada S, Saito K, Nakatsuka K, Nakano K, Tokunaga M, Sawamukai N, Tsujimura S, Nawata M, Tanaka Y: Efficacy of mizoribine treatment in patients with Sjögren's syndrome an open pilot trial. *Mod Rheumatol*, in press.
- Tsujimura S, Saito K, Kohno K, Tanaka Y: Fragmented hyaluronan induces transcriptional up-regulation of the multidrug resistance-1 gene in CD4<sup>+</sup> T cells. *J Biol Chem*, 281(49):38089–97.
- Kishikawa H, Mine S, Kawahara C, Tabata T, Hirose A, Okada Y, Tanaka Y: Glycated albumin and cross-linking of CD44 induce scavenger receptor expression and uptake of oxidized LDL in human monocytes. *Biochem Biophys Res Commun*, 339: 846–851, 2006.
- Hurley MM, Okada Y, Xiao L, Tanaka Y, Ito M, Okimoto N, Nakamura T, Rosen CJ, Doetschman T, Coffin JD: Impaired bone anabolic response to parathyroid hormone in Fgf2<sup>-/-</sup> and Fgf2<sup>+/-</sup> mice. *Biochem Biophys Res Commun*, 341: 989–994, 2006.
- Mine S, Okada Y, Tanikawa T, Kawahara C, Tabata T, Tanaka Y: Increased monocyte CCR2 expression and MCP-1 in patients with diabetes mellitus. *Biochem Biophys Res Commun*, 344: 780–785, 2006.

- Tsukamoto H, Nagafuji K, Horiuchi T, Miyamoto T, Aoki K, Takase K, Henzan H, Himeji D, Koyama T, Miyake K, Inoue Y, Nakashima H, Otsuka T, Tanaka Y, Nagasawa K, Harada M: A phase I-II trial of autologous peripheral blood stem cell transplantation in the treatment of refractory autoimmune disease. *Ann Rheum Dis*, 65: 508-514, 2006.
- Wang B, Tsukada J, Higashi T, Mizobe T, Matsuura A, Mouri F, Sawamukai N, Ra C, Tanaka Y: Growth suppression of human mast cells expressing constitutively active c-kit receptors by JNK inhibitor SP600125. *Genes Cells*, 11: 983-992, 2006.
- Tanaka Y, Tokunaga M: Rituximab reduces both quantity and quality of B cells in SLE. *Rheumatology*, 45: 122-123, 2006.
- Kishikawa H, Mine S, Kawahara C, Tabata T, Hirose a, Okada Y, Tanaka Y: Glycated albumin and cross-linking of CD44 induce scavenger receptor 3 expression and uptake of oxidized LDL in human monocytes. *Biochem Biophys Res Commun*, 339: 846-851, 2006.
- Fujii Y, Fujii K, Tanaka Y: Attempt to correct abnormal signal transduction in T lymphocytes from systemic lupus erythematosus patients. *Autoimmun Rev*, 5:143-144, 2006.
- Tsujimura S, Saito K, Tokunaga M, Nakatsuka K, Nakayamada S, Nakano K, Tanaka Y: Overcoming treatment unresponsiveness mediated by P-glycoprotein overexpression on lymphocytes in refractory active systemic lupus erythematosus. *Mod Rheumatol*, 15: 28-32, 2005.
- Tsujimura S, Saito K, Nakayamada S, Tanaka Y: Human urinary trypsin inhibitor bolus infusion improved severe interstitial pneumonia in mixed connective tissue disease. *Mod Rheumatol*, 15: 374-380, 2005.
- Tanaka Y, Nakayamada S, Okada Y: Osteoblasts and osteoclasts in bone remodeling and inflammation. *Curr Drug Targets Inflamm Allergy*, 4: 325-32, 2005.
- Tsujimura S, Saito K, Nakayamada S, Nakano K, Tanaka Y: Clinical relevance of expression of P-glycoprotein on peripheral lymphocytes to steroid-resistance in systemic lupus erythematosus. *Arthritis Rheum*, 52: 1676-1683, 2005.
- Tokunaga M, Fujii K, Saito K, Nakayamada S, Tsujimura S, Nawata M, Tanaka Y: Down-regulation of CD40 and CD80 on B cells in patients with life-threatening systemic lupus erythematosus after successful treatment with rituximab. *Rheumatology*, 44: 176-182, 2005.
- Nakayamada S, Kurose K, Saito K, Mogami A, Tanaka Y: Small GTP-binding protein rho-mediated signaling promotes proliferation of rheumatoid synovial fibroblasts. *Arthritis Res Ther*, 7: 476-484, 2005.
- Sakuma-Zenke M, Sakai A, Nakayamada S, Kunugita N, Uchida S, Tanaka S, Mori T, Tanaka Y, T Nakamura: Reduced expression of platelet endothelial cell adhesion molecule-1 in bone marrow cells in mice after unloading. *J Bone Miner Res*, 20: 1002-1010, 2005.
- Sobue T, Naganawa T, Xiao L, Okada Y, Tanaka Y, Ito M, Okimoto N, Nakamura T, Coffin JD, Hurley MM: Over-expression of fibroblast growth factor-2 causes defective bone mineralization and osteopenia in transgenic mice. *J Cell Biochem*, 95: 83-94, 2005.
- Tanaka Y, Okada Y: Acro-osteolysis and symphalangism mutations. *J Bone Miner Res*, 20: 160, 2005.
- Tanaka Y, Nakayamada S, Okada Y: Osteoblasts and osteoclasts in bone remodeling and inflammation. *Curr Drug Targets Inflamm Allergy*, 4: 325-32, 2005.
- Tsujimura S, Saito K, Tokunaga M, Nakatsuka K, Nakayamada S, Nakano K, Tanaka Y: Overcoming treatment unresponsiveness mediated by P-glycoprotein overexpression on lymphocytes in refractory active systemic lupus erythematosus. *Mod Rheumatol*, 15: 28-32, 2005.
- Okada Y, Tanaka Y: Immune signals in the context of secondary osteoporosis. *Histol Histopathol*, 19: 863-866, 2004.
- Nakayamada S, Okada S, Saito K, Tanaka Y: Etidronate prevents high-dose glucocorticoid-induced bone loss in premenopausal individuals with systemic autoimmune diseases. *J Rheumatol*, 31: 163-166, 2004.
- Saito K, Nakayamada S, Nakano K, Tokunaga M, Tsujimura S, Nakatsuka K, Adachi T, Tanaka Y: Detection of

- Pneumocystis carinii by DNA amplification in patients with connective tissue diseases. Reevaluation of clinical features of P. carinii pneumonia in rheumatic diseases. *Rheumatology*, 43: 479-485, 2004.
- Tanikawa T, Abe H, Tanaka Y, Nakashima Y: Cardiac sympathovagal balance and QT dispersion during head-up tilt testing in diabetic patients with and without sensory neuropathy. *Clin Exp Hypertens*, 26: 137-144, 2004.
  - Okada Y, Tsukada J, Nakano K, Tonai S, Mine S, Tanaka Y: Macrophage inflammatory protein-1  $\alpha$  induces hypercalcemia in adult T-cell leukemia. *J Bone Miner Res*, 19: 1105-1111, 2004.
  - Nakano K, Okada Y, Saito K, Tanaka Y: Fibroblast growth factor-2 induces receptor activator of nuclear factor kappa B ligand expression and osteoclast maturation by binding to heparan sulfate proteoglycan on rheumatoid synovial fibroblasts. *Arthritis Rheum*, 50: 2450-2458, 2004.
  - Tsujimura S, Saito K, Nakayama S, Nakano K, Tsukada J, Kohno K, Tanaka Y: Transcriptional regulation of multidrug resistance-1 gene by interleukin-2 in lymphocytes. *Genes Cells*, 9: 1265-1273, 2004.
  - Kato N, Fujimoto H, Yoda A, Oishi I, Matsuura N, Kondo T, Tsukada J, Tanaka Y, Imamura M, Minami Y: Regulation of Chk2 gene expression in lymphoid malignancies: involvement of epigenetic mechanisms in Hodgkin's lymphoma cell lines. *Cell Death Differ*, 11: S153-S161, 2004.
  - Ehara Y, Sakurai D, Tsuchiya N, Nakano K, Tanaka Y, Yamaguchi A, Tokunaga K: Follistatin-related protein gene (FRP) is expressed in the synovial tissues of rheumatoid arthritis, but its polymorphisms are not associated with genetic susceptibility. *Clin Exp Rheumatol*, 22: 707-712, 2004.
  - Morimoto H, Tsukada J, Kominato Y, Tanaka Y: Reduced expression of human mismatch repair genes in adult T-cell leukemia. *Am J Hematol*, 78: 100-107, 2004.
  - Nawata H, Shirasawa S, Nakashima N, Araki E, Hashiguchi J, Miyake S, Yamauchi T, Hamaguchi K, Yoshimatsu H, Takeda H, Fukushima H, Sasahara T, Yamaguchi K, Sonoda N, Sonoda T, Matsumoto M, Tanaka Y, Sugimoto H, Tsubouchi H, Inoguchi T, Yanase T, Wake N, Narazaki K, Eto T, Umeda F, Nakazaki M, Ono J, Asano T, Ito Y, Akazawa S, Hazegawa I, Takasu N, Shinohara M, Nishikawa T, Nagafuchi S, Okeda T, Eguchi K, Iwase M, Ishikawa M, Aoki M, Keicho N, Kato N, Yasuda K, Yamamoto K, Sasazuki T: Genome-wide linkage analysis of type 2 diabetes mellitus reconfirms the susceptibility locus on 11p13-p12 in Japanese. *J Hum Genet*, 49: 629-34, 2004.
  - Tanikawa T, Okada Y, Azuma T, Fukushima A, Kawahara C, Tanaka Y: Adult-onset idiopathic progressive acro-osteolysis with proximal symphalangism. *J Bone Miner Res*, 19: 165-167, 2004.
  - Kawahara C, Okada Y, Tanikawa T, Fukushima A, Misawa H, Tanaka Y: Severe hypercalcemia and hypernatremia associated with calcipotriol for treatment of psoriasis. *J Bone Miner Metab*, 22: 159-162, 2004.
  - Higashi T, Tsukada J, Kato C, Iwashige A, Mizobe T, Machida S, Morimoto H, Ogawa R, Toda T, Tanaka Y: Imatinib mesylate-sensitive blast crisis immediately after discontinuation of imatinib mesylate therapy in chronic myelogenous leukemia. *Am J Hematol*, 76: 275-278, 2004.
  - Kanda K, Okada Y, Tanikawa T, Morita E, Tsurudome Y, Konishi T, Tanaka Y: A rare case of primary hyperparathyroidism with clear cell adenoma. *Endocrine J*, 51: 207-212, 2004.
  - 田中良哉, 関節リウマチ, 名和田新編, ステロイド骨粗鬆症の治療マニュアル, ライフサイエンス出版
  - 田中良哉. 炎症細胞遊走の分子機構. *Annual Review 呼吸器* 2004. 工藤翔二, 土屋了介, 金沢実, 大田健編 中外医学社: 22-27 頁, 2004.
  - 田中良哉: 細胞接着分子 骨粗鬆症-基礎・臨床研究の新しいパラダイム. 折茂肇編, 日本臨床社: 125-130 頁, 2004.
  - 田中良哉: 膠原病・リウマチ性疾患に起因する骨粗鬆症 骨粗鬆症-基礎・臨床研究の新しいパラダイム. 折茂肇編 日本臨床社: 677-682 頁, 2004.
  - 田中良哉: 関節リウマチ ステロイド骨粗鬆症の治療マニュアル. 名和田新編, ライフサイエンス出版: 38-45 頁, 2004.
  - 田中良哉: 炎症反応(赤沈, CRP) リウマチ膠原病診療チェックリスト. 三森経世編, 文光堂: 115-118 頁, 2004
  - 田中良哉: 白血球-内皮細胞間接着の分子機構. プロテアーゼインヒビター基礎編. 吉川敏一編, 診断と治療

- 社:198-203 頁, 2004.
- 田中良哉. 免疫疾患と T 細胞の役割. 内科診療 Q&A『免疫疾患』. 永野允,原田尚,藤澤冽,永野志朗編 六法出版: 46-49 頁,2004.
  - 田中良哉. 関節リウマチに対する抗 TNF  $\alpha$  抗体療法の有用性と問題点. サイトカイン - state of arts. 宮坂信之,宮島篤編 医歯薬出版: 345-348 頁, 2004.
  - 田中良哉. 多発性筋炎/皮膚筋炎. 実地医家のためのステロイド薬の上手な使い方. 河合眞一編永井書店: 75-81 頁,2004.
  - 田中良哉. 血管炎. リウマチ入門第 12 版. 日本リウマチ学会編 日本リウマチ学会: 451-483 頁,2004.
  - 田中良哉. 関節リウマチ(悪性関節リウマチを含む). 家庭医学大百科. 高久文麿,猿田享男,北村惣一郎,福井次夫編 法研: 2907-2911 頁,2004.
  - 田中良哉. CD20 抗体の自己免疫疾患の治療への応用.免疫 2005. 岸本忠三編 中山書店: 400-406 頁,2004.
  - 田中良哉,藤井幸一. 炎症と修復. 21 世紀の胃の炎症学. 浅香正博編 メディカルレビュー社:301-310 頁 ,2004.
  - 田中良哉: 成人発症スチル病. 今日の治療指針 2005 年版. 山口徹,北原光夫編,医学書院:586-587 頁,2005
  - 田中良哉: 成人発症スチル病. 今日の治療指針 2005 年版(ポケット版). 山口徹,北原光夫編,医学書院:586-587 頁,2004.
  - 田中良哉: 抗 CD20 抗体. 関節リウマチ:成因研究から治療の新時代へ. 宮坂信之編,日本臨床社: 544-548 頁,2005.
  - 田中良哉: ステロイド薬. 関節リウマチ:成因研究から治療の新時代へ. 宮坂信之編,日本臨床社: 468-472 頁,2005.
  - 田中良哉. 抗 CD20 抗体.Current Therapy 22, 53-58,2004.
  - 名和田雅夫,齋藤和義,藤井幸一,徳永美貴子,塚田順一,田中良哉 抗 CD20 抗体療法.内科 93, 319-325, 2004.
  - 田中良哉. 免疫学的生物製剤をいかに膠原病に適応するか.Molecular Medicine 41, 204-209,2004.
  - 田中良哉. CD20 を標的とした SLE 等の自己免疫疾患の分子治療.医学のあゆみ 208, 349-354,2004.
  - 辻村静代,田中良哉. 多剤耐性遺伝子を標的とする新規治療.リウマチ科 31, 55-61,2004.
  - 田中良哉. 炎症細胞の遊走のメカニズム. アレルギーの臨床 24, 239-243,2004.
  - 田中良哉. 混合性結合組織病.臨床と研究 81, 63-66,2004.
  - 田中良哉. 抗 CD20 抗体による自己免疫疾患の治療.日本臨床免疫学会雑誌 27, 28-33,2004.
  - 田中良哉. 抗 CD20 抗体.分子リウマチ 1, 32-38,2004.
  - 住田孝之,竹内勤,田中良哉,高崎芳成 21 世紀に於ける関節リウマチの治療はどう変わるか.内科 93, 335-347,2004.
  - 高岡邦夫,田中良哉,宗園聡,田中郁子 エチドロネートによる骨粗鬆症治療の現状と展望.Osteoporosis Japan 12, 5-14,2004.
  - 齋藤和義,田中良哉 膠原病疾患に併発するカリニ肺炎の早期診断と 1 次予防 九州リウマチ 23, 134-138,2004.
  - 岡田洋右,田中良哉 産業医から見た糖尿病治療の留意点:早期発見と早期治療 新薬と治療 54, 15-17,2004.
  - 田中良哉. 関節リウマチと全身性エリテマトーデスの治療への抗体医薬の導入.血液・腫瘍科 48, 523-531,2004.
  - 田中良哉. 骨芽細胞上の接着分子発現と活性の制御.臨床免疫 41, 538-544,2004.
  - 岡田洋右,田中良哉 膠原病患者に於けるステロイド性骨粗鬆症発症の一次予防の検討 Osteoporosis Japan 12, 321-322,2004.
  - 山中寿,Gurkirpal Singh,川合眞一,竹内勤,田中良哉,西本憲弘,川口浩,佐野統 RA は治療できるか? Pharma Medica 22, 107-125,2004.
  - 田中良哉. 抗リウマチ薬 -最近の動向.医学のあゆみ 209, 821-826,2004.
  - 田中良哉, 塚田順一. CD20 を標的とした悪性リンパ腫,SLE,関節リウマチの治療 現代医療 36, 1561-1567,2004.
  - 田中良哉,辻村静代. P-糖蛋白質に対するシクロスポリンの作用:薬剤抵抗性の克服.医薬ジャーナル 40, 178-182,2004.
  - 田中良哉. MMP(マトリックスメタロプロテアーゼ)に対するシクロスポリンの作用.医薬ジャーナル 40, 188-193,2004.
  - 田中良哉. 自己免疫疾患とケモカイン.臨床化学 33, 73-78,2004.