

Johanson CE, Svendsen CN, Stopa EG: Musashi1 antigen expression in human fetal germinal matrix development. *Exp. Neurol* 201: 515-8, 2006.

Ninomiya M, Yamashita T, Araki N, Okano H, Sawamoto K: Enhanced neurogenesis in the ischemic striatum following EGF-induced expansion of transit-amplifying precursors in the subventricular zone. *Neurosci Lett* 403: 63-7, 2006.

Yamashita T, Ninomiya M, Acosta PH, García-Verdugo JM, Sunabori T, Sakaguchi M, Adachi K, Kojima T, Hirota Y, Kawase T, Araki N, Abe K, Okano H, Sawamoto K: Subventricular-zone-derived neuroblasts migrate and differentiate into mature neurons in the post-stroke adult striatum. *J Neurosci* 26: 6627-36, 2006.

Sakaguchi M, Shingo T, Shimazaki T, Okano HJ, Shiwa M, Ishibashi S, Oguro H, Ninomiya M, Kadoya T, Horie H, Shibuya A, Mizusawa H, Poirier F, Nakauchi H, Sawamoto K, Okano H: A carbohydrate binding protein, Galectin-1, promotes proliferation of adult neural stem cells. *Proc Natl Acad Sci USA* 103:7112-7, 2006.

Hara T, Nakamura K, Nakahara Y, Migishima R, Yokoyama M, Okano H, Mizushima N: Suppression of autophagy in neural cells causes a neurodegenerative disease. *Nature* 441: 885-9, 2006.

Miyagi S, Nishimoto M, Saito T, Ninomiya M, Sawamoto K, Okano H, Muramatsu M, Oguro H, Iwama A, Okuda A: The Sox2 regulatory region 2 functions as a neural stem cell specific enhancer in the telencephalon. *J Biol Chem* 281:13374-81, 2006.

Artaamangkul S, Torrecilla M, Kobayashi K, Okano H, Williams JT: Separation of Mu opioid receptor desensitization and internalization. *J Neurosci* 26:4118-25, 2006.

Rawal N, Castelo-Branco G, Sousa KM, Kobayashi K, Okano H, Arenas E: Spatial and temporal expression dynamics of Wnt signaling components in the developing midbrain. *Exp Cell Res* 312:1626-36, 2006.

Murata J, Tokunaga A, Okano H, Kubo T: Notch1 activation demonstrated in situ, during mouse cochlear development. *J Comp Neurol* 497:502-18, 2006.

Tonchev AB, Yamashita T, Sawamoto K, Okano H: Transcription factor protein

expression patterns by neural or neuronal progenitor cells of adult monkey subventricular zone. *Neuroscience* 139:1355-67, 2006.

Okano H: Thoughts on the biomedical sciences in Japan and Australia. *Inflammation and Regeneration*. 26:16-7, 2006.

Sawamoto K, Wichterle H, Gonzalez-Perez O, Cholfin JA, Yamada M, Spassky N, Murcia NS, Garcia-Verdugo JM, Martin O, Rubenstein JL, Tessier-Lavigne M, Okano H, Alvarez-Buylla A: New neurons follow the flow of cerebrospinal fluid in the adult brain. *Science* 311:629-31, 2006.

Matsumoto A, Okada Y, Nakamichi M, Nakamura M, Aoki M, Sobue G, Itoyama Y, Okano H: Disease progression of SOD1 (G93A) ALS model rats. *J Neurosci Res* 83: 119-33, 2006.

Takenaga M, Ohta Y, Tokura Y, Hamaguchi A, Nakamura M, Okano H, Igarashi R: Lecithinized superoxide dismutase (PC-SOD) improved spinal cord injury-induced motor dysfunction through suppression of oxidative stress and enhancement of neurotrophic factor production. *J Control Release* 110:283-9, 2006.

Nagata H, Akiba Y, Suzuki H, Okano H, Hibi T: Expression of Musashi-1 in the rat stomach and changes during mucosal injury and reconstitution. *FEBS Lett* 580:27-33, 2006.

Kanai R, Tomita H, Shinoda A, Takahashi M, Goldman SA, Okano H, Kawase T, Yazaki T: Enhanced therapeutic efficacy of G207 for the treatment of glioma through Musashi1 promoter retargeting of gamma 34.5-mediated virulence. *Gene Therapy* 13: 106-16, 2006.

Fujioka M, Kanzaki S, Okano HJ, Masuda M, Ogawa K, Okano H: Proinflammatory cytokines expression in noise-induced damaged cochlea. *J Neurosci Res* 83: 575-83, 2006.

Kawada H, Takizawa S, Takanashi T, Morita Y, Fujita J, Fukuda K, Takagi S, Okano H, Ando K, Hotta T: Administration of hematopoietic cytokines in the subacute phase after cerebral infarction is effective for functional recovery facilitating proliferation of

intrinsic neural stem cells and transition of bone marrow-derived neuronal cells. *Circulation* 113:701-10, 2006.

Nishimura T, Yamaguchi T, Tokunaga A, Hara A, Hamaguchi T, Kato K, Iwamatsu A, Okano H, Kaibuchi K: Role of Numb in dendritic spine development with a Cdc42 GEF intersectin and EphB2. *Mol. Biol. Cell* 17:1273-85, 2006.

Toriya M, Tokunaga A, Sawamoto K, Nakao K, Okano H: Distinct functions of human Numb isoforms revealed by misexpression in neural precursor cells in *Drosophila* larval brain. *Dev. Neurosci* 28:142-55, 2006.

Sugiyama-Nakagiri Y, Akiyama M, Shibata S, Okano H, Shimizu H: Expression of RNA-binding protein Musashi in hair follicle development and hair cycle progression. *Am J Pathol* 168:80-92, 2006.

Fukuhara Y, Li X-K, Kitazawa Y, Inagaki M, Matsuoka K, Kosuga M, Kosaki R, Shimazaki T, Endo H, Umezawa A, Okano H, Takahashi T, Okuyama T: Histopathological and behavioral improvement of murine Mucopolysaccharidosis type VII by intra-cerebral transplantation of neural stem cells. *Molecular Therapy* 13: 548-55, 2006.

Okano H, Nakamura M, Toyama Y: Stem cell therapies for injured spinal cord. *Inflammation and Regeneration* 26:18-28, 2006.

Okano H, Kohyama J, Ohba H, Sakaguchi M, Tokunaga A, Shimazaki T, Okano HJ: Neural stem cells: Isolation and self-renewal. In *Tissue Stem Cells; Biology & Applications*. (Edited by Potten, Wilson, Clarke, Renehan, Marcel Dekker), Taylor & Francis Group, LLC, New York, pp. 55-70, 2006.

Okano H: Transplantation of neural stem cells for spinal cord regeneration. In *Encyclopedic References of Neuroscience* (Edited by Binder D, Hirokawa N and Windhorst U) Springer-Verlag (Heidelberg, Germany), 2006.

Clarke RB, Spence K, Anderson E, Howell A, Okano H, Potten CS: A putative human breast stem cell population is enriched for steroid receptor-positive cells. *Dev Biol* 277:443-56, 2005.

Suzuki S, Yamashita T, Tanaka K, Hattori H, Sawamoto K, Okano H, Suzuki N: Activation of cytokine signaling through Leukemia Inhibitory Factor Receptor (LIFR)/gp130 attenuates ischemic brain injury in rats. *J Cerebral Blood Flow and Metabolism* 25:685-93, 2005.

Sakaguchi M, Sawamoto K, Shimazaki T, Kitamura T, Shibuya A, Okano H: A method for gene transfer, single isolation and in vitro assay for neural stem cells. *Inflammation and Regeneration* 25:50-4, 2005.

Hirota Y, Takahashi K, Ueda R, Okano H: Transmembrane protein Tincar is expressed and involved in the development of Drosophila photoreceptor cells. *Development, Genes and Evolution* 215:90-6, 2005.

Uemura O, Okada Y, Ando H, Guedj M, Higashijima S, Shimazaki T, Chino N, Okano H, Okamoto H: Comparative functional genomics revealed conservation and diversification of three enhancers of the *isl1* gene for motor neuron and sensory neuron-specific expression. *Dev Biol* 278:587-606, 2005.

Nakamura Y, Yamamoto M, Miyado K, Okano HJ, Fukagawa R, Higaki K, Yamasaki M, Okano H: A novel marker for Purkinje cells, KIAA0864 protein. An analysis based on a monoclonal antibody HFB-16 in developing human cerebellum. *J Histochem Cytochem* 53:423-30, 2005.

Nagato M, Heike T, Kato T, Yamanaka Y, Yoshimoto M, Shimazaki T, Okano H, Nakahata T: Prospective characterization of neural stem cells by flow cytometry analysis using combination of the surface markers. *J Neurosci Res* 80:456-66, 2005.

Hishikawa K, Marummo T, Miura S, Nakanishi A, Matsuzaki Y, Shibata K, Kohike H, Komori T, Hayashi M, Nakaki T, Nakauchi H, Okano H, Fujita T: Leukemia inhibitory factor induces multi-lineage differentiation of adult stem-like cells in kidney via kidney-specific cadherin 16. *Biochem Biophys Res Commun* 328:288-91, 2005.

Suzuki K, Fukui H, Kayahara T, Sawada M, Seno H, Hiai H, Kageyama R, Okano H, Chiba T: *Hes1*-deficient mice show precocious differentiation of Paneth cells in the small intestine. *Biochem Biophys Res Commun* 328:348-52, 2005.

Iwanami A, Yamane J, Katoh H, Nakamura M, Momomoshima S, Ishii H, Tanioka Y, Tamaoki N, Nomura T, Toyama Y, Okano H: Establishment of Graded Spinal Cord Injury Model in a Non-human Primate: the Common Marmoset. *J Neurosci Res* 80: 172-81, 2005.

Iwanami A, Kakneko S, Nakamura M, Kanemura Y, Mori H, Kobayashi S, Yamasaki M, Momomoshima S, Ishii H, Ando K, Tanioka Y, Tamaoki N, Nomura T, Toyama Y, Okano H: Transplantation of human neural stem/progenitor cells promotes functional recovery after spinal cord injury in common marmoset. *J Neurosci Res* 80:182-90, 2005.

Sasaki T, Iwata S, Okano HJ, Urasaki Y, Hamada J, Tanaka H, Dang NH, Okano H, Morimoto C: Nedd9 protein, a Cas-L homologue, is upregulated and may remodel neurons after transient global ischemia. *Stroke* 36:2457-62, 2005.

Sakatani T, Kaneda A, Iacobuzio-Donahue CA, Carter MG, Witzel SB, Okano H, Ko, MSH, Ohlsson R, Longo DL, Feinberg AP: Loss of imprinting of *Igf 2* alter intestinal maturation and tumorigenesis in mice. *Science* 307:1976-8, 2005.

Crespel A, Rigau V, Coubes P, Rousset MC, de Bock F, Okano H, Baldy-Moulinier M, Bockaert J, Lerner-Natoli M. : Increased neurogenesis in human temporal lobe epilepsy: evidence for a new neurogenesis area, the fissura hippocampi. *Neurobiology of Disease* 19:436-50, 2005.

Yano M, Okano HJ, Okano H: Involvement of Hu and hnRNP K in neuronal differentiation through p21 mRNA post-transcriptional regulation. *J Biol Chem* 280:12690-9, 2005.

Islam MO, Kanemura Y, Tajria J, Mori H, Kobayashi S, Hara M, Yamasaki M, Okano H, Miyake J: Functional expression of ABCG2 transporter in human neural stem/progenitor cells. *Neurosci Res* 52:75-82, 2005.

Akamatsu W, Fujiwara H, Mitsuhashi T, Yano M, Shibata S, Hayakawa Y, Okano HJ, Sakakibara S, Takano H, Takano T, Takahashi T, Noda T, Okano H.: RNA-binding protein HuD regulates neuronal cell identity and maturation. *Proc Natl Acad Sci USA* 102:4625-30, 2005.

Tamura M, Nakamura M, Ogawa Y, Toyama Y, Miura M and Okano H: Targeted expression of anti-apoptotic protein, p35, in oligodendrocytes reduces delayed demyelination and functional impairment after spinal cord injury. *Glia* 51:312-21, 2005.

Yoda A, Kouike H, Okano H and Sawa H.: Components of the transcriptional Mediator complex are required for asymmetric cell division in *C. elegans*. *Development* 132: 1885-93, 2005.

Kitagawa A, Nakayama T, Takenaga M, Matsumoto K, Tokura Y, Ohta Y, Ichinohe M, Yamaguchi Y, Suzuki N, Okano H, Igarashi R: Lecithinized brain-derived neurotrophic factor promotes the differentiation of embryonic stem cells in vitro and in vivo. *Biochem Biophys Res Commun* 328:1051-7, 2005

Pignatelli A, Kobayashi K, Okano H, Belluzzi O: Functional responses of dopaminergic neurons in the mouse olfactory bulb. *J Physiol* 564:501-14., 2005.

Akasaka Y, Saikawa Y, Fujita K, Kubota T, Ishii T, Okano H, Kitajima M: Expression of a candidate marker for progenitor cells, Musashi-1, in the proliferative regions of human antrum and its decreased expression in intestinal metaplasia. *Histopathology* 47: 348-56, 2005

Uchida K, Momiyama T, Okano H, Yuzaki M, Koizumi A, Mine Y, Kawase T: Potential functional neural repair with grafted neural stem cells of early embryonic neuroepithelial origin *Neurosci Res* 53:276-86, 2005

Yuasa S, Itabashi Y, Koshimizu U, Tanaka T, Sugimura K, Fukami S, Itabashi Y, Hattori F, Shinazaki T, Ogawa S, Okano H and Fukuda K.: Transient inhibition of BMP signaling by Noggin induces cardiomyocyte differentiation of mouse embryonic stem cells. *Nature Biotech* 23:607-11, 2005.

Kambara H, Okano H, Chiocca A, Saeki Y: An oncolytic HSV1 mutant expressing ICP34.5 under control of a nestin promoter increases survival of animals, even when symptomatic from a brain tumor. *Cancer Res* 65:2832-9, 2005.

Yamashita T, Sawamoto K, Suzuki S, Suzuki N, Adachi K, Kawase T, Mihara M,

Ohsugi Y, Abe K, Okano H.: Blockade of IL-6 signaling aggravates ischemic cerebral damage in mice. *J Neurochem* 94:459-68, 2005

Matsuda Y, Wakamatsu Y, Kohyama J, Okano H, Fukuda K, Yasugi S: Notch signaling functions as a binary switch for the determination of glandular and luminal fates of endodermal epithelium during chicken stomach development. *Development* 132: 2783-93, 2005.

Yoshimi K, Ren YR, Seki T, Yamada M, Hayakawa H, Ooizumi H, Onodera M, Saito Y, Maruyama S, Okano H, Mizuno Y, Mochizuki H.: Possibility of neurogenesis in substantia nigra of parkinsonian brain. *Ann Neurol* 58:31-40, 2005

Mori A, Ueda T, Shimizu H, Yoshitake A, Hachiya T, Onoguchi K, Takakura H, Yoshitake M, Taguchi S, Cho Y, Inoue S, Kabei N, Okano H, Yozu R, Sasaki T: An Epidural Cooling Catheter Protects the Spinal Cord Against Ischemic Injury in Pigs. *Ann Thorac Surgery* 80:1829-33, 2005.

Islam MO, Kanemura Y, Tajria J, Mori H, Kobayashi S, Miyake J, Hara M, Yamasaki M, Okano H: Characterization of ABC transporter, ABCB1 expressed in human neural stem/progenitor cells. *FEBS Lett* 579:3473-80, 2005.

Sasaki E, Hanazawa K, Kurita R, Akatsuka A, Yoshizaki T, Ishii H, Tanioka Y, Ohnishi Y, Suemizu H, Sugawara A, Tamaoki N, Izawa K, Nakazaki Y, Hamada H, Suemori H, Asano S, Nakatsuji N, Okano H, Tani K: Establishment of novel embryonic stem cell lines derived from the common marmoset (*Callithrix jacchus*). *Stem Cells* 23:1304-13, 2005.

Nakamura M, Okano H, Toyama Y, Dai HN and Bregman BS: Transplantation of embryonic spinal cord-derived neural stem cells support growth of supraspinal projections and functional recovery after spinal cord injury in neonate rat. *J Neurosci Res* 81:457-68, 2005.

Hishikawa K, Marumo T, Miura S, Nakanishi A, Matsuzaki Y, Shibata K, Ichiyanagi T, Kohike H, Komori T, Takahashi I, Takase O, Imai N, Yoshikawa M, Inowa T, Hayashi M, Nakaki T, Nakauchi H, Okano H, Fujita T: Musculin/MyoR is expressed in kidney sidepopulation cells and can regulate their function. *J Cell Biol* 169:921-8, 2005.

Sahara M, Sata M, Matsuzaki Y, Tanaka K, Morita T, Hirata Y, Okano H, Nagai R: Comparison of various bone marrow fractions in the ability to participate in vascular remodeling after mechanical injury. *Stem Cells* 23:874-8., 2005.

Tonchev AB, Yamashima T, Sawamoto K, Okano H: Enhanced proliferation of progenitor cells in the subventricular zone and limited neuronal production in the striatum and neocortex of adult macaque monkeys after global cerebral ischemia. *J Neurosci Res* 81:776-88, 2005.

Jomphe C, Bourque MJ, Fortin GD, St-Gelais F, Okano H, Kobayashi K, Trudeau LE. Use of TH-EGFP transgenic mice as a source of identified dopaminergic neurons for physiological studies in postnatal cell culture. *J Neurosci Methods* 146:1-12, 2005.

Matsumoto T, Okamoto R, Yajima T, Mori T, Okamoto S, Ikeda Y, Mukai M, Yamazaki M, Oshima S, Tsuchiya K, Nakamura T, Kanai T, Okano H, Inazawa J, Hibi T, Watanabe M. Increase of bone marrow-derived secretory lineage epithelial cells during regeneration in the human intestine. *Gastroenterology* 128:1851-67, 2005.

Okada S, Ishii K, Yamane J, Iwanami A, Ikegami T, Iwamoto Y, Nakamura M, Miyoshi H, Okano HJ, Contag CH, Toyama Y, Okano H: In vivo imaging of engrafted neural stem cells: its application in evaluating the optimal timing of transplantation for spinal cord injury. *FASEB J* 19:1839-41, 2005.

Tomita Y, Wakamatsu Y, Shibuya I, Matsumura K, Kawaguchi H, Hisaka Y, Matsuzaki Y, Osumi N, Ogawa S, Okano H, Fukuda K: Cardiac neural crest cells as dormant multipotent stem cells, identified as side population cells. *J Cell Biol* 170:1135-46, 2005.

Kohyama J, Tokunaga A, Fujita Y, Miyoshi H, Nagai T, Miyawaki A, Nakao K, Mastuzaki Y, Okano H: Visualization of spatio-temporal activation of Notch signaling: live monitoring and significance in neural development. *Dev Biol* 286: 311-25, 2005.

Kanuka, H., Kuranaga, E., Hiratou, T., Okano, H. and Miura, M.: *Drosophila* Caspase transduce Shaggy/GSK-3beta activity in neural precursor development. *EMBO J* 24: 3793-806, 2005

Yamamoto S, Yoshino I, Shimazaki T, Murohashi M, Lax I, Okano H, Shibuya M, Sclegginger J, Gotoh N: Essential role of Shp2-binding sites on FRS2 alpha for corticogenesis and for FGF2-dependent proliferation of neural progenitor cells. *Proc Natl Acad Sci USA* 102:15983-8, 2005.

Suzuki T, Izumoto S, Wada K, Fujimoto Y, Maruno M, Yamasaki M, Kanemura Y, Shimazaki T, Okano H, Yoshimine T. Inhibition of glioma cell proliferation by neural stem cell factor. *J Neurooncol* 74:233-9, 2005.

Iijima T, Imai T, Kimura Y, Bernstein A, Okano HJ, Yuzaki M, Okano H. : RNA-binding protein HZf specifically binds to 3' -untranslated region of type1 inositol 1, 4, 5-trisphosphate receptor mRNA and is involved in its dendritic localization. *Proc Natl Acad Sci USA* 102:17190-5, 2005.

Inaji M, Okauchi T, Maeda J, Nagai Y, Nariai T, Ohno K, Ando K, Okano H, Obayashi S, Sahara T: In vivo PET measurements with [¹¹C]PE2I to evaluate fetal mesencephalic transplantation to unilateral 6-OHDA-lesioned rats. *Cell Transplantation* 14:655-63, 2005.

Kanuka H, Hiratou T, Igaki T, Kanda H, Kuranaga E, Sawamoto K, Aigaki T, Okano H, Miura M: Gain-of-function screen identifies a role of the Sec61 transcolon in *Drosophila* postmitotic neurotoxicity. *Biochim Biophys Acta* 1726:225-37, 2005

Matsumoto A, Okada Y, Nakamichi M, Nakamura M, Aoki M, Sobue G, Itoyama Y, Okano H: Disease progression of SOD1 (G93A) ALS model rats. *J Neurosci Res* 83:119-33, 2006.

Ikegami T, Nakamura M, Yamane J, Katoh H, Okada S, Iwanami A, Kota W, Ishii K, Kato F, Fujita H, Takahashi T, Toyama Y, Okano H: Chondroitinase ABC combined with neural stem/progenitor cell transplantation enhances their migration and axonal regeneration after rat spinal cord injury. *Eur J Neurosci* 22:3036-46, 2005

Kanemura Y, Mori H, Nakagawa A, Islam MO, Kodama E, Yamamoto A, Shofuda T, Kobayashi S, Miyake J, Yamazaki T, Hirano S, Yamasaki M, Okano H: In vitro

screening of exogenous factors for human neural stem/progenitor cell proliferation using measurement of total ATP content in viable cells. *Cell Transplantation* 14:673-82, 2005.

Kaneko S, Nakamura M, Ogawa Y, Watanabe K, Iwanami A, Toyama Y, Okano H: Regenerative medicine for the central nervous system. –Transplantation of neural stem cells into the injured spinal cord. *J Jap Med Assoc* 48:68-80, 2005.

Okano H, Kawahara H, Toriya M, Nakao K, Shibata S, Takao I: Function of RNA binding protein Musashi-1 in stem cells. *Exp. Cell Res* 306:349-56, 2005.

Okano H, Okada S, Nakamura M, Toyama Y: Neural Stem Cells and Regeneration of Injured Spinal Cord. *Kidney International* 68:1927-31, 2005.

Nakamura M, Okada S, Toyama Y, Okano H: Role of IL-6 in spinal cord injury in a mouse model. *Clin Rev All Immun* 28:197-204, 2005.

Watanabe K, Nakamura M, Iwanami A, Fujita Y, Kanemura Y, Toyama Y, Okano H: Comparison between fetal spinal cord-and forebrain-derived neural stem/progenitor cells as a source of transplantation for spinal cord injury. *Dev Neurosci* 26:275-87, 2004

Hori K, Fostier M, Ito M, Fuwa TJ, Okano H, Baron M, Matsuno K: Drosophila Deltex mediates Suppressor of Hairless-independent and late-endosomal activation of Notch signaling. *Development* 131:5527-37, 2004.

Kawaguchi A, Ogawa M, Saito K, Matsuzaki F, Okano H, Miyata T: Differential expression of Pax6 and Ngn2 between pair-generated cortical neurons. *J Neurosci Res* 78:784-95, 2004.

Okada Y, Shimazaki T, Sobue G, Okano H: Retinoic acid-concentration-dependent acquisition of neural cell identity during in vitro differentiation of mouse embryonic stem cells. *Dev Biol* 275:124-42, 2004.

Kawada H, Fujita J, Kinjo k, Matsuzaki Y, Tsuma M, Miyatake H, Muguruma Y, Itabashi Y, Ikeda Y, Ogawa S, Okano H, Hotta T, Ando K, Fukuda K: Non-hematopoietic mesenchymal stem cells can be mobilized and differentiate into

cardiomyocytes after myocardial infarction. *Blood* 104:3581-7, 2004.

Unezaki S, Nishikawa M, Okuda-Ashitaka E, Masu Y, Mukai M, Kobayashi S, Sawamoto K, Okano H, Ito S: Characterization of isoforms of MOVO zinc finger protein, a mouse homologue of *Drosophila* Ovo, as transcription factor. *Gene* 336:47-58, 2004.

Uchida K, Mukai M, Okano H, Hayashi T, Kawase T: Possible origin of the astroblastoma: A novel concept based on experimental findings from clinical material and a review of the literature. *Neurosurgery* 55:977-87, 2004.

Ishibashi S, Sakaguchi M, Kuroiwa T, Shimazaki T, Okano H, Mizusawa H: Human neuronal stem cells improve sensorimotor and cognitive impairment in Mongolian gerbils after ischemia. *J Neurosci Res* 78:215-23, 2004.

Sakuragawa N, Kakinuma K, Hatada S, Kikuchi A, Okano H, Uchida S, Kamo I, Yokoyama Y: Human Amnion Mesenchyme Cells Express Phenotype of Neuronal Progenitor Cells. *J Neurosci Res* 78:208-14, 2004.

Yoshizaki T, Inaji M, Kouike H, Shimazaki T, Sawamoto K, Ando K, Date I, Kobayashi K, Sahara T, Uchiyama Y, and Okano H: Isolation and transplantation of dopaminergic neurons generated from mouse embryonic stem cells. *Neurosci Lett* 363:33-7, 2004.

Tokunaga A, Kohyama J, Yoshida T, Nakao K, Sawamoto K, Okano H: Mapping spatio-temporal activation of Notch signaling during neurogenesis and gliogenesis in the developing mouse brain. *J Neurochem* 90:142-54, 2004.

Sakaguchi H, Yaoi T, Suzuki T, Okano H, Hisa Y, Fushiki N.: Spatiotemporal patterns of *Musashi1* expression during inner ear development. *Neuroreport* 15:997-1001, 2004.

Ozawa Y, Nakao K, Shimazaki T, Takeda J, Akira S, Ishihara K, Hirano T, Oguchi Y, Okano H: Downregulation of STAT3 activation is required for presumptive rod photoreceptor cells to differentiate in the postnatal retina. *Mol Cell Neurosci* 26: 258-70, 2004.

Mikami Y, Okano H, Sakaguchi M, Nakamura M, Shimazaki T, Okano HJ, Kawakami Y,

Toyama Y, Toda M: Implantation of dendritic cells leading to de novo neurogenesis and functional recovery. *J Neurosci Res* 76:453-65, 2004.

Ohba H, Chiyoda T, Endo E, Yano M, Hayakawa Y, Sakaguchi M, Darnell RB, Okano HJ, Okano H: Sox21 is a repressor of neuronal differentiation and is antagonized by YB-1. *Neurosci Lett* 358:157-60, 2004.

Ieda M, Fukuda K, Hisaka Y, Kimura K, Kawaguchi H, Fujita J, Shimoda K, Takeshita E, Okano H, Kurihara Y, Kurihara H, Ishida J, Fukamizu A, Federoff HJ, Ogawa S: Endothelin-1 regulates cardiac sympathetic innervation in the rodent heart by controlling nerve growth factor expression. *J Clin Invest* 113:876-84, 2004.

Murata J, Murayama A, Horii A, Doi K, Harada T, Okano H, Kubo T: Expression of Musashi1, a neural RNA-binding protein, in the cochlea of young adult mice. *Neuroscience Lett* 354:201-4, 2004.

Matsuzaki Y, Kinjo K, Mulligan RC, Okano H. : Unexpectedly efficient homing capacity of purified murine hematopoietic stem cells. *Immunity* 20:87-93, 2004.

Yamashima T, Tonchev BA, Seki T, Sawamoto K, Okano H: Vascular adventitia generates neuronal progenitors in monkey hippocampus after ischemia. *Hippocampus* 14:861-75, 2004.

Okada S, Nakamura M, Mikami Y, Shimazaki T, Mihara M, Ohsugi Y, Iwamoto Y, Yoshizaki K, Kishimoto T, Toyama Y, Okano H: Blockade of interleukin-6 receptor suppresses reactive astrogliosis and ameliorates functional recovery in experimental spinal cord injury. *J Neurosci Res* 76:265-76, 2004.

分担研究者：飯島正文

Nakada T, Akiyama M, Iijima M, Kato A, Maibach HI: Drug eruptions to contrast media in Japan. Clin Exp Dermatol 31:361-364, 2006.

Sagara R, Kitami A, Nakada T, Iijima M: Adverse reactions to gefitinib (Iressa®): Revealing sycosis - and pyoderma gangrenosum-like lesions. Int J Dermatol 45:1002, 2006

Matsumura T, Watanabe H, Batchelor J, Sueki H, Iijima M: Drug eruption caused by the nonionic contrast medium iohexol. ” Recall-like phenomenon” appearing on an area previously affected by herpes zoster. J Dermatol 33:705-8, 2006

中田土起丈, 飯島正文: 薬疹患者へのパッチテスト結果. 医薬の門 46:341-343, 2006

末木博彦, 飯島正文: SJS/TEN の早期診断と治療 -皮膚科医の役割-. 皮膚アレルギーフロンティア 4: 73-77, 2006

渡辺秀晃, 飯島正文: 多形滲出性紅斑. 臨床診断に苦渋する 100 の外来皮膚疾患. 86-7, 2005

飯島正文: 薬疹. 日本皮膚科白書 第 103 回日本皮膚科学会総会記念 改訂版. 64-70, 2005

飯島正文: 重症型薬疹. 疑い例は即刻皮膚科専門医へ. 診療アップデート, 90-92, 2005

飯島正文: Stevens-Johnson 症候群(SJS)/中毒性表皮壊死症(Toxic epidermal necrolysis, TEN)の診断と治療. 日集中医誌 12:183-186, 2005

末木博彦, 飯島正文: 重症薬疹におけるステロイドのエビデンス. 皮膚アレルギーフロンティア. 9:180-182, 2005

山本亜偉策, 保坂浩臣, 末木博彦, 飯島正文, 王 鏞軍: 薬剤が原因と考えられた bullous lichen planus の 1 例. 臨床皮膚科. 59:362-365, 2005

三上正史, 杉山美紀子, 西尾和倫, 末木博彦, 飯島正文 : 中毒性表皮壊死症を疑った toxic shock syndrome の 1 例. 臨床皮膚科. 59:378-381, 2005

飯島正文 : Stevens-Johnson 症候群, 最新皮膚科学大系 (玉置邦彦総編集) 5 卷 薬疹・中毒疹, 中山書店. p.36-46, 2004

飯島正文 : 中毒性表皮壊死症 (TEN), 最新皮膚科学大系 (玉置邦彦総編集) 5 卷 薬疹・中毒疹, 中山書店. p.47-55, 2004

中田土起丈, 飯島正文 : 薬物アレルギー — 重症型薬疹を中心に —. Medicina. 41 : 446-447, 2004

飯島正文 : 紅皮症. 今日の治療と看護 (水島 裕・黒川 清 総編集), 疾患・症状別, 南江堂, p.1122, 2004

飯島正文 : 医薬品副作用被害救済制度の有効な活用法. MB Derma 86 : 77-82, 2004

飯島正文 : Stevens-Johnson syndrome(SJS). 最新皮膚科学大系 (玉置邦彦総編集) 特別巻 2 皮膚科症候群, 中山書店. P.334-335, 2004

飯島正文 : toxic epidermal necrolysis(TEN). 最新皮膚科学大系 (玉置邦彦総編集) 特別巻 2 皮膚科症候群, 中山書店. P.248-349, 2004

分担研究者：池澤善郎

Inomata N, Osuna H, Fujita H, Ogawa T, Ikezawa Z: Multiple chemical sensitivities following intolerance to azo dye in sweets in a 5-year-old girl. *Allergol Int.* 55:203-5, 2006.

Minami M, Ikezawa Z.: Effects of Tributyltin on the Development of Atopic Dermatitis-Like Eruptions in DS-Nh Mice. *Int Arch Allergy Immunol* 141:337-45, 2006

Mitani N, Nagatani T, Ikezawa Z, Kakemizu N, Yamakawa Y, Aihara M, Nozawa A, Tomita N, Tanaka K.: A case of cutaneous T cell pseudolymphoma in a patient with *Helicobacter pylori* infection. *Dermatology* 213:156-8, 2006

Kambara T, Aihara M, Matsukura S, Sato I, Kubota Y, Hirasawa T, Ikezawa Z.: Effects of photocatalytic agent on DS-Nh mice, developing atopic dermatitis-like eruption with an increase of *Staphylococcus aureus*. *Int Arch Allergy Immunol* 141:151-7, 2006

西 香織、山野朋子、山川有子、相原道子、池澤善郎：イソプロピルアンチピリンによるアナフィラキシーの1例、*皮膚臨床科*、48：590-591, 2006.

山野朋子、山川有子、相原道子、池澤善郎：分子標的治療薬ゲフィチニブおよびイマチニブによる皮膚病変の検討：*臨床皮膚科* 60:771-775, 2006.

池澤善郎：薬疹？。膠原病・免疫・アレルギー。内科 増大号, 97:1242-1244, 2006,6.

池澤善郎：薬剤アレルギーのための負荷テスト。小児内科, 38:1436-1439, 2006.

山根裕美子、池澤善郎：抗菌薬の皮内テストのエビデンス。皮膚アレルギーフロンティア, 4:114-117, 2006.

山根裕美子、相原道子、池澤善郎：薬疹とアレルギー。臨牀看護, 32:1478-1483, 2006.

池澤善郎：6.中毒性表皮壊死融解症(TEN). A.これだけは知っておくべき薬疹の基礎知識 1.薬疹の分類, *皮膚科診療プラクティス* 19 薬疹を極める(塩原哲夫, 宮地良樹, 瀧川雅浩編), 49-53, 文光堂, 東京, 2006.

池澤善郎：重症薬疹の病型・診断・治療. 第10章その他の非腫瘍性皮膚疾患, 皮膚疾患の最新医療(斎田俊明, 飯塚 一, 清水 宏, 竹原和彦, 古江増隆, 池田志孝, 石川 治, 玉井克人編), 208-212, 先端医療技術研究所, 東京, 2006.

池澤善郎：106 中毒性表皮壊死症の診断と治療指針. 環境障害・電解質異常・皮膚障害の診断・治療・ケア, 救急・集中治療ガイドライン—最新の診療指針—(岡元和文編), 799-801, 総合医学社, 東京, 2006.

池澤善郎：1. 薬疹の頻度, 2. 薬疹の臨床, 3. 薬物アレルギー機序と薬疹の発疹型, 4. 薬疹にみる薬物アレルギーの交差反応 コラム1: 重症薬疹とその診断基準 コラム2: 薬疹とウイルス感染, とくに伝染性単核球症のアンピシリン疹と drug-induced hypersensitivity syndrome(DIHS)について. 薬物アレルギー, 薬物療法学(石崎高志, 鎌滝哲也, 望月眞弓編), 77-86, 南江堂, (東京), 2006.

山野朋子, 相原道子, 池澤善郎：3 イレッサ R・グリベック R による薬疹. 薬疹, WHAT'S NEW in 皮膚科学(宮地良樹編), 64-65, メディカルレビュー社, 東京, 2006.

Ogawa T, Nagashima Y, Wada H, Akimoto K, Chiba Y, Nagatani T, Inayama Y, Yao M, Aoki I, Ikezawa Z.: Extramammary Paget's disease: analysis of growth signal pathway from the human epidermal growth factor receptor 2 protein. *Hum Pathol* 36:1273-80. 2005.

Takahashi N, Akahoshi M, Matsuda A, Ebe K, Inomata N, Obara K, Hirota T, Nakashima K, Shimizu M, Tamari M, Doi S, Miyatake A, Enomoto T, Nakashima H, Ikezawa Z, Shirakawa T.: Association of the IL12RB1 promoter polymorphisms with increased risk of atopic dermatitis and other allergic phenotypes. *Hum Mol Genet* 14:3149-59. 2005.

Shimizu M, Matsuda A, Yanagisawa K, Hirota T, Akahoshi M, Inomata N, Ebe K, Tanaka K, Sugiura H, Nakashima K, Tamari M, Takahashi N, Obara K, Enomoto T, Okayama Y, Gao PS, Huang SK, Tominaga S, Ikezawa Z, Shirakawa T: Functional SNPs in the distal promoter of the ST2 gene are associated with atopic dermatitis. *Hum Mol Genet* 14:2919-27. 2005

Katsuyama M, Ichikawa H, Ogawa S, Ikezawa Z.: A novel method to control the balance of skin microflora. Part 1. Attack on biofilm of *Staphylococcus aureus* without antibiotics. *J Dermatol Sci* 38:197-205. 2005

Ikezawa Y, Nakazawa M, Tamura C, Takahashi K, Minami M, Ikezawa Z.: Cyclophosphamide decreases the number, percentage and the function of CD25+ CD4+ regulatory T cells, which suppress induction of contact hypersensitivity. *J Dermatol Sci* 39:105-12. 2005.

Inomata N, Tomita H, Ikezawa Z, Saito H: Differential gene expression profile between cord blood progenitor-derived and adult progenitor-derived human mast cells. *Immunol Lett* 98:265-71. 2005

Inomata N, Osuna H, Yanagimachi M, Ikezawa Z.: Late-onset anaphylaxis to fermented soybeans: the first confirmation of food-induced, late-onset anaphylaxis by provocation test. *Ann Allergy Asthma Immunol.* 94:402-6. 2005.

Matsukura S, Aihara M, Hirasawa T, Ikezawa Z.: Effects of TNCB sensitization in DS-Nh mice, serving as a model of atopic dermatitis, in comparison with NC/Nga mice. *Int Arch Allergy Immunol* 136:173-80. 2005.

Mitani N, Aihara M, Yamakawa Y, Yamada M, Itoh N, Mizuki N, Ikezawa Z.: Drug-induced hypersensitivity syndrome due to cyanamide associated with multiple reactivation of human herpesviruses. *J Med Virol* 75:430-4. 2005.

菅原万理子, 相原道子, 小島実緒, 猪又直子, 和田秀文, 池澤善郎: アスピリン負荷にてアナフィラキシーを誘発した小麦アレルギーの 1 例. *日皮アレルギー*, 13:8-12, 2005.

藤田浩之, 大砂博之, 蒲原 毅, 猪又直子, 池澤善郎: アスピリン内服や運動負荷が増悪因子となった小麦アナフィラキシーの 1 例. *アレルギー*, 54:1203-1207, 2005.

Takakura M, Okuda K, Matsuda T, Takeshita F, Takakura H, Ikezawa Z, Xin KQ. Combination of DNA vaccine and adenovirus vector by cutaneous administration induced strong HIV-specific cellular immune responses in mice. *Vaccine* 23:847-8,

2005.

Katsuyama M, Ichikawa H, Ogawa S, Ikezawa Z: A novel method to control the balance of skin microflora Part 1. Attack on biofilm of Staphylococcus aureus without antibiotics. J Dermatol Sci 38:197-205, 2005.

三谷直子, 山田正子, 相原道子, 池澤善郎: リン酸オセルタミビルとイミペネム使用後に生じた多形紅斑型薬疹. 臨床皮膚科, 59:494-496, 2005,5.

池澤善郎: DIHS の発症機序について私はこう考える①. Visual Dermatology (編集 池澤善郎), 4:1052-1056, 2005.

山野朋子, 相原道子, 池澤善郎: CASE 6 PART 2 AGEP に一致した DIHS③. Visual Dermatology (編集 池澤善郎), 4:994-995, 2005.

三谷直子, 池澤善郎: CASE 7 PART 3 シアナミドによる DIHS. Visual Dermatology (編集 池澤善郎), 4:996-997, 2005.

山田正子, 相原道子, 池澤善郎: CASE 22 PART 7 TEN に匹敵する広範な表皮剥離を来した重症多形紅斑. Visual Dermatology (編集 池澤善郎), 4:1036-1039, 2005.

神林靖子, 綾部原子, 相原道子, 池澤善郎: CASE 23 PART 7 TEN への進展を阻止できた重症多発性固定薬疹. Visual Dermatology (編集 池澤善郎), 4:1040-1041, 2005.

池澤善郎: 薬疹—その1 薬疹とウイルス感染, DIHS を中心に. 感染症, 35:29-33, 41-49, 2005,1.

池澤善郎: 薬疹—その2 抗菌薬アレルギーの薬疹における皮膚試験について. 感染症, 35:79-89, 2005,3.

池澤善郎: Drug-dinduced hypersensitivity syndrome(DIHS)について. 日本小児皮膚科学会雑誌, 24:17-29, 2005,5.

山口絢子, 池澤善郎: III 薬疹-顔の皮疹からのアプローチ-. 皮膚臨床,

47:1435-1444, 2005,10.

池澤善郎：3.DIHS(薬剤性過敏症症候群). VIII 薬疹, 皮膚疾患最新の治療 2005-2006 (瀧川雅浩, 渡辺晋一編), 82-83, 南江堂, 東京, 2005.

池澤善郎：薬疹. 12.皮膚, 改訂第4版 疾患別最新処方 (矢崎義雄, 菅野健太郎監修), 748-749, メジカルビュー, 東京, 2005.

池澤善郎:薬疹., 臨床診断に苦渋する100の外来皮膚疾患ー達人が伝授する「臨床診断への次の一手」はー (宮地良樹編), 106-107, (株)メディカルレビュー社, 東京, 2005.

Aihara M, Mitani N, Kakemizu N, Yamakawa Y, Inomata N, Ito N, Komatsu H, Aihara Y, Ikezawa Z: Human herpesvirus infection in drug-induced hypersensitivity syndrome, toxic epidermal necrolysis and Stevens-Johnson syndrome. *Allergol Int* 53:23-9, 2004

Kojima M, Aihara M, Yamada M, Matsukura S, Hirasawa T, Ikezawa Z: Effects of neuropeptides in the development of the atopic dermatitis of mouse model. *Allergol Int* 53:169-78, 2004

綾部原子、鵜天田正子、三谷直子、相原道子、池澤善郎：トラネキサム酸による固定薬疹の1例. *日皮アレルギー*, 12: 58-61, 2004.

蒲原 毅、高橋一夫、三谷直子、相原道子、池澤善郎：ウイルス感染の関与が示唆された塩酸エペリゾン、フルコナゾールによる重症薬疹の1例. *皮膚臨床*, 46: 995-998, 2004.

分担研究者：塩原哲夫

Shiohara T, Inaoka M, Kano Y: Drug-induced hypersensitivity syndrome (DIHS): A reaction induced by a complex interplay among herpesviruses and antiviral and antidrug immune responses. *Allergol Int* 55:1-8, 2006.

Kano Y, Hirahara K, Sakuma K, Shiohara T: Several herpesviruses can reactivate in a severe drug-induced multiorgan reaction in the same sequential order as in graft-versus-host disease. *Br J Dermatol.* 155:301-306, 2006.

Kano Y, Seishima M, Shiohara T: Letter. Hypogammaglobulinemia as an early sign of drug-induced hypersensitivity syndrome. *J Am Acad Dermatol* 55:727-728, 2006.

武林亮子, 寺木祐一, 塩原哲夫: 1年を隔ててフェニトインとカルバマゼピンにより生じた非典型 drug-induced hypersensitivity syndrome-DLST の興味ある結果を加えて-. *皮膚臨床* 48(1): 45-48, 2006.

塩原哲夫: III. 診療現場で必ず役立つ知識. 2. 薬疹の見分け方. *臨床研修プラクティス* 3(3): 60-62, 2006.

塩原哲夫: 薬疹. *ガイドライン外来診療2006*. 泉 孝英編. 東京, 日経メディカル, 2006.3, p.256-260.

塩原哲夫: 変貌する薬疹の概念. *皮膚科診療プラクティス 19 薬疹を極める*. 塩原哲夫編, 東京, 文光堂, 2006. p.2-9.

塩原哲夫: 薬疹を疑う患者さんが来られたら-いかに本書を活用するか-. *皮膚科診療プラクティス 19 薬疹を極める*. 塩原哲夫編, 東京, 東京, 文光堂, 2006. p.18-22.

塩原哲夫: 間擦疹型薬疹. *皮膚科診療プラクティス 19 薬疹を極める*. 塩原哲夫編, 東京, 文光堂, 2006. p.54-58.

塩原哲夫: 薬疹とCRP. *皮膚科診療プラクティス 19 薬疹を極める*. 塩原哲夫編, 東京, 文光堂, 2006. p.132-133.