

塩原哲夫: 薬剤誘発性皮膚疾患をどのように考えるか? 皮膚科診療プラクティス 19 薬疹を極める. 塩原哲夫編, 東京, 文光堂, 2006. p.150-155.

塩原哲夫: 免疫再構築症候群とは. 皮膚科診療プラクティス 19 薬疹を極める. 塩原哲夫編, 東京, 文光堂, 2006. p.252-253.

Shiohara T, Mizukawa Y: The immunological basis of lichenoid tissue reaction. *Autoimmun Rev* 4:236-41, 2005

Shiohara T, Kano Y: Are viral infections responsible for the development of drug-induced hypersensitivity syndrome as well as graft-versus-host diseases? *Dermatology* 210:259-60, 2005

Kano Y, Inaoka M, Sakuma K, Shiohara T: Virus reactivation and intravenous immunoglobulin (IVIg) therapy of drug-induced hypersensitivity syndrome. *Toxicology* 209:165-7, 2005

Shiohara T, Mizukawa Y, Takahashi R, Hayakawa J, Hayakawa K: T cell dynamics of inflammatory skin disease. *Exp Rev Clin Immunol* 1:357-68, 2005.

塩原哲夫, 勝田倫江, 清水善徳 1, 松永佳世子 1 (1 藤田保健衛生大・医・皮膚科): 似たもの同士: 目で見ると鑑別診断 TEN vs AGEP. *Visual Dermatology* 4(1): 42-44, 2005.

塩原哲夫: 薬疹とウイルス性発疹の外来での鑑別法. *Monthly Book Derma*. No. 101: 118-125, 2005.

塩原哲夫: 皮膚病変から学ぶアレルギーの鑑別 固定薬疹. *皮膚アレルギーフロンティア* 3(2): 119-121, 2005.

塩原哲夫: 薬剤性過敏症症候群: 臨床像. *Topics in Atopy* 4(2): 8-13, 2005.

塩原哲夫: 急性蕁麻疹への対応. *Monthly Book Derma*. No. 105: 29-34. 2005.

塩原哲夫: DIHS の発症機序について私はこう考える. *Visual Dermatology* 4(10): 1050-1051, 2005.

山崎 究, 勝田倫江, 狩野葉子, 塩原哲夫: C型慢性肝炎のIFN療法中に出現した紅斑. 臨皮 59(11): 1059-1062, 2005.

佐久間恵一, 福田知雄, 狩野葉子, 塩原哲夫, 伊藤貴雄, 作田 学: ADH 分泌異常症候群と脳炎を合併した drug-induced hypersensitivity syndrome の 1 例. 臨皮 59(13): 1302-1305, 2005.

佐久間恵一, 平原和久, 福田知雄, 狩野葉子, 塩原哲夫: Sequential なヘルペスウイルス再活性化の一環としての帯状疱疹-DIHS と graft-versus-host disease の類似性に関する考察. 日皮会誌 115(13): 2239-2242, 2005.

平原和久, 福田知雄, 狩野葉子, 塩原哲夫, 樋田哲夫: フェニトインによる Stevens-Johnson 症候群の 1 例-当教室経験例における眼病変の検討-. 皮膚臨床 47: 23-27, 2005

塩原哲夫: 薬疹. 免疫ハンドブック改訂 2 版. 玉置邦彦, 塩原哲夫編, 東京, 中外医学社, 2005. p.225-234.

塩原哲夫: 薬疹. 皮膚疾患最新の治療 2005-2006. 瀧川雅浩, 渡辺晋一編, 東京, 南江堂, 2005. p.77-79.

塩原哲夫: 薬疹・中毒疹. 実践 皮膚病変のみかた. 西岡 清 他編. 日本医師会雑誌特別号. 東京, 日本医師会, 2005.10, p.91-99.

塩原哲夫: 薬剤性過敏症症候群. ウイルスの再活性化に伴う多彩な病状. 診療アップデート. 日経メディカル編. 東京, 日経 BP 社, 2005.11, p.86-89.

Kano Y, Shiohara T: Sequential reactivation of herpesvirus in drug-induced hypersensitivity syndrome. Acta Derm Venereol 84:384-5, 2004

Teraki Y, Miyake A, Takebayashi R, Shiohara T: Homing receptor and chemokine receptor on intraepidermal T cells in psoriasis vulgaris. Clin Exp Dermatol 29:658-63, 2004.

Teraki Y, Miyake A, Takebayashi R, Shiohara T: In vivo evidence for close association

of CLA expression and E-selectin binding by T cells in the inflamed skin. *J Dermatol Sci* 36:63-65, 2004.

Shiohara T, Hayakawa J, Mizukawa Y: Animal models for atopic dermatitis: are they relevant to human disease? *J Dermatol Sci* 36:1-9, 2004.

Teraki Y, Shiohara T: Successful desensitization on fixed drug eruption: the presence of CD25+CD4+ T cells in the epidermis of fixed drug eruption lesions may be involved in the induction of desensitization. *Dermatology* 209:29-32, 2004.

Mizukawa Y, Shiohara T: Which term should be used to describe drug eruptions confined to sites of previous herpes zoster lesions, 'isotopic response' or 'recall phenomenon'? *Clin Exp Dermatol* 29:323-324, 2004.

Kano Y, Inaoka M, Shiohara T: Association between anticonvulsant hypersensitivity syndrome and human herpesvirus 6 reactivation and hypogammaglobulinemia. *Arch Dermatol* 140:183-8, 2004.

Teraki Y, Shiohara T: Spontaneous tolerance to terbinafine-induced lichenoid drug eruption. *Dermatology* 208:81-2, 2004.

塩原哲夫：薬疹。カラーアトラス 皮膚診断の技法—皮膚を診ると全身が見える。岩月啓氏，宮地良樹編，東京，診断と治療社，2004。p.128-131.

塩原哲夫：薬疹・中毒疹の概念。最新皮膚科学大系。玉置邦彦編，東京，中山書店，2004。p. 2-7.

塩原哲夫：薬疹の発症機序。最新皮膚科学大系。玉置邦彦編，東京，中山書店，2004。p. 10-23.

分担研究者：木下 茂

Kinoshita S. Comparison of intact and denuded amniotic membrane as a substrate for cell-suspension culture of human limbal epithelial cells. *Graefes Arch Clin Exp Ophthalmol* in press.

Nakamura T, Kinoshita S: Novel Clinical application of sterilized, freeze-dried amniotic membrane to treat patients with pterygium. *Acta Ophthalmologica Scand* in press.

Inatomi T, Nakamura T, Kojyo M, Koizumi N, Sotozono C, Kinoshita S: Ocular surface reconstruction with combination of cultivated oral mucosal epithelial transplantation and penetrating keratoplasty. *Am J Ophthalmol* in press.

Ang LPK, Sotozono C, Koizumi N, Suzuki T, Inatomi T, Kinoshita S: A comparison between cultivated and conventional limbal stem cell transplantation for Stevens-Johnson syndrome. *Am J Ophthalmol* in press.

Kaido M, Dogru M, Yamada M, Sotozono C, Kinoshita S, Shimazaki J, Tsubota K: Functional visual acuity in Stevens-Johnson syndrome. *Am J Ophthalmol* in press.

Ueta M, Sotozono C, Tokunaga K, Yabe T, Kinoshita S: Strong association between HLA-A*0206 and Stevens-Johnson syndrome in the Japanese. *Am J Ophthalmol* in press.

Ueta M, Iida T, Sakamoto M, Sotozono C, Takahashi J, Kojima K, Okada K, Xiuhao C, Kinoshita S, Honda T: Polyclonality of *Staphylococcus epidermidis* residing on the healthy ocular surface. *J Med Microbiol* in press.

Matsuda A, Kumagai N, Fukuda K, Ebe K, Hirano K, Sotozono C, Tei M, Hasagawa K, Shimizu M, Tamari M, Ohno S, Mizuki N, Ikezawa Z, Shirakawa T, Hamuro J, Kinoshita S: Functional SNPs in the promoter of the *IFNGR1* gene are associated with ocular complications of atopic dermatitis. *IOVS* in press.

○Sotozono C, Ang LPK, Koizumi N, Higashihara H, Ueta M, Inatomi T, Yokoi N, Kaido M, Murato D, Shimazaki J, Tsubota K, Yamada M, Kinoshita S: A new grading system for the evaluation of chronic ocular manifestations in patients with

Stevens-Johnson syndrome. *Ophthalmology* in press.

○Nakamura T, Inatomi T, Cooper LJ, Rigby H, Fullwood NJ, Sotozono C, Kinoshita S. Phenotypic investigation of human eyes with transplanted autologous cultivated oral mucosal epithelial sheets for severe ocular surface diseases. *Ophthalmology* in press.

○Connon CJ, Kawasaki S, Liles M, Koizumi N, Yamasaki K, Nakamura T, Quantock AJ, Kinoshita S: Gene expression and immunolocalization of a calcium activated chloride channel during the stratification of cultivated and developing corneal epithelium. *Cell Tissue Res* 323:177-82, 2006.

Cooper LJ, Kinoshita S, German M, Koizumi N, Nakamura T, Fullwood NJ: An investigation into the composition of amniotic membrane used for ocular surface reconstruction. *Cornea* 24: 722-9, 2005.

Connon CJ, Nakamura T, Quantock AJ, Kinoshita S: The persistence of transplanted amniotic membrane in corneal stroma. *Am J Ophthalmol* 141:190-2, 2006.

Inatomi T, Nakamura T, Koizumi N, Sotozono C, Yokoi N, Kinoshita S: Mid-term results on ocular surface reconstruction using cultivated autologous oral mucosal epithelial transplantation. *Am J Ophthalmol* 141:267-75, 2006.

Koizumi N, Yamasaki K, Kawasaki S, Sotozono C, Inatomi T, Mochida C, Kinoshita S: Cytomegalovirus in aqueous humor from an eye with corneal endotheliitis. *Am J Ophthalmol* 141:564-5, 2006.

Nakamura T, Ang LPK, Rigby H, Sekiyama E, Inatomi T, Sotozono C, Fullwood NJ, Kinoshita S: The use of autologous serum in the development of corneal and oral epithelial equivalents in patients with Stevens Johnson syndrome. *Invest Ophthalmol Vis Sci* 47:909-16, 2006.

Sekiyama E, Nakamura T, Cooper LJ, Kawasaki S, Hamuro J, Fullwood NJ, Kinoshita S: Unique distribution of thrombospondin-1 in human ocular surface epithelium. *Invest Ophthalmol Vis Sci* 47:1352-8, 2006.

Kawasaki S, Tanioka H, Yamasaki K, Yokoi N, Komuro A, Kinoshita S: Clusters of

corneal epithelial cells reside ectopically in human conjunctival epithelium. *Invest Ophthalmol Vis Sci* 47:1359-67, 2006.

Watanabe A, Araki B, Noso K, Kakizaki H, Kinoshita S: Histopathology of blepharoptosis induced by prolonged hard contact lens wear. *Am J Ophthalmol* 141:1092-6, 2006.

Koizumi N, Rigby H, Fullwood, NJ, Kawasaki S, Tanioka H, Koizumi K, Kociok N, Jousen AM, Hozono Y, Ueta M, Hamuro J, Kojima K, Kawasaki S, Yamazaki K, Kinoshita S: Human corneal epithelial cells respond to ocular-pathogenic, but not to nonpathogenic- flagellin. *BBRC* 347:238-47, 2006.

Sekiyama E, Nakamura T, Kawasaki S, Sogabe H, Kinoshita S: Different expression of angiogenesis-related factors between human cultivated corneal- and oral epithelial sheet. *Exp Eye Res* 83:741-6, 2006.

Nakamura T, Inatomi T, Sotozono C, Ang LPK, Koizumi N, Yokoi N, Kinoshita S: The transplantation of autologous serum-derived cultivated corneal equivalents for the treatment of severe ocular surface disease. *Ophthalmology* 113:1765-72, 2006.

Ang LPK, Nakamura T, Inatomi T, Sotozono C, Koizumi N, Yokoi N, Kinoshita S: Autologous serum-derived cultivated oral epithelial transplantation for severe ocular surface disease. *Arch Ophthalmol* in press.

Ueno M, Matsumura M, Watanabe K, Nakamura T, Osakada F, Takahashi M, Kawasaki H, Kinoshita S, Sasai Y: Neural conversion of embryonic stem cells by an inductive activity on human amniotic membrane matrix. *PNAS* 103: 9554-9, 2006.

Tanioka H, Kawasaki S, Yamasaki K, Ang LPK, Koizumi N, Nakamura T, Yokoi N, Komuro A, Inatomi T, Kinoshita S: Establishment of a human conjunctival epithelium as an alternative tissue source for autologous corneal epithelial transplantation. *Invest Ophthalmol Vis Sci* 47:3820-7, 2006.

Koizumi N, Kinoshita S: Postoperative management of lamellar keratoplasty: optical and tectonic. In: John T, ed. *Surgical Techniques in Anterior and Posterior Lamellar Corneal Surgery*, New Delhi, Jaypee Brothers, pp. 654-62, 2006.

Nakamura T, Ishikawa F, Sonoda K, Hisatomi T, Qiao H, Yamada J, Fukata M, Ishibashi T, Harada M, Kinoshita S: Characterization and distribution of bone-marrow derived cells in mouse cornea. *Invest Ophthalmol Vis Sci* 46:497-503, 2005.

Ueta M, Hamuro J, Yamamoto M, Kaseda K, Akira S, Kinoshita S: Spontaneous Ocular Surface Inflammation and Goblet Cell Disappearance in $\text{I}\kappa\text{B}\zeta$ Gene-Disrupted Mice. *Invest Ophthalmol Vis Sci* 46:579-88, 2005.

Connon CJ, Kawasaki S, Yamasaki K, Quantock AJ, Kinoshita S: The Quantification of hCLCA2 and colocalisation with integrin $\beta 4$ in stratified human epithelia. *Acta Histochemica* 106:421-5, 2005

Ueta M, Hamuro J, Kiyono H, Kinoshita S: Triggering of TLR3 by polyI:C in human corneal epithelial cells to induce inflammatory cytokines. *Biochem Biophys Res Commun* 331:285-94,2005.

Kawasaki S, Tanioka H, Yamazaki K, Kinoshita S: A simple modification significantly reduces a background staining in immunostaining of cornea tissues using a biotinylated rabbit polyclonal antibody. *Exp Eye Res* 80:591-3, 2005.

Araki-Sasaki K, Ando Y, Nakamura M, Kitagawa K, Ikemizu S, Kawaji T, Yamashita T, Ueda M, Hirano K, Yamada M, Matsumoto K, Kinoshita S, Tanihara H: Lactoferrin Glu561Asp Facilitates Secondary Amyloidosis in the Cornea. *Brit J Ophthalmol* 89:684-8, 2005.

Suzuki T, Mitsuishi Y, Sano Y, Yokoi N, Kinoshita S: Phlyctenular keratitis associated with meibomitis in young patients. *Am J Ophthalmol* 140: 77-82, 2005.

Hisata K, Kuwahara-Arai K, Yamamoto M, Ito T, Nakatomi Y, Cui L, Baba T, Terasawa M, Sotozono C, Kinoshita S, Yamashiro Y, Hiramatsu K: Dissemination of Methicillin-resistant staphylococci among healthy Japanese children. *J Clin Microbiol* 43:3364-72, 2005.

Yokoi N, Komuro A, Nishi M, Inagaki K, Tanioka H, Kawasaki S, Kinoshita S: Clinical impact of conjunctivochalasis on the ocular surface. *Cornea* 24 (suppl): S24-31, 2005.

Inatomi T, Nakamura T, Koizumi N, Sotozono C, Kinoshita S: Current concepts and challenges in ocular surface reconstruction using cultivated mucosal epithelial transplantation. *Cornea* 24 (suppl): S32-8, 2005.

Kawasaki S, Tanioka H, Yamazaki K, Connon CJ, Kinoshita S: Expression and tissue distribution of p63-isoforms on human ocular surface epithelia. *Exp Eye Res* 82:293-9, 2005.

Hirai N, Kawasaki S, Tanioka H, Connon CJ, Yamasaki K, Yokoi N, Komuro A, Kinoshita S: Pathological keratinization in the conjunctival epithelium of Sjogren's Syndrome. *Exp Eye Res* 82:371-8, 2005.

Kinoshita S, Nakamura T: Corneal cells for regeneration. In: Nishikawa S, ed. *The Promises and Challenges of Regenerative Medicine*, Ernst Schering Research Foundation Workshop 54, Berlin Springer-Verlag, pp.63-83, 2005.

Kinoshita S, Yokoi N: Filamentary keratitis. In: Foster CS, Azar DT, Dohlman CH, ed. *The Cornea*, Philadelphia Lippincott Williams & Wilkins, pp.687-92, 2005.

Kinoshita S, Nakamura T: Development of cultivated mucosal epithelial sheet transplantation for ocular surface reconstruction. *Artif Organs* 28:22-7, 2004.

Nakamura T, Yoshitani M, Helen R, Fullwood NJ, Ito W, Inatomi T, Sotozono C, Nakamura T, Shimizu Y, Kinoshita S: Sterilized, freeze-dried amniotic membrane – a useful substrate for ocular surface reconstruction. *Invest Ophthalmol Vis Sci* 45:93-9, 2004.

Connon C, Yamasaki K, Kawasaki S, Quantock AJ, Koizumi N, Kinoshita S: Calcium activated chloride channel-2 in human epithelium. *J Histochem Cytochem* 52:415-8, 2004.

Kinoshita S, Koizumi N, Nakamura T: Transplantable cultivated mucosal epithelial sheet for ocular surface reconstruction. *Exp Eye Res* 78:483-91, 2004.

Watanabe A, Yokoi N, Kinoshita S, Hino Y, Tsuchihashi Y: Clinicopathological study of

conjunctivochalasis. *Cornea* 23:294-8, 2004.

Cooper LJ, Fullwood NJ, Koizumi N, Nakamura T, Kinoshita S: An investigation of removed cultivated epithelial transplants in patients after allo-cultivated corneal epithelial transplantation. *Cornea* 23:235-42, 2004.

Endo K, Kawasaki S, Nakamura T, Kinoshita S: The Presence of Keratin 5 as an IgG Fc binding Protein in human corneal epithelium. *Exp Eye Res* 78:1137-41, 2004.

Endo K, Nakamura T, Kawasaki S, Kinoshita S: Human Amniotic Membrane, Like Corneal Epithelial Basement Membrane, Manifests the $\alpha 5$ Chain of Type IV Collagen. *Invest Ophthalmol Vis Sci* 45:1771-4, 2004.

Kinoshita S, Nakamura T: Regenerative Medicine for the Cornea. *JMAJ* 47:317-21, 2004.

Nakamura T, Inatomi T, Sotozono C, Koizumi N, Kinoshita S: Successful primary Culture and autologous transplantation of corneal limbal epithelial cells from minimal biopsy for unilateral severe ocular surface disease. *Acta Ophthalmol. Scand.* 82:468-71, 2004.

Terai K, Sano Y, Kawasaki S, Endo K, Adachi W, Hiratsuka T, Ihiboshi H, Nakazato M, Kinoshita S: Effects of Dexamethasone and Cyclosporin A on Human β -Defensin in Corneal Epithelial Cells. *Exp Eye Res* 79:175-80, 2004.

Kinoshita S, Koizumi N, Nakamura T, Yamada J, Sotozono C, Inatomi T: Concept and clinical application of cultivated epithelial transplantation. *Ocular Surface* 2: 21-33, 2004.

Ueta M, Nochi T, Jang M-Ho, Park EJ, Igarashi O, Hino A, Kawasaki S, Shikina T, Hiroi T, Kinoshita S, Kiyono H: Intracellularly expressed TLR2s and TLR4s contribution to an immunosilent environment at the ocular mucosal epithelium. *J Immunol* 173:3337-47, 2004.

Nakamura T, Inatomi T, Sotozono C, Amemiya T, Kanamura N, Kinoshita S: Transplantation of cultivated autologous oral mucosal epithelial cells in patients with

severe ocular surface disorders. *Brit J Ophthalmol* 88:1280-4, 2004

Endo K, Nakamura T, Kawasaki S, Kinoshita S: Porcine Corneal Epithelial Cells Consist of High- and Low-Integrin β 1-Expressing Populations. *Invest Ophthalmol Vis Sci* 45:3951-4, 2004.

Nakamura Y, Yooi N, Tokushige H, Kinoshita S: Sialic Acid in Human Tear Fluid Decreases in Dry Eye. *Jpn J Ophthalmol* 48:519-23, 2004.

Yokoi N, Bron AJ, Tiffany JM, Komuro A, Maruyama K, Kinoshita S: Relationship between tear volume and tear meniscus curvature. *Arch Ophthalmol* 122: 1265-9, 2004.

分担研究者：大橋裕一

Goto T, Zheng X, Klyce SD, Kataoka H, Uno T, Yamaguchi M, Karon M, Hirano S, Okamoto S, Ohashi Y: Evaluation of the tear film stability after laser in situ keratomileusis using the tear film stability analysis system. *Am J Ophthalmol* 137: 116-20, 2004.

Zhang W, Shiraishi A, Suzuki A, Zheng X, Kodama T, Ohashi Y: Expression and distribution of tissue transglutaminase in normal and injured rat cornea. *Curr Eye Res* 28: 37-45, 2004.

Hayashi Y, Kao W, Kohno N, Nishihara-Hayashi M, Shiraishi A, Uno T, Yamaguchi M, Okamoto S, Maeda M, Ikeda T, Hamada H, Kondo K, Ohashi Y: Expression patterns of sialylated epitope recognized by KL-6 monoclonal antibody in ocular surface epithelium of normal and dry eye patients. *Invest Ophthalmol Vis Sci* 45: 2212-7, 2004.

Okamoto M, Takagi M, Kutsuna M, Hara Y, Nishihara M, Matsuda T, Sakanaka M, Okamoto S, Nose M, Ohashi Y: High expression of interleukin-1- in the corneal epithelium of MRL/lpr mice is under the control of their genetic background. IL-1 in the cornea of MRL/lpr mice. *Clin Exp Immunol* 136: 239-44, 2004.

Zheng X, Uno T, Goto T, Zhang W, Hill JM, Ohashi Y: Pathogenic *Acanthamoeba* induces apoptosis of human corneal epithelial cells. *Japan J Ophthalmol* 48: 23-9, 2004.

Goto T, Zheng X, Okamoto S, Ohashi Y: Tear film stability analysis system. *Cornea* 23: S65-70, 2004.

分担研究者：森田栄伸

Zhang Y, Matsuo H, Morita E: Cross-reactivity among shrimp, crab and scallops in a patient with a seafood allergy. *J Dermatol* 33:174-7, 2006

Zhang Y, Matsuo H, Morita E: Increased production of vascular endothelial growth factor in the lesions of atopic dermatitis. *Arch Dermatol Res* 297:425-9, 2006

Matsuo H, Morimoto K, Akaki T, Kaneko S, Kusatake k, Kuroda T, Niihara h, Hide M, Morita E: Exercise and aspirin levels of circulating gliadin peptides in patients with wheat-dependent exercise-induced anaphylaxis. *Clin Exp Allergy* 35: 461-6, 2005

Matsuo H, Kohno K, Morita E: Molecular cloning, recombinant expression and IgE-binding epitope of ω -5 gliadin, a major allergen in wheat - dependent exercise-induced anaphylaxis. *FEBS J* 272:4431-8, 2005

Nabeshima Y, Hiragun T, Morita E, Mihara S, Kameyoshi Y, Hide M: IL-4 modulates the histamine content of mast cells in a mast cell/fibroblast co-culture through a Stat6 signaling pathway in fibroblasts. *FEBS Lett* 579:6653-8, 2005

Matsuo H, Kohno K, Niihara H, Morita E: Specific IgE Determination To Epitope Peptides of ω -5 Gliadin and High Molecular Weight Glutenin Subunit Is a Useful Tool for Diagnosis of Wheat-Dependent Exercise-Induced Anaphylaxis. *J Immunol* 175: 8116-22, 2005

Zhang Y, Matsuo H, Morita E: Vascular endothelial growth factor 121 is the predominant isoform in psoriatic scales. *Exp Dermatol* 14:758-64, 2005

Tsujino Y, Hieda Y, Morita E: A rapid and definitive diagnosis of kerosene dermatitis by an analysis of detached lesional epidermis using chromatography-mass spectrometry. *Arch Dermatol Res* 297:91-3, 2005

金子 栄, 森田栄伸, 千貫祐子 : HHV-6 の再活性化がみられたカルバマゼピンによる DIHS から進展した TEN. *Visual Dermatology* 4(10): 1024-1025, 2005

松尾裕彰, 森田栄伸: アスピリンと食物アレルギーの吸収. 臨床免疫 44(1):86-89, 2005

松尾裕彰, 森田栄伸: 小麦依存性運動誘発アナフィラキシー. アレルギー科 第19号(4):326-331, 2005

新原寛之, 金子 栄, 松尾裕彰, 森田栄伸, 高垣謙二: 症状誘発時に血中に小麦アレルギーが検出された小麦アレルギーの1例. アレルギーの臨床 25(8) 651-654, 2005

新原寛之, 本田 栄, 辻野佳雄, 森田栄伸, 林 忍: カルママゼピンによるDIHS. 臨床皮膚科 27(10)385-388, 2005

黒田倫代, 金子 栄, 森田栄伸, 出来尾 哲, 山田義貴, 田中稔彦, 秀 道広: 胆石に伴う胆嚢炎を合併した抗IgE型自己抗体による自己免疫性蕁麻疹の例. 西日本皮膚科 67(3):197-200, 2005

森田栄伸: 患者満足度を高めるかゆみ治療—蕁麻疹. Medico 36(7):6-9, 2005

Morita E, Hiragun T, Mihara S, Kaneko S, Matsuo H, Zhang Y, Dekio S: Determination of thymus and activation-regulated chemokine (TARC)-contents in scales of atopic dermatitis. J Dermatol Sci 34:237-40, 2004

Matsuo H, Morita E, Tatham S. A., Morimoto K, Horikawa T, Osuna H, Ikezawa Z, Kaneko S, Kohno K, Dekio S: Identification of the IgE-binding Epitope in ω -5 Gliadin, a Major Allergen in Wheat-dependent Exercise-induced Anaphylaxis. J Biol Chem 279:12135-40, 2004

Zhang Y, Morita E, Matsuo H, Ueda D, Dekio S: Urticarial Erythema Associated with IgA Myeloma. J Dermatol 31:661-5, 2004

森田栄伸, 出来尾 哲: 食物と蕁麻疹. 島根医学 24(2):84-91, 2004

赤木竜也, 森田栄伸, 松尾裕彰, 草竹兼司, 黒田倫代, 新原寛之, 出来尾 哲: 小麦による Food-Dependent Exercise-Induced Anaphylaxis -運動負荷により血清中グ

リアジン抗原が検出された1例. 日本皮膚科学会雑誌 114(9): 1535-1538, 2004

金子 栄, 森田栄伸: アトピー性皮膚炎の増悪因子. アレルギー科, 17(6): 525-531, 2004 森田栄伸: 特殊な蕁麻疹のいろいろ- コリン性蕁麻疹など. Topics in Atopy アトピーはいま 3 (3), 38-42, 2004

森田栄伸: 蕁麻疹と感染症. アレルギー科, 18(4): 291-295, 2004

分担研究者：相原雄幸

Aihara Y, Ito R, Ito S, Aihara M, Yokota S: Successful treatment of toxic epidermal necrolysis in a child treated with cyclosporin A and methylprednisolone. *Pediatr Int* in press.

Ichikawa K, Ito R, Kobayashi Y, Aihara M, Osuna H, Aihara Y: A pediatric case of anaphylaxis and chemical mediators' levels caused by Matsutake mushroom (*Tricholoma matsutake*) ingestion. *Allergol Int* 55:85-8, 2006

Ito S, Anze M, Ichikawa K, Aihara Y, Yokota S: Kawasaki disease after burn. *Eur J Pediatr* 165:340-1,2006

Ito S, Takeshita S, Nezu A, Aihara Y, Usuku S, Nogichi Y, Yokota S: Norovirus-associated encephalopathy. *Pediatr Inf Dis J* 25:651-2, 2006

Ito S, Nakamura T, Kurosawa R, Miyamae T, Imagawa T, Mori M, Aihara Y, Yokota S: Glomerulonephritis in children with mixed connective tissue disease. *Clin Nephrol* 66:160-5, 2006.

Harada T, Machida H, Ito S, Aihara Y, Yokota S. Henoch-Schonlein purpura presenting duodenal involvement similar to superior mesenteric artery syndrome in a girl. *Eur J Pediatr* in press.

黒澤るみ子、梅林宏明、今川智之、片倉茂樹、森 雅亮、満田年宏、相原雄幸、横田俊平：小児期発症全身性エリテマトーデス 38 例の臨床的特徴と診断における問題点 *日本小児科学会誌* 110:398-405,2006

相原雄幸：若年性特発性関節炎（多関節型）*小児科診療* 69 増刊号 302-305,2006

相原雄幸：マイコプラズマ感染症と Stevens-Johnson 症候群 *皮膚科診療プラクティス* 19 薬疹を極める 塩原哲夫編集 文光堂 2006 年 5 月 p 235-239

相原雄幸：小児アレルギー学の新しい展開 食物依存性運動誘発アナフィラキシーの診断と対処法.*小児科臨床増刊* 59 : 1394-1402,2006

Aihara Y, Ito S, Aihara M, Kobayashi Y, Yokota S: Different patterns of cytokines, ECP and immunoglobulin profiles at two adverse drug reactions in a patient. *Pediatrics International* 47:616-21, 2005

相原道子、相原雄幸、池澤善郎：小児の Stevens-Johnson 症候群—成人例との比較検討 *日皮会誌* 2005,115:135-143.

相原雄幸、伊藤玲子 食物依存性運動誘発アナフィラキシー 疫学と学校における注意点 *小児科* 46：288-295,2005

相原雄幸：最新医学別冊 新しい診断と治療の ABC 26 免疫 4 食物アレルギー

特殊な食物アレルギー：食物依存性運動誘発アナフィラキシー・口腔アレルギー—症候群 67-78,2005

相原雄幸：若年性特発性関節炎 全身型の診断と治療 *小児科診療* 68：627-634,2005

相原雄幸：アレルギー相談室 アレルギーの臨床 25：487,2005

伊藤玲子、石田 華、只木弘美、横田俊平、相原雄幸：横浜市内幼稚園児における食物アレルギーの実態調査 幼稚園教諭と保護者へのアンケート調査 *日本小児アレルギー学会雑誌* 19：216-221, 2005

相原雄幸、伊藤玲子：食物依存性運動誘発アナフィラキシー *臨床スポーツ医学* 22:894-898,2005

相原雄幸：DIHS の小児例 *Visual Dermatology* 4:984-986,2005

相原雄幸、伊藤玲子：食物依存性運動誘発アナフィラキシーの現状 *日本医事新報* 4249：15-21,2005

中島章子、梅林宏明、黒澤るみ子、今川智之、片倉茂樹、森 雅亮、相原雄幸、横田俊平：メチルプレドニゾロンパルス・シクロフォスファミドパルス併用療法を行った全身性エリテマトーデスの男児3例のまとめ *日本臨床免疫学会会誌* 28:343-348,2005

Miyamae T, Kurosawa R, Mori M, Aihara Y, Aihara M, Yokota S: An infant with g-globulin-induced hypersensitivity syndrome who developed Evans' syndrome after a second second g-globulin treatment. *Mod Rheumatol* 14:314-9, 2004.

Aihara M, Mitani N, Kakemizu N, Yamakawa Y, Inomata N, Ito N, Komatsu H, Aihara Y, Ikezawa Z: Human herpesvirus infection in drug-induced hypersensitivity syndrome, toxic epidermal necrolysis and Stevens-Johnson syndrome. *Allergol Int* 53:23-9, 2004

Aihara Y, Ito S, Aihara M: Stevens-Johnson syndrome associated with azithromycin followed by transient reactivation of herpes simplex virus infection. *Allergy* 59:118, 2004.

Matsumoto R, Fujino K, Nagata Y, Hashiguchi S, Ito Y, Aihara Y, Takahashi Y, Maeda K, Sugimura K: Molecular characterization of a 10-kDa buckwheat molecule reactive to allergic patients' IgE. *Allergy* 59:533-8, 2004.

相原雄幸：食物依存性運動誘発アナフィラキシー日本小児アレルギー学会誌 18:59-67,2004

相原雄幸：自己免疫疾患のすべて 若年性特発性関節炎（旧若年性関節リウマチ）臨床看護 30:926--929,2004

中島章子、梅林宏明、黒澤るみ子、今川智之、片倉茂樹、森 雅亮、相原雄幸、横田俊平：メチルプレドニゾンパルス・シクロフォスファミドパルス併用療法を行った抗リン脂質抗体症候群・シェーグレン症候群合併型全身性エリテマトーデスの1男児例 小児科臨床 57:1115-1120,2004.

伊藤玲子、小林慈典、横田俊平、相原雄幸：食物アレルギーが疑われた小児における魚卵、貝類に対する CAP-RAST の有用性の検討. 日本小児アレルギー学会誌 18:199-205、2004

相原雄幸、伊藤玲子：特集 食物アレルギー 食物依存性運動誘発アナフィラキシー 小児科診療 67:1137-1142,2004

相原雄幸 特集：見逃されていた重症薬剤アレルギー-DIHS - 小児の DIHS 皮

膚アレルギーフロンティア 2:25-29,2004

中村智子、奥山健一、相原雄幸、青柳和夫、土橋克彦、山下武史、菅原浩二、山口修、横田俊平：MCLSにおけるグロブリン大量静注療法（IVGG）不応例に対する血漿交換療法（PE）についての検討 —臨床の面から— ICUとCCU
28 別冊号：S57-S58,2004

相原雄幸：症例から学ぶ自己免疫疾患 混合性結合組織病 小児内科
36:1587-1591,2004

分担研究者：玉井克人

Kaneko T, Tamai K, Matsuzaki Y, Yamazaki T, Nakano H, Kon A, Hashimoto I, Hanada K, Kaneda Y, Uitto J: Interferon-gamma down-regulates expression of the 230-kDa bullous pemphigoid antigen gene (BPAG1) in epidermal keratinocytes via novel chimeric sequences of ISRE and GAS. *Exp Dermatol* 15:308-14, 2006.

Nishikawa T, Nakagami H, Matsuki A, Maeda A, Yo CY, Harada T, Morishita R, Tamai K, Kaneda Y: Development of High-Throughput Functional Screening of Therapeutic Genes, Using a Hemagglutinating Virus of Japan Envelope Vector. *Hum Gene Ther* 17:470-5, 2006.

Kunugiza Y, Tomita N, Taniyama Y, Tomita T, Osako MK, Tamai K, Tanabe T, Kaneda Y, Yoshikawa H, Morishita R: Acceleration of wound healing by combined gene transfer of hepatocyte growth factor and prostacyclin synthase with Shima Jet. *Gene Ther* 13:1143-52, 2006.

Mima H, Yamamoto S, Ito M, Tomoshige R, Tabata Y, Tamai K, Kaneda Y: Targeted chemotherapy against intraperitoneally disseminated colon carcinoma using a cationized gelatin-conjugated HVJ envelope vector. *Mol Cancer Ther* 5:1021-8, 2006.

Saito Y, Nakagami H, Morishita R, Takami Y, Kikuchi Y, Hayashi H, Nishikawa T, Tamai K, Azuma N, Sasajima T, Kaneda Y: Transfection of human hepatocyte growth factor gene ameliorates secondary lymphedema via promotion of lymphangiogenesis. *Circulation*. 114:1177-84, 2006.

Yasuoka E, Oshima K, Tamai K, Kubo T, Kaneda Y: Needleless intranasal administration of HVJ-E containing allergen attenuates experimental allergic rhinitis. *J Mol Med* in press.

Iwata T, Nakano H, Nakano A, Toyomaki Y, Tamai K, Tomita Y: Dominant dystrophic epidermolysis bullosa caused by a novel G2037R mutation and by a known G2028R mutation in the type VII collagen gene (COL7A1). *J Dermatol* 33:550-6, 2006.

玉井克人：NFκB デコイ DNA 軟膏によるアトピー性皮膚炎治療、感染、炎症、免疫 2006; 36: 238-240.

玉井克人：基底膜領域の生化学、片山一朗、土田哲也、橋本隆、古江増隆、渡辺晋一編、皮膚科学、東京：文光道:2006. p.37-39.

玉井克人：遺伝性皮膚疾患の遺伝子治療、齋田俊明、飯塚一、清水宏、竹原和彦、古江増隆、池田志学、石川治、玉井克人編、先端医療シリーズ第38巻、皮膚科：皮膚疾患の最新医療、東京;先端医療技術研究所:2006. p.29-33.

Ito M, Yamamoto S, Nimura K, Hiraoka K, Tamai K, Kaneda Y: Rad51 siRNA delivered by HVJ envelope vector enhances the anti-cancer effect of cisplatin. *J Gene Med* 7:1044-52, 2005.

Mima H, Tomoshige R, Kanamori T, Tabata Y, Yamamoto S, Ito S, Tamai K, Kaneda Y: Biocompatible polymer enhances the in vitro and in vivo transfection efficiency of HVJ envelope vector. *J Gene Med* 7:888-97, 2005.

Yang L, Shirakata Y, Tamai K, Dai X, Hanakawa Y, Tokumaru S, Yahata Y, Tohyama M, Shiraishi K, Nagai H, Wang X, Murakami S, Sayama K, Kaneda Y, Hashimoto K: Microbubble-enhanced ultrasound for gene transfer into living skin equivalents. *J Dermatol Sci* 40:105-14, 2005.

Nakagami H, Maeda K, Morishita R, Iguchi S, Nishikawa T, Takami Y, Kikuchi Y, Saito Y, Tamai K, Ogihara T, Kaneda Y: Novel autologous cell therapy in ischemic limb disease through growth factor secretion by cultured adipose tissue-derived stromal cells. *Arterioscler Thromb Vasc Biol* 25:2542-7, 2005.

Yokoyama S, Nakano H, Yamazaki T, Tamai K, Hanada K, Takahashi G: Enhancement of ultraviolet-induced apoptosis by NF-kappaB decoy oligonucleotides. *Br J Dermatol* 153:s47-51, 2005.

Hata D, Miyazaki M, Seto S, Kadota E, Muso E, Takasu K, Nakano A, Tamai K, Uitto J, Nagata M, Moriyama K, Miyazaki K: Nephrotic syndrome and aberrant expression of laminin isoforms in glomerular basement membranes for an infant with Herlitz junctional epidermolysis bullosa. *Pediatrics* 116:601-7, 2005.

玉井克人、金田安史、中邨弘重、青木元邦、森下竜一、橋本公二、森田明理、