

Masunaga T, Ishiko A, Takizawa Y, Kim SC, Lee JS, Nishikawa T, Shimizu H	Pyloric atresia-junctional epidermolysis bullosa syndrome showing novel 594insC/Q425P mutations in integrin beta4 gene (ITGB4).	Exp Dermatol	13	61-64	2004
Murata T, Masunaga T, Ishiko A, Shimizu H , Nshikawa T	Differences in recurrent COL7A1 mutations in dystrophic epidermolysis bullosa: ethnic-specific and worldwide recurrent mutations.	Arch Dermatol Res	295	442-447	2004
Nakamura H, Sawamura D , Goto M, Sato-Matsumura KC, LaDuca J, Lee JY, Masunaga T, Shimizu H	The G2028R glycine substitution mutation in COL7A1 leads to marked inter-familial clinical heterogeneity in dominant dystrophic epidermolysis bullosa.	J Dermatol Sci	34	195-200	2004
Nemoto I, Akiyama M , Aoyagi S, Nomura T, Shimizu H	Eccrine porocarcinoma and eccrine poroma arising in a scar.	Br J Dermatol	150	1232-1233	2004
Nishie W, Akiyama M , Mayuzumi M, Ukae S, Kuroda T, Shimizu H	A subcutaneous tumor on the forehead of a 12-year-old child: a rare clinical presentation of a frontal mucocele.	J Am Acad Dermatol	51	1030-1031	2004
Nishie W, Sawamura D , Mayuzumi M, Takahashi S, Shimizu H	Hidradenoma papilliferum with mixed histopathologic features of syringocystadenoma papilliferum and anogenital mammary-like glands.	J Cutan Pathol	31	561-564	2004
Nomura T, Abe R , Fujimoto K, Endo T, Shimizu H , Koike T	Plasma exchange; a promising treatment for toxic epidermal necrolysis with AIDS.	Aids	18	2446-2448	2004
Nomura T, Akiyama M , Kikuchi T, Kashiwamura M, Shimizu H	Association of infantile cutaneous haemangioma on the face and neck with respiratory distress in infancy.	Acta Derm Venereol	84	72-73	2004
Ogata A, Shimizu T, Abe R , Shimizu H , Sakai M	Expression of c-maf and mafB genes in the skin during rat embryonic development.	Acta Histochem	106	65-67	2004
Onozuka T, Sawamura D , Yokota K, Shimizu H	Mutational analysis of the ATP2A2 gene in two Darier disease families with intrafamilial variability.	Br J Dermatol	150	652-657	2004
Onozuka T, Yokota K, Kawashima T, Shimada H, Kodama K, Kobayashi H, Shimizu H	An elderly patient with mycosis fungoides successfully treated with chronic low-dose oral etoposide therapy.	Clin Exp Dermatol	29	91-92	2004
Ota M, Shimizu T, Hashino S, Shimizu H	Eosinophilic folliculitis in a patient after allogeneic bone marrow transplantation: Case report and review of the literature.	Am J Hematol	76	295-296	2004

<u>Sawamura D</u> , Ina S, Goto M, <u>Akiyama M</u> , <u>Shimizu H</u>	In vivo transfer of TGF-alpha and beta genes to keratinocytes.	J Dermatol Sci	34	234-236	2004
Shibaki A, <u>Akiyama M</u> , <u>Shimizu H</u>	Novel ALDH3A2 heterozygous mutations are associated with defective lamellar granule formation in a Japanese family of Sjogren-Larsson syndrome.	J Invest Dermatol	123	1197-1199	2004
Shimamoto A, Sugimoto M, <u>Furuichi Y</u>	Molecular Biology of Werner syndrome.	Int J Clin Oncol	9	288-298	2004
Shimizu T, Niizeki H, Takeuchi O, Yamasaki Y, Inamoto N, Kusunoki Y, Kobayashi K, <u>Abe R</u> , <u>Shimizu H</u> , Nishikawa T, Hashiguchi K, Nishihira J	Induction of macrophage migration inhibitory factor precedes the onset of acute tonsillitis.	Mediators Inflamm	13	293-295	2004
Shimizu T, Nishihira J, Watanabe H, <u>Abe R</u> , Honda A, Ishibashi T, <u>Shimizu H</u>	Macrophage migration inhibitory factor is induced by thrombin and factor Xa in endothelial cells.	J Biol Chem	279	13729-13737	2004
Shimizu T, Nishihira J, Watanabe H, <u>Abe R</u> , Ishibashi T, <u>Shimizu H</u>	Cetirizine, an H1-receptor antagonist, suppresses the expression of macrophage migration inhibitory factor: Its potential anti-inflammatory action.	Clin Exp Allergy	34	103-109	2004
Sugimoto M, Tahara H, Okubo M, Kobayashi T, Goto M, Ide T, <u>Furuichi Y</u>	WRN gene and other genetic factors affecting immortalization of human B-lymphoblastoid cell lines transformed by Epstein-Barr virus.	Cancer Genet Cytogen	152	95-100	2004
Tateishi Y, Sato H, <u>Akiyama M</u> , Abe M, Kobayashi H, Umehara S, Yamaguchi J, Shibaki H, <u>Shimizu H</u>	Severe generalized deep dermatophytosis due to Trichophyton rubrum (Trichophytic Granuloma) in a patient with atopic dermatitis.	Arch Dermatol	140	624-625	2004
Tsuchida S, Bonkobara M, McMillan JR, <u>Akiyama M</u> , Yodate T, Aragane Y, Tezuka T, <u>Shimizu H</u> , Cruz PD, Jr., Ariizumi K	Characterization of Kdap, a protein secreted by keratinocytes.	J Invest Dermatol	122	1225-1234	2004
Tsuji-Abe Y, <u>Akiyama M</u> , Nakamura H, Takizawa Y, <u>Sawamura D</u> , Matsunaga K, Suzumori K, <u>Shimizu H</u>	DNA-based prenatal exclusion of bullous congenital ichthyosiform erythroderma at the early stage, 10 to 11 weeks' of pregnancy, in two consequent siblings.	J Am Acad Dermatol	51	1008-1011	2004
Ujii H, <u>Sawamura D</u> , Yokota K, Nishie W, Shichinohe R, <u>Shimizu H</u>	Pyoderma gangrenosum associated with Takayasu's arteritis.	Clin Exp Dermatol	29	357-359	2004
Ujii H, Shimizu T, <u>Shimizu H</u>	Generalized pustular psoriasis and hepatitis C virus infection.	Acta Virol	48	63-64	2004

Watanabe H, Shimizu T, Nishihira J, <u>Abe R</u> , Nakayama T, Taniguchi M, Sabe H, Ishibashi T, <u>Shimizu H</u>	Ultraviolet A-induced production of matrix metalloproteinase-1 is mediated by macrophage migration inhibitory factor (MIF) in human dermal fibroblasts.	J Biol Chem	279	1676-1683	2004
Yamagishi S, <u>Abe R</u> , Inagaki Y, Nakamura K, Sugawara H, Inokuma D, Nakamura H, Shimizu T, Takeuchi M, Yoshimura A, Bucala R, <u>Shimizu H</u> , Imaizumi T	Minodronate, a newly developed nitrogen-containing bisphosphonate, suppresses melanoma growth and improves survival in nude mice by blocking vascular endothelial growth factor signaling.	Am J Pathol	165	1865-1874	2004
Yamanaka Y, <u>Akiyama M</u> , Shibaki A, Kikuchi T, <u>Shimizu H</u>	Annular Lichen planus: Study of the Cellular Mechanisms of Annularity.	Dermatology	208	335-338	2004
Yanagi T, <u>Sawamura D</u> , <u>Shimizu H</u>	Follicular mucinosis associated with imatinib (STI571).	Br J Dermatol	151	1276-1278	2004
Abe M, <u>Sawamura D</u> , Ito S, Nishio H, Yoshida H, <u>Shimizu H</u>	Perianal cytomegalovirus ulcer following herpes simplex virus in a patient with idiopathic thrombocytopenic purpura treated with immunosuppressants.	Clin Exp Dermatol	30	596-598	2004
<u>Akiyama M</u> , Sugiyama-Nakagiri Y, Sakai K, McMillan JR, Goto M, Arita K, Tsuji-Abe Y, Tabata N, Matsuoka K, Sasaki R, <u>Sawamura D</u> , <u>Shimizu H</u>	Mutations in lipid transporter ABCA12 in harlequin ichthyosis and functional recovery by corrective gene transfer.	J Clin Invest	115	1777-1784	2004
<u>Akiyama M</u> , Tsuji-Abe Y, Yanagihara M, Nakajima K, Kodama H, Yaosaka M, Abe M, <u>Sawamura D</u> , <u>Shimizu H</u>	Ichthyosis bullosa of Siemens: its correct diagnosis facilitated by molecular genetic testing.	Br J Dermatol	152	1353-1356	2005
Aoyagi S, Sato-Matsumura KC, <u>Shimizu H</u>	Staging and assessment of lymph node involvement by 18F-fluorodeoxyglucose-positron emission tomography in invasive extramammary Paget's disease.	Dermatol Surg	31	595-598	2005
Fujita Y, Yokota K, <u>Akiyama M</u> , Machino S, Inokuma D, Arita K, Kimura C, <u>Shimizu H</u>	Two cases of atypical membranous aplasia cutis with hair collar sign: one with dermal melanocytosis, and the other with naevus flammeus.	Clin Exp Dermatol	30	497-499	2005
Horiguchi Y, <u>Sawamura D</u> , Mori R, Nakamura H, Takahashi K, <u>Shimizu H</u>	Clinical heterogeneity of 1649delG mutation in the tail domain of keratin 5: a Japanese family with epidermolysis bullosa simplex with mottled pigmentation.	J Invest Dermatol	125	83-85	2005

Hoshina D, Shimizu T, <u>Abe R</u> , Murata J, Tanaka K, <u>Shimizu H</u>	Multicentric reticulohistiocytosis associated with rheumatoid arthritis.	Rheumatol Int	25	553-554	2005
Kawasaki H, <u>Sawamura D</u> , Nakazawa H, Hattori N, Goto M, Sato-Matsumura KC, <u>Akiyama M</u> , <u>Shimizu H</u>	Detection of 1733insC mutations in an Asian family with Birt-Hogg-Dube syndrome.	Br J Dermatol	152	142-145	2005
Kawashima J, <u>Akiyama M</u> , Takizawa Y, Takahashi S, Matsuo I, <u>Shimizu H</u>	Structural, enzymatic and molecular studies in a series of nonbullous congenital ichthyosiform erythroderma patients.	Clin Exp Dermatol	30	429-431	2005
Massone C, Kodama K, Salmhofer W, <u>Abe R</u> , <u>Shimizu H</u> , Parodi A, Kerl H, Cerroni L	Lupus erythematosus panniculitis (lupus profundus): Clinical, histopathological, and molecular analysis of nine cases.	J Cutan Pathol	32	396-404	2005
Mitsui H, Watanabe T, Komine M, Nakamura H, <u>Shimizu H</u> , Tamaki K	Focal palmoplantar callosities in non-Herlitz junctional epidermolysis bullosa.	J Am Acad Dermatol	52	371-373	2005
Nakamura H, <u>Sawamura D</u> , Goto M, McMillan JR, Park S, Kono S, Hasegawa S, Paku S, Nakamura T, Ogiso Y, <u>Shimizu H</u>	Epidermolysis bullosa simplex associated with pyloric atresia is a novel clinical subtype caused by mutations in the plectin gene (PLEC1).	J Mol Diagn	7	28-35	2005
Nakamura H, Shimizu T, Kodama K, <u>Shimizu H</u>	Metastasis of lung cancer to the finger: a report of two cases.	Int J Dermatol	44	47-49	2005
Natsuga K, <u>Akiyama M</u> , Sato-Matsumura K, Tsuchiya K, <u>Shimizu H</u>	Two cases of atypical melanocytic lesions in recessive dystrophic epidermolysis bullosa infants.	Clin Exp Dermatol	30	636-639	2005
Natsuga K, <u>Akiyama M</u> , Shimizu T, Suzuki T, Ito S, Tomita Y, Tanaka J, <u>Shimizu H</u>	Ultrastructural features of trafficking defects are pronounced in melanocytic nevus in Hermansky-Pudlak syndrome type 1.	J Invest Dermatol	125	154-158	2005
Ota M, Sato-Matsumura K, <u>Sawamura D</u> , <u>Shimizu H</u>	Papuloerythroderma associated with hepatitis C virus infection.	J Am Acad Dermatol	52	61-62	2005
Ota M, <u>Sawamura D</u> , Shibaki A, <u>Shimizu H</u>	Bone marrow clonal T-cell population in lymphomatoid papulosis.	J Am Acad Dermatol	52	710-711	2005
Sawada K, Noda K, Nakajima H, Shimbara N, <u>Furuichi Y</u> , Sugimoto M	Differential Cytotoxicity of Anticancer Agent in Pre-and Post-Immortal Lymphoblastoid Cell Lines.	Biol Pharm Bull	28	1202-1207	2005
<u>Sawamura D</u> , <u>Abe R</u> , Goto M, <u>Akiyama M</u> , Hemmi H, Akira S, <u>Shimizu H</u>	Direct injection of plasmid DNA into the skin induces dermatitis by activation of monocytes through toll-like receptor 9.	J Gene Med	7	664-671	2005

<u>Sawamura D</u> , Goto M, Shibaki A, <u>Akiyama M</u> , McMillan JR, Abiko Y, <u>Shimizu H</u>	Beta defensin-3 engineered epidermis shows highly protective effect for bacterial infection.	Gene Ther	12	857-861	2005
<u>Sawamura D</u> , Goto M, Yasukawa K, Sato-Matsumura K, Nakamura H, Ito K, Tomita Y, <u>Shimizu H</u>	Genetic studies of 20 Japanese families of dystrophic epidermolysis bullosa.	J Hum Genet	50	543-546	2005
<u>Sawamura D</u> , Ohata Y, Shibaki A, <u>Shimizu H</u>	Pigmented purpuric dermatosis in mixed cryoglobulinaemia associated with rheumatoid arthritis and hepatitis C infection.	Acta Derm Venereol	85	460-461	2005
<u>Sawamura D</u> , Sato-Matsumura KC, Shibaki A, <u>Akiyama M</u> , Kikuchi T, <u>Shimizu H</u>	A case of lichen amyloidosis treated with pulsed dye laser.	J Eur Acad Dermatol Venereol	19	262-263	2005
Sengupta S, Shimamoto A, Koshiji M, Pedeux R, Rusin M, Spillare EA, Shen JC, Huang LE, Lindor NM, <u>Furuichi Y</u> , Harris CC	Tumor suppressor p53 represses transcription of RECQ4 helicase.	Oncogene	24	1738-1748	2005
Shimizu A, <u>Akiyama M</u> , Ishiko A, Yoshiike T, Suzumori K, <u>Shimizu H</u>	Prenatal exclusion of harlequin ichthyosis; potential pitfalls in the timing of the fetal skin biopsy.	Br J Dermatol	153	811-814	2005
Shimizu T, Hizawa N, Honda A, Zhao Y, <u>Abe R</u> , Watanabe H, Nishihira J, Nishimura M, <u>Shimizu H</u>	Promoter region polymorphism of macrophage migration inhibitory factor is strong risk factor for young onset of extensive alopecia areata.	Genes Immun	6	285-289	2005
Shimizu T, Ogata A, Honda A, Nishihira J, Watanabe H, <u>Abe R</u> , Zhao Y, <u>Shimizu H</u>	Expression of macrophage migration inhibitory factor in rat skin during embryonic development.	Exp Dermatol	14	819-823	2005
Suzuki N, Suzuki T, Inagaki K, Ito S, Kono M, Fukai K, Takama H, Sato K, Ishikawa O, Abe M, <u>Shimizu H</u> , Kawai M, Horikawa T, Yoshida K, Matsumoto K, Terui T, Tsujioka K, Tomita Y	Mutation analysis of the ADAR1 gene in dyschromatosis symmetrica hereditaria and genetic differentiation from both dyschromatosis universalis hereditaria and acropigmentatio reticularis.	J Invest Dermatol	124	1186-1192	2005
Tomita Y, <u>Akiyama M</u> , <u>Shimizu H</u>	Stratum corneum hydration and flexibility are useful parameters to indicate clinical severity of congenital ichthyosis.	Exp Dermatol	14	619-624	2005
Tsuji-Abe Y, <u>Akiyama M</u> , Yamanaka Y, Kikuchi T, Sato-Matsumura KC, <u>Shimizu H</u>	Correlation of clinical severity and ELISA indices for the NC16A domain of BP180 measured using BP180 ELISA kit in bullous pemphigoid.	J Dermatol Sci	37	145-149	2005

Ujiie H, <u>Sawamura D</u> , Shibaki A, <u>Shimizu H</u>	Prolonged dermatitis distant to the site of squaric acid dibutyl ester applications and recovery of alopecia areata.	Clin Exp Dermatol	30	579-580	2005
Ujiie H, <u>Sawamura D</u> , Yokota K, Tateishi Y, Inokuma D, <u>Shimizu H</u>	Intractable erythema nodosum associated with severe breast abscesses: reports of two cases.	Clin Exp Dermatol	30	584-585	2005
Ujiie H, Shimizu T, <u>Shimizu H</u>	Cutaneous reactions to imatinib mesylate treated by topical steroid.	Am J Hematol	78	246	2005
Yanagi T, <u>Akiyama M</u> , Arita K, <u>Shimizu H</u>	Nail deformity associated with hereditary multiple exostoses.	J Am Acad Dermatol	53	534-535	2005
Yanagi T, <u>Akiyama M</u> , Kasai M, Yamakura M, Nishio M, <u>Shimizu H</u>	Multiple skin metastases of amelanotic melanoma originating from the sinonasal mucosa.	Acta Derm Venereol	85	554-555	2005
Yanagi T, <u>Sawamura D</u> , Shibaki A, <u>Shimizu H</u>	Treatment for poikilodermatous erythema of dermatomyositis with the pulsed dye laser.	Br J Dermatol	153	862-864	2005
Yanagi T, Shimizu T, <u>Abe R</u> , <u>Shimizu H</u>	Zinc dental fillings and palmoplantar pustulosis.	Lancet	366	1050	2005
Yaosaka M, <u>Sawamura D</u> , Iitoyo M, Shibaki A, <u>Shimizu H</u>	Lichen striatus affecting a mother and her son.	J Am Acad Dermatol	53	352-353	2005
Yasukawa K, <u>Sawamura D</u> , <u>Akiyama M</u> , Motoda N, <u>Shimizu H</u>	Keratotic lesions in epidermolysis bullosa simplex with mottled pigmentation.	J Am Acad Dermatol	52	172-173	2005
Zhao Y, Shimizu T, Nishihira J, Koyama Y, Kushibiki T, Honda A, Watanabe H, <u>Abe R</u> , Tabata Y, <u>Shimizu H</u>	Tissue regeneration using macrophage migration inhibitory factor-impregnated gelatin microbeads in cutaneous wounds.	Am J Pathol	167	1519-1529	2005
<u>Akiyama M</u> , Sakai K, Sugiyama-Nakagiri Y, Yamanaka Y, McMillan JR, <u>Sawamura D</u> , Niizeki H, Miyagawa S, <u>Shimizu H</u>	Compound heterozygous mutations including a de novo missense mutation in ABCA12 led to a case of harlequin ichthyosis with moderate clinical severity.	J Invest Dermatol	126	1518-1523	2006
<u>Akiyama M</u> , Sakai K, Wolff G, Hausser I, McMillan J, <u>Sawamura D</u> , <u>Shimizu H</u>	A novel ABCA12 mutation 3270delT causes harlequin ichthyosis.	Br J Dermatol	155	1064-1066	2006
Arita K, <u>Akiyama M</u> , Aizawa T, Umetsu Y, Segawa I, Goto M, <u>Sawamura D</u> , Demura M, Kawano K, <u>Shimizu H</u>	A Novel N14Y Mutation in Connexin26 in Keratitis-Ichthyosis-Deafness Syndrome: Analyses of Altered Gap Junctional Communication and Molecular Structure of N Terminus of Mutated Connexin26.	Am J Pathol	169	416-423	2006

Fujita Y, <u>Abe R</u> , Sasaki M, Honda A, Furuichi M, Asano Y, Norisugi O, Shimizu T, <u>Shimizu H</u>	Presence of circulating CCR10+ T cells and elevated serum CTACK/CCL27 in the early stage of mycosis fungoides.	Clin Cancer Res	12	2670-2675	2006
Fujita Y, Tsuji-Abe Y, Sato-Matsumura KC, <u>Akiyama M</u> , <u>Shimizu H</u>	Nail dystrophy and blisters as sole manifestations in myeloma-associated amyloidosis.	J Am Acad Dermatol	54	712-714	2006
Goto M, Okawa-Takatsuji M, Aotsuka S, Nakai H, Shimizu N, Goto H, Shimamoto A, <u>Furuichi Y</u>	Significant elevation of IgG anti-WRN (RecQ3 RNA/DNA helicase) antibody in systemic sclerosis.	Mod Rheumatol	16	229-234	2006
Goto M, <u>Sawamura D</u> , Ito K, Abe M, Nishie W, Sakai K, Shibaki A, <u>Akiyama M</u> , <u>Shimizu H</u>	Fibroblasts show more potential as target cells than keratinocytes in COL7A1 gene therapy of dystrophic epidermolysis bullosa.	J Invest Dermatol	126	66-772	2006
Goto M, <u>Sawamura D</u> , Nishie W, Sakai K, McMillan JR, <u>Akiyama M</u> , <u>Shimizu H</u>	Targeted Skipping of a Single Exon Harboring a Premature Termination Codon Mutation: Implications and Potential for Gene Correction Therapy for Selective Dystrophic Epidermolysis Bullosa Patients.	J Invest Dermatol	126	2614-2620	2006
Hoshina D, <u>Akiyama M</u> , Hata H, Aoyagi S, Sato-Matsumura KC, <u>Shimizu H</u>	Eccrine porocarcinoma and Bowen's disease arising in a seborrheic keratosis.	Clin Exp Dermatol	32	54-56	2006
Inagaki K, Suzuki T, Ito S, Suzuki N, Adachi K, Okuyama T, Nakata Y, <u>Shimizu H</u> , Matsuura H, Oono T, Iwamatsu H, Kono M, Tomita Y	Oculocutaneous albinism type 4: six novel mutations in the membrane-associated transporter protein gene and their phenotypes.	Pigment Cell Res	19	451-453	2006
Iso T, Watanabe T, Iwamoto T, Shimamoto A, <u>Furuichi Y</u>	DNA damage caused by bisphenol A and estradiol through estrogenic activity.	Biol Pharm Bull	29	206-210	2006
Inokuma D, <u>Abe R</u> , Fujita Y, Sasaki M, Shibaki A, Nakamura H, McMillan JR, Shimizu T, <u>Shimizu H</u>	CTACK/CCL27 accelerates skin regeneration via accumulation of bone marrow derived-keratinocytes.	Stem Cells	24	2810-2816	2006
Kawabe Y, Seki M, Yoshimura A, Nishino K, Hayashi T, Takeuchi T, S. Iguchi, Kusa Y, Ohtsuki M, Tsuyama T, Imamura O, Matsumoto T, <u>Furuichi Y</u> , Tada S, Enomoto T	Analyses of the interaction of WRNIP1 with Werner syndrome protein (WRN) in vitro and in the cell.	Dna Repair	5	816-828	2006
Kikuchi E, Kinoshita I, Yamazaki K, Itoh T, Shimizu T, <u>Shimizu H</u> , Nishimura M	Epithelioid sarcoma presenting as pulmonary cysts with cancer antigen 125 expression.	Respirology	11	826-829	2006

Kitaichi N, Shimizu T, Honda A, <u>Abe R</u> , Ohgami K, Shiratori K, <u>Shimizu H</u> , Ohno S	Increase in macrophage migration inhibitory factor levels in lacrimal fluid of patients with severe atopic dermatitis.	Graefes Arch Clin Exp Ophthalmol	244	825-828	2006
Maeda Y, Hizawa N, Jinushi E, Honda A, Takahashi D, Fukui Y, Konno S, Shimizu T, <u>Shimizu H</u> , Yamaguchi E, Nishimura M	Polymorphisms in the muscarinic receptor 1 gene confer susceptibility to asthma in Japanese subjects.	Am J Respir Crit Care Med	174	1119-1124	2006
Mashiko M, <u>Akiyama M</u> , Tsuji-Abe Y, <u>Shimizu H</u>	Bacterial infection-induced generalized Hailey-Hailey disease successfully treated by tretinate.	Clin Exp Dermatol	31	57-59	2006
Mayuzumi M, <u>Akiyama M</u> , Nishie W, Ukae S, Abe M, <u>Sawamura D</u> , Hashimoto T, <u>Shimizu H</u>	Childhood epidermolysis bullosa acquisita with autoantibodies against the noncollagenous 1 and 2 domains of type VII collagen: case report and review of the literature.	Br J Dermatol	155	1048-1052	2006
McMillan JR, <u>Akiyama M</u> , Nakamura H, <u>Shimizu H</u>	Colocalization of multiple laminin isoforms predominantly beneath hemidesmosomes in the upper lamina densa of the epidermal basement membrane.	J Histochem Cytochem	54	109-118	2006
Miyamoto M, Onozaki N, Selvakumar D, Kimura T, <u>Furuichi Y</u> , Komiyama T	The role of the histidine-35 residue in the cytotoxic action of HM-1 toxin.	Microbiology	152	2951-2958	2006
Murata J, Shimizu T, Tateishi Y, <u>Abe R</u> , <u>Shimizu H</u>	Coexistence of a systemic lupus erythematosus and porphyria cutanea tarda: case successfully improved by avoidance of sun exposure.	Int J Dermatol	45	435-437	2006
Natsuga K, Shimizu T, <u>Abe R</u> , Kodama K, <u>Shimizu H</u>	Mycosis fungoides bullosa.	Arch Dermatol	142	793-795	2006
Nemoto I, Shibaki A, Aoyagi S, Tsuji-Abe Y, <u>Shimizu H</u>	Aggressive squamous cell carcinoma developing in a giant epidermal cyst of the abdomen.	Int J Dermatol	45	1444-1446	2006
Nomura T, Kodama K, Nishimura M, Abe M, Onozuka T, <u>Shimizu H</u>	Animation as a useful tool for assessing functional status in psoriatic arthritis.	J Dermatol Sci	44	172-17	2006
Okada T, Sasaki F, <u>Shimizu H</u> , Kato M, Nakagawa S, Sugihara T, Kawashima K, Todo S	Effective esophageal balloon dilation for esophageal stenosis in recessive dystrophic epidermolysis bullosa.	Eur J Pediatr Surg	16	115-119	2006
Onozuka T, <u>Sawamura D</u> , Goto M, Yokota K, <u>Shimizu H</u>	Possible role of endoplasmic reticulum stress in the pathogenesis of Darier's disease.	J Dermatol Sci	41	217-220	2006
Osawa R, <u>Abe R</u> , Inokuma D, Yokota K, Ito H, Nabeshima M, <u>Shimizu H</u>	Chain saw blade granuloma: reaction to a deeply embedded metal fragment.	Arch Dermatol	142	1079-1080	2006

Ota M, <u>Sawamura D</u> , Yokota K, Ueda M, Horiguchi Y, Kodama K, Goto M, <u>Shimizu H</u>	A unique monoclonal antibody 29A stains the cytoplasm of amniotic epithelia and cutaneous basement membrane.	J Dermatol Sci	42	23-29	2006
Sakai K, <u>Akiyama M</u> , Watanabe T, Sanayama K, Sugita K, Takahashi M, Suehiro K, Yorifuji K, Shibaki A, <u>Shimizu H</u>	Novel ALDH3A2 Heterozygous Mutations in a Japanese Family with Sjogren-Larsson Syndrome.	J Invest Dermatol	126	2545-2547	2006
<u>Sawamura D</u> , Mochitomi Y, Kanzaki T, Nakamura H, <u>Shimizu H</u>	Glycine substitution mutations by different amino acids at the same codon in COL7A1 cause different modes of dystrophic epidermolysis bullosa inheritance.	Br J Dermatol	155	834-837	2006
<u>Sawamura D</u> , Nizeki H, Miyagawa S, Shinkuma S, <u>Shimizu H</u>	A novel indel COL7A1 mutation 8068del17insGA causes dominant dystrophic epidermolysis bullosa.	Br J Dermatol	154	995-997	2006
<u>Sawamura D</u> , Sato-Matsumura K, Shibata S, Tashiro A, Furue M, Goto M, Sakai K, <u>Akiyama M</u> , Nakamura H, <u>Shimizu H</u>	COL7A1 mutation G2037E causes epidermal retention of type VII collagen.	J Hum Genet	51	418-423	2006
Selvakumar D, Miyamoto M, <u>Furuichi Y</u> , Komiyama T	Inhibition of b-1,3-glucan synthase and cell growth of Cryptococcus species by recombinant single-chain anti-idiotypic antibodies.	J Antibiot	59	73-79	2006
Selvakumar D, Zhang QZ, Miyamoto M, <u>Furuichi Y</u> , Komiyama T	Identification and Characterization of a Neutralizing Monoclonal Antibody for the Epitope on HM-1 Killer Toxin.	J Biochem	139	399-406	2006
Shibata S, Sasaki M, Miki T, Shimamoto A, <u>Furuichi Y</u> , Katahira J, Yoneda Y	Exportin-5 orthologues are functionally divergent among species.	Nucleic Acids Res	34	4711-4721	2006
Shichinohe R, Shibaki A, Nishie W, Tateishi Y, <u>Shimizu H</u>	Successful treatment of severe recalcitrant erosive oral lichen planus with topical tacrolimus.	J Eur Acad Dermatol	20	66-68	2006
<u>Shimizu H</u>	Prenatal diagnosis of epidermolysis bullosa.	Prenat Diagn	26	1260-1261	2006
Sugiyama-Nakagiri Y, <u>Akiyama M</u> , Shibata S, Okano H, <u>Shimizu H</u>	Expression of RNA-Binding Protein Musashi in Hair Follicle Development and Hair Cycle Progression.	Am J Pathol	168	80-92	2006
Sugiyama-Nakagiri Y, <u>Akiyama M</u> , <u>Shimizu H</u>	Hair follicle stem cell-targeted gene transfer and reconstitution system.	Gene Ther	13	732-737	2006

Tanimura S, Arita K, Iwao F, Kasai M, Fujita Y, Kawasaki H, <u>Abe R</u> , <u>Sawamura D</u> , Kimura T, <u>Shimizu H</u>	Two cases of folliculosebaceous cystic hamartoma.	Clin Exp Dermatol	31	68-70	2006
Tomita Y, <u>Akiyama M</u> , <u>Shimizu H</u>	PDGF isoforms induce and maintain anagen phase of murine hair follicles.	J Dermatol Sci	43	105-115	2006
Tsuji K, Mitsutake S, Ishikawa J, Takagi Y, <u>Akiyama M</u> , <u>Shimizu H</u> , Tomiyama T, Igarashi Y	Dietary glucosylceramide improves skin barrier function in hairless mice.	J Dermatol Sci	44	101-107	2006
Ujiie H, <u>Sawamura D</u> , <u>Shimizu H</u>	Development of lichen planus and psoriasis on lesions of vitiligo vulgaris.	Clin Exp Dermatol	31	375-377	2006
Ujiie H, Shimizu T, Ito M, Arita K, <u>Shimizu H</u>	Lupus erythematosus profundus successfully treated with dapsone: review of the literature.	Arch Dermatol	142	399-401	2006
Ujiie H, Shimizu T, Natsuga K, Arita K, Tomizawa K, <u>Shimizu H</u>	Severe cholinergic urticaria successfully treated with scopolamine butylbromide in addition to antihistamines.	Clin Exp Dermatol	31	588-589	2006
Yagi H, Hashizume H, Horibe T, Yoshinari Y, Hata M, Ohshima A, Ito T, Takigawa M, Shibaki A, <u>Shimizu H</u> , Seo N	Induction of therapeutically relevant cytotoxic T lymphocytes in humans by percutaneous peptide immunization.	Cancer Res	66	10136-10144	2006
Yanagi T, <u>Akiyama M</u> , Aoyagi S, Shibaki A, Homma A, <u>Shimizu H</u>	Marked and restricted cutaneous pigmentation induced by selective intra-arterial cisplatin infusion.	J Am Acad Dermatol	54	362-363	2006
Yanagi T, Kodama K, Yoshihisa Y, <u>Shimizu H</u> , Shimizu T	Macrophage migration inhibitory factor in zinc-allergic systemic contact dermatitis.	Cytokine	35	270-274	2006
Yanagi T, <u>Sawamura D</u> , Nishie W, Abe M, Shibaki A, <u>Shimizu H</u>	Multiple apocrine hidrocystoma showing plane pigmented macules.	J Am Acad Dermatol	54	53-54	2006
Yanagi T, Shibaki A, Tsuji-Abe Y, Yokota K, <u>Shimizu H</u>	Epidermodysplasia verruciformis and generalized verrucosis: the same disease?	Clin Exp Dermatol	31	390-393	2006
Yanagi T, Shimizu T, Ujiie H, Ito M, <u>Abe R</u> , Tsuji-Abe Y, Hige S, <u>Shimizu H</u>	Peginterferon alfa-2b for mycosis fungoides.	Arch Dermatol	142	649-651	2006
Yasukawa K, <u>Sawamura D</u> , Goto M, Nakamura H, Jung SY, Kim SC, <u>Shimizu H</u>	Epidermolysis bullosa simplex in Japanese and Korean patients: genetic studies in 19 cases.	Br J Dermatol	155	313-317	2006
Ito H, <u>Akiyama M</u> , Nakagawa H, Uematsu R, Deguchi K, McMillan JR, Nishimura S, <u>Shimizu H</u>	N-Linked neutral oligosaccharides in the stratum corneum of normal and ichthyotic skin.	Arch Dermatol Res	298	403-407	2007

McMillan JR, <u>Akiyama M</u> , Rouan F, Mellerio JE, Lane EB, Leigh IM, Owaribe K, Wiche G, Fujii N, Uitto J, Eady RA, <u>Shimizu H</u>	Plectin defects in epidermolysis bullosa simplex with muscular dystrophy.	Muscle Nerve	35	24-35	2007
<u>Akiyama M</u> , Titeux M, Sakai K, McMillan J, Tonasso L, Calvas P, Jossic F, Hovnanian A, <u>Shimizu H</u>	DNA-based prenatal diagnosis of harlequin ichthyosis and characterization of ABCA12 mutation consequences.	J Invest Dermatol			in press
Arita K, Jacyk W, Wessagowit V, Rensburg E, Chaplin T, Mein C, <u>Akiyama M</u> , <u>Shimizu H</u> , Happle R, McGrath J	The south african "Bathing Suit Ichthyosis" is a form of lamellar ichthyosis caused by a homozygous missense mutation, p.R315L, in transglutaminase 1.	J Invest Dermatol			in press
Hoshina D, Shibaki A, Aoyagi S, Kimura K, <u>Shimizu H</u> :	Giant dermatofibroma: a rare variant of dermatofibroma preferentially developing on the lower limbs.	Clinic Exp Dermatol			in press
Iso T, Futami K, Iwamoto T, <u>Furuichi Y</u>	Modulation of the expression of Bloom helicase by estrogenic agents.	Biol Pharm Bull			in press
Nishie W, <u>Sawamura D</u> , Goto M, Ito K, Shibaki A, McMillan J, Sakai K, Nakamura H, Olasz E, Yancey K, <u>Akiyama M</u> , <u>Shimizu H</u>	Humanization of autoantigen.	Nat Med			in press
Nomura T, Sandilands A, <u>Akiyama M</u> , Liao H, Evans A, Sakai K, Ota M, Sugiura H, Yamamoto K, Sato H, Palmer C, Smith F, McLeen W, <u>Shimizu H</u>	Unique mutations in the filaggrin gene in Japanese patients with ichthyosis vulgaris and atopic dermatitis.	J Allergy Clin Immunol			in press