

図1 (A) mRSSの経時的な変化。各症例における初回登録時からの変化の割合 (%) を、平均とSDで表示した。(B) 3年間経過を追跡できた症例を副腎皮質ホルモンの服用の有無で分けた場合の、初回登録時と3年後のmRSSの比較。




図2 3年間経過を追跡できた症例を副腎皮質ホルモンの服用の有無で分けた場合の、初回登録時と3年後のHAQ-DIの比較。

Ⅲ. 研究成果の刊行に関する一覧表

【書籍】

No.	著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
1	石川 治	強皮症	日本皮膚科学会研修委員会 監修	日本皮膚科専門医テキスト集 2000年度	日本皮膚科学会研修委員会	東京	2006	94-113
2	佐藤伸一	【強皮症】全身性強皮症	宮川幸子編	カラーアトラス皮膚病から診る膠原病	全日本病院出版会	東京	2006	53-58
3	佐藤伸一	限局性強皮症	編集:飯塚 一	今日の治療指針 2006年版	医学書院	東京	2006	859-860
4	佐藤伸一	B細胞異常と膠原病	斎田俊明・飯塚 一 他編	先端医療シリーズ38「皮膚疾患の最新医療」	先端医療技術研究所	東京	2006	142-145
5	尹 浩信	全身性強皮症における線維化の機序	編集主幹:斎田俊明・飯塚 一	皮膚疾患の最新医療	株式会社寺田国際事務所/ 先端医療技術研究所	東京	2006	149-153
6	尹 浩信	限局性強皮症	編集主幹:斎田俊明・飯塚 一	皮膚疾患 最新の治療 2007-2008	株式会社南江堂	東京	2006	78
7	尹 浩信	線維化の機序	古江増隆	第1回箱根カンファレンス記録集	Excerpta Medica	東京	2006	68-78
8	尹 浩信	汎発性強皮症の臨床症と治療	池澤善郎	The 69th Annual Meeting of the Tokyo Division of JDA	横浜市立大学皮膚科 長谷川印刷	横浜	2006	68-69
9	遠藤平仁	膠原病および類縁疾患 好酸球性筋膜炎	編集:飯塚 一	今日の治療指針 2006年版	医学書院	東京	2006	605-606
10	遠藤平仁	ステロイドの選択と種類の変更—効果と離脱を考えた治療	水島 裕編集	ステロイドの使い方, コツと落とし穴	中山書店	東京	2006	2-3
11	遠藤平仁	副作用軽減のための工夫—精神神経症状と離脱症候群	水島 裕編集	ステロイドの使い方, コツと落とし穴	中山書店	東京	2006	162-163
12	遠藤平仁	発熱患者にNSAIDsはどう使うべきか, NSAIDsの使いかた	水島 裕編集	ステロイドの使い方, コツと落とし穴	中山書店	東京	2006	78-79
13	遠藤平仁	膠原病患者における選択と副作用, NSAIDsの使い方	水島 裕編集	ステロイドの使い方, コツと落とし穴	中山書店	東京	2006	148-149
14	桑名正隆	抗リン脂質抗体症候群 (Antiphospholipid Syndrome:APS)	山口 徹,北原光夫,福井次矢	今日の治療指針 2007年版-私はこう治療している	医学書院	東京		印刷中
15	桑名正隆	関節穿刺と関節液検査	池田康夫, 鈴木則宏	内科研修マニュアル (改訂第2版)	南江堂	東京	2006	526-527
16	桑名正隆	強皮症	池田康夫, 鈴木則宏	内科研修マニュアル (改訂第2版)	南江堂	東京	2006	540-543
17	桑名正隆	Behçet病	池田康夫, 鈴木則宏	内科研修マニュアル (改訂第2版)	南江堂	東京	2006	561
18	桑名正隆	抗リン脂質抗体症候群	池田康夫, 鈴木則宏	内科研修マニュアル (改訂第2版)	南江堂	東京	2006	564
19	桑名正隆	血清蛋白とその分画	橋本信也	最新 臨床検査のABC	医学書院	東京	2006	142-145
20	桑名正隆	免疫グロブリンG,A,M,D (IgG,IgA,IgM,IgD)	橋本信也	最新 臨床検査のABC	医学書院	東京	2006	146-148
21	桑名正隆	免疫グロブリンE (IgE)	橋本信也	最新 臨床検査のABC	医学書院	東京	2006	149
22	後藤大輔	膠原病・リウマチ疾患の診断基準一覽	住田孝之	EXPERT 膠原病・リウマチ	診断と治療社	東京	2006	436-458
23	佐々木哲雄	皮膚線維腫を複数認めたら, 全身性エリテマトーデス/Sjogren症候群を疑ってみる	西岡 清	皮膚科診療のコツと落とし穴 ②疾患 I	中山書店	東京	2006	106-107
24	佐々木哲雄	萎縮性局面をみたらSjogren症候群を疑ってみる	西岡 清	皮膚科診療のコツと落とし穴 ②疾患 I	中山書店	東京	2006	108-109

25	室 慶直	皮膚筋炎の新知見	玉置邦彦	最新皮膚科学大系 2006-2007	中山書店	東京	2006	198-204
26	室 慶直	抗核抗体の検査結果をどう読むか	西岡 清	皮膚科診療のコツと落とし穴 1. 症候・症状, 診断, 検査	中山書店	東京	2006	158-159
27	室 慶直	抗ENA抗体の検査結果をどう読むか	西岡 清	皮膚科診療のコツと落とし穴 1. 症候・症状, 診断, 検査	中山書店	東京	2006	162-163
28	稲垣 豊, 岡崎 勲	肝線維化マーカー	竹井謙之, 川崎誠治	消化器疾患 -state of arts 肝・胆・膵	医歯薬出版	東京	2006	269-272
29	山崎雅英, 舟田 久	免疫グロブリン製剤と G-CSF製剤		新感染症症候群 (上)	日本臨床社	大阪	2007	印刷中

【雑 誌】

No.	発表者氏名	論文タイトル名	発表誌名	巻	ページ	出版年
1	Matsushita T, Hasegawa M, Yanaba K, Koder M, Takehara K, Sato S	Elevated serum BAFF levels in patients with systemic sclerosis (SSc): enhanced BAFF signaling in SSc B Lymphocytes.	Arthritis Rheum	54	192-201	2006
2	Yanaba K, Komura K, Koder M, Matsushita T, Hasegawa M, Takehara K, Sato S	Serum levels of monocyte chemotactic protein-3/CCL7 are raised in patients with systemic sclerosis: association with extent of skin sclerosis and severity of pulmonary fibrosis.	Ann Rheum Dis	65	124-126	2006
3	Ogawa F, Shimizu K, Muroi T, Hara T, Hasegawa M, Takehara K, Sato S	Serum levels of 8-isoprostane, a marker of oxidative stress, are elevated in patients with systemic sclerosis.	Rheumatology	45	815-818	2006
4	Hayakawa I, Shirasaki F, Hirano T, Oishi N, Hasegawa M, Sato S, Takehara K	Successful treatment with sildenafil in systemic sclerosis patients with isolated pulmonary arterial hypertension: two case reports.	Rheumatol Int	26	270-273	2006
5	Hasegawa M, Fujimoto M, Hayakawa I, Matsushita T, Nishijima C, Yamazaki M, Takehara K, Sato S	Anti-phosphatidylserine-prothrombin complex antibodies in patients with localized scleroderma.	Clin Exp Rheumatol	24	19-24	2006
6	Matsushita T, Hasegawa M, Hamaguchi Y, Takehara K, Sato S	Longitudinal analysis of serum cytokine concentrations in systemic sclerosis: Association of interleukin 12 elevation with spontaneous regression of skin sclerosis.	J Rheumatol	33	275-284	2006
7	Fujimoto M, Hasegawa M, Hamaguchi Y, Komura K, Matsushita T, Yanaba K, Koder M, Takehara K, Sato S	A clue for telangiectasis in systemic sclerosis: elevated serum soluble endoglin levels in patients with the limited cutaneous form of the disease.	Dermatology	213	88-92	2006
8	Mugii N, Hasegawa M, Matsushita T, Kondo M, Orito H, Yanaba K, Komura K, Hayakawa I, Hamaguchi Y, Ikuta M, Tachino K, Fujimoto M, Takehara K, Sato S	The efficacy of self-administered stretching for finger joint motion in Japanese patients with systemic sclerosis.	J Rheumatol	33	1586-1592	2006
9	Horikawa M, Fujimoto M, Hasegawa M, Matsushita T, Hamaguchi Y, Kawasuji A, Matsushita Y, Fujita T, Ogawa F, Takehara K, Steeber DA, Sato S	E- and p-selectins synergistically inhibit bleomycin-induced pulmonary fibrosis.	Am J Pathol	169	740-749	2006
10	Hasegawa M, Hamaguchi Y, Yanaba K, Bouaziz JD, Uchida J, Fujimoto M, Matsushita T, Matsushita Y, Horikawa M, Komura K, Takehara K, Sato S, Tedder TF	B-lymphocyte depletion reduces skin fibrosis and autoimmunity in the tight-skin mouse model for systemic sclerosis.	Am J Pathol	169	954-966	2006
11	Nakajima K, Kawano M, Hasegawa M, Taki J, Fujimoto M, Takehara K, Tonami N	Myocardial damages in systemic sclerosis detected by gated myocardial perfusion SPECT and sympathetic imaging.	Circ J	70	1481-1487	2006
12	竹原和彦	Connective tissue growth factor (CTGF)と線維症	炎症と免疫	14	314-315	2006
13	山田瑞貴, 長谷川稔, 竹原和彦, 佐藤伸一	全身性強皮症患者における可溶性ICAM-1濃度に対するlipo prostaglandin E1の効果—第2報, 間歇投与による持続効果の検討—	研究と臨床	83	778-780	2006

14	中條園子, 伊川友香, 白崎文朗, 竹原和彦	皮膚線維化の機序とモデルマウス	皮膚の科学	5	7-15	2006
15	長谷川稔, 佐藤伸一, 濱口儒 人, 内田純二, 藤本 学, 竹原和彦, Tedder TF	Tight skin mouseの皮膚硬化に対する抗CD20抗体療法	医薬の門	46	90-93	2006
16	井上有紀子, 越後岳士, 長谷 川稔, 佐藤伸一, 水本泰成, 山崎雅英, 竹原和彦	全身性強皮症患者にみられた難治性下腿潰瘍/巨大子宮筋腫と 抗リン脂質抗体が誘因と考えられた1例	臨皮	60	1002-1005	2006
17	Hasegawa M, Nagai Y, Tamura A, <u>Ishikawa O</u>	Arteriographic evaluation of vascular changes of the extre- mities in patients with systemic sclerosis.	Br J Dermatol	155 (6)	1159-1164	2006
18	Sogabe Y, Abe M, Yokoyama Y, <u>Ishikawa O</u>	Basic fibroblast growth factor stimulates human keratino- cyte motility by Rac activation.	Wound Repair Regen.	14 (4)	457-462	2006
19	Zaw KK, Yokoyama Y, Abe M, <u>Ishikawa O</u>	Catalase restores the altered mRNA expression of collagen and matrix metalloproteinases by dermal fibroblasts exposed to reactive oxygen species.	Eur J Dermatol	16 (4)	375-379	2006
20	Yasuda M, Miyachi Y, <u>Ishikawa O</u> , Takahashi K	Spatial expressions of fibronectin and integrins by human and rodent dermal fibroblasts.	Br J Dermatol	155 (3)	522-531	2006
21	Shinohara M, Ohya N, Murata Y, Okazawa H, Ohnishi H, <u>Ishikawa O</u> , Matozaki T	CD47 regulation of epithelial cell spreading and migration, and its signal transduction.	Cancer Sci	97 (9)	889-895	2006
22	Ludan Qu, Abe M, Yokoyama Y, <u>Ishikawa O</u>	Effects of 17 β -estradiol on matrix metalloproteinase-1 synthesis by human dermal fibroblasts.	Maturitas	54 (1)	39-46	2006
23	Nagai Y, Yamanaka M, Nishimura S, Nakano A, Hasegawa A, <u>Ishikawa O</u>	Drug eruption due to bosentan in a patient with systemic sclerosis.	Mod Rheumatol	16	188-190	2006
24	石瀬裕久, 永井弥生, 遠藤雪恵, 岡田悦子, 菅原伸幸, 松島陽一郎, 田村敦志, 石川 治	多発性の皮膚潰瘍, 壊疽を生じた全身性強皮症の2例	皮膚の科学	5(2)	148-152	2006
25	Matsushita T, Fujimoto M, Hasegawa M, Komura K, Takehara K, Tedder TF, <u>Sato S</u>	Inhibitory role of CD19 in the progression of experimental autoimmune encephalomyelitis by regulation cytokine re- sponse.	Am J Pathol	168 (3)	812-821	2006
26	Horikawa M, Fujimoto M, Hasegawa M, Matsushita T, Hamaguchi Y, Kawasuji A, Matsushita Y, Fujita T, Ogawa F, Takehara K, Steeber DA, <u>Sato S</u>	E- and p-selectins synergistically inhibit bleomycin-induced pulmonary fibrosis.	Am J Pathol	169 (3)	740-749	2006
27	Hasegawa M, Hamaguchi Y, Yanaba K, Bouaziz JD, Uchida J, Fujimoto M, Matsushita T, Matsushita Y, Horikawa M, Komura K, Takehara K, <u>Sato S</u> , Tedder TF	B-lymphocyte depletion reduces skin fibrosis and autoim- munity in the tight-skin mouse model for systemic scler- osis.	Am J Pathol	169 (3)	954-966	2006
28	Yanaba K, Komura K, Kodera T, Matsushita M, Hasegawa K, Takehara K, <u>Sato S</u>	Serum levels of monocyte chemotactic protein-3/CCL7 are raised in patients with systemic sclerosis: Association with extent of skin sclerosis and severity of pulmonary fibrosis.	Ann Rheum Dis	65 (1)	124-126	2006
29	Matsushita T, Hasegawa M, Yanaba K, Kodera M, Takehara K, <u>Sato S</u>	Elevated serum BAFF levels in patients with systemic sclerosis: Enhanced BAFF signaling in systemic sclerosis B lymphocytes.	Arthritis Rheum	54 (1)	192-201	2006
30	Hasegawa M, Fujimoto M, Hayakawa I, Matsushita T, Nishijima C, Yamazaki M, Takehara K, <u>Sato S</u>	Anti-phosphatidylserine-prothrombin complex antibodies in patients with localized scleroderma.	Clin Exp Rheumatol	24 (1)	19-24	2006

31	Fujimoto M, Hasegawa M, Hamaguchi Y, Komura K, Matsushita T, Yanaba K, Koder M, Takehara K, <u>Sato S</u>	A clue for telangiectasis in systemic sclerosis: elevated serum soluble endoglin levels in patients with the limited cutaneous form of the disease.	Dermatology	213 (2)	88-92	2006
32	Fujimoto M, Yoshitake S, Watanabe R, Asashima N, Nakashima H, Yoshitake S, Okochi H, Tamaki K, Poe JC, Tedder TF, <u>Sato S</u>	B cell antigen receptor and CD40 differentially regulate CD22 tyrosine phosphorylation ¹ .	J Immunol	176 (1)	873-879	2006
33	Kawasuji A, Hasegawa M, Horikawa M, Fujita T, Matsushita Y, Matsushita T, Fujimoto M, Steeber DA, Tedder TF, Takehara K, <u>Sato S</u>	L-selectin and intercellular adhesion molecule-1 regulate the development of Concanavalin A-induced liver injury.	J Leukoc Biol	79 (4)	696-705	2006
34	Matsushita T, Hasegawa M, Hamaguchi Y, Takehara K, <u>Sato S</u>	Longitudinal analysis of serum cytokine concentrations in systemic sclerosis: association of interleukin 12 elevation with spontaneous regression of skin sclerosis.	J Rheumatol	33 (2)	275-284	2006
35	Mugii N, Hasegawa M, Matsushita T, Kondo M, Orito H, Yanaba K, Komura K, Hayakawa I, Hamaguchi Y, Ikuta M, Tachino K, Fujimoto M, Takehara K, <u>Sato S</u>	The efficacy of self-administered stretching for finger joint motion in Japanese patients with systemic sclerosis.	J Rheumatol	33 (8)	1586-1592	2006
36	Komura K, Fujimoto M, Matsushita T, Yanaba K, Koder M, Kawasuji A, Hasegawa M, Takehara K, <u>Sato S</u>	Increased serum soluble CD40 levels in patients with systemic sclerosis.	J Rheumatol		in press	2006
37	Hayakawa I, Shirasaki F, Hirano T, Oishi N, Hasegawa M, <u>Sato S</u> , Takehara K	Successful treatment with sildenafil in systemic sclerosis patients with isolated pulmonary arterial hypertension: two case reports.	Rheumatol Int	26 (3)	270-273	2006
38	Ogawa F, Shimizu K, Muroi E, Hara T, Hasegawa M, Takehara K, <u>Sato S</u>	Serum levels of 8-isoprostane, a marker of oxidative stress, are elevated in patients with systemic sclerosis.	Rheumatology (Oxford)	45 (7)	815-818	2006
39	Kaji K, Fujimoto M, Hasegawa M, Kondo M, Saito Y, Komura K, Matsushita T, Orito H, Hamaguchi Y, Yanaba K, Itoh M, Asano Y, Seishima M, Ogawa F, <u>Sato S</u> , Takehara K	Identification of a novel autoantibody reactive with 155 and 140 kDa nuclear proteins in patients with dermatomyositis: an association with malignancy.	Rheumatology (Oxford)		in press	2006
40	Sato S	Systemic sclerosis: B lymphocyte abnormalities, diagnosis and treatment.	Acta Med Nagasaki	51 (1)	1-7	2006
41	佐藤伸一	【ベッドサイドの免疫学-免疫疾患に強くなるために】 知っておきたい免疫疾患のトピックス 強皮症	medicina	43 (6)	932-934	2006
42	佐藤伸一	【皮膚で見つける膠原病】 Raynaud症状をみたら	medicina	43 (10)	1694-1695	2006
43	小村一浩, 小川文秀, 佐藤伸一	強皮症に合併した間質性肺炎	Visual Dermatology	5 (10)	1004-1005	2006
44	佐藤伸一	【Topics】 強皮症の病態生理におけるB細胞の役割	医学のあゆみ	216 (12)	910-911	2006
45	佐藤伸一	【Topics】 強皮症におけるB細胞異常	医学のあゆみ	219 (4)	294-295	2006

46	佐藤伸一	【自己抗体の産生機序とその病原性】全身性強皮症におけるB細胞異常と自己抗体産生	日本臨床免疫学会誌	29 (2)	73-84	2006
47	藤本学, 長谷川稔, 佐藤伸一	【血管炎を考える】皮膚科からみた最近の考え方(2)	皮膚臨床	48 (3)	293-298	2006
48	佐藤伸一, 小川文秀	【知っておきたい検査とその読み方】2免疫学的検査 抗核抗体up to date	皮膚臨床	48(10) 特46	1259-1262	2006
49	佐藤伸一	【自己抗体の進歩-その病変性と新たな対応抗原-】強皮症における新たな自己抗体と病原性	分子リウマチ	3(1)	9-14	2006
50	Ashida R, <u>Ihn H</u> , Mimura Y, Jinnin M, Asano Y, Kubo M, Tamaki K	Clinical features of scleroderma patients with contracture of phalanges.	Clin Rheum		in press	
51	Yamane K, Asano Y, Tamaki K, <u>Ihn H</u>	Epidermal growth factor up-regulates transforming growth factor β receptor II in human dermal fibroblasts via the p38 mitogen-activated protein kinase pathway.	Biochem Biophys Res Commun		in press	
52	<u>Ihn H</u> , Mimura Y, Yazawa N, Jinnin M, Asano Y, Yamane K, Tamaki K	High-dose intravenous immune globulin infusion as treatment for diffuse scleroderma.	Br J Dermatol		in press	
53	Kuwano Y, Asahina A, Watanabe R, Fujimoto M, <u>Ihn H</u> , Tamaki K.	Heliotrope-like eruption mimicking dermatomyositis in a patient treated with imatinib mesylate for chronic myeloid leukemia.	Int J Dermatol	45	1249-1251	2006
54	Asano Y, <u>Ihn H</u> , Kubo M, Jinnin M, Mimura Y, Ashida R, Tamaki K	Clinical significance of serum matrix metalloproteinase-13 levels in patients with localized scleroderma.	Clin Exp Rheumatol	24	394-399	2006
55	Nakashima H, Komine M, Sasaki K, Mitsui H, Fujimoto M, <u>Ihn H</u> , Asahina A, Kikuchi K, Tamaki K	Necrolytic migratory erythema without glucagonoma in a patient with short bowel syndrome.	J Dermatol	33	557-562	2006
56	Muchemwa FC, Nakatsura T, <u>Ihn H</u> , Kageshita T.	Heat shock protein 105 is overexpressed in squamous cell carcinoma and extramammary Paget disease but not in basal cell.	Br J Dermatol	155	582-585	2006
57	Mimura Y, <u>Ihn H</u> , Jinnin M, Asano Y, Yamane K, Tamaki K.	Rheumatoid factor isotypes in mixed connective tissue disease.	Clin Rheum	25	572-574	2006
58	Asano Y, <u>Ihn H</u> , Jinnin M, Mimura Y, Tamaki K.	Involvement of $\alpha v \beta 5$ integrin in $t \beta$ signaling in dermal fibroblasts derived from localized scleroderma.	J Invest Dermatol	126	1761-1769	2006
59	Mimura Y, <u>Ihn H</u> , Jinnin M, Asano Y, Yamane K, Tamaki K.	Epidermal growth factor affects the synthesis and degradation of type I collagen in cultured human dermal fibroblasts.	Matrix Biology	25	202-212	2006
60	Kuwano Y, <u>Ihn H</u> , Yazawa N, Kakinuma T, Asahina A, Kikuchi K, Tamaki K.	Successful treatment of dermatomyositis with high-dose intravenous immunoglobulin.	Acta Derm Venereol	86	158-159	2006
61	Jinnin M, <u>Ihn H</u> , Mimura Y, Asano Y, Tamaki K.	Potential regulatory elements of the constitutively up-regulated $\alpha 2(I)$ collagen gene in scleroderma dermal fibroblasts.	Biochem Biophys Res Commun	343	904-909	2006
62	Asano Y, <u>Ihn H</u> , Maekawa T, Kadono T, Tamaki K.	High-dose intravenous immunoglobulin infusion in polyarteritis nodosa: Report on one case and review of the literature.	Clin Rheum	25	396-398	2006
63	Kubo M, <u>Ihn H</u> , Yamane K, Tamaki K.	The expression levels and the differential expression of transforming growth factor- β receptors in dermatofibroma and dermatofibrosarcoma protuberans.	Br J Dermatol	154	919-925	2006
64	Asano Y, <u>Ihn H</u> , Kubo M, Jinnin M, Mimura Y, Ashida R, Tamaki K.	Clinical significance of serum levels of matrix metalloproteinase-13 in patients with systemic sclerosis.	Rheumatology	45	303-307	2006
65	Jinnin M, <u>Ihn H</u> , Asano Y, Yamane K.	Upregulation of tenascin-C expression by IL-13 in human dermal fibroblasts via the phosphoinositide 3-kinase/ Akt and protein kinase C signaling pathways	J Invest Dermatol	126	551-560	2006
66	Asano Y, <u>Ihn H</u> , Yamane K, Jinnin M, Tamaki K.	Increased expression of integrin $\alpha v \beta 5$ induces the myofibroblastic differentiation of dermal fibroblasts.	Am J Pathol	168	499-510	2006

67	Jinnin M, <u>Ihn H</u> , Tamaki K.	Characterization of SIS3, a novel specific inhibitor of Smad3, and its effect on transforming growth factor- β 1-induced extracellular matrix expression	Mol Pharmacol	69	597-607	2006
68	<u>Ihn H</u> , Yamane K, Asano Y, Jinnin M, Tamaki K.	Constitutive phosphorylated Smad3 interacts with Sp1 and p300/CBP in scleroderma fibroblasts.	Rheumatology	45	157-165	2006
69	Jinnin M, <u>Ihn H</u> , Asano Y, Yamane K.	Platelet derived growth factor induced tenascin-C transcription is phosphoinositide 3-kinase/ Akt -dependent and mediated by Ets family transcription factors.	J Cell Physiol	206	718-727	2006
70	Masui Y, Sugaya M, Kagami H, Fugita S, Yano M, Nagao M, Komine M, Saeki H, <u>Ihn H</u> , Kikuchi K, Tamaki K	Sezary syndrome treated with narrowband ultraviolet B: time-course measurement of serum levels of CCL17/CCL27	Clin Exp Dermatology	32	57-59	2006
71	玉城善史郎, 藤田龍一, 久保正英, <u>尹 浩信</u> , 玉置邦彦	ACE阻害剤が有効であったサルコイドーシスの1例	皮膚臨床	48	203-207	2006
72	藤田龍一, 藤本 学, 渡邊孝宏, <u>尹 浩信</u> , 朝比奈昭彦, 菊池かな子, 玉置邦彦	Juvenile Temporal Arteritis with Eosinophiliaの1例	皮膚臨床	48	353-355	2006
73	中島広子, 藤田英樹, 渡辺玲, 山根謙一, 伊豆津宏二, <u>尹 浩信</u> , 朝比奈昭彦, 菊池かな子, 玉置邦彦	巨大腫瘤を形成したAnaplastic Large Cell Lymphomaの1例	皮膚臨床	48	445-448	2006
74	影下登志郎, 福島 聡, <u>尹 浩信</u> , 西村泰治, 中面哲也	悪性黒色腫の新しい血清マーカー glypican-3とSPARC	臨床皮膚	60	169-172	2006
75	池田 勇, 成川圭太, 東 修一, 橋本 修, <u>尹 浩信</u>	口唇と両耳介に局限した角化性疥癬 - 爪疥癬の発生への関与が疑われた一例-	皮膚臨床	48	1081-1084	2006
76	常深祐一郎, 渡邊 彩, 玉城善史郎, 永尾麻由子, 嶋津苗胤, 前川武雄, 矢野正一郎, 山根謙一, 藤本 学, 佐伯秀久, <u>尹 浩信</u> , 玉置邦彦	Candida albicansが主な増悪因子となっていたDarier病の1例-イトラコナゾール定期内服が有効であった症例-	皮膚臨床	48	1579-1582	2006
77	増井友里, 前川武雄, 山根謙一, 門野岳史, <u>尹 浩信</u> , 朝比奈昭彦, 菊池かな子, 玉置邦彦	陰茎亀頭部に生じた有棘細胞癌の1例	皮膚臨床	48	1595-1600	2006
78	増井友里, 前川武雄, 山根謙一, 鹿田純一郎, 門野岳史, <u>尹 浩信</u> , 朝比奈昭彦, 菊池かな子, 玉置邦彦, 中尾一成, 出月健夫, 五十嵐敦之	転移性との鑑別に苦慮した頭頂部原発性悪性黒色腫の1例	皮膚臨床	48	1601-1604	2006
79	牧野貴充, 井上雄二, 行徳貴志, <u>尹 浩信</u>	水銀皮膚炎	皮膚病診療	28	969-972	2006
80	田上俊英, 影下登志郎, 福島聡, 丸尾圭志, 若杉正司, 小野友道, <u>尹 浩信</u> , 小川久雄	化学療法後に急性心筋梗塞を併発した悪性黒色腫の2例	Skin Cancer	21	36-40	2006
81	<u>尹 浩信</u>	限局性強皮症	皮膚臨床	48	629-632	2006
82	<u>尹 浩信</u>	強皮症	日皮会誌	116	413-419	2006
83	<u>尹 浩信</u> , 柿沼 誉, 矢澤徳仁, 鹿田純一郎, 山根謙一, 玉置邦彦	蜂窩織炎に対するカルベニンの臨床効果の検討	Prog Med	26	753-755	2006
84	<u>尹 浩信</u>	抗カルジオリピン抗体・ループスアンチコアグラント	皮膚臨床	48	1269-1272	2006
85	<u>尹 浩信</u>	汎発性強皮症の早期診断	日皮会誌	116	1950-1954	2006
86	<u>尹 浩信</u>	悪性黒色種について	Clinician	551	684-685	2006
87	<u>尹 浩信</u>	皮膚疾患における線維化の機序と新規治療法の展望	皮膚病診療	28	658-662	2006
88	<u>尹 浩信</u>	強皮症線維芽細胞におけるインテグリン $\alpha_v\beta_5$ の過剰発現	臨書免疫	45	589-592	2006

89	市原麻子, 青井 淳, 若杉正司, 影下登志郎, 尹 浩信, 小野友道, 木村公一	アナフィラクトイド紫斑を契機に発見された悪性腫瘍の2例－悪性腫瘍を合併した自験11例の臨床解析－	西日皮膚	68	618-622	2006
90	嶋津苗胤, 前川武雄, 門野岳史, 久保正英, 渡邊孝宏, 佐伯秀久, 尹 浩信, 菊池かな子, 玉置邦彦	側顔部異所性甲状腺の1例	皮膚臨床	48	679-682	2006
91	Mizuta I, Satake W, Nakabayashi Y, Ito C, Suzuki S, Momose Y, Nagai Y, Oka A, Inoko H, Fukae J, Saito Y, Sawabe M, Murayama S, Yamamoto M, Hattori N, Murata M, Toda	Multiple candidate gene analysis identifies alpha-synuclein as a susceptibility gene for sporadic Parkinson's disease.	Hum Mol Genet	1	1151-1158	2006
92	Reinders J, Rozemuller EH, van der Weide P, Oka A, Slootweg PJ, Inoko H, Tilanus MG.	Genes in the HLA region indicative for head and neck squamous cell carcinoma.	Mol Immunol	44	848-855	2006
93	Kawashima M, Tamiya G, Oka A, Hohjoh H, Juji T, Ebisawa T, Honda Y, Inoko H, Tokunaga K.	Genomewide association analysis of human narcolepsy and a new resistance gene.	Am J Hum Genet	79	252-263	2006
94	Atsushi Hashimoto, Yousuke Murakami, Hidero Kitasato, Izumi Hayashi, Hirahito Endo	Corticosteroids up-regulate lipoxin A4 receptor (ALX) expression in Neutrophil.	Biomed Pharmacotherapy		in press	2007
95	Kohno, S., Endo, H., Hayashi, I., Murakami, Y., Kitasato, H., Kawai, S., Kondo, H	Inhibition of skin sclerosis by 15deoxy Delta(12,14)-prostaglandin J(2) and retrovirally transfected prostaglandin D synthase in a mouse model of bleomycin-induced scleroderma	Biomed Pharmacotherapy	60	18-25	2006
96	Murakami, Y., Akahoshi, T., Hayashi, I., Endo, H., Kondo H, Kawai, S., Inoue M, Kitasato H	Induction of Triggering receptor expressed on myeloid cells 1 in murine resident peritoneal macrophages by monosodium urate monohydrate crystals	Arthritis Rheum	54	455-462	2006
97	Mizuho Kimura, Yutaka Kawahito, Masahide Hamaguchi, Takashi Nakamura, Masayuki Okamoto, Yukiharu Matsumoto, Hirahito Endo, Aihiro Yamamoto, Hidetaka Ishino, Makoto Wada, Atsushi Omoto, Yasunori Tsubouchi, Masataka Kohno, Toshikazu Yoshikawa	SKL-2841, a dual antagonist of MCP-1 and MIP-1 beta, prevents bleomycin-induced skin sclerosis in mice	Biomed Pharmacotherapy		in press	2006
98	遠藤平仁, 吉田秀	皮膚病変-その診断のポイント-膠原病・セミナ-膠原病の特異的特異病変における診療のポイント-, 膠原病のあらたな治療戦略とその実際-	Medical Practice	23	626-628	2006
99	遠藤平仁	消化管の線維化はどのような疾患でありどのような意味をもつのか。消化器疾患における線維化の関与を探る	分子消化器病	3	210-214	2006
100	Kawaguchi Y, Nishimagi E, Tochimoto A, Kawamoto M, Katsumata Y, Soejima M, Kanno T, Kamatani N, Hara M	Intracellular IL-1 α -binding proteins contribute to biological functions of endogenous IL-1 α in systemic sclerosis fibroblasts.	Proc Natl Acad Sci USA	103	14501-14506	2006

101	<u>Kawaguchi Y</u> , Tochimoto A, Hara M, Kawamoto M, Takagi K, Sugiura T, Katsumata Y, Okada J, Kondo H, Okubo M, Kamatani N	<i>NOS2</i> polymorphisms associated with the susceptibility to pulmonary arterial hypertension with systemic sclerosis: contribution to the transcriptional activity.	Arthritis Res Ther	8	R104	2006
102	Sugiura T, Maeno N, <u>Kawaguchi Y</u> , Takei S, Imanaka H, Kawano Y, Terajima-Ichida H, Hara M, Kamatani N	A Promoter Haplotype of Interleukin-18 gene is associated with juvenile idiopathic arthritis in the Japanese population.	Arthritis Res Ther	8	R60	2006
103	Tanaka E, Inoue E, <u>Kawaguchi Y</u> , Tomatsu T, Yamanaka H, Hara M, Kamatani N	Acceptability and usefulness of mizoribine in the management of rheumatoid arthritis in methotrexate-refractory patients and elderly patients, based on analysis of data from a large-scale observational cohort study.	Mod Rheumatol	16	214-219	2006
104	Kawamoto M, Harigai M, Hara M, <u>Kawaguchi Y</u> , Tezuka K, Tanaka M, Sugiura T, Katsumata Y, Fukasawa C, Ichida H, Higami S, Kamatani N	Expression and function of inducible co-stimulator in patients with systemic lupus erythematosus: possible involvement in excessive interferon- γ and anti-dsDNA antibody production.	Arthritis Res Ther	8	R62	2006
105	Takahashi H, Amagai M, Tanikawa A, Suzuki S, Ikeda Y, Nishikawa T, Kawakami Y, <u>Kuwana M</u>	Th2-biased natural killer cell phenotype in patients with pemphigus vulgaris.	J Invest Dermatol		in press	
106	Ogawa Y, Razzaque MS, Kameyama K, Hasegawa G, Shimmura S, Kawai M, Okamoto S, Ikeda Y, Tsubota K, Kawakami Y, <u>Kuwana M</u>	Role of heat shock protein 47, a collagen-binding chaperon, in lacrimal gland pathology in patients with cGVHD.	Invest Ophthalmol Vis Sci		in press	
107	Nagata E, Hamada J, Shimizu T, Shibata M, Suzuki S, Osada T, Takaoka R, <u>Kuwana M</u> , Suzuki N	Altered levels of serotonin in lymphoblasts derived from migraine patients.	Neurosci Res		in press	
108	Sato S, <u>Kuwana M</u> , Hirakata M	Clinical characteristics of Japanese patients with anti-OJ (anti-isoleucyl-tRNA synthetase) autoantibodies.	Rheumatology		in press	
109	Kajihara M, Okazaki Y, Kato S, Ishii H, Kawakami Y, Ikeda Y, <u>Kuwana M</u>	Evaluation of platelet kinetics in patients with liver cirrhosis: Similarity to idiopathic thrombocytopenic purpura.	J Gastroenterol Hepatol	22	112-118	2007
110	Namoodiri AM, Rocca KM, <u>Kuwana M</u> , Pandey JP	Antibodies to human cytomegalovirus protein UL83 in systemic sclerosis.	Clin Exp Rheumatol	24	176-178	2006
111	<u>Kuwana M</u> , Kaburaki J, Okazaki Y, Yasuoka H, Kawakami Y, Ikeda Y	Increase in circulating endothelial precursors by atorvastatin in patients with systemic sclerosis.	Arthritis Rheum	54	1946-1951	2006
112	<u>Kuwana M</u> , Kaburaki J, Okazaki Y, Miyazaki H, Ikeda Y	Two types of autoantibody-mediated thrombocytopenia in patients with systemic lupus erythematosus.	Rheumatology	45	851-854	2006
113	<u>Kuwana M</u> , Kurata Y, Fujimura K, Fujisawa K, Wada H, Nagasawa T, Nomura S, Kojima T, Yagi H, Ikeda Y	Preliminary laboratory-based diagnostic criteria for immune thrombocytopenic purpura: Evaluation by multi-center prospective study.	Thromb Haemost	4	1936-1943	2006
114	Ohnishi Y, Tsutsumi A, Matsumoto I, Goto D, Ito S, <u>Kuwana M</u> , Uemura Y, Nishimura Y, Sumida T	Altered peptide ligands control type II collagen-reactive T cells from rheumatoid arthritis patients.	Mod Rheumatol	16	226-228	2006

115	Yamazaki R, <u>Kuwana M</u> , Mori T, Okazaki Y, Kawakami Y, Ikeda Y, Okamoto S	Prolonged thrombocytopenia after allogeneic haematopoietic stem cell transplantation: Associations with impaired platelet production and increased platelet turnover.	Bone Marrow Transplant	38	377-384	2006
116	Kuwana M	Potential benefit of statins for vascular disease in systemic sclerosis.	Curr Opinion Rheumatol	18	594-600	2006
117	Asahi A, <u>Kuwana M</u> , Suzuki H, Hibi T, Kawakami Y, Ikeda Y	Effects of Helicobacter pylori eradication regimen on anti-platelet autoantibody response in infected and uninfected patients with idiopathic thrombocytopenic purpura.	Haematologica	91	1436-1437	2006
118	<u>Kuwana M</u> , Ikeda Y	Helicobacter pylori and immune thrombocytopenic purpura: unsolved questions and controversies.	Int J Hematol	84	309-315	2006
119	<u>Kuwana M</u> , Okazaki Y, Kodama H, Satoh T, Kawakami Y, Ikeda Y	Endothelial differentiation potential of human monocyte-derived multipotential cells.	Stem Cells	24	2733-2743	2006
120	桑名正隆	膠原病のプライマリケア-早期診断と治療指針; ベーチェット病	総合臨床		印刷中	
121	桑名正隆	治療/膠原病治療のポイントと実際; 強皮症 (全身性強皮症)	Medical Practice	23	669-673	2006
122	桑名正隆	けんさ質問箱; <i>Helicobacter pylori</i> の除菌で特発性血小板減少症が軽減する?	検査と技術	34	485-487	2006
123	香月有美子, 鈴木重明, 高橋勇人, 佐藤隆司, 野川茂, 田中耕太郎, 鈴木則宏, 桑名正隆	症例報告; 重症筋無力症を伴うGood症候群の一例: 免疫評価機能に関する検討	日本臨床免疫学会誌	29	102-106	2006
124	桑名正隆	自己免疫疾患のアレルギ-のトピックス; 特発性血小板減少性紫斑病	Medicina	43	944-946	2006
125	桑名正隆	免疫能から血液疾患病態を探る; 自己免疫疾患の病態と自己反応性T細胞	Sysmex Journal	29	19-26	2006
126	桑名正隆	話題の疾患と治療; <i>H.pylori</i> 感染症と特発性血小板減少性紫斑病	感染・炎症・免疫	36	70-71	2006
127	桑名正隆	解説; 血小板膜糖蛋白抗体	リウマチ科	36	95-102	2006
128	桑名正隆	自己免疫疾患; 特発性血小板減少症紫斑病とピロリ感染	BIO Clinica	21	39-43	2006
129	<u>Goto D</u> , Yoshiga Y, Kojo S, Matsumoto I, Ito S, Tsutsumi A, Sumida T	The Expression and Function of CD1d Variants in Patients with Autoimmune Disease.	Arthritis Rheum.	54	S405-406	2006
130	<u>Goto D</u> , Yoshiga Y, Kojo S, Mamura M, Matsumoto I, Ito S, Tsutsumi A, Sumida T	Discussion about immune-control system by NKT cells that stimulated by variant CD1d in the patients with autoimmune disease.	Mod Rheumatol.	16 (supp.)	107-108	2006
131	後藤大輔, 住田孝之	強皮症, CREST症候群	診断と治療社	94 (10)	73-79	2006
132	Matsushita T, <u>Hasegawa M</u> , Yanaba K, Kodera M, Takehara K, Sato S	Elevated serum BAFF levels in patients with systemic sclerosis (SSc): enhanced BAFF signaling in SSc B Lymphocytes	Arthritis Rheum	54	192-201	2006
133	Yanaba K, Komura K, Kodera M, Matsushita T, <u>Hasegawa M</u> , Takehara K, Sato S	Serum levels of monocyte chemotactic protein-3/CCL7 are raised in patients with systemic sclerosis: association with extent of skin sclerosis and severity of pulmonary fibrosis.	Ann Rheum Dis	65	124-126	2006
134	Ogawa F, Shimizu K, Muroi T, Hara T, <u>Hasegawa M</u> , Takehara K, Sato S	Serum levels of 8-isoprostane, a marker of oxidative stress, are elevated in patients with systemic sclerosis.	Rheumatology	45	815-818	2006
135	Hayakawa I, Shirasaki F, Hirano T, Oishi N, <u>Hasegawa M</u> , Sato S, Takehara K	Successful treatment with sildenafil in systemic sclerosis patients with isolated pulmonary arterial hypertension: two case reports.	Rheumatol Int	26	270-273	2006

136	Hasegawa M, Fujimoto M, Hayakawa I, Matsushita T, Nishijima C, Yamazaki M, Takehara K, Sato S	Anti-phosphatidylserine-prothrombin complex antibodies in patients with localized scleroderma.	Clin Exp Rheumatol	24	19-24	2006
137	Matsushita T, Hasegawa M, Hamaguchi Y, Takehara K, Sato S	Longitudinal analysis of serum cytokine concentrations in systemic sclerosis: Association of interleukin 12 elevation with spontaneous regression of skin sclerosis.	J Rheumatol	33	275-284	2006
138	Fujimoto M, Hasegawa M, Hamaguchi Y, Komura K, Matsushita T, Yanaba K, Koderu M, Takehara K, Sato S	A clue for telangiectasis in systemic sclerosis: elevated serum soluble endoglin levels in patients with the limited cutaneous form of the disease.	Dermatology	213	88-92	2006
139	Mugii N, Hasegawa M, Matsushita T, Kondo M, Orito H, Yanaba K, Komura K, Hayakawa I, Hamaguchi Y, Ikuta M, Tachino K, Fujimoto M, Takehara K, Sato S	The efficacy of self-administered stretching for finger joint motion in Japanese patients with systemic sclerosis.	J Rheumatol	33	1586-1592	2006
140	Horikawa M, Fujimoto M, Hasegawa M, Matsushita T, Hamaguchi Y, Kawasuji A, Matsushita Y, Fujita T, Ogawa F, Takehara K, Steeber DA, Sato S	E- and p-selectins synergistically inhibit bleomycin-induced pulmonary fibrosis.	Am J Pathol	169	740-749	2006
141	Hasegawa M, Hamaguchi Y, Yanaba K, Bouaziz JD, Uchida J, Fujimoto M, Matsushita T, Matsushita Y, Horikawa M, Komura K, Takehara K, Sato S, Tedder TF	B-lymphocyte depletion reduces skin fibrosis and autoimmunity in the tight-skin mouse model for systemic sclerosis.	Am J Pathol	169	954-966	2006
142	Nakajima K, Kawano M, Hasegawa M, Taki J, Fujimoto M, Takehara K, Tonami N	Myocardial damages in systemic sclerosis detected by gated myocardial perfusion SPECT and sympathetic imaging.	Circ J	70	1481-1487	2006
143	山田瑞貴, 長谷川稔, 竹原和彦, 佐藤伸一	全身性強皮症患者における可溶性ICAM-1濃度に対するlipo prostaglandin E1の効果-第2報, 間歇投与による持続効果の検討-	研究と臨床	83	778-780	2006
144	長谷川稔, 佐藤伸一, 濱口儒人, 内田純二, 藤本 学, 竹原和彦, Tedder TF	Tight skin mouseの皮膚硬化に対する抗CD20抗体療法	医薬の門	46	90-93	2006
145	井上有紀子, 越後岳士, 長谷川稔, 佐藤伸一, 水本泰成, 山崎雅英, 竹原和彦	全身性強皮症患者にみられた難治性下腿潰瘍/巨大子宮筋腫と抗リン脂質抗体が誘因と考えられた1例	臨床皮膚科	60	1002-1005	2006
146	長谷川稔	Tight skin mouseにおけるB細胞機能異常	臨床免疫・アレルギー科	46	81-85	2006
147	佐々木哲雄	「第11回ブラハ皮膚科シンポジウム」に参加して	臨床皮膚科	60 (2)	205-207	2006
148	佐々木哲雄, 田中 躍, 五来逸雄	ラロキシフェン (選択的エストロゲン受容体モジュレーター) が閉経後日本人女性の皮膚に及ぼす影響に関する研究	Osteoporosis Japan	14 (2)	317-320	2006
149	山口由衣, 高橋一夫, 桐野実緒, 小野田雅仁, 千葉由幸, 蒲原 毅, 泉二恭輔, 佐々木哲雄, 池澤善郎	難治性下腿潰瘍を契機に診断した高齢男性の抗リン脂質抗体症候群	皮膚科の臨床	43 (3)	387-390	2006
150	綾部原子, 佐々木哲雄, 池澤善郎	壊疽性膿皮症	Visual Dermatology	5 (10)	1010-1011	2006

151	Morita Y, <u>Muro Y</u> , Sugiura K, Tamakoshi K, Tomita Y.	Results of the Health Assessment Questionnaire for Japanese patients with systemic sclerosis. Measuring functional impairment in systemic sclerosis versus other connective tissue diseases.	Clin Exp Rheumatol		in press	
152	Sugiura K, <u>Muro Y</u> , Nishizawa Y, Okamoto M, Shinohara T, Tomita Y, Usukura J.	LEDGF/DFS70, a major autoantigen of atopic dermatitis, is a component of keratohyalin granules.	J Invest Dermatol		in press	
153	<u>Muro Y</u> , Ogawa Y, Sugiura K, Tomita Y.	HLA-associated production of anti-DFS70/LEDGF autoantibodies and systemic autoimmune disease.	J Autoimmun	26	252-257	2006
154	Goto N, Sugiura K, Ogawa Y, Watanabe A, Onouchi H, Tomita Y, <u>Muro Y</u> .	Anti-p80 coilin autoantibodies react with a conserved epitope and are associated with anti-DFS70/LEDGF autoantibodies.	J Autoimmun	26	42-51	2006
155	村瀬由美, 黒田 潤, 室 慶直, 富田 靖	シクロホスファミドパルス療法にて改善のみられた間質性肺炎合併強皮症の1例	西日本皮膚科	68	256-259	2006
156	廣田真弓実, 室 慶直, 富田 靖	前腕の浮腫性硬化が急速に進行した全身性強皮症の1例	西日本皮膚科	68	24-27	2006
157	Higashiyama R, <u>Inagaki Y</u> , Hong YY, Kushida M, Nakao S, Niioka M, Watanabe T, Okano H, Matsuzaki Y, Shiota G, Okazaki I.	Bone marrow-derived cells express matrix metalloproteinases and contribute to spontaneous regression of liver fibrosis in mice.	Hepatology	45	213-222	2007
158	<u>Inagaki Y</u> , Okazaki I.	Emerging insights into transforming growth factor- β and Smad signalling in hepatic fibrogenesis.	Gut	56	284-292	2007
159	稲垣 豊, 岡崎 勲	肝線維化マーカー	臨床と研究	83	199-203	2006
160	稲垣 豊, 岡崎 勲	星細胞と肝線維化	医学のあゆみ	216	557-560	2006
161	岡崎 勲, 稲垣 豊, 東山礼一	高齢者の肝線維化	肝胆膵	53	81-86	2006
162	稲垣 豊	TGF- β シグナルは肝線維化抑制の分子抑制となり得るか?	分子消化器病	3	232-237	2006
163	岡崎 勲, 稲垣 豊	序 肝線維化-肝線維化研究と再生医学	医学と薬学	56	297-301	2006
164	岡崎 勲, 稲垣 豊	モノアミノオキシダーゼ(MAO)	日本医師会雑誌	135	S118	2006
165	岡崎 勲, 稲垣 豊	PIIP (プロコラーゲンIIIペプチド)	日本医師会雑誌	135	S167	2006
166	岡崎 勲, 稲垣 豊	IV型コラーゲン・7S	日本医師会雑誌	135	S168	2006
167	岡崎 勲, 稲垣 豊	ヒアルロン酸	日本医師会雑誌	135	S169	2006
168	岡崎 勲, 渡辺 哲, 稲垣 豊, 東山礼一	コラーゲナーゼから肝線維化と肝癌を考える	G. I. Research	14	543-551	2006
169	Hitomi Y, <u>Tsuchiya N</u> , Hasegawa M, Fujimoto M, Takehara K, Tokunaga K, Sato S.	Association of human <i>CD22</i> gene polymorphism with susceptibility to limited cutaneous systemic sclerosis.	Tissue Antigens		in press	
170	<u>Tsuchiya N</u> , Kyogoku C, Miyashita R, Kuroki K.	Diversity of human immune system multigene families and its implication in the genetic background of rheumatic diseases.	Curr Med Chem		in press	
171	Kawasaki A, <u>Tsuchiya N</u> , Ohashi J, Murakami Y, Fukazawa T, Kusaoi M, Matsuta K, Hashimoto H, Tokunaga K.	Role of <i>APRIL (TNFSF13)</i> polymorphisms in the susceptibility to systemic lupus erythematosus in Japanese.	Rheumatology		in press	
172	<u>Tsuchiya N</u> , Honda Z, Tokunaga K.	Role of B cell inhibitory receptor polymorphisms for systemic lupus erythematosus: a negative times a negative makes a positive.	J Hum Genet	51	741-750	2006
173	<u>Ohtsuka T</u> , Yamazaki S	Prevalence of human cytomegalovirus DNA in scleroderma skin tissue.	International Journal Dermatology	45	86-87	2006

174	Ohtsuka T, Okita H, Hama N, Yamazaki S	Novel mutation in ATP2C1 gene in a Japanese patient with hailey-hailey disease.	Dermatology	212	194-197	2006
175	Hama N, Ohtsuka T, Yamazaki S	Detection of mucosal human papilloma virus DNA in bowenoid papulosis, Bowen's disease and squamous cell carcinoma of the skin.	Journal Dermatology	33	331-337	2006
176	Hasegawa M, Fujimoto M, Hayakawa I, Matshishita T, Nishijima C, Yamazaki M, Takehara K, Sato S	Anti-phosphatidylserine-prothrombin complex antibodies in patients with localized scleroderma.	Clin Exp Rheumatol.	24 (1)	19-24	2006
177	Takami A, Mochizuki K, Okumura H, Ito S, Suga Y, Yamazaki H, Yamazaki M, Kondo Y, Asakura H, Nakao S	Mycophenolate Mofetil is effective and well tolerated in the treatment of refractory acute and chronic graft-versus-host-disease.	Int J Hematol	83 (1)	80-85	2006
178	Hayashi T, Morishita E, Ontachi Y, Yamazaki M, Asakura H, Yoshida T, Nakao S.	Effects of sapogrelate Hydrochloride in a patients with chronic graft-versus-host disease: A case report	Am J Hematol	81	121-123	2006
179	Ontachi Y, Asakura H, Takahashi Y, Hayashi T, Arahata M, Kadohira Y, Maekawa M, Omote M, Yoshida T, Yamazaki M, Morishita E, Miyamoto S, Nakao S.	No interplay between the pathways mediating coagulation and inflammation in tissue factor-induced disseminated intravascular coagulation in rats.	Crit Care Med	34 (10)	2646-2650	2006
180	Asakura H, Takahashi Y, Kubo A, Ontachi Y, Hayashi T, Omote M, Arahata M, Kadohira Y, Maekawa M, Yamazaki M, Morishita E, Takami A, Yoshida T, Miyamoto K, Nakao S.	Immunoglobulin preparations attenuate organ dysfunction and hemostatic abnormality by suppressing the production of cytokines in lipopolysaccharide-induced disseminated intravascular coagulation in rats.	Crit Care Med	34 (9)	2421-2425	2006
181	山崎和美, 森下英理子, 平野京子, 関野智経, 吉田知孝, 林朋恵, 御館靖雄, 山崎雅英, 朝倉英策, 中尾眞二, 大竹茂樹	血管内皮細胞における凝固線溶制御因子の発現に与えるHMG-CoA還元酵素阻害剤の影響	日本血栓止血学会誌	17 (4)	454-461	2006
182	表美香, 吉田知孝, 朝倉英策, 御館靖雄, 林朋恵, 森下英理子, 山崎雅英, 藤田信一, 中尾眞二	基礎疾患別にみたループスアンチコアグラント陽性率の検討ー当院における依頼検体の現状ー	臨床病理	54 (9)	903-909	2006
183	中野由美子, 越後岳士, 富田郁代, 大石直人, 森田礼時, 長谷川稔, 川野充弘, 山崎雅英, 佐藤伸一, 竹原和彦	クリオグロブリン血症と皮膚に血管炎がみられたシェーグレン症候群の1例	日本皮膚科学会雑誌	116 (10)	1455-1459	2006
184	Nakajima K, Kawano M, Hasegawa M, Taki J, Fujimoto M, Takehara K, Tonami N.	Myocardial damages in systemic sclerosis detected by gated myocardial perfusion SPECT and sympathetic imaging.	Circ J	70	1481-1487	2006
185	Yamamoto T	The bleomycin-induced scleroderma model: What have we learned for scleroderma pathogenesis?	Arch Dermatol Res	297	333-344	2006
186	Yamamoto T, Matsushita M, Yokozeki H.	Role of cytokines in the pathogenesis of scleroderma: Use of animal models.	Clin Appl Immunol Rev	6	p1-19	2006
187	Yamamoto T	Bleomycin and the skin.	Br J Dermatol	155	869-875	2006
188	Yamamoto T	Chemokines and chemokine receptors in scleroderma.	Int Arch Allergy Immunol	140	345-356	2006

189	<u>Mugii N.</u> Hasegawa M, Matsushita T, Kondo M, Orito H, Yanaba K, Komura K, Hayakawa I, Hamaguchi Y, Ikuta M, Tachino K, Fujimoto M, Takehara K, Sato S	The efficacy of self-administered stretching for finger joint motion in Japanese patients with systemic sclerosis	J Rheumatol	33	1586-1592	2006
-----	---	---	-------------	----	-----------	------

厚生労働科学研究費補助金難治性疾患克服研究事業
強皮症における病因解明と根治的治療法の開発
平成 18 年度 総括・分担研究報告書

発 行 平成 19 年 3 月

発行所 強皮症調査研究班事務局

金沢大学大学院医学系研究科

血管新生・結合組織代謝学（皮膚科学）内

〒920-8641 石川県金沢市宝町 13 番 1 号

TEL 076-265-2343 FXA 076-234-4270