

研究成果の刊行に関する一覧表(平成18年度)

研究者名	論文・著書名	雑誌・書籍
富野康日己	Hypercomplementemia in adult patients with IgA nephropathy.	J Clin Lab Anal. 2007 Mar 26;21(2):77-84
	Advances in Targeting Drug Delivery to Glomerular Mesangial Cells by Long Circulating Cationic Liposomes for the Treatment of Glomerulonephritis.	Pharm Res. 2007 Mar 20
	M-cadherin, a candidate gene for type 2 diabetes and related phenotypes in a KK/Ta mouse model.	Acta Diabetol. 2007 Mar;44(1):6-13.
	Pravastatin Inhibits Carboxymethyllysine-Induced Monocyte Chemoattractant Protein 1 Expression in Podocytes via Prevention of Signalling Events.	Nephron Exp Nephrol. 2007 Mar 7;106(1):
	High incidence of renal failure in patients with aortic aneurysms.	Nephrol Dial Transplant. 2007 Feb 3
	Effect of pyridoxamine (K-163), an inhibitor of advanced glycation end products, on type 2 diabetic nephropathy in KK-A(y)/Ta mice.	Metabolism. 2007 Feb;56(2):160-7.
	Intravenous N-acetylcysteine during haemodialysis reduces the plasma concentration of homocysteine in patients with end-stage renal disease.	Clin Drug Investig. 2006;26(4):195-202.
	Effects of eicosapentaenoic acid on the early stage of type 2 diabetic nephropathy in KKA(y)/Ta mice: involvement of anti-inflammation and antioxidative stress.	Metabolism. 2006 Dec;55(12):1590-8.
	慢性糸球体腎炎の診断と管理	日医雑誌, 134:2335-2339, 2006
	臨床検査に必要な腎疾患の知識 どのような腎疾患にどのような検査をするのか	臨床検査, 50:493-498, 2006
	IgA腎症、内科 特集 内科疾患最新の治療 専門家からのアドバイス(増大号)	97:1074-1075, 2006
	血清シスタチンCの測定	Medical Technology, 737-742, 2006
	腎臓の免疫応答の分子機構	日本臨牀 増刊号 分子腎臓病学 分子生物学的アプローチと分子病態生理学, 64:341-344, 2006
	片瀧律子	腎・電解質: IgA腎症の発症と遺伝因子 -動物モデル解析の有用性-
IgA腎症		medicina 2006増刊号, 43:478-480, 2006
「糖尿病に合併した半月体-腎生検所見からステロイド治療の是非を問う-」		腎と透析61:307-314, 2006
腎病理診断の臨床への応用: IgA腎症における病理所見の有用性-福岡赤十字病院での臨床経験より-		腎と透析62:312-319, 2006
Relationships between mesangial proliferation and ominous lesions such as sclerosis, tuft adhesion or crescent, and between active and chronic lesions: Proposal for revision of classification by committee of IgA nephropathy in Japan.		Nephrology 11:A59-60,2006
Relationships between mesangial proliferation and ominous lesions such as sclerosis, tuft adhesion or crescent, and between active and chronic lesions: Proposal for revision of classification by committee of IgA nephropathy in Japan.		Nephrology 11:A59-60,2006
木村健二郎	Expression of synaptopodin and GLEPP1 as markers of steroid responsiveness in primary focal segmental glomerulosclerosis.	Life Sci 79:757-763, 2006
	Low-dose prednisolone ameliorates acute renal failure caused by cholesterol crystal embolism.	Clin Nephrol 66: 232-239, 2006
	一側尿管結紮モデル(UUO)におけるEplerenone(Ep)の腎保護作用の検討-AT1a受容体欠損マウス(AT1a-/-)を用いて	聖マリアンナ医科大学雑誌34巻4号, 2006
柴田孝則	腎炎に関する治療法の進歩	腎と透析62巻1号, 2007
	異常症候・尿検査異常をみたら【検査の進め方と診断】尿蛋白陽性といわれたら	medicina 43: 394-397, 2006
古巣 朗	MAP kinase-dependent, NF-kappaB-independent regulation of inhibitor of apoptosis protein genes by TNF-alpha.	J Cell Physiol. 2007 Mar;210(3):703-10.
	Renal circulatory effects of acetazolamide in patients with essential hypertension.	American Journal of Hypertension 19: 282-285, 2006
	Mizoribine induces remission of relapsed ANCA-associated renal vasculitis.	NEPHROLOGY DIALYSIS TRANSPLANTATION 21:1087-1088, 2006
	Positive correlations between cerebral choline and renal dysfunction in chronic renal failure.	Neuroradiology 48: 300-306, 2006

	Changing mizoribine administration from three divided doses to one single dose induced remission of relapsed membranous nephropathy.	Nephrology Dialysis Transplantation 21:2337-2338, 2006
	Aldosterone breakthrough during therapy with angiotensin converting enzyme inhibitors and angiotensin II receptor blockers in proteinuric patients with immunoglobulin A nephropathy.	NEPHROLOGY 11: 462-466, 2006
	Accumulation of immune complexes in glomerular disease is independent of locally synthesized c3.	J Am Soc Nephrol. 17(3): 686-96, 2006
	Gene transfer using nonviral delivery systems.	PERITONEAL DIALYSIS INTERNATIONAL 26(6): 633-640, 2006
	副作用を見逃すな！よくみる副作用とその対処③ 腎疾患, 急性腎不全, 間質性肺炎など.	JIM 16(1): 50-52, 2006
	VI腎不全, 1.Angiogenesisと腹膜硬化。(御手洗哲也(編))	Annual Review 2006, 中外医学社, 東京, pp.121-125所収) 2006
	透析患者における冠動脈造影検査の適応について.	腎と透析 60(4): 661-664, 2006
	12.傾民状態の腎不全患者—高マグネシウム血症の診断と治療.	(遠藤正之(編):ケーススタディ輸液ガイド, 中外医学社, 東京, pp.72-75) 2006
	13.不穏状態の肝硬変症患者—低マグネシウム血症の診断と治療.	(遠藤正之(編):ケーススタディ輸液ガイド, 中外医学社, 東京, pp.76-79) 2006
	感染症と糖尿病, 3.呼吸器感染ならびに腎不全時の感染について.	糖尿病合併症20(1): 31-35, 2006
	4.電解質異常の原因と対策, 1)ナトリウム濃度異常の診断と対処法.	臨床研修プラクティス 9: 60-67, 2006
	【オピニオン特集:透析療法をめぐる諸問題2004】21.腎性貧血改善と脳循環・代謝に対する功罪, オピニオン2.	臨床透析 20(7): 940-943, 2006
	【特集 メタボリックシンドロームと腎不全】VIIIメタボリックシンドロームを呈する透析患者におけるCAPDの影響とその対策.	臨床透析 22(12):1657-1662, 2006
	動脈病変の病態と鑑別.	腎と透析 61(3): 413-421, 2006
	腎生検病理ABC—臨床に役立つ腎病理診断法の手引き—造血管異常関連糸球体疾患.	病理と臨床 24(10): 1052-1060
	第11章 検査結果の見方, 4.β-D-グルカンの評価	(河野 茂 平鴻洋一(編):ベッドサイドで役立つ微生物検査ガイド 何の検査をするか・結果をどう評価するか, 文光堂, 東京, pp.394-396所収) 2006
	Aldosterone breakthrough during therapy with angiotensin converting enzyme inhibitors and angiotensin II receptor blockers in proteinuric patients with immunoglobulin A nephropathy.	NEPHROLOGY 11: 462-466, 2006
	Gene transfer using nonviral delivery systems.	PERITONEAL DIALYSIS INTERNATIONAL 26(6): 633-640, 2006
	感染症と糖尿病, 3.呼吸器感染ならびに腎不全時の感染について.	糖尿病合併症20(1): 31-35, 2006
	【特集 メタボリックシンドロームと腎不全】VIIIメタボリックシンドロームを呈する透析患者におけるCAPDの影響とその対策.	臨床透析 22(12):1657-1662, 2006
堀越 哲	尿潜血陽性といわれたら	medicina, 43: 398-400, 2006
吉川 徳茂	Steroid treatment for severe childhood IgA nephropathy: a randomized, controlled trial	Clin J Am Soc Nephrol 1: 511-517, 2006
小山哲夫	Tissue-specific distribution of an alternatively spliced COL4A5 isoform and non-random X chromosome inactivation reflect phenotypic variation in heterozygous X-linked Alport syndrome. Nephrol Dial Transplant. 2006 Jun; 21(6): 1582-7	Nephrol Dial Transplant. 21(6): 2006
	Post-MRSA infection glomerulonephritis with marked <i>Staphylococcus aureus</i> cell envelope antigen deposition in glomeruli.	J Nephrol. 19(2): 2006
	Polyclonal activation of IgA subclass against <i>Staphylococcus aureus</i> cell membrane antigen in post-methicillin-resistant <i>S. aureus</i> infection glomerulonephritis.	Nephrol Dial Transplant. 21(5): 2006
	急速進行性腎炎 (RPGN)	日本臨床64巻増刊号2、2006
	Mitochondrial dysfunction in focal segmental glomerulosclerosis of puromycin aminonucleoside nephrosis.	Kidney Int. 2006 Apr;69(7):1146-52.
	Risk factors for chronic kidney disease in a community-based population: a 10-year follow-up study.	Kidney Int. 2007 Jan;71(2):159-66.
有村義宏	分子腎臓病学—ANCA関連腎炎	日本臨床64: 増刊号2: 454-459, 2006

	感染症の関連の深い腎疾患のup to date-ANCA関連腎炎	腎と透析60: 416-420, 2006
	糸球体疾患—半月体形成性腎炎	腎と透析61:222-225, 2006
	半月体形成性腎炎(抗GBM抗体腎炎、ANCA関連腎炎)	内科97増大号:1070-1071,2006
榎野博史	Catalase deficiency renders remnant kidneys more susceptible to oxidant tissue injury and renal fibrosis in mice	Kidney International 68 : 1018-31, 2005
	The telmisartan renoprotective study from incipient nephropathy to over nephropathy-rationale, study design, treatment plan and baseline characteristics of the incipient to over : Angiotensin II receptor blocker, telmisartan, investigation on type2 diabetic nephropathy (INNOVATION) study	The journal of international medical research Vol.33(6) : 677-686, 2005
	Telmisartan inhibits both oxidative stress and renal fibrosis after unilateral ureteral obstruction in acatalasemic mice.	Nephrol. Dial. Transplant 20 : 2670-80, 2005
	Successful treatment of progressive Henoch-Schonlein purpura nephritis with tonsillectomy and steroid pulse therapy.	Internal Medicine, 44 : 611-615, 2005
	Good response of membranous lupus nephritis to tacrolimus	
	ループス腎炎の新しい病理診断基準	Annual Review腎臓2005 中外医学社 p49-56, 2005
	ループス腎炎のISN/RPS改定分類	臨床雑誌「内科」南江堂 Vol.95(3): 421-426, 2005
	ループス腎炎の診断と治療	特集 全身性疾患と腎病変: 診断と治療の進歩 日本内科学雑誌 第94巻(5):87-104, 2005
	腎症進展における糸球体上皮細胞障害の意義分子	糖尿病学の進歩—基礎から臨床まで—2006 金原出版 Vol.1(1):162-167,2006
	腎疾患と臨床検査 ANCAおよび免疫関連検査(補体、抗核抗体など)	臨床検査 Vol.50(5):537-541,2006
間質性腎炎・ネフローゼ症候群を中心に	臨床と研究 Vol.83(8):91(1191)-94(1194),2006	
武曾恵理	Clinical Efficacy of Intravenous Immunoglobulin for Patients with MPO-ANCA-Associated Rapidly Progressive Glomerulonephritis	Nephron Clin Pract. 102(1):c35-c42, 2006.
山縣邦弘	Tubulointerstitial nephritis and uveitis syndrome associated with hyperthyroidism.	Clin Exp Nephrol. 2006 Sep;10(3):216-21.
	Chronic renal failure with severe mesangiolysis in a hematopoietic stem cell transplant recipient.	Ren Fail. 2006;28(6):519-22.
和田隆志	Lymphocyte migration to the kidney	Lymphocyte Trafficking in Health and Disease in press
	Reduction in chronic allograft nephropathy by inhibition of p38 mitogen-activated protein kinase	Am J Nephrol 26, 319-325, 2006
	TAK-603, an anti-inflammatory compound, reduces crescentic glomerulonephritis and preserves renal function in WKY rats	Nephrol Dial Transplant 21, 2736-2744, 2006
	Interleukin-1-dependent sequential chemokine expression and inflammatory cell infiltration in ischemia-reperfusion injury	Crit Care Med 34, 2447-2455, 2006
	Blockade of VEGF accelerates proteinuria, via decrease in nephrin expression in rat crescentic glomerulonephritis	Kidney Int 69, 1986-1995, 2006
	Secondary lymphoid tissue chemokine (SLC/CCL21)/CCR7 signaling regulates fibrocytes in renal fibrosis	PNAS 103, 14098-14103, 2006
斉藤喬雄	ネフローゼ症候群に対するアフェレシス治療	腎と透析 60(2) : 240-245, 2006
	ネフローゼ症候群—微小変化型・巣状糸球体硬化症・膜性腎症	Medicina 43(3) : 431-433, 2006
	Fabry病における腎病変の特徴	透析会誌 39(3) : 165-167, 2006
	メタボリック症候群における脂質代謝異常と腎障害	腎と透析 60(4) : 588-591, 2006
	ステロイド薬	腎と透析 61(2) : 231-237, 2006
	リポ蛋白糸球体症の病態	日内会誌 95(9) : 1838-1844, 2006
	腎生検所見鑑別における腎病理診断標準化の意義	腎と透析 61(3) : 295-300, 2006
	ApoE-Sendaiによるリポ蛋白糸球体症マウスモデルに誘導された異常リポ蛋白の解析	Ther Res 27(9) : 1760-1763, 2006
	ネフローゼ症候群	Medicina 43(12)増刊:475-478, 2006

	リポ蛋白糸球体症	腎と透析 61(6):825-827, 2006
	リポ蛋白糸球体症	腎と透析 61増刊:354-356, 2006
	Prognostic factors for renal amyloidosis: a clinicopathological study using cluster analysis.	Intern Med 46(5):213-219, 2007
岩野正之	C型肝炎ウイルス関連混合型クリオグロブリン血症にMPO-ANCA陽性顕微鏡的多発血管炎を合併した1例 腎予後予測マーカーとしてのFSP1	日本腎臓学会誌・48巻・4号・2006年 Annual Review 腎臓 2007
横山仁	膜性腎症の電顕所見と治療選択	腎と透析61:332-335, 2006
	MCP-1/CCR2-dependent loop for fibrogenesis in human peripheral CD14-positive monocytes.	J Leukoc Biol 79:555-563, 2006.
	Secondary lymphoid tissue chemokine (SLC/CCL21)/CCR7 signaling regulates fibrocytes in renal fibrosis.	PNAS 103(38): 14098-14103, 2006.
	Reduction in chronic allograft nephropathy by inhibition of p38 mitogen-activated protein kinase.	Am J Nephrol 26: 319-325, 2006.
	TAK-603, an anti-inflammatory compound, reduces crescentic glomerulonephritis and preserves renal function in WKY rats.	Nephrol Dial Transplant 21: 2736-2744, 2006.
佐藤博	尿中赤血球による出血起源鑑別法の位相差および光学顕微鏡での比較	日本腎臓学会誌、48:401-406、2006
	糖尿病患者における尿潜血反応陽性の意義	日本腎臓学会誌、48:664-668、2006
	糖尿病予防・治療Strategy	Therapeutic Research、27:1901-1909、2006
	蛋白尿発症後20年目に腎機能が悪化したリポ蛋白糸球体症の一例	Therapeutic Research、27:1758-1759、2006
御手洗哲也	遺伝性ネフローゼ症候群	腎と透析 臨時増刊号:223-225, 2006
	Immunotactoid glomerulopathyとfibrillary glomerulonephritis	腎と透析 臨時増刊号:279-281, 2006
松本紘一	Serum mannose-binding lectin levels in maintenance hemodialysis patients: Impact on all-cause mortality	Nephron Clin Pract 102(3-4) ,c93-c99, 2006
	Development of gene silencing pyrrole-imidazole polyamide targeted to the TGF-β1 promoter for treatment of progressive renal disease	J Am Soc Nephrol 17: 422-432, 2006
	A case of adrenocorticotropin-independent bilateral adrenal macronodular hyperplasia (AIMAH) with primary hyperparathyroidism (PHPT).	Endocrine Journal 53: 111-117, 2006
	Correction of copper deficiency improves erythropoietin unresponsiveness in hemodialysis patients with anemia.	Intern Med 45(5): 271-273, 2006
	The influence of uremic serum on interleukin-1β and interleukin-1 receptor antagonist production by peripheral blood mononuclear cells.	Ther Apher Dial 10(1):65-71, 2006
	Anasarca improved by extracorporeal ultrafiltration through an internal shunt in a case of severe haemophilia B with inhibitor and steroid-resistant nephrotic syndrome	Haemophilia 12:103-105
	Lemmel,s syndrome with cholangitis induced by glucocorticoid treatment.	Clin Nephrol 66(1): 74-75, 2006
	Clinical study of influenza-associated rhabdomyolysis with acute renal failure.	Clin Nephrol 66(3): 166-170, 2006
頼岡徳在	A case report of plasmapheresis in paraneoplastic cerebellar ataxia associated with anti-tr antibody	Therapeutic Apheresis and Dialysis, 10(1):90-93
	Performance of polysulfone membrane dialyzers and dialysate flow pattern	Clin Exp Nephrol 19:210-215, 2006
	Osteoprotegerin and bone mineral density in hemodialysis patients	Osteoporos Int 17:841-86
	PDGF receptor tyrosine kinase inhibitor suppresses mesangial cell proliferation involving STAT3 activation	Clinical and Experimental Immunology 144:353-361
西慎一	Immunohistochemical evidence if activated lectin pathway in kidney allografts with peritubular capillary C4d deposition.	Clin Transplant 21:2589-2595, 2006
吉村吾志夫	Application of periodic acid-Schiff fluorescence emission for immunohistochemistry of living mouse renal glomeruli by an "in vivo cryotechnique"	Arch Histol Cytol 69:147-161, 2006
	Immunohistochemical analyses on serum proteins in nephrons of protein-overload mice by "in vivo cryo-technique"	Histol Histopathol 22:137-145, 2007
	Glomerulonephritis in sarcoidosis	Clin Exp Nephrol 10:85-86, 2006
本田雅敬	小児頻回再発型ネフローゼ症候群に対するミゾリピン高用量治療の再発抑制効果と安全性	日本腎臓学会誌48, 365-370, 2006

東原英二	腎・尿路疾患の診断と治療【疾患各論】常染色体優性多発性嚢胞腎	内科臨床誌メディチーナ medicina 43(3):456-458,2006
	特集:多発性嚢胞腎(ADPKD) ADPKDの最近の治療法	Nephrology Frontier 5(2):20-25(108-113), 2006
	多発性嚢胞腎のすべて(監修:東原英二)	インターメディカ
香村 衡一	常染色体優性多発性嚢胞腎による腹部腫大に対する腎動脈塞栓術—全国アンケート調査より—	透析会誌39巻4号、2006
	透析患者の嚢胞性腎疾患と合併症:今後の展望	Urological View4巻3号,2006
乳原善文 ・高市憲明	私はこう治療している。Today's therapy 2006	今日の治療指針、医学書院、P455-456
	多発性嚢胞腎(常染色体優性多発性嚢胞腎)	
	分子腎臓病学—分子生物学的アプローチと分子病態生理学—多発性嚢胞腎症	日本臨床 64 巻増刊号 586-592, 2006
	症候性多発性肝腎嚢胞症	新しい診断と治療のABC(38), 腎4 透析合併症、最新医学, 第3章診断、管理、治療、肝疾患、P170-179, 2006
	多発性嚢胞腎(ADPKD) ADPKDの嚢胞塞栓療法	Nephrology Frontier, Vo; 5, No2, 26-32, 2006,メジカルレビュー社
	New therapeutic option for ADPKD patients with enlarged kidney and liver	Nephrology Frontier, 2006.5, P55-61, 2006,
	Successful renal transcatheter arterial embolization in three patients with symptomatic hydronephrosis due to ureteral obstruction.	Intern Med. 2006 Dec;45(12):769-74. Epub 2006 Jul 18.
浜崎 智仁	New therapeutic option for autosomal dominant polycystic kidney disease patients with enlarged kidney and liver	Ther Apher Dial. 2006 Aug;10(4):333-41
	Effect of cooking plant oils on recurrent aphthous stomatitis: a randomized, placebo-controlled, double-blind trial.	Nutrition, 22:534-538, 2006.
	The relationship between tissue RBC n-3 fatty acids and pulse wave velocity.	in vivo, 20:307-310, 2006.
	The effect of eicosapentaenoic acid on prostate-specific antigen.	in vivo, 20:397-401, 2006.
	Fish oil reduces tooth loss mainly through its anti-inflammatory effects?	Med. Hypotheses, 67:868-870, 2006.
	The effects of eicosapentaenoic acid-fortified food on inflammatory markers in healthy subjects — a randomized, placebo-controlled, double-blind study.	Nutr. Sci. Vitaminol., 52:261-265, 2006.
	Prevention of coronary heart disease. From the cholesterol Hypothesis to ω 6/ ω 3 Balance. Simopoulos AP(eds)	Vol 96, World rev nutri diet. Basel, karger, 2006.
堀江重郎	嚢胞性腎疾患	総合臨床4月号、2006
	腎を守る私の処方:V2 antagonist	腎と透析61巻2号、2006
	特集 注目される腎関連蛋白nephrocystin	腎と透析61巻3号、2006
	特集 末期腎不全と移植における医療連携	移植 10巻2号、2006
林松彦	Intrarenal injection of bone marrow-derived angiogenic cells reduces endothelial injury and mesangial cell activation in experimental glomerulonephritis.	Journal of the American Society of Nephrology 16(4): 997-1004, 2005.
	Musculin/MyoR is expressed in kidney side population cells and can regulate their function.	The Journal of Cell Biology 169(6): 921-928, 2005.
	NF-kB-dependent increase in intrarenal angiotensin II induced by proteinuria.	Kidney International 68(2): 464-473, 2005.
	Microarray analysis of a reversible model and an irreversible model of anti-Thy-1 nephritis.	Kidney International 69(6): 996-1004, 2006.
	Nonproteolytic Activation of Prorenin Contributes to Development of Cardiac Fibrosis in Genetic Hypertension.	Hypertension 47 (5): 894-900, 2006.
	Prorenin receptor blockade inhibits development of glomerulosclerosis in diabetic angiotensin II type 1a receptor-deficient mice.	Journal of the American Society of Nephrology 17(7): 1950-1961, 2006.
	Increased expression of cyclooxygenase-2 in the renal cortex of human prorenin receptor gene-transgenic rats.	Kidney International 70(4): 641-646, 2006.
	Aldosterone impairs bone marrow-derived progenitor cell formation.	Hypertension 48(3): 490-496, 2006.
西村裕之	Genetic control of the spontaneous activation of CD4+ Th cells in systemic lupus erythematosus-prone (NZB x NZW) F1 mice	Genes Immun. 7: 647-654, 2006.
	Late developmental stage-specific Role of tryptophan hydroxylase 1 in brain serotonin levels	J. Neurosci. 26: 530-534, 2006.
	Genetic dissection of the effects of stimulatory and inhibitory IgG Fc receptors on murine lupus	J. Immunol. 177: 1546-1654, 2006.
	Significance of MHC class II haplotypes and IgG Fc receptors in SLE	Springer Semin. Immunopathol. 28: 163-174, 2006.