

- Haemorrhoids
- Halitosis
- Head lice
- Headache (chronic tension-type)
- Heart failure
- *Helicobacter pylori* infection
- Hepatitis B (prevention)
- Hepatitis C (chronic)
- Herniated lumbar disc
- Herpes labialis
- Hip fracture
- Hodgkin's lymphoma
- Hypertension in diabetes
- Impacted wisdom teeth
- Infantile colic
- Influenza
- Inguinal hernia
- Insomnia in the elderly
- Intimate partner violence towards women
- Irritable bowel syndrome
- Jet lag
- Kidney stones
- Leg cramps
- Leprosy
- Low back pain (acute)
- Low back pain (chronic)
- Lung cancer
- Lyme disease
- MRSA (treatment)
- Malaria: prevention in travellers
- Malaria: severe, life threatening
- Malaria: uncomplicated, caused by *Plasmodium falciparum*
- Malignant melanoma (non-metastatic)
- Measles, mumps, and rubella: prevention
- Meningococcal disease
- Menière's disease

- Menopausal symptoms
- Menorrhagia
- Middle ear pain and trauma during air travel
- Migraine headache
- Migraine headache in children
- Multiple sclerosis
- Myeloma (multiple)
- Nausea and vomiting in early pregnancy
- Neck pain
- Neonatal infection: group B streptococcus
- Neonatal jaundice
- Nocturnal enuresis
- Non-Hodgkin's lymphoma (diffuse large B cell lymphoma)
- Non-steroidal anti-inflammatory drugs
- Nosebleeds in children
- Obesity
- Obsessive compulsive disorder
- Ocular herpes simplex
- Organophosphorus poisoning (acute)
- Osteoarthritis of the hip
- Osteoarthritis of the knee
- Otitis externa
- Otitis media in children (acute)
- Otitis media with effusion
- Ovarian cancer (advanced)
- Pancreatic cancer
- Panic disorder
- Paracetamol (acetaminophen) poisoning
- Parkinson's disease
- Partner notification
- Pelvic inflammatory disease
- Perinatal asphyxia
- Perineal care
- Peripheral arterial disease
- Plantar heel pain and fasciitis
- *Pneumocystis* pneumonia in people with HIV

- Polycystic ovary syndrome
- Post-traumatic stress disorder
- Postherpetic neuralgia
- Postnatal depression
- Postoperative pulmonary infections
- Postpartum haemorrhage: prevention
- Pre-eclampsia and hypertension
- Premenstrual syndrome
- Pressure ulcers
- Preterm birth
- Prevention of cardiovascular events in diabetes
- Primary hypothyroidism
- Primary prevention: dyslipidaemia
- Primary prevention: hypertension
- Prostate cancer (early)
- Prostate cancer (metastatic)
- Psoriasis (chronic plaque)
- Pyelonephritis (acute) in non-pregnant women
- Raynaud's phenomenon (primary)
- Recurrent cystitis in non-pregnant women
- Recurrent miscarriage
- Rheumatoid arthritis
- Scabies
- Schizophrenia
- Seasonal allergic rhinitis
- Seborrhoeic dermatitis
- Secondary prevention of ischaemic cardiac events
- Shoulder pain
- Sickle cell disease
- Sinusitis (acute)
- Sleep apnoea
- Sleep disorders in children
- Sore throat
- Spontaneous pneumothorax
- Squamous cell carcinoma of the skin (non-metastatic)
- Stomach cancer

- Stress incontinence
- Stroke management
- Stroke prevention
- Sudden infant death syndrome
- Tennis elbow
- Testicular cancer: seminoma
- Thromboembolism
- Tinnitus
- Tonsillitis
- Trachoma
- Trigeminal neuralgia
- Tuberculosis
- Tuberculosis in people with HIV
- Urinary tract infection in children
- Uveitis (acute anterior)
- Varicocele
- Varicose veins
- Venous leg ulcers
- Ventricular tachyarrhythmias (out of hospital cardiac arrests)
- Vitiligo
- Warts
- Wrinkles