

研究成果の刊行に関する一覧表

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Wei, M., Hori, T., Wanibuchi, H., Morimura, K., Kang, J. S., Puatanachokchai, R. Fukushima, S.	Existence of no-observed effect levels for 2- amino-3,8- dimethylimidazo[4,5- f]quinoxaline on hepatic preneoplastic lesion development in BN rats.	Cancer Letters	231	304-308	2006
Romanenko, A., Morimura, K., Kinoshita, A., Wanibuchi, H., Vozianov, A. and Fukushima, S.	Aberrant expression of E-cadherin and $\beta$ -catenin in association with transforming growth factor- $\beta$ 1 in urinary bladder lesions in humans after the Chernobyl accident.	Cancer Sci.	97	45-50	2006
Shen, J., Wanibuchi, H., Waalkes, M. P., Salim, E. I. Kinoshita, A., Yoshida, K., Endo, G. and Fukushima, S.	A comparative study of the sub-chronic toxic effects of three organic arsenical compounds on the urothelium in F344 rats; gender-based differences in response.	Toxicol. Appl. Pharmacol..	210	171-180	2006
Kang, J. S., Morimura, K., Toda, C., Wanibuchi, H., Wei, M., Kojima, N. and Fukushima, S.	Testicular toxicity of DEHP, but not DEHA, is elevated under conditions of thioacetamide-induced liver damage.	Reproductiv e Toxicology	21	253-259	2006
Romanenko, A. M., Kinoshita, A., Wanibuchi, H., Wei, M., Zaparin, W. K., Vinnichenko, W. I., Vozianov, A. F. and Fukushima, S.:	Involvement of ubiquitination and sumoylation in bladder lesions induced by persistent long-term low dose ionizing raditation in humans.	The Journal of Urology	175	739-743	2006
Hagihara, A., Wanibuchi, H., Puatanachokchai, R., Kang, J. S., Miyazi, N., Seki, S. and Fukushima, S.	Difference in sensitivity of F344 rats from different breeders to phenobarbital hepatpcarcinogenicity.	J Toxicol Pathol.	19	29-36	2006

Kang, J. S., Waniuchi, H., Morimura, K., Totsuka, Y., Yoshimura, I. and Fukushima, S.	Existence of a no effect level for MelQx hepatocarcinogenicity on background of thioacetamide-induced liver damage in rats.	Cancer Sci.	97	453-458	2006
Kushida, M., Aiso, S., Morimura, K., Wei, M., Wanibuchi, H., Nagano, K. and Fukushima, S.	Absence of $\beta$ -Catenin Alteration in Hepatic Tumors Induced by p- Nitroanisole in Crj:BDF1 Mice.	Toxicol Pathol.	34	237-242	2006
Wanibuchi, H., Wei, M., Karim, M. R., Morimura, K., Doi, K., Kinoshita, A. and Fukushima, S.	Existence of no hepatocarcinogenic effect levels of 2- amino-3, 8- dimethylimidazo [4, 5-f ] quinoxaline with or without coadministration with ethanol.	Toxicol Pathol.	34	232-236	2006
Waddell, W. J., Fukushima, S. and Williams, G. M.	Concordance of thresholds for carcinogenicity of N- nitrosodierhylamine.	Arch Toxicol.	80	305-309	2006
Uda, N., Kashimto, N., Sumioka, I., Kyo, E., Sumi, S. and Fukushima, S.	Aged garlic extract inhibits development of putative preneoplastic lesions in rat hepatocarcinogenesis.	American Society for Nutrition		855S- 860S	2006
Kitano, M., Chen, Tian-Xin., Morimura, K., Wei, M., Hidaka, T., Hosoe, K. and Fukushima, S.:	Biphasic increase of epithelial DNA synthesis in the urinary bladder of rats treated with a tumor promoter, sodium L-ascorbate.	J. Toxicol. Pathol.	19	53-56	2006
Kitano, M., Wada, J., Ariki, Y., Kato, M., Wanibuchi, H., Morimura, K., Hidaka, T., Hosoe, T. and Fukushima, S.	Possible tumor development from double positive foci for TGF- alpha and GST-P observed in early stages on rat hepatocarcinogenesis.	Cancer Sci.	97	478-483	2006
Mori, S., Murai, T., Wanibuchi, H., Hagihara, A., Puatanachokchai, P. and Fukushima, S.	Susceptibility of four F <sub>1</sub> hybrids of male rats to the promoting effects of sodium L-ascorbate in two-stage urinary bladder carcinogenesis.	J Toxicol Pathol.	19	87-91	2006

Puatanachokchai, R., Morimura, K., Wanibuchi, H., Oka, M., Kinoshita, A., Fukui, M., Yamaguchi, S., Funae, Y. and Fukushima, S.	Alpha-benzene hexachloride exerts hormesis in preneoplastic lesion formation of rat hepatocarcinogenesis with the possible role for hepatic detoxifying enzymes.	Cancer Lett.	240	102-113	2006
Nakajima, Y., Endo, Y., Inoue, Y., Yamanaka, K., Kato, K., Wanibuchi, H. and Endo, G.	Ingestion of Hijiki seaweed and risk of arsenic poisoning <sup>+</sup> .	Appl Organometal Chem.	20	557-564	2006
Kinoshita, A., Wanibuchi, H., Wei, M. and Fukushima, S.	Hormesis in carcinogenicity of non-genotoxic carcinogens.	J. Toxicol. Pathol.	19	111-122	2006
Romanenko, A. M., Morimura, K., Kinoshita, A., Wanibuchi, H., Takahashi, S., Zaparin, W. K., Vinnichenko, W. K., Vozianov, A. F. and Fukushima S.	upregulation of fibroblast growth factor receptor 3 and epidermal growth factor receptors, in association with Raf-1, in urothelial dysplasia and carcinoma in situ after the Chernobyl accident.	Cancer Sci.	97	1168-1174	2006
Yokohira M, Takeuchi H, Yamakawa K, Sao K, Matsuda Y, Zeng Y, Hosokawa K, Maeta H, and Imaida K.	A COX-2 Inhibitor, SC58125, Promotes Liver Carcinogenesis in a Rat Medium-Term Liver Bioassay, Possibly due to Induction of CYP 2B1 and 3A1,	Jornal of Toxicologic Pathology	19	37-45	2006
Kinoshita Y, Kuratsukuri K, Landas S, Imaida K,	Rovito PM Jr, Wang CY , Haas GP. Expression of prostate-specific membrane antigen in normal and malignant human tissues.	World J Surg.	30	628-636	2006
Takeuchi H, Sao K, Matsuda Y, Yokohira M, Yamakawa K, Zeng Y, Miyazaki M, Fujieda M, Kamataki T, Imaida K.	Dose dependent inhibitory effects of dietary 8-methoxypsoralen on NNK-induced lung tumorigenesis in female A/J mice.	Cancer Lett.	234	232-238	2006

Matsuda Y, Sao K, Hosokawa K, Yamakawa K, Yokohira M, Zeng Y, Takeuchi H, Imaida, K.	Post-initiation chemopreventive effects of dietary bovine lactoferrin on 4-(methylnitrosamino)-1-(3- pyridyl)-1-butanone-induced lung tumorigenesis in female A/J mice.	Cancer Lett.	246	41-46	2006
Yokohira M, Takeuchi H, Yamakawa K, Sao K, Matsuda Y, Zeng Y, Hosokawa K, Imaida K.	Bioassay by intratracheal instillation for detection of lung toxicity due to fine particles in F344 male rats.	Exp Toxicol Pathol.	58	211-221	2006