



カロナール細粒

[年齢区分別 平均投与量]



年齢区分	I	II	III	IV	V	VI	VII	VIII
平均	0.00	0.00	92.00	92.45	111.39	170.95	245.70	312.05
標準偏差	0	0	60.9918	71.86019	24.38006	51.37744	89.23734	143.8891
n数	0	0	5	100	635	1889	1009	327

[年齢別 投与量分布]




$$y = 17.726x + 78.714$$

$$R^2 = 0.4498$$


アスピリン

[年齢区分別 平均投与量]



年齢区分	I	II	III	IV	V	VI	VII	VIII
平均	13.00	20.88	106.08	159.05	212.34	296.35	267.14	112.00
標準偏差	1.414214	6.010408	98.53699	117.82	148.6641	241.7634	305.3257	50.1996
n数	2	8	12	21	65	46	7	5

[年齢別 投与量分布]




$$y = 12.363x + 172.77$$

$$R^2 = 0.0372$$


ブルフェン顆粒

[年齢区分別 平均投与量]



年齢区分	I	II	III	IV	V	VI	VII	VIII
平均	0.00	0.00	0.00	0.00	75.00	219.75	197.50	198.04
標準偏差	0	0	0	0	35.35534	158.3507	186.9179	180.5438
n数	0	0	0	0	2	20	48	51

[年齢別 投与量分布]




$$y = 3.8686x + 158.01$$

$$R^2 = 0.0045$$

フロベン顆粒

[年齢区分別 平均投与量]

mg




年齢
区分

年齢区分	I	II	III	IV	V	VI	VII	VIII
平均	0.00	0.00	25.00	34.00	46.56	69.60	80.00	0.00
標準偏差	0	0	0	14.51436	6.511208	18.92881	0	0
n数	0	0	1	4	16	5	1	0

[年齢別 投与量分布]

mg




歳

$$y = 6.2059x + 34.592$$

$$R^2 = 0.6381$$


ロキソニン錠 60mg

[年齢区分別 平均投与量]



年齢区分	I	II	III	IV	V	VI	VII	VIII
平均	0.00	0.00	0.00	0.00	0.00	68.00	58.27	76.32
標準偏差	0	0	0	0	0	30.98387	7.063064	40.29386
n数	0	0	0	0	0	15	52	68

[年齢別 投与量分布]




$$y = 2.4821x + 40.113$$

$$R^2 = 0.0482$$


アタラックス錠

[年齢区分別 平均投与量]



年齢区分	I	II	III	IV	V	VI	VII	VIII
平均	0.00	0.00	0.00	0.00	0.00	20.77	21.25	28.24
標準偏差	0	0	0	0	0	10.77152	8.230549	17.13377
n数	0	0	0	0	0	13	32	17

[年齢別 投与量分布]




$$y = 0.8353x + 14.892$$

$$R^2 = 0.0341$$


リタリン散

[年齢区分別 平均投与量]



年齢区分	I	II	III	IV	V	VI	VII	VIII
平均	0.00	0.00	0.00	0.00	0.00	6.61	16.54	21.00
標準偏差	0	0	0	0	0	5.063192	12.84438	14.94514
n数	0	0	0	0	0	49	130	57

[年齢別 投与量分布]




$$y = 1.8359x - 2.5241$$

$$R^2 = 0.1411$$


アタラックスPドライシロップ

[年齢区分別 平均投与量]



年齢区分	I	II	III	IV	V	VI	VII	VIII
平均	0.00	5.00	10.14	9.38	11.56	16.81	27.10	31.56
標準偏差	0	0	6.817345	4.053541	6.179598	7.486065	13.54875	15.26908
n数	0	2	7	54	221	339	146	48


[年齢別 投与量分布]



リスパダール細粒

[年齢区分別 平均投与量]

mg




年齢区分

年齢区分	I	II	III	IV	V	VI	VII	VIII
平均	0.00	0.00	0.00	0.00	0.00	0.34	0.56	0.86
標準偏差	0	0	0	0	0	0.369028	0.4297	0.610332
n数	0	0	0	0	0	85	125	55

[年齢別 投与量分布]

mg




$$y = 0.0646x - 0.0349$$

$$R^2 = 0.1728$$


デプロメール錠

[年齢区分別 平均投与量]



年齢区分	I	II	III	IV	V	VI	VII	VIII
平均	0.00	0.00	0.00	0.00	0.00	25.00	30.94	39.50
標準偏差	0	0	0	0	0	0	20.82145	22.44397
n数	0	0	0	0	0	5	70	70

[年齢別 投与量分布]




$$y = 2.3212x + 7.9042$$

$$R^2 = 0.0481$$


ジゴシン散

[年齢区分別 平均投与量]



年齢区分	I	II	III	IV	V	VI	VII	VIII
平均	0.03	0.04	0.05	0.06	0.08	0.13	0.18	0.21
標準偏差	0.011955	0.010998	0.008281	0.022024	0.022538	0.048294	0.074081	0.102588
n数	16	15	15	22	44	36	26	13

[年齢別 投与量分布]




$$y = 0.0139x + 0.0482$$

$$R^2 = 0.6406$$


インデラル錠 10mg

[年齢区分別 平均投与量]



年齢区分	I	II	III	IV	V	VI	VII	VIII
平均	2.18	6.44	4.63	3.00	10.06	14.33	22.93	30.00
標準偏差	0.960469	4.864977	1.796988	0	6.635605	6.027714	12.55132	8.164966
n数	4	5	4	1	8	3	7	4




[年齢別 投与量分布]






$$y = 1.8666x + 4.9119$$

$$R^2 = 0.6185$$

アルダクトンA細粒




ラシックス細粒




カプトリル細粒

[年齢区分別 平均投与量]



年齢区分	I	II	III	IV	V	VI	VII	VIII
平均	1.17	1.06	3.15	4.68	7.80	7.62	20.68	37.50
標準偏差	0.550757	0.260768	2.142429	3.996207	4.374983	4.949507	8.597304	0
n数	3	5	4	6	21	21	11	1

[年齢別 投与量分布]




$$y = 1.8568x + 1.9824$$

$$R^2 = 0.5906$$


アンギナール散

[年齢区分別 平均投与量]



年齢区分	I	II	III	IV	V	VI	VII	VIII
平均	13.00	16.71	23.29	32.50	38.11	67.55	77.73	93.46
標準偏差	1.414214	2.360387	5.05682	5.244044	15.42687	30.73191	45.7364	72.95503
n数	2	7	7	6	19	22	11	13

[年齢別 投与量分布]




$$y = 5.1544x + 28.436$$

$$R^2 = 0.318$$


セパミットR細粒

[年齢区分別 平均投与量]




年齢区分	I	II	III	IV	V	VI	VII	VIII
平均	0.00	2.67	4.75	1.75	5.33	6.91	10.69	20.00
標準偏差	0	2.886751	3.181981	0.353553	5.354126	5.828718	6.033029	14.14214
n数	0	3	2	2	6	16	13	2

[年齢別 投与量分布]




メジコン散

[年齢区分別 平均投与量]



年齢区分	I	II	III	IV	V	VI	VII	VIII
平均	10.00	0.00	5.83	10.00	11.83	16.43	26.00	35.00
標準偏差	0	0	1.443376	1.889822	3.504118	5.295707	10.11364	17.32051
n数	1	0	3	8	26	41	8	3

[年齢別 投与量分布]




$$y = 1.9322x + 7.9733$$

$$R^2 = 0.5302$$


ビスルボン細粒

[年齢区分別 平均投与量]



年齢区分	I	II	III	IV	V	VI	VII	VIII
平均	1.60	1.43	1.71	2.54	3.12	4.23	5.94	8.80
標準偏差	0	0.416467	0.498259	0.724977	0.789308	1.035675	1.865806	3.38484
n数	1	10	26	65	138	171	67	15

[年齢別 投与量分布]




$$y = 0.4498x + 2.1171$$

$$R^2 = 0.6456$$


ムコソルバンシロップ

[年齢区分別 平均投与量]



年齢区分	I	II	III	IV	V	VI	VII	VIII
平均	2.74	4.26	5.54	7.39	9.28	13.84	27.57	36.40
標準偏差	0.95289	1.361678	1.766449	2.09645	2.374025	4.62829	10.59981	10.6394
n数	5	25	85	228	679	636	191	72

[年齢別 投与量分布]



$$y = 2.2994x + 4.6096$$

$$R^2 = 0.7142$$