

研究成果の刊行に関する一覧表

書籍

著者氏名	掲載文のタイトル	書籍名	出版社名	出版地	頁	出版年
Nishikawa, T.	A systematic approach to the brain d-serine system	A New Frontier in Amino Acid and Protein Research	Nova Science Publishers	New York	in press	
濱村貴史, 山本直樹, 黒田安計 他	抗精神病薬の作用機序	統合失調症の薬物治療アルゴリズム	医学書院	東京	95-122	2006
谷口 豪, 西川 徹	3. グルタミン酸-D-セリンシステムと統合失調症. V. 「グルタミン酸」と「てんかん、統合失調症」	脳とこころの科学	新興医学出版	東京	114-123	2006
Ujike H, Sakai A, Nakata K, et al	Association study of the dihydropyrimidinase-related protein 2 gene and methamphetamine psychosis	Cellular and Molecular Mechanisms of Drugs of Abuse and Neurotoxicity, Cocaine, GHB, and Substituted Amphetamines, Vol.160	Ann N Y Acad Sci,	NY	90-96	2006
Morio A, Ujike H, Nomura A, et al.	No association between CART (Cocaine- and Amphetamine-Regulated Transcript) gene and methamphetamine dependence	Cellular and Molecular Mechanisms of Drugs of Abuse and Neurotoxicity, Cocaine, GHB, and Substituted Amphetamines, Vol.160	Ann N Y Acad Sci,	NY	411-417	2006
Nomura A, Ujike H, Tanaka Y, et al.	Association study of the tumor necrosis factor- α gene and its 1A receptor gene with methamphetamine. Dependence	Cellular and Molecular Mechanisms of Drugs of Abuse and Neurotoxicity, Cocaine, GHB, and Substituted Amphetamines, Vol.160	Ann N Y Acad Sci,	NY	116-124	2006
氏家 寛	薬物依存、生物学的側面	精神科臨床ニューアプローチ8、睡眠障害・物質関連障害	メジカルビュー	東京	174-181	2006
Numachi Y., Yoshida S., Yamashita M., Sato M., Scott Hall F., Uhl GR., Sora I.	Methamphetamine-induced behavior in rodents as a psychotic index.	New Research on Methamphetamine Abuse	Nova Science Publishers,	NY (USA)	in press	
曾良 一郎	こころの病と脳内神経伝達物質	こころの病・脳の病		東京	9-27	2006
Yamamoto H, Kamegaya E, Takamatsu Y, et al.	Prolonged changes in expression of genes underlying methamphetamine abuse.	New research on methamphetamine abuse	Nova Science Publishers	New York	in press	

発表者名	論文タイトル	発表誌名（略名）	巻号	開始一終了頁	出版年
Kaneko, Y., Kashiwa, A., Ito, T., et al.	Selective serotonin reuptake inhibitors, fluoxetine and paroxetine, attenuate the expression of the established behavioral sensitization induced by methamphetamine	Neuropsychopharmacol	32	658-664	2007
Takeuchi, T., Furuta, K., Hirasawa, T., et al.	Perospirone in the treatment of patients with delirium	Psychiatry Clin Neuros	61	67-70	2007
Tanaka, Y., Obata, T., Sassa, T., et al.	Quantitative magnetic resonance spectroscopy of schizophrenia: relationship between decreased N-acetylaspartate and frontal lobe dysfunction	Psychiatry Clin Neuros	60	365-372	2006
Kuroda, Y., Motohashi, N., Ito, H., et al.	Effects of repetitive transcranial magnetic stimulation on [11C] raclopride binding and cognitive function in patients with depression	J. Affect. Disorder	95	35-42	2006
Kanematsu, S., Ishii, S., Umino, A., et al.	Evidence for involvement of glial cell activity in the control of extracellular D-serine contents in the rat brain	J Neural Transm	113	1717-1721	2006
Yui, K., Kajii, Y., Nishikawa, T.	Neurobiological and molecular bases of methamphetamine-induced behavioral sensitization and spontaneous recurrence of methamphetamine psychosis, and its implication in schizophrenia	Current Psychiatry Re	2	381-393	2006
西川徹	統合失調症の分子機構研究の最前線：疾患解明Overview	実験医学	24	2663-2671	2006
西川徹	脳の発達障害としての統合失調症	日本薬理学雑誌	128	13-18	2006
日比野英彦, 西川 徹	アシル化アミノ酸の行動薬理学的評価-脂質による高次脳機能異常改善作用の機序を中心に—	オレオサイエンス	6	93-105	2006
山本直樹, 西川徹	違法ドラッグと依存性薬物による精神障害の分子病態	医学のあゆみ	217	1147-1151	2006
熱田英範, 西川 徹	統合失調症の薬理学的発展: 特集「統合失調症解明へのアプローチ」	精神科	8	257-263	2006
Hashimoto K, Fujita Y, Ishima T, et al.	Phencyclidine-induced cognitive deficits in mice are improved by subsequent subchronic administration of tropisetron: Role of $\alpha 7$ nicotinic receptors.	Eur J Pharmacol	28: 553(1-3)	191-195	2006
Hashimoto K, Iwata Y, Nakamura K, et al.	Reduced serum levels of brain-derived neurotrophic factor in adult male patients with autism.	Prog Neuropsychopharmacol Biol Psychiatry	30: 30(8)	1529-1531	2006
Shinohe A, Hashimoto K, Nakamura K, et al.	Increased serum levels of glutamate in adult patients with autism.	Prog Neuropsychopharmacol Biol Psychiatry	30: 30(8)	1472-1477	2006

Koizumi H, Hashimoto K, Iyo M.	Dietary restriction changes behaviors in brain-derived neurotrophic factor heterozygous mice: role of serotonergic system.	Eur J Neurosci	24(8)	2335-2344	2006
Zhang L, Shirayama Y, Shimizu E, et al.	Protective effects of minocycline on 3,4-methylenedioxymethamphetamine-induced neurotoxicity in serotonergic and dopaminergic neurons of mouse brain.	Eur J Pharmacol	21; 544(1-3)	1-9.	2006
Hattori K, Uchino S, Isosaka T, et al.	Fyn is required for haloperidol-induced catalepsy in mice.	J Biol Chem.	17;281(11):	7129-35.	2006
Ide S, Kobayashi H, Ujike H, et al.	Linkage disequilibrium and association with methamphetamine dependence/psychosis of mu-opioid receptor gene polymorphisms.	Pharmacogenomics J.	6(3):	179-88.	2006
Ozawa K, Hashimoto K, Kishimoto T, et al.	Immune Activation During Pregnancy in Mice Leads to Dopaminergic Hyperfunction and Cognitive Impairment in the Offspring: A Neurodevelopmental Animal Model of Schizophrenia.	Biol Psychiatry	15; 59(6):	546-554	2006
Shimizu E, Hashimoto K, Ochi S, et al.	Posterior cingulate gyrus metabolic changes in chronic schizophrenia with generalized cognitive deficits.	J Psychiatr Res	41(1-2):	49-56.	2006
Shimizu E, Hashimoto K, Ohgake S, et al.	Association between angiotensin I-converting enzyme insertion/deletion gene functional polymorphism and novelty seeking personality in healthy females.	Prog Neuropsychopharmacol Biol Psychiatry.	30(1)	99-103	2006
Sekine Y, Ouchi Y, Takei N, et al.	Brain serotonin transporter density and aggression in abstinent methamphetamine abusers.	Arch Gen Psychiatry	63(1)	90-100	2006
Iwayama Y, Hashimoto K, Nakajima M, et al.	Analysis of correlation between serum D-serine levels and functional promoter polymorphisms of GRIN2A and GRIN2B genes.	Neurosci Lett.	13;394(2)	101-4.	2006
Ikedo M, Iwata N, Suzuki T, et al.	Positive association of AKT1 haplotype to Japanese methamphetamine use disorder.	Int J Neuropsychopharmacol.	9(1)	77-81	2006
Tsuchiya K, Hashimoto K, Iwata Y, et al.	Decreased serum levels of PECAM-1 in subjects with high-functioning autism: a negative correlation with head circumference at birth.	Biol Psychiatry		in press	2007
Matsuzawa D, Hashimoto K, Miyatake R, et al.	Identification of functional polymorphisms in the promoter region of the human P1CK1 gene and their association with methamphetamine psychosis.	Am J Psychiatry		in press	2007
Zhang L, Shirayama Y, Iyo M, Hashimoto K.	Minocycline attenuates hyperlocomotion and prepulse inhibition deficits in mice after administration of the NMDA receptor antagonist dizocilpine.	Neuropsychopharmacology.		in press	2007
Shimizu E, Imai M, Fujisaki M, et al.	Maintenance electroconvulsive therapy (ECT) for treatment-resistant disorganized schizophrenia.	Prog Neuropsychopharmacol Biol Psychiatry.		in press	2007

Hashimoto K, Tsukada H, Nishiyama S, et al.	Protective effects of minocycline on the reduction of dopamine transporters in the striatum after administration of methamphetamine: A PET study in conscious monkeys.	Biol Psychiatry.		in press	2007
Fukushima T, Mitsuhashi S, Tomiya M, et al.	Determination of kynurenic acid in human serum and its correlation with the concentration of certain amino acids.	Clin Chim Acta.	377(1-2)	174-178.	2007
Shimizu E, Watanabe H, Kojima T, et al.	Combined intoxication with methylene and 5-MeO-MIPT.	Prog Neuropsychopharmacol Biol Psychiatry.	30: 31	288-291.	2007
Nakajima M, Hattori E, Yamada K, et al.	Association and synergistic interaction between promoter variants of the DRD4 gene in Japanese schizophrenics.	J Hum Genet.	52(1):	86-91	2007
Hiranita T., Nawata Y., Sakimura K., et al.	The possibility of nicotinic activators as craving killers in methamphetamine dependence.	Proc Natl Acad Sci U S A	103	8523-8527	2006
Shuto T., Kuroiwa M., Hamamura M., et al.	Reversal of methamphetamine-induced behavioral sensitization by repeated administration of a dopamine D1 receptor agonist.	Neuropharmacology	50	991-997	2006
細田陽子, 山本経之	依存性薬物としてのMDMAの臨床ならびに行動薬理学的特徴	医学のあゆみ	217	1167-1170	2006
山本経之、細田陽子、 菅原真奈美	脳内endocannabinoidの異常性に基づくマウスの知的機能障害	分子精神医学			inpress
Dai H, Kaneko K, Kato H, Fujii S, et al.	Selective cognitive dysfunction in mice lacking histamine H1 and H2 receptors.	Neuroscience Research	57(2)	306-313	2007
Ishiwata K, Kawamura K, Yanai K, Hendrikse H.N.	In Vivo Evaluation of P-Glycoprotein Modulation of 8 PET Radioligands Used Clinically	J Nucl Med	48	81-87	2007
Sakurai E, Sakurai E, Oreland L, et al.	Evidence for the presence of histamine uptake into the synaptosomes of rat brain.	Pharmacology	78(2)	72-80	2006
Mobarakeh J I, Takahashi K, Sakurada S, et al.	Enhanced antinociceptive effects of morphine in histamine H2 receptor gene knockout mice	Neuropharmacology	51(3)	612-22	2006
Owada Y, Abdelwahab S A, Kitanaka N, et al.	Altered emotional behavioral responses in mice lacking brain-type fatty acid-binding protein gene.	Eur. J. Neurosci.	24(1)	175-87	2006
Yanai K, Tashiro M.	The physiological and pathophysiological roles of neuronal histamine: An insight from human PET studies.	Pharmacology & Therapeutics	113	1-15	2007
Maeyama K, Yanai K.	Recent advances in molecular pharmacology of the histamine system: preface.	J Pharmacol Sci.	101(1)	1-2	2006
Kuramasu A, Sukegawa J, Yanagisawa T, et al.	Recent advances in molecular pharmacology of the histamine systems: roles of C-terminal tails of histamine receptors.	J Pharmacol Sci.	101(1)	7-11	2006

研究成果の刊行に関する一覧表

Seeman P, Schwarz J, Chen JF, et al.	Psychosis pathways converge via D2(High) dopamine receptors.	Synapse	60(4)	319-346	2006
Ennis M, Masini E, Stuman G, Yanai K.	Honorary membership of the European Histamine Research Society (EHRS).	Inflamm. Res.	55(Supplement 1)	S03-S04	2006
谷内一彦、加藤元久	解説「脳とくすり」抗アレルギー薬、抗精神病薬、抗うつ薬のヒスタミンH1拮抗作用と認知機能	脳21	10(1)	85-90	2007
奥田友宏、谷内一彦	脳内ヒスタミン	Clinical Neuroscience	24(8)	848-849	2006
岡村信行、谷内一彦	アルツハイマー病のβアミロイドイメージング 特集「分子イメージングと認知症」	Cognition and Dementia	5(3)	192-198	2006
奥田友宏、谷内一彦	ストレスと覚醒剤依存形成	医学のあゆみ	271	1161-1166	2006
望月秀紀、谷内一彦	痒みに関する脳機能イメージング研究の展開	日薬理誌	127	147-150	2006
Kamei, H., Nagai, T., Nakano, H., et al.	Repeated methamphetamine treatment impairs recognition memory through a failure of novelty-induced ERK 1/2 activation in the prefrontal cortex.	Biol. Psychiatry	59	75-84	2006
Chen, L., Yamada, K., Nabeshima, T. and Sokabe, M.	α7 Nicotinic acetylcholine receptor as a target to rescue deficit in hippocampal LTP induction in b-amyloid infused rats.	Neuropharmacology	50	254-268	2006
Yan, Y., Nitta, A., Mizoguchi, H., Yamada, K. and Nabeshima, T.	Relapse of methamphetamine-seeking behavior in C57BL/6J mice demonstrated by a reinstatement procedure involving intravenous self-administration.	Behav. Brain Res.	168	137-143	2006
Ishikawa, K., Nitta, A., Mizoguchi, H., et al.	Effects of single and repeated administration of methamphetamine or morphine on neuroglycan C gene expression in the rat brain.	Int. J. Neuropsychopharmacol.	9	407-415	2006
Yan, Y., Nitta, A., Mizuno, T., et al.	Discriminative-stimulus effects of methamphetamine and morphine in rats are attenuated by cAMP-related compounds.	Behav. Brain Res.	173	39-46	2006
Nagai, T., Kamei, H., Dohniwa, M., et al.	Involvement of hippocampal ERK1/2 in spatial working memory in rats.	NeuroReport	17	1453-1457	2006
Ito, M., Nagai, T., Kamei, H., et al.	Involvement of tissue plasminogen activator-plasmin system in depolarization-evoked dopamine release in the nucleus accumbens of mice.	Mol. Pharmacol.	70	1720-1725	2006
Nagai, T., Ito, M., Nakamichi, N., et al.	The rewards of nicotine: regulation by tissue plasminogen activator-plasmin system through protease activated receptor-1.	J. Neurosci.	26	12374-12383	2006
田熊一徹、山田清文、松田敏夫	中枢神経系のアポトーシスにおけるミトコンドリアの役割に関する研究.	日本薬理学雑誌	127	349-35	2006
山田清文	覚せい剤により誘発される記憶障害—発症機構と薬物治療.	医学のあゆみ	217	1171-1173	2006
永井拓、鍋島俊隆、田熊一徹、山田清文	モルヒネ依存形成における組織プラスミノゲン活性化因子の役割.	日本アルコール・薬物医学雑誌	41	23-30	2006
Yan, Y., Yamada, K., Nitta, A. and Nabeshima, T.	Transient drug-primed but persistent cue-induced reinstatement of extinguished methamphetamine-seeking behavior in mice.	Behav. Brain Res.	177	261-268	2007

Takahashi, K., Nagai, T., Kamei, H., et al.	Neural circuits containing pallidotegmental GABAergic neurons are involved in the prepulse inhibition of the startle reflex in mice.	Biol. Psychiatry			in press
Mizoguchi, H., Yamada, K., Niwa, M., et al.	Reduction of methamphetamine-induced sensitization and reward in matrix metalloproteinase-2 and -9 deficient mice.	J. Neurochem.			in press
Ito, M., Nagai, T., Mizoguchi, H., et al.	Possible involvement of protease-activated receptor-1 in the regulation of morphine-induced dopamine release and hyperlocomotion by the tissue-plasminogen activator-plasmin system.	J. Neurochem.			in press
Ishiguro H, Liu QR, Gong JP, et al.	NRCAM in Addiction Vulnerability: Positional Cloning, Drug-Regulation, Haplotype-Specific Expression, and Altered Drug Reward in Knockout Mice	Neuropsychopharmacology	31	572-584	2006
Kobayashi H, Hata H, Ujike H, et al.	Association analysis of delta-opioid receptor gene polymorphisms in methamphetamine dependence/psychosis.	Am J Med Genet	141B	482-486	2006
Suzuki A, Nakamura K, Sekine Y, et al.	An association study between catechol-O-methyl transferase gene polymorphism and methamphetamine psychotic disorder	Psychiatr Genet	16	133-138	2006
Nakamura K, Chen CK, Sekine Y, et al.	Association analysis of SOD2 variants with meth-amphetamine psychosis in Japanese and Taiwanese populations	Hum Genet	120	243-252	2006
Nomura A, Ujike H, Tanaka Y, et al.	Genetic variant of prodynorphin gene is risk factor for methamphetamine dependence	Neurosci Lett	400	158-162	2006
Aoyama N, Takahashi N, Kitaichi K, et al.	Association Between Gene Polymorphisms of SLC22A3 and Methamphetamine Use Disorder	Alcohol Clin Exp Res	30	1644-1649	2006
氏家 寛、堀 達、小宮 山徳太郎	違法ドラッグを含む多剤乱用の実態と物質性誘発性精神病の遺伝子ファクター	医学のあゆみ	217	727-738	2006
氏家 寛	特定の物質の不足ないしは過剰に疾患が由来する病態、コカイン	精神科治療学	21、増刊号	162-163	2006
Shimamoto K, Otsubo Y., Shigeri Y., et al.	Characterization of the tritium-labeled analog of L-threo-b-benzoyloxyaspartate binding to glutamate transporters.	Mol. Pharmacol.	71	294-302	2007
Deyama S., Nakagawa T., Kaneko S., et al.	Involvement of the bed nucleus of the stria terminalis in the negative affective component of visceral and somatic pain in rats.	Behav. Brain Res.	176	367-371	2007
Tokuda S., Kuramoto T., Tanaka K., et al.	The ataxic groggy rat has a missense mutation in the P/Q-type voltage-gated Ca ²⁺ channel $\alpha 1A$ subunit gene and exhibits absence seizures.	Brain Res.	1133	168-177	2007
Kaneko S., Kawakami S., Hara Y., et al.	A critical role of TRPM2 in neuronal cell death by hydrogen peroxide.	J. Pharmacol. Sci.	101	66-76	2006
Fukui M., Nakagawa T., Minami M., et al.	Inhibitory role of supraspinal P2X ₇ /P2X _{2/3} subtypes on nociception in rats.	Mol. Pain	2	19	2006
中川貴之、金子周司	MDMAによるセロトニン放出および神経毒性発現の分子機序	週刊 医学のあゆみ	217	4490-4493	2006
Wu HE., Sun HS., Terashvili M., et al.	dextro- and levo-morphine attenuate opioid delta and kappa receptor agonist produced analgesia in mu-opioid receptor knockout mice	Eur J Pharmacol	531(1-3)	103-107	2006

Yamada H., Shimoyama N., Sora I., et al.	Morphine can produce analgesia via spinal kappa opioid receptors in the absence of mu opioid receptors	Brain Research	1083	61-69	2006
Kasai S., Han W., Ide S., et al.	Involvement of the 3' non-coding region of the mu opioid receptor gene in morphine-induced analgesia	Psychiatry Clin Neurosci	60	S11-17	2006
Han W., Kasai S., Hata H., et al.	Intracisternal A-Particle Element in the 3' Noncoding Region of the Mu Opioid Receptor Gene in C57BL/6J Mice: A New Genetic Mechanism Underlying Differences in Opioid Sensitivity	Pharmacogenetics and Genomics	16(6)	451-460	2006
Han W., Hata H., Imbe H., et al.	Increased body weight in mice lacking mu-opioid receptors	Neuroreport	17(9)	941-944	2006
Kobayashi H., Ujike H., Hasegawa J., et al.	Correlation of Tau gene polymorphism with age at onset of Parkinson's disease	Neurosci Lett	405	202-206	2006
Suzuki A., Nakamura K., Sekine Y., et al.	An association study between COMT gene polymorphism and methamphetamine psychotic disorder	Psychiat Genet	16(4)	133-138	2006
Ide S., Minami M., Ishihara K., et al.	Mu opioid receptor-dependent and independent components in effects of tramadol	Neuropsychopharmacology	51(3)	651-658	2006
Yamamoto H., Imai K., Kamegaya E., et al.	Repeated methamphetamine administration alters expression of the NMDA receptor channel $\epsilon 2$ subunit and kinases in the mouse brain	Ann. N.Y. Acad. Sci		97-103	2006
Yamashita M., Fukushima S., Shen H., et al.	Norepinephrine Transporter Blockade Can Normalize the Prepulse Inhibition Deficits Found in Dopamine Transporter Knockout Mice	Neuropsychopharmacology	31(10)	2132-2139	2006
Ujike H., Sakai A., Nakata K., et al.	Association study of the dihydropyrimidinase-related protein 2 gene and methamphetamine psychosis	Ann. N.Y. Acad. Sci	1074	90-96	2006
Nomura A., Ujike H., Tanaka Y., et al.	Association study of the tumor necrosis factor- α gene and its 1A receptor gene with methamphetamine dependence	Ann. N.Y. Acad. Sci	1074	116-124	2006
Morio A., Ujike H., Nomura A., et al.	No association between CART (Cocaine- and Amphetamine-Regulated Transcript) gene and methamphetamine dependence	Ann. N.Y. Acad. Sci	1074	411-417	2006
Kobayashi H., Ujike H., et al.	Identification of a risk haplotype of the α -synuclein gene in sporadic Parkinson's disease	Mov Disord	21(12)	2157-64	2006
Okuyama K., Ohwada K., Sakurada S., et al.	The distinctive effects of acute and chronic psychological stress on airway inflammation in a murine model of allergic asthma	Allergy International	56(1)	29-35	2007
Harburg GC., Hall FS., Harrist AV., et al.	Knockout of the mu opioid receptor enhances the survival of adult-generated hippocampal granule cell neurons	Neuroscience	144(1)	77-87	2007
Doi N., Itokawa M., Hoshi Y., Arai M., et al.	A resistance gene in disguise for schizophrenia?	Am J Med Genet B Neuropsychiatr Genet	144(2)	165-73	2006
曹良一郎, 伊藤美紀, 沼知陽太郎	違法ドラッグと覚せい剤の精神神経毒性と標的分子への作用機序	医学のあゆみ	217(13)	1152-1154	2006
曹良一郎, 福島暲	脳の発達障害 ADHDはどこでわかったか?	日本薬理学雑誌	128	8-12	2006

曽良一郎	第3回 Schizophrenia研究会 講演紹介	臨床精神薬理	9(8)	1694-1702	2006
曽良一郎, 有銘碩世布	前頭葉のモノアミン神経伝達による行動制御機構	実験医学	24(15)	84-89	2006
曽良一郎, 朴英善	モノアミン神経伝達と「こころの病」	Bionics	24(11)	40-45	2006
曽良一郎	オピオイド受容体Opioid receptor	H19キーワード精神医学		印刷中	
Kinoshita, H., Osamura, T., Mizuno, K., et al.	Asymmetric tandem Michael-aldol reactions between 3-cinnamoyloxazolidine-2-thiones and related aldehydes	Chem. Eur. J.	12	3896-3904	2006
Watanabe, S., Miura, Y., Iwamura, T., et al.	The first isolation of allenylselenonium salts: their synthesis and properties as electrophiles	Tetrahedron Lett.	48	813-816	2007
船田正彦, 佐藤美緒, 青尾直也, 和田清	トルエン精神依存形成における脳内モノアミン神経系の役割	日本アルコール・薬物医学学会雑誌	41	31-38	2006
Narimatsu S, Yonemoto R, Saito K et al.	Oxidative metabolism of 5-methoxy-N,N-diisopropyltryptamine (Foxy) by human liver microsomes and recombinant cytochrome P450 enzymes.	Biochem Pharmacol.	71	1377-1385	2006
Sogawa C, Sogawa N, Tagawa J et al.	5-Methoxy-N, N-diisopropyltryptamine (Foxy), a selective and high affinity inhibitor of serotonin transporter.	Toxicology Letters		in press	
Nabeshima T, Mouri A, Murai R et al.	Animal model of schizophrenia: dysfunction of NMDA receptor-signaling in mice following withdrawal from repeated administration of phencyclidine	Ann N Y Acad Sci	1086	160-168	2006
Mouri A, Noda Y, Mizoguchi H et al.	Dysfunction of glutamatergic systems and potential animal models of schizophrenia	Nippon Yakurigaku Zasshi, 127	127	4-8	2006
Niwa M, Nitta A, Yamada Y et al.	An inducer for glial cell line-derived neurotrophic factor and tumor necrosis factor- α protects against methamphetamine-induced rewarding effects and sensitization.	Biol Psychiatry		inpress	2006
Niwa M, Nitta A, Yamada Y et al.	Tumor necrosis factor- α and its inducer inhibit morphine-induced rewarding effects and sensitization.	Biol Psychiatry		in press	
Horiuchi Y, Arai M, Niizato K, et al.	A Polymorphism in the PDLIM5 Gene Associated with Gene Expression and Schizophrenia.	Biol Psychiatry.	59(5)	434-439	2006
Arai M, Yamada K, Toyota T, et al.	Association between polymorphisms in the promoter region of the sialyltransferase 8B (SIAT8B) gene and schizophrenia.	Biol. Psychiatry.	56(7)	434-439	2006
Yoshitsugu K, Yamada K, Toyota T et al.	Novel scale including strabismus and 'cuspidal ear' for distinguishing schizophrenia patients from controls using minor physical anomalies.	Psychiatry Research.	145(2-3)	249-258	2006
Fukuda Y, Koga M, Arai M, et al.	Monoallelic and Unequal Allelic Expression of the HTR2A Gene in Human Brain and Peripheral Lymphocytes.	Biol Psychiatry	60(12)	1331-1335	2006

研究成果の刊行に関する一覧表

藤田俊之、高橋美佐子、新井誠、et al.	5-MeO-DIPTIにより急性再燃をきたした覚醒剤精神病の1例.	精神医学	49(1)	59-61	2007
Itokawa M., Iwata K., Takahashi M., et al.	Acute confusional state after designer tryptamine abuse.	Psychiat. Clinic. Neurosci.	61	196-199	2007
Inoue S, Imamura A, Okazaki Y, et al.	Synaptotagmin XI as a candidate gene for susceptibility to schizophrenia.	Am J Med Genet B Neuropsychiatr Genet.		in press	

研究成果の刊行に関する一覧表

(平成16-18年度)

通信管理レポート

ページ: 1

発信

N.O.	文書番号	相手	開始時刻	所要時間	ページ数	モード	通信内容	通信結果
1	7869	イワナミショテン	3-26; 7:58PM	16秒	1/	SG3		良好
2	7872	(カフ) コングレ チュウフ	3-27; 8:32AM	20秒	2/	SG3		良好
3	7882	ホテルキャッスル フラサ	2:42PM	35秒	3/	SG3		良好
4	7891	(カフ) コングレ チュウフ	3:30PM	27秒	2/	SG3		良好
5	7933	ホテルキャッスル フラサ	3-28; 10:13AM	17秒	1/	SG3		良好
6	8004	(カフ) コムロード	3-29; 2:39PM	23秒	2/	SG3		良好
7	8041	トッパ ンフォームズ (チュウフ)	3-30; 10:05AM	16秒	1/	SG3		良好
8	8097	ナコ ヤマリオットアソシアホテル	4:48PM	49秒	3/	ECM		良好
9	8115	0575772314	4- 2; 12:48PM	49秒	1/	G3		良好
10	8127	05841173	3:27PM	0秒	-/	G3		中断
11	8128	ナコ ヤマリオットアソシアホテル	3:28PM	37秒	1/	ECM		良好
12	8136	(カフ) コングレ チュウフ	4:26PM	16秒	1/	SG3		良好
13	8137	ナコ ヤタ イカ クビ ヨウイン	5:50PM	24秒	1/	SG3		良好
14	8174	ニホンコウテイショキョウカイ	4- 3; 1:41PM	15秒	1/	SG3		良好
15	8185	81528348090	4- 4; 10:18AM	27秒	2/	SG3		良好
16	8215	08348090	2:44PM	0秒	-/	G3		中断
17	8217	81528348090	2:45PM	19秒	1/	SG3		良好
18	8220	00010103016347158	3:34PM	0秒	-/	G3		中断
19	8221	3016347158	3:35PM	37秒	2/	SG3		良好
20	8229	81528348090	4:34PM	32秒	2/	SG3		良好
21	8262	052 834 5963	4- 5; 4:25PM	51秒	1/	G3		良好
22	8266	81528348090	4- 6; 9:11AM	16秒	1/	SG3		良好
23	8281	0528392735	12:47PM	32秒	3/	SG3		良好
24	8327	Fax Server	4- 9; 9:46AM	46秒	3/	SG3		良好
25	8422	052 744 2876	4-11; 10:14AM	27秒	3/	SG3		良好
26	8427	0528392735	10:55AM	44秒	-/	SG3	再送信	自動再送
27	8427	0528392735	10:57AM	24秒	1/	SG3		良好
28	8432	0528392735	11:25AM	1分01秒	7/	SG3		良好
29	8433	0528392735	12:22PM	14秒	1/	SG3		良好
30	8434	0528392735	1:40PM	21秒	2/	SG3		良好
31	8445	0527442785	2:57PM	14秒	1/	SG3		良好
32	8448	2875	3:11PM	0秒	-/	G3		中断
33	8449	0527442785	3:12PM	14秒	1/	SG3		良好
34	8462	0528392735	4-12; 8:56AM	14秒	1/	SG3		良好
35	8464	0528392735	9:08AM	16秒	1/	SG3		良好
36	8470	8348090	9:52AM	0秒	-/	G3		中断
37	8471	81528348090	9:53AM	14秒	1/	SG3		良好
38	8480	0528392735	10:41AM	1分58秒	8/	SG3		良好
39	8499	0528392735	12:45PM	26秒	1/	SG3		良好
40	8512	81335010034	1:51PM	14秒	1/	SG3		良好
41	8519	2105678328	4:39PM	25秒	2/	SG3		良好
42	8521	901 4486064	4:42PM	30秒	2/	SG3		良好
43	8522	000101088637582946	4:43PM	22秒	2/	SG3		良好
44	8523	2804809	4:44PM	41秒	2/	ECM		良好
45	8572	052 834 5963	4-13; 4:21PM	41秒	1/	G3		良好
46	8573	チュウオウヤツキョク	5:47PM	16秒	1/	SG3		良好
47	8588	81332343700	4-16; 10:21AM	37秒	4/	SG3		良好
48	8595	Newton Press Inc	12:32PM	29秒	1/	SG3		良好
49	8629	08392735	4:19PM	47秒	-/	G3	再送信	自動再送
50	8629	08392735	4:21PM	1分37秒	1/	G3		良好

書籍

著者氏名	掲載文のタイトル	書籍名	出版社名	出版地	頁	出版年
Hashimoto, K., Tsukada, H., Nishiyama, S., 江島, 久	Effects of N-acetyl-L-cysteine on the reduction of dopamine transporters in striatum of monkeys treated with methamphetamine.	Ann N Y Acad Sci	The New York Academy of Sciences	NY	231-235	2004
Iwata N, Inada T, Harano M, et al.	No Association Is Found between the Candidate Genes of α -PA/Phenomenon System and Japanese Methamphetamine-Related Disorder: A Collaborative Study by the Japanese Genetics Initiative for Drug Abuse.	Ann N Y Acad Sci	The New York Academy of Sciences	NY	34-38	2004
Inada T, Iijima Y, Uchida N, Maeda T, et al.	No Association Found between the Type 1 Sigma Receptor Gene Polymorphisms and Methamphetamine Abuse in the Japanese Population: A Collaborative Study by the Japanese Genetics Initiative for Drug Abuse.	Ann N Y Acad Sci	The New York Academy of Sciences	NY	27-33	2004
Kobayashi H, Ido S, Hasegawa J, et al.	Study of Association between α 1-Synuclein Gene Polymorphism and Methamphetamine Psychosis/Dependence.	Ann N Y Acad Sci	The New York Academy of Sciences	NY	325-334	2004
Ido S, Kobayashi H, Tanaka K, et al.	Gene polymorphisms of the mu opioid receptor in methamphetamine abusers	Ann N Y Acad Sci	The New York Academy of Sciences	NY	316-24	2004
Harano M, Uchinura N, Abe H, et al.	A Polymorphism of DRD2 Gene and Brain Atrophy in Methamphetamine Psychosis.	Ann N Y Acad Sci	The New York Academy of Sciences	NY	307-15	2004
Iyo M, Sekine Y, Mori N.	Neuromechanism of developing methamphetamine psychosis: a neuroimaging study.	Ann N Y Acad Sci	The New York Academy of Sciences	NY	288-95	2004
Nishikawa, T.	A systematic approach to the brain d-serine system	A New Frontier in Amino Acid and Protein Research	Nova Science Publishers	New York	in press	
濱村良史, 山本直樹, 黒田安祥 他	抗精神病薬の作用機序	統合失調症の薬物治療アルゴリズム	医学書院	東京	95-122	2006
谷口 豪, 西川 徹	3,4-グルタミン酸-D-セリンシステムと統合失調症 V. 「グルタミン酸」と「かんかん」, 統合失調症」	脳とこころの科学	新興医学出版	東京	114-123	2006
Yamada, K. and Nabeshima, T.	Nitric oxide in learning and memory.	From Messengers to Molecules: Memories are Made of These	LANDES BIOSCIENCE	Texas	p480-491	2004
Ujike H, Sato M.	Clinical features of sensitization to methamphetamine observed in patients with methamphetamine dependence and psychosis.	Current status of drug dependence/abuse studies. Cellular and molecular mechanisms of drugs of abuse and neurotoxicity	Ann New York Acad Sci	NY	279-287	2004
Kobayashi H, Ido S, Hasegawa J, et al.	Study of Association between α 1-Synuclein Gene Polymorphism and Methamphetamine Psychosis/Dependence	Current status of drug dependence/abuse studies. Cellular and molecular mechanisms of drugs of abuse and neurotoxicity	Ann New York Acad Sci	NY	325-334	2004
Ido S, Kobayashi H, Tanaka K, et al.	Gene polymorphisms of the mu opioid receptor in methamphetamine abusers.	Current status of drug dependence/abuse studies. Cellular and molecular mechanisms of drugs of abuse and neurotoxicity	Ann New York Acad Sci	NY	307-315	2004
Harano M, Uchinura N, Abe H, et al.	A Polymorphism of DRD2 Gene and Brain Atrophy in Methamphetamine Psychosis.	Current status of drug dependence/abuse studies. Cellular and molecular mechanisms of drugs of abuse and neurotoxicity	Ann New York Acad Sci	NY	279-287	2004

Iwata N, Inada T, Harano M, et al.	No Association Is Found between the Candidate Genes of t-PA/Plasminogen System and Japanese Methamphetamine-Related Disorder: A Collaborative Study by the Japanese Genetics Initiative for Drug Abuse.	Current status of drug dependence/abuse studies. Cellular and molecular mechanisms of drugs of abuse and neurotoxicity	Ann New York Acad Sci	NY	34-38	2004
Inada T, Iijima Y, Uchida N, et al.	No Association Found between the Type 1 Sigma Receptor Gene Polymorphisms and Methamphetamine Abuse in the Japanese Population: A Collaborative Study by the Japanese Genetics Initiative for Drug Abuse.	Current status of drug dependence/abuse studies. Cellular and molecular mechanisms of drugs of abuse and neurotoxicity	Ann New York Acad Sci	NY	27-37	2004
氏家 寛	依存性薬物による精神障害	脳の病気のすべてがわかる本	学習研究社	東京	286-307	2004
氏家 寛	薬剤による精神障害	今日の治療指針2005年版	医学書院	東京	680	2005
Ujike H, Sakai A, Nakata K, et al.	Association study of the dihydropyrimidinase-related protein 2 gene and methamphetamine psychosis	Cellular and Molecular Mechanisms of Drugs of Abuse and Neurotoxicity, Cocaine, GHB, and Substituted Amphetamines, Vol.160	Ann N Y Acad Sci,	NY	90-96	2006
Merio A, Ujike H, Nomura A, et al.	No association between GART (Cocaine- and Amphetamine-Regulated Transcription) gene and methamphetamine dependence	Cellular and Molecular Mechanisms of Drugs of Abuse and Neurotoxicity, Cocaine, GHB, and Substituted Amphetamines, Vol.160	Ann N Y Acad Sci,	NY	411-417	2006
Nomura A, Ujike H, Tanaka Y, et al.	Association study of the tumor necrosis factor- α gene and its 1A receptor gene with methamphetamine. Dependence	Cellular and Molecular Mechanisms of Drugs of Abuse and Neurotoxicity, Cocaine, GHB, and Substituted Amphetamines, Vol.160	Ann N Y Acad Sci,	NY	116-124	2006
氏家 寛	薬物依存、生物学的側面	精神科臨床ニューアプローチ8、睡眠障害・物質関連障害	メジカルビュー	東京	174-181	2006
山本 啓之	第2部 麻薬依存はなぜ起きるか！動物も覚せい剤や麻薬の依存症になるか	覚せい剤精神病と麻薬依存	東北大学出版	仙台	89-103	2004
Yamamoto H, Kamegawa E, Takamatsu Y, et al.	Prolonged changes in expression of genes underlying methamphetamine abuse.	New research on methamphetamine abuse	Nova Science Publishers	New York		in press
Hayashida M, Ikeda K, Fukuda K, et al.	Acute postoperative pain management: past, present, and future.	The 8th Biennial Congress of the Asian & Oceanic Society of Regional Anesthesia and Pain Medicine			15-19	2005
曾良 一郎, 森岡 秀和, 井手 聡一郎, 池田 和彦	モルヒネの効き 副作用のてかたは題人で異なるか？	患者の疑問に答えるオピオイドの要点	真興交易	東京	53-62	2005
池田 和彦, 高松 敏夫, 高松 幸雄, 曾良 一郎	快痛動機現におけるオピオイドシステムの役割、ドーパミンシステムとの比較	オピオイド研究の進歩と展望	ネオメディカル	厚木	149-154	2004

発表者名	論文タイトル	発表誌名	巻号	頁	出版年
Itoh K, Hashimoto, K., Kumakiri O., Shimizu, E., Iyo, M.	Association between brain-derived neurotrophic factor 196 G/A polymorphism and personality traits in healthy subjects.	Am J Med Genet	124B	61-63	2004
Hashimoto, K., Fukushima, T., Shimizu, E., et al.	Possible role of D-serine in the pathophysiology of Alzheimer's disease.	Prog Neuropsychopharmacol Biol Psychiatry	28	385-388	2004
Fujisaki, M., Hashimoto, K., Iyo, M., Ohba, T.	Role of amygdalo-hippocampal transition area in the fear expression: evaluation by behavior and immediate early gene expression.	Neuroscience	124	247-260	2004
Okamura, N., Hashimoto, K., et al.	Adenosine A ₂ receptor agonists block the neuropathological changes in rat retrosplenial cortex after administration of the NMDA receptor antagonist dizocilpine.	Neuropsychopharmacol	29	544-550	2004
Koizumi, H., Hashimoto, K., Kumakiri, O., et al.	Association between the glutathione S-transferase M1 gene deletion and female methamphetamine abusers.	Am J Med Genet	126B	43-45	2004
Nonura F., Tomonaga T., Segawa K. et al.	Identification of novel and downregulated biomarkers for alcoholism by surface enhanced laser desorption/ionization-mass spectrometry.	Proteomics	4	1187-94	2004
Suzuki K., Takei N., Iwata Y., Sekine Y. et al.	Do olfactory reference syndrome and Jwa-shu-kyofu (a subtype of balin-kyofu) share a common entity?	Acta Psychiatr Scand	109	150-155	2004
Osawa K., Kobayashi K., Noda S. et al.	Zonisamide-induced depression and mania in patients with epilepsy.	J Clin Psychopharmacol	24	110-111	2004
Shimizu, E., Hashimoto, K., Iyo, M.	Ethnic difference of the BDNF 196G/A (val66met) polymorphism frequencies: the possibility to explain ethnic mental traits.	Am J Med Genet	126B	122-123	2004
Koike, K., Hashimoto, K., Okamura, N., et al.	Decrease of cell proliferation in the dentate gyrus of hippocampus of alpha-7 nicotinic receptor heterozygous mice.	Prog Neuropsychopharmacol Biol Psychiatry	28	517-520	2004
Yanahashi, S., Hashimoto, K., Hattori, K., Yuasa, S., Iyo, M.	Role of NMDA receptor subtypes in the induction of catlepsy and increase in Fos protein expression after administration of haloperidol.	Brain Res	1011	84-93	2004
Hashimoto, K., Shimizu, E., Iyo, M.	Critical role of brain-derived neurotrophic factor in mood disorders.	Brain Res Rev	45	104-114	2004
Hashimoto, K., Okamura, N., Shimizu, E., Iyo, M.	Glutamate hypothesis of schizophrenia and approach for possible therapeutic drugs.	Curr Med Chem-CNS Agents	4	147-154	2004
Shimizu, E., Hashimoto, K., Kobayashi, K., et al.	Lack of association between angiotensin I-converting enzyme (ACE) insertion (I)/deletion (D) gene functional polymorphism and panic disorder.	Neurosci Lett	363	81-83	2004
Fukami, G., Hashimoto, K., Koike, K., et al.	Effect of antioxidant N-acetyl-L-cysteine on behavioral changes and neurotoxicity in rats after administration of methamphetamine	Brain Res	1016	90-95	2004
Ota T., Shireteih H., Fukushi K., Nagatsuka S., et al.	A simple method for the detection of abnormal brain regions in Alzheimer's disease patients using [11C]MP4A: comparison with [123I]IMP SPECT.	Ann Nucl Med	18	187-193	2004
Sato K. Fukushi K, Shinotoh H, Nagatsuka S., et al.	Evaluation of Simplified Kinetic Analyses for Measurement of Brain Acetylcholinesterase Activity Using N-[11C]Methylphenpiridin-4-yl Propionate and Positron Emission Tomography.	J Cereb Blood Flow Metab	24	600-611	2004
Hashimoto, K., Teukada, H., Nishiyama, S., et al.	Protective effects of D-acetyl-L-cysteine on the reduction of dopamine transporters in striatum of monkeys treated with methamphetamine.	Neuropsychopharmacology	29	2018-2023	2004

Shimizu, E., Otsuka, A., Hashimoto, K., Iyo, M.	Blepharospasm associated with olanzapine: a case report.	Eur Psychiatry	19	389	2004
Kubota, O., Hattori, K., Hashimoto, K., Yagi, T., Sato, T., Iyo, M., Yunes, S.	Auditory conditioned fear-dependent c-Fos expression is altered in the emotion-related brain structures of Fyn-deficient mice.	Mol Brain Res	130	149-160	2004
Nakazato, M., Hashimoto, K., Shina, A., et al.	No changes in serum ghrelin levels in female patients with bulimic nervosa.	Prog Neuropsychopharmacol Biol Psychiatry	28	1181-1184	2004
Itoh, K., Hashimoto, K., Shimizu, E., et al.	Association study of the brain-derived neurotrophic factor gene polymorphisms and methamphetamine abusers in Japan.	Am J Med Genet	132B	70-73	2004
Okamoto, H., Shimizu, E., Ozawa, K., Hashimoto, K., Iyo, M.	Lithium augmentation in miltacipran-refractory depression for the prevention of relapse following electroconvulsive therapy.	Aust N Z J Psychiatry	39	108	2004
Koike, K., Hashimoto, K., Fukami, G., et al.	The immunophilin ligand FK506 protects against methamphetamine-induced dopaminergic neurotoxicity in mouse striatum. Neuropharmacology	Neuropharmacology	48	391-7	2005
Hashimoto, K., Engberg, G., Shimizu, E., Nordin, C., Lindstrom, L.H., Iyo, M.	Elevated glutamate/glutamate ratio in cerebrospinal fluid of first episode and drug naive schizophrenic patients.	BMC Psychiatry	5	6	2005
Shina, A., Nakazato, M., Mitsumori, M., Koizumi, H., Shimizu, E., Fujisaki, M., Iyo, M.	An open trial of outpatient group therapy for bulimic disorders: combination program of cognitive behavioral therapy with assertive training and self-esteem enhancement.	Psychiatry Clin Neurosci.	59(6)	690-6	2005
Hashimoto, K., Iyo, M., Freedman, R., Stevens, K.E.	Tropisetron improves deficient inhibitory auditory processing in DBA/2 mice: role of $\alpha 7$ nicotinic acetylcholine receptors.	Psychopharmacology (Berl)	183(1)	13-9	2005
Hashimoto, K., Fujita, Y., Shimizu, E., Iyo, M.	Phencyclidine-induced cognitive deficits in mice are improved by subsequent subchronic administration of citalopram, but not haloperidol.	Eur J Pharmacol.	519(1-2)	114-117	2005
Hashimoto, K., Koike, K., Shimizu, E., Iyo, M.	$\alpha 7$ Nicotinic receptor agonists as potential therapeutic drugs for schizophrenia.	Curr Med Chem-CNS Agents	5	171-184	2005
Ohtake, S., Hashimoto, K., Shimizu, E., et al.	Functional polymorphism of the NQO2 gene is associated with methamphetamine psychosis.	Addiction Biol.	10	145-148	2005
Hashimoto, K., Shimizu, E., Komatsu, N., et al.	No changes in serum epidermal growth factor levels in patients with schizophrenia.	Psychiatry Res.	135(3)	257-60	2005
Matsuzawa, D., Hashimoto, K., Shimizu, E., Fujisaki, M., Iyo, M.	Functional Polymorphism of the Glutathione Peroxidase 1 Gene Is Associated with Personality Traits in Healthy Subjects.	Neuropsychobiology.	52(2)	68-70	2005
Ikeeda, M., Iwata, N., Suzuki, T., Kitajima, T., et al.	Positive association of AKT1 haplotype to Japanese methamphetamine use disorder.	Int J Neuropsychopharmacol.	28	1-5	2005
Yamada, K., Ohnishi, T., Hashimoto, K., Ohba, H., et al.	Identification of Multiple Serine Racemase (SRR) mRNA Isoforms and Genetic Analyses of SRR and DAO in Schizophrenia and α -Serine Levels.	Biol Psychiatry.	57(12)	1493-503	2005
Hashimoto, K., Engberg, G., Shimizu, E., Nordin, C., Lindstrom, L.H., Iyo, M.	Reduced d-serine to total serine ratio in the cerebrospinal fluid of drug naive schizophrenic patients.	Biol Psychiatry.	29(5)	787-9	2005
Morita, Y., Ujike, H., Tanaka, Y., et al.	The X-box binding protein 1 (XBP1) gene is not associated with methamphetamine dependence.	Neurosci Lett	383(1-2)	194-8	2005
Koike, K., Hashimoto, K., Takai, N., et al.	Tropisetron improves deficits in auditory P50 suppression in schizophrenia.	Schizophr Res	76(1)	67-72	2005
Shiraishi, T., Kikuchi, T., Fukushi, K., et al.	Examination of Plasma IC(50) of Donepezil Hydrochloride for Brain Acetylcholinesterase Inhibition in Monkey Using N-[(11C)methylphenyl]-4-yl Acetate ((11C)MPPA) and PET.	Neuropsychopharmacology	30(12)	2154-61	2005
Shimizu, E., Hashimoto, K., Koizumi, H., et al.	No association of the brain-derived neurotrophic factor (BDNF) gene polymorphisms with panic disorder.	Prog Neuropsychopharmacol Biol Psychiatry.	29(5)	708-12	2005
Kobayashi, K., Shimizu, E., Hashimoto, K., et al.	Serum brain-derived neurotrophic factor (BDNF) levels in patients with panic disorder. As a biological predictor of response to group cognitive behavioral therapy.	Prog Neuropsychopharmacol Biol Psychiatry	29(5)	658-63.	2005

Hashimoto K, Shimizu E, Iyo M.	Dysfunction of glia-neuron communication in pathophysiology of schizophrenia.	Curr Psychiatry Rev.	1(2)	151-163	2005
Salama RH, Muramatsu H, Shimizu E, et al.	Increased midline levels in sera from patients with Alzheimer's disease.	Prog Neuropsychopharmacol Biol Psychiatry	29(4)	611-6	2005
Hashimoto K, Koizumi H, Nakazato M, Shimizu E, Iyo M.	Role of brain-derived neurotrophic factor in eating disorders: Recent findings and its pathophysiological implications	Prog Neuropsychopharmacol Biol Psychiatry.	29(4)	499-504.	2005
Nishiyama T, Ikeda M, Iwata N, Suzuki T, et al.	Haplotype association between GABA(A) receptor gamma2 subunit gene (GABRG2) and methamphetamine use disorder.	Pharmacogenomics J.	5(2)	89-95	2005
Koizumi H, Hashimoto K, Shimizu E, et al.	Further analysis of microsatellite marker in the BDNF gene.	Am J Med Genet B Neuropsychiatr Genet.	135B(1)	103	2005
Hashimoto T, Hashimoto K, Matsuzawa D, et al.	A functional glutathione S-transferase P1 gene polymorphism is associated with methamphetamine-induced psychosis in Japanese population.	Am J Med Genet B Neuropsychiatr Genet	135B(1)	5-9	2005
Morita Y, Ujike H, Tanaka Y, Uchida N, et al.	A nonsynonymous polymorphism in the human fatty acid amide hydrolase gene did not associate with either methamphetamine dependence or schizophrenia.	Neurosci Lett.	376(3)	182-7	2005
Koike K, Hashimoto K, Fukami G, et al.	The immunophilin ligand FK506 protects against methamphetamine-induced dopaminergic neurotoxicity in mouse striatum.	Neuropharmacology.	48(3)	391-7	2005
Hashimoto K, Engberg G, Shimizu E, et al.	Elevated glutamine/ glutamate ratio in cerebrospinal fluid of first episode and drug naive schizophrenic patients.	BMC Psychiatry	5(1)	6	2005
Opai M, Iyo M, Mori N, Takei N	A right orbitofrontal region and OCD symptoms: a case report.	Acta Psychiatr Scand.	111(1)	74-6	2005
Itoh K, Hashimoto K, Shimizu E, et al.	Association study between brain-derived neurotrophic factor gene polymorphisms and methamphetamine abusers in Japan.	Am J Med Genet B Neuropsychiatr Genet	132B(1)	70-73	2005
Hashimoto K, Fujita Y, Ishima T, Hagiwara H, Iyo M.	Phencyclidine-induced cognitive deficits in mice are improved by subsequent subchronic administration of tropisetron: Role of $\alpha 7$ nicotinic receptors.	Eur J Pharmacol	28: 553(1-3)	191-195	2006
Hashimoto K, Iwata Y, Nakamura K, et al.	Reduced serum levels of brain-derived neurotrophic factor in adult male patients with autism.	Prog Neuropsychopharmacol Biol Psychiatry	30: 30(8)	1529-1531	2006
Shinohe A, Hashimoto K, Nakamura K, et al.	Increased serum levels of glutamate in adult patients with autism.	Prog Neuropsychopharmacol Biol Psychiatry	30: 30(8)	1472-1477	2006
Koizumi H, Hashimoto K, Iyo M.	Dietary restriction changes behaviors in brain-derived neurotrophic factor heterozygous mice: role of serotonergic system.	Eur J Neurosci	24(8)	2335-2344	2006
Zhang L, Shirayama Y, Shimizu E, Iyo M, Hashimoto	Protective effects of minocycline on 3,4-methylenedioxymethamphetamine-induced neurotoxicity in serotonergic and dopaminergic neurons of mouse brain.	Eur J Pharmacol	21: 544(1-3)	1-9.	2006
Hattori K, Uchino S, Iseoka T, et al.	Fyn is required for haloperidol-induced catalepsy in mice.	J Biol Chem.	17:281(11):	7129-35.	2006
Ide S, Kobayashi H, Ujike H, et al.	Linkage disequilibrium and association with methamphetamine dependence/psychosis of mu-opioid receptor gene polymorphisms.	Pharmacogenomics J.	6(3):	179-88.	2006
Ozawa K, Hashimoto K, Kishimoto T, et al.	Immune Activation During Pregnancy in Mice Leads to Dopaminergic Hypofunction and Cognitive Impairment in the Offspring: A Neurodevelopmental Animal Model of Schizophrenia.	Biol Psychiatry	15: 59(6)	546-554	2008
Shimizu E, Hashimoto K, Ochi S, Fukami G, et al.	Posterior cingulate gyrus metabolic changes in chronic schizophrenia with generalized cognitive deficits.	J Psychiatr Res	41(1-2):	49-56.	2006
Shimizu E, Hashimoto K, Oliguchi S, et al.	Association between angiotensin I-converting enzyme insertion/deletion gene (functional polymorphism) and novelty seeking personality in healthy females.	Prog Neuropsychopharmacol Biol Psychiatry.	30(1)	98-103	2006
Sekine Y, Ouchi Y, Takei N, et al.	Brain serotonin transporter density and aggression in abstinent methamphetamine abusers.	Arch Gen Psychiatry	63(1)	90-100	2006

Iwayama Y, Hashimoto K, Nakajima M, et al.	Analysis of correlation between serum D-serine levels and functional promoter polymorphisms of GRIN2A and GRIN2B genes.	Neurosci Lett	13:394(2)	101-4.	2006
Iikeda M, Iwata N, Suzuki T, Kitajima T, et al.	Positive association of AKT1 haplotype to Japanese methamphetamine use disorder.	Int J Neuropsychopharmacol	9(1)	77-81	2006
Tsuchiya K, Hashimoto K, Iwata Y, et al.	Decreased serum levels of PECAM-1 in subjects with high-functioning autism: a negative correlation with head circumference at birth.	Biol Psychiatry		in press	2007
Matsuzawa D, Hashimoto K, Miyatake R, et al.	Identification of functional polymorphisms in the promoter region of the human PI3K1 gene and their association with methamphetamine psychosis.	Am J Psychiatry		in press	2007
Zhang L, Shirayama Y, Iyo M, Hashimoto K.	Minoxidil attenuates hyperlocomotion and propulse inhibition deficits in mice after administration of the NMDA receptor antagonist dizocipine.	Neuropsychopharmacology		in press	2007
Shimizu E, Inai M, Fujisaki M, Shinoda N, et al.	Maintenance electroconvulsive therapy (ECT) for treatment-resistant disorganized schizophrenia.	Prog Neuropsychopharmacol Biol Psychiatry		in press	2007
Hashimoto K, Fujita Y, Iyo M.	Phencyclidine-Induced Cognitive Deficits in Mice are Improved by Subsequent Subchronic Administration of Fluvoxamine: Role of Sigma-1 Receptors.	Neuropsychopharmacology		in press	2007
Fukushima T, Mitsuhashi S, Tomiyo M, et al.	Determination of tyrosenic acid in human serum and its correlation with the concentration of certain amino acids.	Clin Chim Acta	377(1-2)	174-178.	2007
Shimizu E, Watanabe H, Kojima T, et al.	Combined intoxication with methylene and 5-MeO-MIPT.	Prog Neuropsychopharmacol Biol Psychiatry	30, 31	288-291.	2007
Nakajima M, Hattori E, Yamada K, et al.	Association and synergistic interaction between promoter variants of the DRD4 gene in Japanese schizophrenics.	J Hum Genet	52(1):	86-91	2007
Kaneko, Y., Kashiwa, A., Ito, T., et al.	Selective serotonin reuptake inhibitors, fluoxetine and paroxetine, attenuate the expression of the established behavioral sensitization induced by methamphetamine	Neuropsychopharmacol	32	658-664	2007
Takeuchi, T., Furuta, K., Hirasawa, T., et al.	Peroxisome in the treatment of patients with delirium	Psychiatry Clin Neurosci	61	67-70	2007
Tanaka, Y., Okata, T., Sassa, T., et al.	Quantitative magnetic resonance spectroscopy of schizophrenia: relationship between decreased N-acetylaspartate and frontal lobe dysfunction	Psychiatry Clin Neurosci	60	365-372	2006
Kuroda, Y., Motohashi, N., Ito, H., et al.	Effects of repetitive transcranial magnetic stimulation on [11C]recloride binding and cognitive function in patients with depression	J. Affect. Disorder	95	35-42	2006
Kanematsu S., Ishii, S., Umino, A., et al.	Evidence for involvement of glial cell activity in the control of extracellular D-serine contents in the rat brain	J Neural Transm	113	1717-1721	2006
Yui, K., Kaji, Y., Nishikawa, T.	Neurobiological and molecular bases of methamphetamine-induced behavioral sensitization and spontaneous recurrence of methamphetamine psychosis, and its implication in	Current Psychiatry Reviews	2	381-393	2006
西川敬	統合失調症の分子機構研究の最前線: 疾患解明Overview	実験医学	24	2663-2671	2006
西川敬	脳の発達障害としての統合失調症	日本薬理学雑誌	128	13-18	2006
日比野英彦, 西川 敬	アシル化アミノ酸の行動薬理学的評価-脂質による高次脳機能異常改善作用の機序を中心に---	オレオサイエンス	6	93-105	2006
山本直樹, 西川敬	違法ドラッグと依存性薬物による精神障害の分子病態	医学のあゆみ	217	1147-1151	2006
祭田英範, 西川 敬	統合失調症の薬理学的発展: 特集「統合失調症解明へのアプローチ」	精神科	8	257-263	2006
Nakajima, A., Yamada, K., Nagai, T., et al.	Role of TNF- α in methamphetamine-induced drug dependence and neurotoxicity.	J. Neurosci.	24	2212-2225	2004

Nagai, T., Yamada, K., Yoshimura, M., et al.	Tissue plasminogen activator-plasmin system participates in the rewarding effect of morphine by regulating dopamine release.	Proc. Natl. Acad. Sci. USA	101	3650-3655	2004
Mizoguchi, H., Yamada, K., Mizuno, M., et al.	Regulations of methamphetamine reward by extracellular signal-regulated kinase 1/2/ets-like gene-1 signaling pathway via the activation of dopamine receptors.	Mol. Pharmacol.	65	1293-1301	2004
Zeng, N., Nakajima, A., He, J., Nitta, A., Yamada, K. and Nabeshima, T.	Fos expression associated with the discriminative stimulus effects of methamphetamine in rats.	Ann. NY Acad. Sci.	1025	274-278	2004
Yan, Y., Mizuno, T., Nitta, A., Yamada, K. and Nabeshima, T.	Nefiracetam attenuates methamphetamine-induced discriminative stimulus effects in rats.	Ann. NY Acad. Sci.	1025	274-278	2004
Nakajima, A., Yamada, K., He, J., Zeng, N., Nitta, A. and Nabeshima, T.	Anatomical substrates for the discriminative stimulus effects of methamphetamine in rats.	J. Neurochem.	91	308-317	2004
Yamada, K. and Nabeshima, T.	Poor- and anti-addictive neurotrophic factors and cytokines in psychostimulant addiction (Review).	Ann. NY Acad. Sci.	1025	198-204	2004
Yamada K, Makoto Mizuno and Nabeshima T	Interaction of BDNF/TrkB signaling and NMDA receptors in learning and memory.	Drug News Perspect.	17	1-4	2004
Nabeshima, T., Tran, M. H., Kim, H. C. and Yamada, K.	Oxidative stress mechanism of amyloid β -peptide-induced impairment of neurotransmission and memory.	Method Find. Exp. Clin. Pharmacol.	26	1-3	2004
Matsuoka, Y., Furuyaishi, T., Yamada, K., et al.	Prostaglandin E receptor EP1 controls impulsive behavior under stress.	Proc. Natl. Acad. Sci. U.S.A.	102	16066-1607	2005
Yamada, K., Takayanagi, M., Kamei, H., et al.	Effects of nemanine and donepezil on amyloid β -induced memory impairment in a delayed-matching to position task in mice.	Behav. Brain Res.	162	191-199	2005
Nagai, T., Kamei, H., Ito, M., et al.	Modification by the tissue plasminogen activator-plasmin system of morphine-induced dopamine release and dopamine-dependent hyperlocomotion, but not antinociceptive effect	J. Neurochem.	93	1272-1279	2005
Nagai, T., Noda, Y., Ishikawa, K., et al.	The role of tissue plasminogen activator in methamphetamine-related reward and sensitization.	J. Neurochem.	92	660-667	2005
Yamada, K., Nagai, T. and Nabeshima, T.	Drug dependence, synaptic plasticity, and tissue plasminogen activator.	J. Pharmacol. Sci.	97	157-161	2005
永井拓, 田原一敬, 山田清文	脳と神経ブラスミンノーガン活性化因子.	脳21	8	437-442	2005
竜井浩市, 野田孝裕, 山田清文, 鍋島俊登	薬物依存と前頭前野.	Clinical Neuroscience (臨床神経科学)	23	682-684	2005
山田清文, 永井拓, 中島尚, 鍋島俊登	覚せい剤および麻薬に共通する依存関連分子の探索.	日本薬理雑誌	126	49-53	2005
田原一敬, 山田清文, 松田敏夫	グリア細胞の遊走性アポトーシス.	Clinical Neuroscience (臨床神経科学)	23	181-183	2005
永井拓, 山田清文, 鍋島俊登	遺伝子改変動物における情動性の評価.	日本薬理雑誌	125	71-76	2005
Kamei, H., Nagai, T., Nakano, H., Togani, Y., et al.	Repeated methamphetamine treatment impairs recognition memory through a failure of novelty-induced ERK 1/2 activation in the prefrontal cortex.	Biol. Psychiatry	59	75-84	2006
Chen, L., Yamada, K., Nabeshima, T. and Sokabe, M.	$\alpha 7$ Nicotinic acetylcholine receptor as a target to rescue deficit in hippocampal LTP induction in β -amyloid infused rats.	Neuropharmacology	50	254-268	2006
Yan, Y., Nitta, A., Mizoguchi, H., Yamada, K. and Nabeshima, T.	Relapse of methamphetamine-seeking behavior in C57BL/6J mice demonstrated by a reinstatement procedure involving intravenous self-administration.	Behav. Brain Res.	168	137-143	2006
Ishikawa, K., Nitta, A., Mizoguchi, H., et al.	Effects of single and repeated administration of methamphetamine or morphine on neurogranin C gene expression in the rat brain.	Int. J. Neuropsychopharmacol.	9	407-415	2006
Yan, Y., Nitta, A., Mizuno, T., Nakajima, A., Yamada, K. and Nabeshima, T.	Discriminative-stimulus effects of methamphetamine and morphine in rats are attenuated by cAMP-related compounds.	Behav. Brain Res.	173	39-46	2006

Nagai, T., Kamei, H., Dohiwa, M., et al.	Involvement of hippocampal ERK1/2 in spatial working memory in rats.	NeuroReport	17	1453-1457	2006
Ito, M., Nagai, T., Kamei, H., et al.	Involvement of tissue plasminogen activator-plasmin system in depolarization-evoked dopamine release in the nucleus accumbens of mice.	Mol. Pharmacol.	70	1720-1725	2006
Nagai, T., Ito, M., Nakamichi, N., et al.	The rewards of nicotine: regulation by tissue plasminogen activator-plasmin system through protease-activated receptor-1.	J. Neurosci.	26	12374-12383	2006
田熊一敏, 山田清文, 松田敏夫	中脳神経系のアポトーシスにおけるミトコンドリアの役割に関する研究.	日本薬理学会誌	127	349-35	2006
山田清文	覚せい剤により誘発される記憶障害—発症機序と薬物治療.	医学のあゆみ	217	1171-1173	2006
永井拓, 鍋島俊彦, 田熊一敏, 山田清文	モルヒネ依存形成における組織プラスミン/ゲン活性因子の役割	日本アルコール・薬物医学会雑誌	41	23-30	2006
Yon, Y., Yamada, K., Nita, A. and Nakashima, T.	Transient drug primed but persistent cue-induced reinstatement of extinguished methamphetamine-seeking behavior in mice.	Behav. Brain Res.	177	261-268	2007
Takahashi, K., Nagai, T., Kamei, H., et al.	Neural circuits containing pallidum-thalamic GABAergic neurons are involved in the prepulse inhibition of the startle reflex in mice.	Biol. Psychiatry		in press	2007
Mizoguchi, H., Yamada, K., Nwa, M., et al.	Reduction of methamphetamine-induced sensitization and reward in matrix metalloproteinase-2 and -9 deficient mice.	J. Neurochem.		in press	2007
Ito, M., Nagai, T., Mizoguchi, H., Fukakusa, A., et al.	Possible involvement of protease-activated receptor-1 in the regulation of morphine-induced dopamine release and hyperlocomotion by the tissue-plasminogen activator-methamphetamine abusers.	J. Neurochem.		in press	2007
Kozumi H, Hashimoto K, Kumakiri C, et al.	Association between the glutathione S-transferase M1 gene deletion and female methamphetamine abusers.	Am J Med Genet.	128B	43-45	2004
氏家 寛, 野村 晃, 勝 強志, JGIDA	覚せい剤精神関連遺伝子.	分子精神医学	4	29-35	2004
氏家 寛	薬物依存をどう捉えるか	日本脳神経	4183	21-28	2004
氏家 寛, 坂井 歩	薬物依存とドーパミン神経回路	Clinical Neuroscience	22	656-658	2004
氏家 寛, JGIDA	薬物依存・精神病の遺伝子リスクファクター、JGIDA多施設共同研究から.	日本神経精神薬理	24	299-302	2004
濱崎清子, 和氣洋介, 寺田整明, 宮田信明, 氏家 寛, 黒田亜利	薬物乱用が初発症状であったchorea-acanthocytosisの1例	精神医学	47	553-556	2005
Hashimoto T, Hashimoto K, Matsuzawa D, et al.	A functional glutathione S-transferase P1 gene polymorphism is associated with methamphetamine-induced psychosis in Japanese population.	Am J Med Genet.	135	5-9	2005
Reida M, Iwata N, Suzuki T, Kitajima T, et al.	Positive association of AKT1 haplotype to Japanese methamphetamine use disorder.	Int J Neuropsychopharmacol.	28	1-5	2005
原野達三, 内村直樹, 工藤和文, 阿部孝男, 石橋正彦, 渡田啓夫, 田中裕樹, 前田久雄, 菅良一, 伊藤雅臣, 松本謙二, 小宮山俊太郎, 山田光彦, 田嶋重樹, 堀越保弘, 坂崎裕生, 豊田昌生	覚せい剤精神病におけるドーパミンD2遺伝子TaqI A多型と脳MRI	日本アルコール精神医学雑誌	12	33-41	2005
氏家 寛, 大谷恭平	ゲノムから見た薬物依存、覚醒剤依存とアルコール依存の比較	日本アルコール精神医学雑誌	12	43-49	2005
大谷恭平, 氏家 寛	NOTCH4遺伝子多型	分子精神医学	5	446-453	2005
Kobayashi H, Hata H, Ujike H, et al.	Association analysis of delta-opioid receptor gene polymorphisms in methamphetamine dependence/psychosis.	Am J Med Genet	141B	482-486	2006

Suzuki A, Nakamura K, Sekine Y, et al.	An association study between catechol-O-methyl transferase gene polymorphism and methamphetamine psychotic disorder	Psychiatr Genet	16	133-138	2006
Nakamura K, Chen CK, Sekine Y, et al.	Association analysis of SOD2 variants with methamphetamine psychosis in Japanese and Taiwanese populations	Hum Genet	120	243-252	2006
Nomura A, Ujike H, Tanaka Y, et al.	Genetic variant of prodynorphin gene is risk factor for methamphetamine dependence	Neurosci Lett	400	158-162	2006
Aoyama N, Takahashi N, Kiatichi K, et al.	Association Between Gene Polymorphisms of SLC22A3 and Methamphetamine Use Disorder	Alcohol Clin Exp Res	30	1644-1649	2006
氏家 寛 達, 小宮山徳太郎	違法ドラッグを含む多剤乱用の実態と物質性誘発性精神病の遺伝子ファクター	医学のあゆみ	217	727-738	2006
氏家 寛	特定の物質の不足ないしは過剰に疾患が由来する病態、コカイン	精神科治療学	21、増刊号	162-163	2006
Noda Y, Nabeshima T	Opiate physical dependence and N-methyl-D-aspartate receptors.	Eur. J. Pharmacol.	500	121-128	2004
Noda Y, Nabeshima T.	Involvement of signal transduction cascade via dopamine-D1 receptors in phencyclidine dependence.	Ann N. Y. Acad. Sci.	1025	62-68	2004
Hamdy M. M., Noda Y., Miyazaki M., et al.	Molecular mechanisms in disocaine-induced attenuation of development of morphine dependence: an association with cortical Ca2+/calmodulin-dependent signal cascade.	Behav. Brain. Res.	152	263-270	2004
Ren X., Noda Y., Mamiya T., Nagai T., Nabeshima T.	A neuroactive steroid, dehydroepiandrosterone sulfate, prevents the development of morphine dependence and tolerance linked to the extracellular signal-regulated protein kinase.	Behav. Brain. Res.	152	243-250	2004
Miyamoto Y., Yamada K., Nagai T., et al.	Behavioural adaptations to addictive drugs in mice lacking the NMDA receptor epsilon1 subunit.	Eur. J. Neurosci.	19	151-158	2004
Mizoguchi H., Yamada K., Mizuno M., et al.	Regulations of methamphetamine reward by extracellular signal-regulated kinase 1/2/3-like gene-1 signaling pathway via the activation of dopamine receptors.	Mol. Pharmacol.	65	1293-1301	2004
Zou LB, Mauri A, Iwata N, Saido TC, et al.	Inhibition of norepinephrine by infusion of thiorphan into the hippocampus causes accumulation of amyloid β and impairment of learning and memory.	J. Pharmacol. Exp. Ther.	317	334-340	2005
Ishikawa K, Kagita Y, Hasegawa Y, Noda Y, Yoshida J, Nabeshima T.	Linotectan therapy in a 12-year-old girl with recurrent brain stem glioma and without functional polymorphisms in UGT1A1 activity: case report.	J Neurooncol.	74	283-286	2005
Enomoto T, Noda Y, Mouri A, et al.	Long-lasting impairment of associative learning is correlated with dysfunction of NMDA-ERK signaling in mice following withdrawal from repeated administration of phencyclidine.	Mol Pharmacol.	68	1765-74	2005
Mauri A., Zou LB, Iwata N, Saido TC, Wang D, Wang MW, Noda Y, Nabeshima T.	Inhibition of norepinephrine by thiorphan (i.e.v.) causes an accumulation of amyloid beta and impairment of learning and memory.	Behav. Brain Res.	168	83-91	2006
Cen X, Nitta A, Ohya S et al.	An analog of a deipeptide-like structure of FK506 increases glial cell line-derived neurotrophic factor expression through cAMP response element-binding protein activated by heat shock protein 90. <i>J Biol Chem</i> 281:10430-10438	J Neurosci	26	3335-3344	2005
Nabeshima T, Mauri A, Miral R et al.	Animal model of schizophrenia: dysfunction of NMDA receptor-signaling in mice following withdrawal from repeated administration of phencyclidine	Ann N Y Acad Sci	1086	180-188	2006
Mauri A, Noda Y, Mizoguchi H et al.	Dysfunction of glutamatergic systems and potential animal models of schizophrenia	Nippon Yakurigaku Zasshi	127	4-8	2006
Niwa M, Nitta A, Yamada Y et al.	An indicator for glial cell line-derived neurotrophic factor and tumor necrosis factor- α protects against methamphetamine-induced rewarding effects and sensitization.	Biol Psychiatry		inpress	2006
Niwa M, Nitta A, Yamada Y et al.	Tumor necrosis factor- α and its inducer inhibit morphine-induced rewarding effects and sensitization.	Biol Psychiatry		inpress	2007
Iwamura T., Kataoka, T.	4-Aralkyl-1-(2,3-dichlorophenyl)piperazines and their Activities for Serotonergic Receptors	Drugs Fut.	29 suppl. A	267-267	2004