

Iwamura T, Ito, Y., Kuno, N., Mizutani, T.	Substrate specificity of opioid compounds to UDP- glucuronosyltransferase (UGT). hUGT2B7 and bovine microsomal UGT	J. Health Sci.	51	325-332	2005
Kinoshita, H., Takahashi, N., Iwamura, T., et al.	Synthesis of 3-sulfanylopropanols containing three consecutive stereocenters via tandem Michael-aldol reaction of eneylbamides with acetals as key reaction	Tetrahedron Lett.	46	7155-7158	2005
Iwamura T, Uesawa, Y., Kataoka, T., et al.	6,14-Etlenomorphine 類の合成と薬理学的抑制作用	岐阜薬大紀要	54	45-50	2005
Kinoshita, H., Ozamura, T., Mizuno, K., et al.	Asymmetric tandem Michael-aldol reactions between 3-cinnamoyloxacoline-2-thiones and related aldehydes	Chem. Eur. J.	12	3896-3904	2006
Watanabe, S., Miura, Y., Iwamura, T., et al.	The first isolation of allenylselenonium salts: their synthesis and properties as electrophiles	Tetrahedron Lett.	48	813-816	2007
Nakagawa, T., Yamamoto, R., Fujio, M., et al.	Involvement of the bed nucleus of the stria terminalis activated by the central nucleus of the amygdala in the negative affective component of morphine withdrawal in rats.	Neuroscience.	134, 2005	9-19	2005
Fujio, M., Nakagawa, T., Sekiya, Y., Ozawa, T., et al.	Gene transfer of GLT-1, a glutamate transporter, into the nucleus accumbens shell attenuates methamphetamine- and morphine-induced conditioned place preference in rats.	Eur. J. Neurosci., 2005	22,	2744-2754	2005
Fujio, M., Nakagawa, T., Suzuki, Y., Satoh, M., et al.	Facilitative effect of a glutamate transporter inhibitor (2S3S)-3-[3-(4-(trifluoromethyl)benzylamino)-2-methylpropyl]-L-proline on the glutamate transporter in rat brain.	J. Pharmacol. Sci. : 2005	99	415-418	2005
Dai H, Kandoko K, Kato H, Fujii S, et al.	Selective cognitive dysfunction in mice lacking histamine H1 and H2 receptors.	Neuroscience Research	57(2)	306-313	2007
Ishiwata K, Kawamura K, Yanai K, Hendriks H.N.	In Vivo Evaluation of P-Glycoprotein Modulation of 8 PET Radioligands Used Clinically	J Nucl Med	48	81-87	2007
谷内一彦、加藤元久	脳内ヒスタミンの代謝と作用: 抗アレルギー薬、抗精神神経薬、抗うつ薬のヒスタミンH1受容体作用と認知機能	脳21	10(1)	85-90	2007
Sakurai E, Sakurai E, Orelund L, et al.	Evidence for the presence of histamine uptake into the synaptosomes of rat brain.	Pharmacology	78(2)	72-80	2006
Mobarkeh J I, Takahashi K, Sakurada S, Kuramasu A, Yanai K.	Enhanced antinociceptive effects of morphine in histamine H2 receptor gene knockout mice	Neuropharmacology	51(3)	612-22	2006
Owada Y, Abdulwahab S A, Kitanaka N, et al.	Altered emotional/behavioral responses in mice lacking brain-type fatty acid-binding protein gene.	Eur. J. Neurosci.	24(1)	175-87	2006
Yanai K, Tashiro M.	The physiological and pathophysiological roles of neuronal histamine: An insight from human PET studies.	Pharmacology & Therapeutics	113	1-15	2007
Maezawa K, Yanai K.	Recent advances in molecular pharmacology of the histamine system: preface.	J Pharmacol Sci.	101(1)	1-2	2006
Kuramasu A, Sukegawa J, Yanagisawa T, Yanai K.	Recent advances in molecular pharmacology of the histamine systems: roles of G-terminal tails of histamine receptors.	J Pharmacol Sci.	101(1)	7-11	2006
Seeman P, Schwarz J, Olson JF, et al.	Psychosis pathways converge via D2(high) dopamine receptors.	Synapse	60(4)	319-346	2006
Ernis M, Masini E, Sturman G, Yanai K.	Honorary membership of the European Histamine Research Society (EHRS).	Inflamm Res.	55(Supplement 1)	S03-S04	2006
奥田友英、谷内一彦	脳内ヒスタミン	Clinical Neuroscience	24(3)	848-849	2006
岡村隆行、谷内一彦	アルツハイマー病のβアミロイドメタボリズム 特集「分子イメージングと認知症」	Cognition and Dementia	5(3)	192-198	2006
奥田友英、谷内一彦	ストレスと記憶形成	医学のあゆみ	271	1161-1166	2006

望月秀紀、谷内一彦	権みに関する脳機能イメージング研究の展開	日 薬 理 誌	127	147～150	2006
Okamura N, Yanai K.	Molecular imaging techniques for research on brain function using PET	Nippon Yakurigaku Zasshi	126(5)	347-352	2005
Jin F, Kato M, Dai H, Xu A, Okuda T, et al.	Effects of histamine H3 antagonists and donepezil on learning and mnemonic deficits induced by pentylenetetrazol kindling in wandering mice.	Eur. Neuropharmacology	50(4)	404-411	2006
Suzuki A, Tashiro M, Kinura Y, et al.	Use of reference tissue models for quantification of histamine H1 receptors in human brain by using positron emission tomography and [¹¹ C]doxephin.	Ann Nucl Med.	19(6)	425-433	2005
Dai H, Okuda T, Sakurai E, et al.	Blockage of histamine H1 receptor attenuates social isolation-induced disruption of prepulse inhibition: a study in H1 receptor gene knockout mice.	Psychopharmacology (Berl)	183(3)	285-293	2005
Tashiro M, Horikawa E, Mochizuki H, et al.	Effects of fexofenadine and hydroxyzine on brake reaction time during car-driving with cellular phone use.	Hum Psychopharmacol.	20(7)	501-509	2005
Tashiro M, Kano M, Fukuda S, Yanai K.	Development of neuroimaging research on human emotion	Nippon Yakurigaku Zasshi.	125(2)	88-96.	2005
Iwabuchi K, Ito C, Tashiro M, et al.	Histamine H1 receptors in schizophrenic patients measured by positron emission tomography.	Neuropsychopharmacol.	15(2)	185-191	2005
鹿野聖子、谷内一彦	ストレス関連障害の脳イメージング 特集「ストレスに耐える脳、耐えられない脳」	脳21	9(1)	32-36	2006
櫻井敏子、田代学、谷内一彦	食物アレルギー治療におけるヒスタミン受容体アンタゴニスト	カレントテラピー	23(11)	66-71	2005
谷内一彦、岡村隆行、倉増敦朗	中脳ヒスタミン神経の発制とその機能	アレルギー・免疫	12(2)	94-99	2005
Mochizuki H, Kinura Y, Ishii K, et al.	Simplified PET measurement for evaluating histamine H1 receptors in human brains using [¹¹ C]doxephin.	Nucl Med Biol.	31(8)	1005-11	2004
Okuda T, Ito Y, Nakagawa N, Hishinuma T, et al.	Drug interaction between methamphetamine and antihistamines: behavioral changes and tissue concentrations of methamphetamine in rats.	Eur J Pharmacol.	505(1-3):	135-44	2004
Dai H, Okuda H, Iwabuchi K, Sakurai E, Chen Z, Kato M, Iinuma K, Yanai K.	Social isolation stress significantly enhanced the disruption of prepulse inhibition in mice repeatedly treated with methamphetamine.	Ann N Y Acad Sci.	1025	257-66	2004
Iwabuchi K, Kubota Y, Ito C, Watanabe T, Watanabe T, Yanai K.	Methamphetamine and brain histamine: a study using histamine-related gene knockout mice.	Ann N Y Acad Sci.	1025	129-34	2004
Chen Z, Sakurai E, Hu W, et al.	Pharmacological effects of carbachol on histaminergic neurons in the brain.	Br J Pharmacol.	143(5)	573-80.	2004
Tashiro M, Sakurada Y, Iwabuchi K, et al.	Central effects of fexofenadine and cetirizine: measurement of psychomotor performance, subjective sleepiness, and brain histamine H1-receptor occupancy using [¹¹ C]-doxephin positron emission tomography.	J Clin Pharmacol.	Aug,44(8)	890-900	2004
Ojima T, Ito C, Sakurai E, Sakurai E, Watanabe T, Yanai K.	Effects of serotonergic-depotamine antagonists on prepulse inhibition and neurotransmitter contents in the rat cortex.	Neurosci Lett.	366(2)	130-4	2004
Tashiro M, Sakurada Y, Iwabuchi K, et al.	Decreased histamine H1 receptor binding in the brain of depressed patients.	Eur J Neurosci.	20(3)	803-10	2004
Mochizuki H, Kinura Y, Ishii K, et al.	Quantitative measurement of histamine H(1) receptors in human brains by PET and [¹¹ C]doxephin.	Nucl Med Biol.	31(2)	165-71	2004
Funada M, Zhou X., Satoh M., Wada K.	Profiling of methamphetamine-induced modifications of gene expression patterns in the mouse brain.	Ann. N.Y. Acad. Sci.,	1025	76-83	2004

著者	条件付け報酬嗜好性試験による薬物報酬効果の評価:基礎と応用	日 薬理誌	126	10-16	2005
山本 正彦	Barium potentiates the conditioned aversion to, but not the somatic signs of morphine withdrawal in mice.	Eur J Pharmacol.	519	215-222	2005
Sato M, Wada K, Funada M.					
山本正彦, 佐藤美穂, 岡崎華, 金井裕子, 和田清	線形性有線液剤の精神依存形成メカニズム	日本神経精神薬理学雑誌	25	1-9	2005
山本正彦, 佐藤美穂, 青尾直也, 和田清	依存性薬物による脳内多巴子群の発現調節	生体の科学	56	323-327	2005
山本正彦, 佐藤美穂, 青尾直也, 和田清	トルエン精神依存形成における脳内モノアミン神経系の役割	日本アルコール・薬物医学学会雑誌	41	31-38	2006
Narimatsu S, Yonemoto R, Sato K, et al.	Oxidative metabolism of 5-methoxy-N,N'-diisopropyltryptamine (5oxt) by human liver microsomes and recombinant cytochrome P450 enzymes.	Biochem Pharmacol.	71	1377-1385	2006
Sogawa C, Sagawa N, Tagawa J, et al.	5'-Methoxy-N,N'-diisopropyltryptamine (5oxt), a selective and high affinity inhibitor of serotonin transporter.	Toxicology Letters	in press		
Hiranita T., Nawata Y., Sakimura K., et al.	The possibility of nicotine activators as craving killers in methamphetamine dependence.	Proc Natl Acad Sci U S A	103	8523-8527	2006
Shuto T., Kuroiwa M., Hanamura M., et al.	Reversal of methamphetamine-induced behavioral sensitization by repeated administration of a dopamine D1 receptor agonist.	Neuropharmacology	50	991-997	2006
綿田陽子, 山本経之	依存性薬物としてのMDMAの臨床ならびに行動薬理学的特徴	医学のあゆみ	217	1167-1170	2006
山本経之, 綿田陽子, 常原直孝	脳内endocannabinoidの異常性に基づくマウスの知覚機能障害	分子精神医学	in press		
Anggadiredja K., Yamaguchi T., Tanaka H., Shoyama Y., Watanabe S., Yamamoto T.	Decrease in prostaglandin level is a prerequisite for the expression of cannabinoid withdrawal. A quasi abstinence approach.	Brain Res.	1066	201-205	2005
崎村克也, 平仁田孝人, 宮本道彦, 永田健一郎, 山本経之	薬物への渴望 (craving) の再興・再発モデルとその発現メカニズム	日薬理誌	126	24-29	2005
山本経之, Kusumandar Anggadiredja, 平仁田孝人	覚醒剤methamphetamineへの渴望 (craving) の再興における脳内cannabinoid systemの関与	分子精神医学	5	94-96	2005
Yamaguchi T., Kubota T., Watanabe S., Yamamoto T.	Activation of brain prostanoil EP3 receptors via arachidonic acid cascade during behavioral suppression induced by delta8-tetrahydrocannabinol	J Neurochem.	88	148-154	2004
Anggadiredja K., Nakamichi M., Hiranita T., Tanaka H., Shoyama Y., Watanabe S., Yamamoto T.	Endocannabinoid system modulates relapse to methamphetamine seeking: possible mediation by the arachidonic acid cascade	Neuropsychopharmacology	29	1470-1478	2004
Anggadiredja K., Sakimura K., Hiranita T.	Naloxone attenuates cue- but not drug-induced methamphetamine seeking: a possible mechanism for the dissociation of primary and secondary reward	Brain Res.	1021	272-276	2004
Hiranita T., Anggadiredja K., Fujisaki O., Watanabe S., Yamamoto T.	Nicotine attenuates relapse to methamphetamine-seeking behavior (craving) in rats	Ann NY Acad Sci.	1025	504-507	2004
Yamamoto T., Anggadiredja K., Hiranita T.	New perspectives in the studies on endocannabinoid and cannabis: a role for the endocannabinoid-arachidonic acid pathway in drug reward and long-lasting relapse to drug taking	J. Pharmacol. Sci.	96	382-388	2004
荒木久美子, 山本経之	ラムダオペランド行動を用いた知覚機能の検査法	日薬理誌	124	3-9	2004
Kobayashi T., Nishizawa D., Iwanura T., Ikeda K.	Inhibition by cocaine of G protein-activated inwardly rectifying K ⁺ channels expressed in Xenopus oocytes.	Toxicology in Vitro	in press		
Fukushima S., Shen H., Ikeda K., et al.	Methamphetamine-induced locomotor activity and sensitization in dopamine transporter and vesicular monoamine transporter 2 double mutant mice.	Psychopharmacology	in press		
Ozai Y., Haraguchi A., Kondo A., et al.	Development and validation of the stimulant relapse risk scale for drug abusers in Japan.	Drug Alcohol Depend	in press		

Author(s)	Title	Curr Pain Headache Rep		in press	
		J Pharmacol Sci			
Nagashima M, Katoh R, Sato Y, Tagami M, Kasai S, Ikeda K.	What is the genetic polymorphism evidence for individual human sensitivity to opiates: a review.				
Kobayashi T, Washiyama K, Ikeda K	Inhibition of G protein-activated inwardly rectifying K ⁺ channels by the antidepressant paroxetine.		102	278-287	2006
Senoo E, Ogai Y, Haraiguchi A. et al.	Reliability and validity of the Japanese version of the addiction severity index (ASI-J).	Nihon Arukoru Yakubutsu Igakkai Zasshi	41(4)	368-379	2006
Nakamura K, Yanada K, Iwayama Y. et al.	Evidence that variation in the peripheral benzodiazepine receptor (PBR) gene influences susceptibility to panic disorder.	Am J Med Genet B Neuropsychiatr Genet	141(3)	222-226	2006
Ide S, Minami M, Ishihara K. et al.	Mu opioid receptor-dependent and independent components in effects of tramadol.	Neuropharmacology	51	651-658	2006
Han W, Hata H, Imbo H. et al.	Increased body weight in mice lacking mu-opioid receptors.	Neuroreport	17	941-944	2006
Kobayashi T, Ikeda K	G protein-activated inwardly rectifying potassium channels as potential therapeutic targets.	Curr Pharm Des	12	4513-4523	2006
Nishizawa D, Han W, Hasegawa J, Ishida T. et al.	Association of mu-opioid receptor gene polymorphism A118G with alcohol dependence in a Japanese population.	Neuropsychobiology	53	137-141	2006
Han W, Kasai S, Hata H, Takahashi T. et al.	Intracisternal A-Particle Element in the 3' Noncoding Region of the Mu Opioid Receptor Gene in CXBK Mice: A New genetic mechanism underlying differences in opioid sensitivity.	Pharmacogenet Genomics	18(6)	451-460	2006
Takamatsu Y, Yamamoto H, Ogai Y, Hagino Y, Markou A, Ikeda K.	Fluoxetine as a potential pharmacotherapy for methamphetamine dependence: studies in mice.	Ann N Y Acad Sci	1074	295-302	2006
Ide S, Kobayashi H, Ujike H. et al.	Linkage disequilibrium and association with methamphetamine dependence/psychosis of mu opioid receptor gene polymorphisms	Pharmacogenomics J	6	179-188	2006
Takamatsu Y, Yamanishi Y, Hagino Y, Yamamoto H, Ikeda K.	Differential Effects of Donepezil on methamphetamine and cocaine dependencies.	Ann N Y Acad Sci	1074	418-426	2006
Yamamoto H, Imai K, Kanegaya E. et al.	Repeated methamphetamine administration alters expression of the NMDA receptor channel opsin2 subunit and Arc in the mouse brain.	Ann N Y Acad Sci	1074	97-103	2006
Kasai S, Han W, Ide S, Hata H. et al.	Involvement of the 3' noncoding region of the mu opioid receptor gene in morphine-induced analgesia.	Psychiatry Clin Neurosci	60	11-17	2006
Takahashi T, Kobayashi T, Ozaki M. et al.	G protein-activated inwardly rectifying K ⁺ channel inhibition and rescue of weaver mouse motor functions by antidepressants.	Neurosci Res	54	104-111	2006
Ide S, Han W, Kasai S. et al.	Characterization of the 3' untranslated region of the human mu-opioid receptor (MOR-1) mRNA.	Gene	364	139-145	2005
Takimoto T, Terayama H, Waga C. et al.	Cholecystokinin (CCK) and the GSKA receptor gene polymorphism, and smoking behavior.	Psychiatry Res	133	123-128	2005
Ikeda K, Ide S, Han W, Hayashida M, Uhi GR, Sora I.	How individual sensitivity to opiates can be predicted by gene analyses.	Trends Pharmacol Sci	26	311-317	2005
Yamamoto H, Imai K, Takamatsu Y. et al.	Methamphetamine modulation of gene expression in the brain: analysis using customized cDNA microarray system with the mouse homologues of KIAA genes.	Mol Brain Res	137	40-46	2005
Kobayashi T, Washiyama K, Ikeda K.	Effects of interferon- α on cloned opioid receptors expressed in <i>Xenopus</i> oocytes.	Life Sciences	76	407-415	2004
Yamamoto T, Nishizaki I, Nakada T. et al.	Functional identification of ASCT1 neutral amino acid transporter as the predominant system for the uptake of L-serine in rat neurons in primary culture.	Neurosci Res	49	101-111	2004
Shen HW, Hagino Y, Kobayashi H. et al.	Regional differences in extracellular dopamine and serotonin assessed by <i>in vivo</i> microdialysis in mice lacking dopamine and/or serotonin transporters.	Neuropsychopharmacology	29(10)	1790-1799	2004

Ide S, Minami M, Satoh M, Uhi GR, Sora I, Ikeda K.	Buprenorphine antinociception is abolished, but naloxone-sensitive reward is retained, in μ -opioid receptor knockout mice.	Neuropsychopharmacology	29	1656-1663	2004
Yamanoto H, Inai K, Takamatsu Y, et al.	Changes in expression of the mouse homologues of KIAA genes after subchronic methamphetamine treatment	Ann N Y Acad Sci	1025	92-101	2004
Han W, Ide S, Sora I, Yamamoto H, Ikeda K.	A possible genetic mechanism underlying individual and interstrain differences in opioid actions: focus on the mu opioid receptor gene	Ann N Y Acad Sci	1026	370-375	2004
Kobayashi T, Washiyama K, Ikeda K.	Modulators of G protein-activated inwardly rectifying K ⁺ channels: potentially therapeutic agents for addictive drug users.	Ann N Y Acad Sci	1025	590-594	2004
Ide S, Kobayashi H, Tanaka K, Ujike H, et al.	Gene polymorphisms of the μ opioid receptor in methamphetamine abusers.	Ann N Y Acad Sci	1025	316-324	2004
Hironaka N, Ikeda K, Sora I, Uhi GR, Naki H.	Food-reinforced operant behavior in dopamine transporter knockout mice: enhanced resistance to extinction.	Ann N Y Acad Sci	1025	140-145	2004
Kobayashi H, Ide S, Hasegawa J, et al.	Study of association between α -synuclein gene polymorphism and methamphetamine psychosis/dependence.	Ann N Y Acad Sci	1025	325-334	2004
荻井慎也, 池田和隆, 下山直人	がん性疼痛患者におけるオピオイドの作用, 副作用に関する遺伝子解析.	ペインクリニック	27	965-973	2006
林田良和, 今村佐知子, 池田和隆, 花園一雄	術後痛対症における状況と展望.	日本医師会雑誌	135(4)	803-805	2006
和賀典子, 幸山佳久, 伊藤正裕, 村山洋, 池田和隆, 岩佐和彦	喫煙行動とCYP2D6遺伝子多型とSTAIによる不安との関連について	臨床精神医学	35(3)	343-347	2006
荻井慎也, 池田和隆	オピオイドと遺伝子解析.	緩和医療学	8(1)	98-99	2006
林田良和, 池田和隆	ゲノムペインクリニック時代へ向けて.	ペインクリニック	26	1465-1466	2005
大谷俊和, 原口彩子, 近藤あゆみ, 高松幸雄, 山本秀子, 妹尾崇一, 池田和隆	寛せい剤依存治療における薬理脳制御の重要性: 群臨床の構築と脳神経疾患の探索に向けて.	日本神経精神薬理学雑誌	25	227-233	2005
池田和隆, 高松幸雄, 森野洋子, 中本百合江, 吉井光雄, 福島雄, 菅良一郎	ADHDのモデル動物の解析.	脳と精神の医学	16	161-167	2005
池田和隆, 大谷俊和, 西沢大誠, 井手聡一朗, 菅良一郎	モルヒネ感受性の遺伝子解析.	日本臨牀	63	463-466	2005
池田和隆, 森野洋子	寛痛剤依存症の分子機構研究とその応用.	ファルマシア	41	760-764	2005
池田和隆, 山本秀子	アルコールと痛感と寛せい剤.	生体の科学	56(1)	45-50	2005
井手聡一朗, 南智文, 佐藤公道, 菅良一郎, 池田和隆	報酬効果と鎮痛効果の異なる作用機序.	日本薬理学雑誌	125	11-15	2005
池田和隆, 高松幸雄	遺伝子と行動: 遺伝子変異マウスの行動行動.	Behavioral Science Research	43(2)	80-95	2004

池田和彦, 山本秀子, 高松幸雄, 原口彩子, 梅野充, 妹尾榮一	寛せい剤依存症に向けて新展開	精神医学	46	893-898	2004
Toyota T, Yoshitsugu K, Eshara M, et al.	Association between schizophrenia with ocular misalignment and polyalanine length variation in PMX2B.	Hum Mol Genet.	13	551-561	2004
Arai M, Ito-kawa M, Yamada K, et al.	Association of neural cell adhesion molecule 1 gene polymorphisms with bipolar affective disorder in Japanese individuals.	Biol Psychiatry.	55	804-810	2004
Yamada K, Iwayama-Shigeno Y, Yoshida Y, et al.	Family-based association study of schizophrenia with 444 markers and analysis of a new susceptibility locus mapped to 11q13.3.	Am J Med Genet	127B	11-19	2004
Ito-kawa M, Kasuga T, Yosikawa T, Matsushita M.	Identification of a male schizophrenic patient carrying a de novo balanced translocation, (4; 13)(p16.1; q21.31).	Psychiatry Clin Neurosci.	58	333-337	2004
Kockelkorn TT, Arai M, Matsumoto H, et al.	Association study of polymorphisms in the 5' upstream region of human DISC1 gene with schizophrenia.	Neurosci Lett.	368	41-45	2004
Iwayama-Shigeno Y, Yamada K, Ito-kawa M, et al.	Extended analyses support the association of a functional (G7)h polymorphism in the GRIN2A promoter with Japanese schizophrenia.	Neurosci Lett.	378	102-105	2005
Yamada K, Ohnishi T, Hashimoto K, et al.	Identification of multiple serine racemase (SRR) mRNA isoforms and genetic analyses of SRR and DAO in schizophrenia and D-serine levels.	Biol Psychiatry.	57	1493-1503	2005
Ito-kawa M (40)	Genome-wide High-Density SNP Linkage Analysis of 236 Japanese Families Supports the Existence of Schizophrenia Susceptibility Loci on Chromosomes 1p, 14q, and 20p.	Am. J. Hum. Genet.	77	1493-1504	2005
Hiroi N, Zhu H, Lee MS, et al.	A 200-kb region of human chromosome 22q11confers schizophrenia-related behavioral abnormalities in mice.	Proc Natl Acad Sci U S A.	102	19132-19137	2005
Horiiuchi Y, Arai M, Nizato K, et al.	A Polymorphism in the POLIMS Gene Associated with Gene Expression and Schizophrenia.	Biol Psychiatry.	59(5)	434-439	2006
Arai M, Yamada K, Toyota T, et al.	Association between polymorphisms in the promoter region of the sialyltransferase 8B (SIAT8B) gene and schizophrenia.	Biol. Psychiatry.	56(7)	434-439	2006
Kobayashi H, Hata H, Ujike H, et al.	Association analysis of μ -opioid receptor gene polymorphisms in methamphetamine dependence/psychosis.	Am J Med Genet B Neuropsychiatr Genet.	141(5)	482-486	2006
Yoshitsugu K, Yamada K, Toyota T, et al.	Novel scale including strabismus and 'cuspid ear' for distinguishing schizophrenia patients from controls using minor physical anomalies.	Psychiatry Research.	145(2-3)	249-258	2006
Doi, N., Ito-kawa, M., Hoshi, Y., et al.	A resistance gene in disguise for schizophrenia?	Am. J. Med. Genet. Part B.	144B(2)	165-173	2006
Fukuda Y, Koga M, Arai M, et al.	Monoclonal and Unequal Allelic Expression of the HTR2A Gene in Human Brain and Peripheral Lymphocytes.	Biol Psychiatry	60(12)	1331-1335	2006
森田俊之, 高松英佑子, 新井様, 安田一郎, 林直昭, 森川昌成	5'-MeO-DIPTにより急性再燃をきたした寛症期精神療の1例.	精神医学	49(1)	59-61	2007
Ito-kawa M, Iwata K, Takahashi M., et al.	Acute confusional state after designer tryptamine abuse.	Psychiat. Clinic. Neurosci.	61	196-199	2007
Inoue S, Imanura A, Okazaki Y, et al.	Synaptotagmin XI as a candidate gene for susceptibility to schizophrenia.	Am J Med Genet B Neuropsychiatr Genet.		in press	