

| | | | | | |
|--|--|---|------------------------|-----------|------|
| Suzuki A, Watanabe H, Mizutani T, Sato T, Ohata Y, <u>Iguchi T.</u> | Global Gene Expression in Mouse vaginae Exposed to Diethylstilbestrol at Different Ages | Exp Biol Med | 231 | 632-640 | 2006 |
| Kobayashi M, Takahashi E, Miyagawa S, Watanabe H, <u>Iguchi T.</u> | Chromatin immunoprecipitation-mediated target identification proved aquaporin 5 is regulated directly by estrogen in the uterus | Gene to Cells | 11 | 1133-1143 | 2006 |
| Watanabe H, Takahashi E, Kobayashi M, Goto M, <u>Iguchi T.</u> | The estrogen-responsive adrenomedullin and receptor-modifying protein 3 gene identified by DNA microarray analysis are directly regulated by estrogen receptor | J Mol Endocrinol. | 36 | 81-89 | 2006 |
| Nakamura Y, Suzuki T, <u>Igarashi K.</u> , Kanno J, Furukawa T, Tazawa C, Fujishima F, Miura I, Ando T, Moriyama N, Moriya T, Saito H, Yamada S, <u>Sasano</u> | PTOVI: a novel testosterone-induced atherogenic gene in human aorta | J Pathhol | 209 | 522-531 | 2006 |
| Suzuki T, Hayashi S, Miki Y, Nakamura Y, Moriya T, Sugawara A, Ishida T, Ohuchi N, <u>Sasano H.</u> | Peroxisome proliferator-activated receptor gamma in human breast carcinoma: a modulator of estrogenic actions. | Endocr Relat Cancer | 13 | 233-250 | 2006 |
| Nakamura Y, Suzuki S, Suzuki T, Ono K, Miura I, Satoh F, Moriya T, Saito H, Yamada S, Ito S, <u>Sasano H.</u> | MDM2: a novel mineralocorticoid-responsive gene involved in aldosterone-induced human vascular structural remodeling | Am J Pathol. | 169 (2) | 362-371 | 2006 |
| Kishimoto M, Fujiki R, Takezawa S, Sasaki Y, Nakamura T, Yamaoka K, <u>Kitagawa H, Kato S.</u> | Nuclear Receptor Mediated Gene Regulation through Chromatin Remodeling and Histone Modifications | Endocr J | 53(2) | 157-172 | 2006 |
| Oishi H, Kitagawa H, Wada O, Takezawa S, Tora L, Kouzu-Fujita M, Takada I, Yano T, Yanagisawa J, <u>Kato S.</u> | An hGCN5/TRRAP histone acetyltransferase complex co-activates BRCA1 transactivation function through histone modification. | J Biol Chem. | Jan. 6, 281 (1) | 20-26 | 2006 |
| Shiina H, Matsumoto T, Sato T, <u>Igarashi K.</u> , Miyamoto J, Takemasa S, Sakari M, Takada I, Nakamura T, Metzger D, Chambon P, Kanno J, Yoshikawa H, <u>Kato S.</u> | Premature ovarian failure in androgen receptor-deficient mice | Proc Natl Acad Sci U S A. | Jan. 3, 103(1) | 224-229 | 2006 |
| <u>廣川勝晃</u> | 免疫系の老化と機能回復。特に免疫力評価の重要性について | アイチ・エイジング医学—日本抗加齢医学会雑誌 | 2(3) | 302-306 | 2006 |
| Wakabayashi A, Utsuyama M, Hosoda T, Sato K, Takahashi H, <u>Hirokawa K.</u> | Induction of immunological tolerance by oral, but not intravenous and intraportal administration of ovalbumin and the difference between young and old mice | J. Nutr.Health Aging | 10 | 183-191 | 2006 |
| <u>Hirokawa K.</u> , Utsuyama M, | Proper assessment and restoration of immunological function for the improvement of QOL and elongation of healthy lifespan in the elderly | Proceeding for Impact of Aging A common challenge for Europe and Asia | June 7-9, 2006, Vienna | | 2006 |

| | | | | | |
|--|---|---|---------------|---------------|------|
| Miura S, Tomitsuka E, Kamei Y, Yamazaki T, Kai Y, Tamura M, Kita K, Nishino I, Ezaki O. | Overexpression of peroxisome proliferator-activated receptor gamma co-activator-1alpha leads to muscle atrophy with depletion of ATP | Am J Pathol. | 169(4) | 1129-1139 | 2006 |
| Kuwatani M, Ikarashi Y, Iizuka A, Kawakami C, Quinn G, Heike Y, Yoshida M, Asaka M, Takaue Y, Wakasugi H | Modulation of acute grft-versus-host disease and chimerism after adoptive transfer of in vitro-expanded invariant Va14 natural killer T cells | Immunol Lett. | 106 | 82-90 | 2006 |
| Imataki O, Heike Y, Ishida T, Takaue Y, Ikarashi Y, Yoshida M, Wakasugi H, Kakizoe T | Efficient EX vivo Expansion of Va 24+ NKT Cells Derived From G-CSF-mobilized Blood Cells | J Immunother. | 29 | 320-327 | 2006 |
| Ohashi M, Kobayashi A, Hara H, Miura Y, Yoshida K, Kushida M, Ikarashi Y, Mandai M, Kitajima M, Yoshida T, Aoki K. | Allogeneic MHC Gene Trnsfer Enhances Antitumor Activity of Allogeneic Hematopoietic Stem Cell Transplantation without Exacerbating Graft-versus-Host Disease | Clin Cancer Res | 12 | 2208-2215 | 2006 |
| Kanno J, Aisaki K, Igarashi K, Nakatsu N, Ono A, Kodama Y, Nagao T. | "Per cell" normalization method for mRNA measurement by quantitative PCR and microarrays | BMC Genomics. | 7-64 | 1-14 | 2006 |
| Fujimoto T, Kubo K, Aou S | Prenatal exposure to bisphenol A imparis sexual differentiation of exploratory | Brain Res | 1068 | 49-55 | 2006 |
| Yoon BI, Kaneko T, Hirabayashi Y, Imazawa T, Nishikawa A, Kodama Y, Kanno J, Yodoi J, Han JH, Hirose M, Inoue T. | Electron microscopical evidence of the protective function of thioredoxin (Trx/ADF) transgene against 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)-induced cellular toxicity in the liver and brain | J Toxicol Pathol. | 18 | 41-46 | 2005 |
| 井上 達 | 環境生体応答—Toxicogenomics「はじめに」 | 医学のあゆみ | 213(4) | 221 | 2005 |
| 井上 達 | 医薬品の毒性評価、その未来—実験動物と動物試験の展望— | Biophilia | 1(1) | 51-57 | 2005 |
| Hirabayashi Y, Li GX, Yoon BI, Fujii-Kuriyama Y, Kaneko T, Kanno J, Inoue T. | Benzene-induced hematopoietic toxicity transmitted by AhR in the wild-type mouse was negated by repopulation of AhR deficient bone marrow cells | Organohalogen Compounds | 67 | 2280-2283 | 2005 |
| Sekizawa J, Tanabe S | A comparison between integrated risk assessment and classical health/environmental risk assessment: emerging beneficial properties | Toxicol Appl Pharmacol. | 207 (2Suppl) | 617-622 | 2005 |
| Chou P, Matsui S, Matsuda T | Detection and Identification of Dyes Showing AhR Binding Affinity in Treated Sewage Effluents | Proceedings of IWA international Conference "Chemical Industries 2005" (CD-ROM) | B-1-2 | B-1-2 | 2005 |
| Chou P, Matsui S, Misaki K, Matsuda T | Isolation and Identification of a New AhR Ligand 3'-Hydroxybenzo[b]quinophthalone in Dyeing Wastewater | Organohalogen Compounds (CD-ROM of Proceedings of Dioxin 2005) | vol. 67, 1746 | vol. 67, 1746 | 2005 |

| | | | | | |
|---|--|--|---------|-----------|------|
| Kaji H, Kida Y, Adachi J, Mori Y, Sakata Y, Saeki K, Watanabe H, <u>Matsui S</u> , Matsuda T | A natural aryl hydrocarbon receptor ligand, indirubin, causes the p21 (waf1/cip1) up-regulation cooperated with tumor necrosis factor-alpha | Organohalogen Compounds (CD-ROM of Proceedings of Dioxin 2005) | vol. 67 | 745 | 2005 |
| Lee BC, <u>Matsui S</u> , Shimizu Y, Matsuda T | Characterizations of the first flush in storm water runoff from an urban roadway | Environ Technol. | 26(7) | 773-82 | 2005 |
| Fujikawa S, Matsuura H, Kanai M, Fumino M, Ishii K, Arima K, Shiraishi T, <u>Sugimura Y</u> | Natural history of human prostate gland: Morphometric and histopathological analysis of Japanese men. | Prostate. | 65 (4) | 355-64 | 2005 |
| Fujikawa S, Matsuura H, Kanai M, Fumino M, Ishii K, Arima K, Shiraishi T, <u>Sugimura Y</u> | Natural history of human prostate gland: Morphometric and histopathological analysis of Japanese men. | Prostate. | 65 (4) | 355-64 | 2005 |
| <u>Fukushima S</u> , Kinoshita A, Puatanachokchai R, Kushida M, Wanibuchi H, Morimura K | Hormesis and dose-response-mediated mechanisms in carcinogenesis: evidence for a threshold in carcinogenicity of non-genotoxic carcinogens. | Carcinogenesis | 26 | 1835-1845 | 2005 |
| <u>Fukushima S</u> , Wanibuchi H, Morimura, K, Nakae D, Tsuda H, Imaida K, Shirai T, Tatematsu M, Tsukamoto T, Hirose M, Furukawa F | Lack of potential of low dose N-nitrosodimethylamine to induce preneoplastic lesions, glutathione S-transferase placental form-positive foci, in rat liver | Cancer Lett | 222 | 11-15 | 2005 |
| <u>Fukushima S</u> , Morimura K, Wanibuchi H, Kinoshita A, and Salim EI | Current and emerging challenges in toxicopathology: carcinogenic threshold of phenobarbital and proof of arsenic carcinogenicity using rat medium-term bioassays for carcinogens | Toxicol. Appl. Pharmacol. | 207 | S225-S229 | 2005 |
| Kato H, Furuhashi T, Tanaka M, Katsu Y, Watanabe H, Ohta Y, <u>Iguchi T</u> | Effects of bisphenol A given neonatally on reproductive functions of male rats. | Reprod. Toxicol. | 22(1) | 20-9 | 2005 |
| Oda S, Tatarazako N, Watanabe H, Morita M, <u>Iguchi T</u> | Production of male neonates in Daphnia magna (Cladocera, Crustacea) exposed to juvenile hormones and their analogs | Chemosphere | 61(8) | 1168-74 | 2005 |
| Watanabe H, Takahashi E, Kobayashi M, Goto M, <u>Iguchi T</u> | The estrogen-responsive adrenomedullin gene identified by DNA microarray analysis is directly regulated by estrogen receptor. | J. Mol. Endocrinol | 36(1) | 81-9 | 2005 |
| Ishibashi H, Suzuki T, Suzuki | Estrogen Inhibits Cell Proliferation through In situ Production in Human Thymoma. | Clinical Cancer Research | 11 | 6495-6504 | 2005 |
| Ishibashi H, Suzuki T, Suzuki | Progesterone receptor in non-small cell lung cancer--a potent prognostic factor and possible target for endocrine therapy | Cancer Research. | 65 | 6450-6458 | 2005 |
| Miki Y, Suzuki T, Tazawa C, | Steroid and xenobiotic receptor (SXR), cytochrome P450 3A4 and multidrug resistance gene 1 in human adult and fetal tissues | Molecular and Cellular Endocrinology | 231 | 75-85 | 2005 |
| Miki Y, Suzuki T, Tazawa C, | Analysis of gene expression induced by diethylstilbestrol (DES) in human primitive Mullerian duct cells using microarray | Cancer Letters. | 220 | 197-210 | 2005 |

| | | | | | |
|---|---|-----------------------------|-----------|-----------|------|
| Okada A., Sato T, Ohta Y, Iga | Sex steroid hormone receptors in the developing female reproductive tract of laboratory rodents. | J Toxicol. Sci. | 30 | 75-89 | 2005 |
| Suzuki T, Urano T, Tsukui T, Horie-Inoue K, Moriya T, Ishida T, Muramatsu M, Ouchi Y, Sasano H, Inoue S. | Estrogen-responsive finger protein as a new potential biomarker for breast cancer. | Clinical Cancer Research | 11 | 6148-6154 | 2005 |
| Furutani T, Takeyama K, Koutoku H, Ito S, Taniguchi N, Suzuki E, Kudoh, M, Shibasaki M, Shikama H, Kato S | Human expanded polyQ androgen receptor mutants in neurodegeneration as a novel ligand target. | J Pharmcol Exp Ther. | 315(2) | 545-52 | 2005 |
| Masuhiro Y, Mezaki Y, Sakari M, Takeyama K, Yoshida T, Inoue K, Yanagisawa J, Hanazawa S, O'Malley B W, Kato S | Splicing potentiation by growth factor signals via estrogen receptor phosphorylation. | Proc. Natl. Acad. Sci. USA | 102 | 8126-8131 | 2005 |
| Ogawa S, Oishi H, Mezaki Y, Kouzu-Fujita M, Matsuyama R, Nakagomi M, Mori E, Murayama E, Nagasawa H, Kitagawa H, Yanagisawa J, Kato S | Repressive domain of unliganded human estrogen receptor a associates with Hsc70. | Genes Cells | 10(12) | 1095-102 | 2005 |
| Tsunemi A, Utsuyama M, Seidler B.K.H, Kobayashi S and Hirokawa K | Age-related decline of brain monoamines in mice is reversed to young level by Japanese herbal medicine. | Neurochem. Res. | 30(1) | 75-81 | 2005 |
| Yamazaki T, Sasaki E, Kakinuma C, Yano T, Miura S, Ezaki O | Increased very low density lipoprotein secretion and gonadal fat mass in mice overexpressing liver DGAT1. | J Biol Chem. | 380(22) | 21506-14 | 2005 |
| Takahashi Y, Kitajima S, Inoue T, Kanno J, Saga Y | Differential contribution of Mesp1 and Mesp2 to the epithelialization and rostro-caudal patterning of somites. | Development | 132 | 787-96 | 2005 |
| Kitahashi T, Sato H, Sakuma Y, Parhar IS. | Cloning and functional analysis of promoters of three GnRH genes in a cichlid. | Biochem Biophys Res Commun. | 21;336(2) | 536-43 | 2005 |
| Parhar IS, Ogawa S, Sakuma Y. | Three GnRH receptor types in laser-captured single cells of the cichlid pituitary display cellular and functional heterogeneity. | Proc. Natl. Acad. Sci. USA | 102 (6) | 2204-2209 | 2005 |
| Parhar IS, Soga T, Ogawa S, Ogawa S, Pfaff DW, Sakuma Y | Nonmammalian gonadotropin-releasing hormone molecules in the brain of promoter transgenic rats | Proc. Natl. Acad. Sci. USA. | 102 (16) | 5880-5885 | 2005 |
| Ikarashi Y, Iizuka A, Heike Y, Yoshida M, Takaue Y, and Wakasugi H. | Cytokine production and migration of in vitro-expanded NK1.1-invariant Va14 natural killer T (Va14i NKT) cells using α -galactosylceramide and IL-2. | Immunol Lett. | 101 | 160-167. | 2005 |
| Yoon BI, Hirabayashi Y, Kawasaki Y, Tsuboi I, Ott T, Kodama Y, Kanno J, Kim DY, Willecke K, Inoue T | Exacerbation of benzene pneumotoxicity in connexin 32 knockout mice: enhanced proliferation of CYP2E1-immunoreactive alveolar epithelial cells. | Toxicology | 195 | 19-29 | 2004 |
| Sekizawa J, Tanabe S | A comparison between integrated risk assessment and classical health/environmental risk assessment: emerging beneficial properties | Toxicol Appl Pharmacol | 197 | 144 | 2004 |

| | | | | | |
|--|---|----------------------------|-----|-----------|------|
| Adachi J, Mori Y, <u>Matsui S</u> , Matsuda T | Comparison of Gene Expression Patterns between 2,3,7,8-tetrachlorodibenzo-p-dioxin and a Natural Arylhydrocarbon Receptor Ligand, Indirubin. | Toxicol Sci | 80 | 161-169 | 2004 |
| Kawanishi M, Takamura-Enya T, Ermawati R, Shimohara C, Sakamoto M, Matsukawa K, Matsuda T, Murahashi T, <u>Matsui S</u> , Wakabayashi K, Watanabe T, Tashiro Y, Yagi T | Detection of genistein as an estrogenic contaminant of river water in Osaka. | Toxicol Appl Pharmacol | 197 | 238 | 2004 |
| Sugihara K, Kitamura S, Yamada T, Okayama T, Ohta S, Yamashita K, Yasuda M, Fujii-Kuriyama Y, Saeki K, <u>Matsui S</u> , Matsuda T | Aryl hydrocarbon receptor-mediated induction of microsomal drug-metabolizing enzyme activity by indirubin and indigo. | Biochem Biophys Res Commun | 318 | 571-578 | 2004 |
| Yasui M, Suzuki N, Miller H, Matsuda T, <u>Matsui S</u> , Shibutani S | Translesion Synthesis past 2'-Deoxyxanthosine, a Nitric Oxide-derived DNA Adduct, by Mammalian DNA Polymerases. | J Mol Biol | 344 | 665-674 | 2004 |
| Fukatsu T, Hirokawa Y, Araki T, Hioki T, Murata T, Suzuki H, Ichikawa T, Tsukino H, Qiu D, Katoh T, <u>Sugimura Y</u> , Yatani R, Shiraishi T, Watanabe M | Genetic polymorphisms of hormone-related genes and prostate cancer risk in the Japanese population. | Anticancer Res | 24 | 2431-2437 | 2004 |
| Iguchi K, Otsuka T, Usui S, Ishii K, Onishi T, <u>Sugimura Y</u> , Hirano K | Zinc and metallothionein levels and expression of zinc transporters in androgen-independent subline of LNCaP cells. | J Androl | 25 | 154-161 | 2004 |
| Ishii K, Otsuka T, Iguchi K, Usui S, Yamamoto H, <u>Sugimura Y</u> , Yoshikawa K, Hayward SW, Hirano K | Evidence that the prostate-specific antigen (PSA)/Zn ²⁺ axis may play a role in human prostate cancer cell invasion. | Cancer Lett | 207 | 79-87 | 2004 |
| Yamada Y, Toyota M, Hirokawa Y, Suzuki H, Takagi A, Matsuzaki T, <u>Sugimura Y</u> , Yatani R, Shiraishi T, Watanabe M | Identification of differentially methylated CpG islands in prostate cancer. | Int J Cancer | 112 | 840-845 | 2004 |
| <u>Fukushima S</u> , Wanibuchi H, Morimura K, Iwai S, Nakae D, Kishida H, Tsuda H, Uehara N, Imaida K, Shirai T, Tatematsu M, Tsukamoto T, Hirose M, Furukawa F | Existence of a threshold for induction of aberrant crypt foci in the rat colon with low doses of 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine. | Toxicol Sci | 80 | 109-114 | 2004 |
| Hoshi M, Morimura K, Wanibuchi H, Wei M, Okochi E, Ushijima T, Takaoka K, <u>Fukushima S</u> | No-Observed Effect Levels for Carcinogenicity and for in vivo Mutagenicity of a Genotoxic Carcinogen. | Toxicol Sci | 81 | 273-279 | 2004 |
| Miyagawa S, Katsu Y, Watanabe H, <u>Iguchi T</u> | Estrogen-independent activation of ErbBs signaling and estrogen receptor α in the mouse vagina exposed neonatally to diethylstilbestrol. | Oncogene | 23 | 340-349 | 2004 |
| Miyagawa S, Suzuki A, Katsu Y, Kobayashi M, Goto M, Handa H, Watanabe H, <u>Iguchi T</u> | Persistent gene expression in mouse vagina exposed neonatally to diethylstilbestrol. | J Mol Endocr | 32 | 663-677 | 2004 |

| | | | | | |
|--|---|---------------------------|-----|-------------|------|
| Okada A, Ohta Y, Brody SL, Watanabe H, Krust A, Chambon P, <u>Iguchi T</u> | Essential role of foxj1, but not of estrogen receptor alpha in ciliated epithelial cell differentiation of the neonatal oviduct. | J Mol Endocr | 32 | 615-625 | 2004 |
| Watanabe H, Suzuki A, Goto M, Lubahn DB, Handa H, <u>Iguchi T</u> | Tissue-specific estrogenic and non-estrogenic effects of a xenoestrogen, nonylphenol. | J Mol Endocr | 33 | 243-252 | 2004 |
| Watanabe H, Suzuki A, Goto M, Ohsako S, Tohyama C, Handa H, <u>Iguchi T</u> | Comparative uterine gene expression analysis after dioxin and estradiol administration. | J Mol Endocr | 33 | 763-771 | 2004 |
| Nakamura Y, <u>Igarashi K</u> , Suzuki T, Kanno J, Inoue T, Tazawa C, Saruta M, Ando T, Moriyama N, Furukawa T, Ono M, Moriya T, Ito K, Saito H, Ishibashi T, Takahashi S, Yamada S, <u>Sasano H</u> | E4F1: a Novel Estrogen Responsive Gene in Possible Athero-protection Revealed by Microarray Analysis. | Am J Pathol | 165 | 2019-2031 | 2004 |
| Suzuki T, Miki Y, Moriya T, Shimada N, Ishida T, Hirakawa H, Ohuchi N, <u>Sasano H</u> | Estrogen-related receptor {alpha} in human breast carcinoma as a potent prognostic factor. | Cancer Research | 64 | 4670-4676 | 2004 |
| Ito S, Takeyama K, Yamamoto A, Sawatsubashi S, Shirode Y, Kouzmenko A, Tabata T, <u>Kato S</u> | In vivo potentiation of human oestrogen receptor α by Cdk7-mediated phosphorylation. | Genes to Cells | 9 | 983-992 | 2004 |
| Kouzmenko AP, Takeyama K, Ito S, Furutani T, Sawatsubashi S, Maki A, Suzuki E, Kawasaki Y, Akiyama T, Tabata T, <u>Kato S</u> | Wnt/beta -catenin and estrogen signaling converge in vivo. | J Biol Chem | 279 | 40255-40258 | 2004 |
| Murayama A, Kim M, Yanagisawa J, Takeyama K, <u>Kato S</u> | Trans-repression by a liganded nuclear receptor via a bHLH activator through co-regulator switching. | EMBO J | 101 | 1598-1608 | 2004 |
| Sato T, Matsumoto T, Kawano H, Watanabe T, Uematsu Y, Sekine K, Fukuda T, Aihara K, Krust A, Yamada T, Nakamichi Y, Yamamoto Y, Nakamura T, Yoshimura K, Yoshizawa T, Metzger, D, Chambon P, <u>Kato S</u> | Brain masculinization requires androgen receptor function. | Proc Natl Acad Sci USA | 101 | 1673-1678 | 2004 |
| Takeyama K, Ito S, Sawatsubashi S, Shirode Y, Yamamoto A, Suzuki E, Maki A, Yamagata K, Zhao Y, Kouzmenko A, Tabata T, <u>Kato S</u> | A novel genetic system for analysis of co-activators for the N-terminal transactivation function domain of the human androgen receptor. | Biosci Biotechnol Biochem | 68 | 1209-1215 | 2004 |
| Endo T, Abe S, Seidler HB, Nagaoka S, Takemura T, Utsuyama M, Kitagawa M, <u>Hirokawa K</u> | Expression of IAP family proteins in colon cancers from patients with different age groups. | Cancer Immunol Immunother | 53 | 770-776 | 2004 |
| Nakai D, Shimizu T, Nojiri H, Uchiyama S, Koike H, Takahashi M, <u>Hirokawa K</u> , Shirasawa T. | coq7/clk-1 regulates mitochondrial respiration and the generation of reactive oxygen species via coenzyme Q. | Aging Cell | 3 | 273-281 | 2004 |

| | | | | | |
|--|---|----------------------------|-------|-----------|----------|
| Okada Y, Ito Y, Aida J, Yasuhara M, Ohkawa S, Hirokawa K | Lewy bodies in the sinoatrial ganglion: clinicopathological studies. | Pathol Int | 54 | 682-687 | 2004 |
| Seidler HB, Utsuyama M, Nagaoka S, Takemura T, Kitagawa M, Hirokawa K | Expression level of Wnt signaling components possibly influences the biological behavior of colorectal cancer in different age groups. | Exp Mol Pathol | 76 | 224-233 | 2004 |
| Suzuki J, Ikeda T, Kuroyama H, Seki S, Kasai M, Utsuyama M, Tatsumi M, Uematsu H, Hirokawa K | Regulation of osteoclastogenesis by three human RANKL isoforms expressed in NIH3T3 cells. | Biochem Biophys Res Commun | 314 | 1021-1027 | 2004 |
| Hirokawa K, Utsuyama M | Search for factors determining early decline of thymic function. | Geriatr Gerontol Int. | 4 | S251-253 | 2004 |
| Fukamachi K, Han BS, Kim CK, Takasuka N, Matsuoka Y, Matsuda E, Yamazaki T, Tsuda H. | Possible enhancing effects of atrazine and nonylphenol on 7, 12-dimethyl-benz[a]anthracene-induced mammary tumor development in human c-Ha-ras proto-oncogene transgenic rats. | Cancer Science | 95 | 404-410 | 2004 |
| Hirabayashi Y, Yoon BI, Li GX, Kanno J, Inoue T | Mechanism of benzene-induced hematotoxicity and leukemogenicity: current review with implication of microarray | Toxicol Pathol | 32 | S2:12-16 | 2004 |
| Ishikawa A, Kitajima S, Takahashi Y, Kokubo H, Kanno J, Inoue T, Saga Y | Mouse Nkd1, a Wnt antagonist, exhibits oscillatory gene expression in the PSM under the control of Notch signaling. | Mech Dev | 121 | 1443-1453 | 2004 |
| Nagao T, Wada K, Kuwagata M, Nakagomi M, Watanabe C, Yoshimura S, Saito Y, Usami K, Kanno J | Intrauterine position and postnatal growth in Sprague-Dawley rats and ICR mice. | Reprod Toxicol | 18 | 109-120 | 2004 |
| Tsuboi I, Morimoto K, Hirabayashi Y, Li GX, Aizawa S, Mori KJ, Kanno J, Inoue T | Senescent B lymphopoiesis is balanced in suppressive homeostasis: decrease in interleukin-7 and transforming growth factor-beta levels in stromal cells of senescence-accelerated mice. | Exp Biol Med (Maywood) | 229 | 494-502 | 2004 |
| Aou S, Hanazawa A, Nakagawa H | Behavioral and electrophysiological study on neural mechanisms underlying sensory recognition, emotional integration and behavioral expression: neurobiological basis of brain- | | | | in press |
| Omura M, Shimasaki Y, Oshima Y, Nakayama K, Kubo K, Aou S, Ogata R, Hirata M, Inoue N | Distribution of tributyltin, dibutyltin and monobutyltin in the liver, brain, fat and neonate of rats - evaluation in two-generation toxicity study of tributyltin | Environ Sci | 11 | 123-132 | 2004 |
| 栗生修司 | ビスフェノールAと行動発達障害 | BRAIN MEDICAL | 16(4) | | 2004 |
| Parhar I.S., S. Ogawa and Y. Sakuma | Laser-captured single digoxigenin-labeled neurons of gonadotropin-releasing hormone types reveal a novel G protein-coupled receptor (GPR54) during maturation in cichlid fish. | Endocrinology | 145 | 3613-3618 | 2004 |
| Fujimoto N, Igarashi K, Kanno J, Honda H, Inoue T | Identification of estrogen-responsive genes in the GH3 cell line by cDNA microarray analysis. | J Steroid Biochem Mol Biol | 91 | 121-129 | 2004 |

書籍

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|--|---|--|--|---|----------|------|-----------------|
| Cook, J., T. Iguchi, E. Linney, A. Miracle, J. Shaw, M. Viant and T. Zacharewski | "Omic" Approaches in the context of environmental toxicology | In Benson, W. H. and Di Giulio, R. T. (eds.) | Genomic Approaches for Cross- Species Extrapolation in Toxicology | Taylor and Francis CRC Press | | 2007 | pp. 1- 31 |
| 井上 達 | 第4章健康医学 「環境ストレス 応答と生体ホメ オスターシス」 | 淀井淳司／松尾 禎之 | 別冊医学のあ ゆみ「レドックス ーストレス防御 の医学」 | 医薬出版 (株) | 東京 | 2005 | pp194- 199. |
| Hirabayashi Y, Inoue T | Toxicogenomics Applied to Hematotoxicology | | Handbook of Toxicogenomics | Wiley-VCH | Weinheim | 2005 | pp. 583- 608 |
| 井口泰泉 | 環境と生物 | 井上達／井口泰 泉 | 生体防御シス テムと内分泌 かく乱 | シュプリ ンガー フェア ラーク東京 | 東京 | 2005 | pp3-13 |
| 関澤 純 | | 井上達／井口泰 泉 | 生体防御シス テムと内分泌 かく乱 | シュプリ ンガー フェア ラーク東京 | 東京 | 2005 | pp297- 314 |
| 井上達 | | 井上達／井口泰 泉 | 生体防御シス テムと内分泌 かく乱 | シュプリ ンガー フェア ラーク東京 | 東京 | 2005 | pp321 |
| Aou S, Inoue T, Fujimoto T, Mizuno M, Oomura Y, Kubo K, Arai O | Chemical impacts on higher brain functions. | | Brain- Inspired IT I | | | 2004 | pp. 101- 104 |
| Inoue T | Potential applications of toxicogenomics in risk assessment. In: Evolving Genetics and Its Global Impact. | | The Fifth Princess Chulabhorn International Science Congress | Amarin Printing and Publishing Public Company Limited | Bangkok | 2004 | pp. 255- 257 |
| 井口泰泉 | 化学物質管理の 必要性 | 中園繁克、塚島 順一 | 化審法改正の ポイント | 化学工業 日報社 | 東京 | 2004 | pp458 |
| 井口泰泉 | 考えよう地球環 境7 | 井口泰泉：森田 昌敏 | 化学物質と健 康の本 | | | 2004 | |
| 関澤 純 | | 富永 健、有川 芳子、市村禎二 郎、関澤 純、渡 辺 正 | 環境科学 | 東京化学 同人 | | 2004 | |

| | | | | | | | |
|------|---------------------|--|--------------------------|---------|--|------|--|
| 関澤 純 | 第5章環境ホルモンのヒトへのリスク | | 環境ホルモンの基礎と最前線-水環境を中心にして- | 技報堂出版 | | 2004 | |
| 関澤 純 | | | 化学物質とインターネット情報 | 化学工業日報社 | | 2004 | |
| 関澤 純 | 第4章リスクコミュニケーションとは何か | | 食品のリスクアナリシス | オーム社 | | 2004 | |