

W id	TM code	Term	Chinese	IST	Definition /Description
107	a47.02	yin edema	陰水	3.1.114	edema due to deficiency of the spleen and the kidney with inhibited qi movement, usually with a gradual onset and a long course, accompanied by interior, cold and deficiency symptoms
108	a47.03	wind edema	風水	3.1.115	a type of edema especially of the face and head, ascribed to attack on the lung by pathogenic wind, manifested by sudden onset of edema accompanied by fever with aversion to wind, aching joints, and oliguria
109	a47.04	skin edema	皮水; 裏水	3.1.116	pitting edema accompanied by abdominal distension and floating pulse
110	a47.05	regular edema	正水	3.1.117	a type of edema accompanied by abdominal fullness and dyspnea
111	a47.06	stony edema	石水	3.1.118	a type of edema marked by stony hardness of the lower abdomen
112	<b>a48</b>	<b>strangury disease</b>	淋病	3.1.120	a variety of diseases characterized by frequent, painful and dripping urination
113	a48.01	heat strangury	熱淋	3.1.121	strangury ascribed to dampness-heat, marked by urgency and frequency of painful urination with acute onset, and accompanied by chills and fever, lumbar pain and cramps, and distension in the lower abdomen
114	a48.02	stone strangury	石淋	3.1.122	painful and difficult urination due to the passage of urinary calculi
115	a48.03	qi strangury	氣淋	3.1.123	strangury due to bladder qi disorders, characterized by painful voiding of urine and lower abdominal distension and fullness
116	a48.04	blood strangury	血淋	3.1.124	strangury characterized by painful discharge of bloody urine
117	a48.05	unctuous strangury	膏淋	3.1.125	painful discharge of turbid, milky urine like rice-water
118	a48.06	fatigue strangury	勞淋	3.1.126	a type of strangury characterized by recurrent dripping of urine ascribed to taxing fatigue, usually seen in chronic cases
119	<b>a49</b>	<b>turbid urine (disease)</b>	尿濁	3.1.129	discharge of turbid urine, white like rice water, with no difficulty or pain in urination, a condition different from unctuous strangury
120	a49.01	white turbidity	白濁	3.1.128	(1) murky urine white in color; (2) discharge of a murky white substance from the urethra
121	a49.02	seminal turbidity (disease)	精濁	3.1.138	an inflammatory disease of male genital organ marked by frequent discharge of white turbid secretion from the urethra, generally referring to prostatitis
122	<b>a50</b>	<b>seminal emission (disease)</b>	遺精	3.1.131	a diseased state characterized by involuntary emission of semen
123	a50.01	white ooze	白淫	3.1.127	seminal fluid in the urine or persistent vaginal discharge
124	a50.02	dream emission (disease)	夢遺	3.1.132	involuntary emission of semen during sleep associated with dreaming
125	a50.03	spermatorrhea	滑精	3.1.133	involuntary and frequent discharge of semen without copulation
126	a50.04	premature ejaculation (disease)	早泄	3.1.134	ejaculation of semen immediately after or even prior to penetration

W id	TM code	Term	Chinese	IST	Definition/Description
127	a51	impotence	陽萎	3-1.135	an abnormal state of a male characterized by inability to initiate or maintain an erection in sexual intercourse
128	a52	persistent erection	陽強	3-1.136	abnormal persistent erection accompanied by tenderness of the penis
129	a53	seminal cold	精冷	3-1.137	a diseased state characterized by cold thin seminal fluid which leads to sterility
130	a54	running piglet	奔豚; 奔豚氣	3-1.140	an ancient name for the morbid condition characterized by a feeling of masses of gas ascending within the abdomen like running piglets, also known as running piglet qi
131	a55	depression	鬱病	3-1.141	a general term for diseased states characterized by a depressed mood with feelings of despair or uneasiness
132	a56	blood disease	血病	3-1.142	a general term for diseases involving the blood, including bleeding, blood stasis and blood heat
133	a56.01	nosebleed	鼻衄	3-1.143	hemorrhage from the nose irrelevant to trauma, also called epistaxis
134	a56.02	gum bleeding	齒衄	3-1.144	bleeding from the gums irrelevant to trauma
135	a56.03	hematemesis	吐血	3-1.145	vomiting of blood
136	a56.04	hematochezia	便血	3-1.146	passage of blood in the stool
137	a56.05	hematuria	尿血	3-1.147	discharge of bloody urine or blood streaks in the urine, but with no pain during urination
138	a56.06	purpura	紫斑	3-1.148	any disease characterized by ecchymosis or small hemorrhages in the skin and mucous membrane
139	a56.07	blood amassment (disease)	蓄血	3-1.149	a disease caused by stagnated blood accumulated in a meridian/channel or an organ, e.g., in the uterus, or in the middle energizer
140	a57	phlegm-fluid retention	痰飲	3-1.150	(1) a general term for retention of phlegm and fluid in any part of the body; (2) a particular designation for retention of fluid in the gastrointestinal tract, e.g., gastric retention in pyloric stenosis
141	a57.01	pleural fluid retention	懸飲	3-1.151	a disease characterized by excess fluid retained in the side of the thorax with stretching pain during cough
142	a57.02	subcutaneous fluid retention	溢飲	3-1.152	a disease characterized by excessive fluid of the body spilling outward to the body surface
143	a57.03	thoracic fluid retention	支飲	3-1.153	retention of excessive fluid in the lung and chest
144	a57.04	recurrent fluid retention	伏飲	3-1.154	a disease characterized by phlegm-fluid lying latent in the body with episodes brought on by external contractions
145	a57.05	mild fluid retention	微飲	3-1.155	a mild case of fluid retention mainly manifested by shortness of breath
146	a57.06	persistent fluid retention	留飲	3-1.156	a case of fluid retention with lingering course and difficult to cure
147	a58	abnormal sweating	汗證; 汗病	3-1.157	any diseased state characterized by generalized or local abnormal sweating

W id	TM code	Term	Chinese	IST	Definition/Description
148	a58.01	yellow sweat	黃汗	3-1.119	a disease mainly caused by the interior accumulation of dampness-heat, and characterized by edema, fever and yellow-colored sweat
149	a58.02	shock sweating	脫汗	3-1.158	profuse sweating associated with listlessness, cold limbs, and hardly perceivable pulse, usually occurring in a critical case
150	<b>a59</b>	<b>wasting-thirst</b>	消渴; 消渴病	3-1.159	any diseased state characterized by polydipsia, polyphagia, and polyuria, similar to diabetes
151	a59.01	upper wasting-thirst	上消	3-1.160	a wasting-thirst case characterized by polydipsia with excessive drinking
152	a59.02	middle wasting-thirst	中消	3-1.161	a wasting-thirst case characterized by polyphagia and emaciation
153	a59.03	lower wasting-thirst	下消	3-1.162	a wasting-thirst case characterized chiefly by polyuria
154	<b>a60</b>	<b>consumptive disease</b>	虛勞	3-1.163	a general term for chronic deficiency diseases due to consumption of yin, yang, qi and blood
155	a60.01	fatigue due to overexertion	勞倦	3-1.164	a diseased state caused by overexertion, manifested by fatigue, lassitude, shortness of breath upon exertion, and spontaneous sweating
156	<b>a61</b>	<b>aggregation-accumulation</b>	積聚; 癥瘕	3-1.165	a general term referring to mass formation in the chest and abdomen, also called abdominal mass
157	<b>a62</b>	<b>syncope</b>	厥; 厥證	3-1.166	a morbid state characterized by temporary loss of consciousness with cold extremities up to the elbows and knees or beyond, the same as collapse
158	a62.01	flopping syncope	薄厥	3-1.167	an acute disease characterized by sudden fainting
159	a62.02	visceral syncope	臟厥; 臟厥	3-1.168	syncope due to yang debilitation of internal organs
160	a62.03	crapulent syncope	食厥	3-1.169	syncope due to eating and drinking too much at one sitting
161	a62.04	heat syncope	熱厥; 煎厥	3-1.170	syncope due to yin debilitation and excessive heat, also called scorching syncope
162	a62.05	cold syncope	寒厥	3-1.171	syncope due to yang debilitation and excessive cold
163	a62.06	wind syncope	風厥	3-1.172	syncope due to transformation of liver qi into wind
164	a62.07	qi syncope	氣厥	3-1.173	syncope induced by emotional upset with upward counterflow of qi
165	a62.08	blood syncope	血厥	3-1.174	syncope due to a fit of rage that causes an upward reverse flow of qi and blood, marked by flushed face and stringy forceful pulse
166	a62.09	phlegm syncope	痰厥	3-1.175	syncope due to exuberant phlegm that causes a qi block
167	<b>a63</b>	<b>true headache</b>	眞頭痛	3-1.176	a critical case of headache marked by sudden attack of severe pain in the head accompanied by nausea, vomiting, and counterflow cold of extremities up to the elbows and knees
168	a63.01	head wind	頭風; 腦風	3-1.177	(1) chronic headache with repeated recurrence; (2) a general term for affections of the head caused by pathogenic wind, including headache, dizziness, facial paralysis, and itching of the scalp with much scurf

W id	TM code	Term	Chinese	IST	Definition/Description
169	a63.02	hemilateral head wind	偏頭風	3.1.178	chronic recurrent headache occurring on one side or one part of the head
170	a63.03	thunder head wind	雷頭風	3.1.179	a diseased state characterized by pain with loud noise in the head
171	a64	<b>impediment disease</b>	痺病	3.1.180	a group of diseases caused by the invasion of wind, cold, dampness or heat pathogen on the meridian/channel involving muscles, sinews, bones and joints, manifested by local pain, soreness, heaviness, or hotness, and even articular swelling, stiffness and deformities, also referring to arthralgia
172	a64.01	moving impediment	行痺; 風痺	3.1.181	an impediment disease characterized by migratory joint pains, also called wind impediment
173	a64.02	painful impediment	痛痺; 寒痺	3.1.182	an impediment disease with severe joint pain exaggerated by cold, also called cold impediment
174	a64.03	fixed impediment	着痺; 濕痺	3.1.183	an impediment disease with fixed joint pain, also called dampness impediment
175	a64.04	heat impediment	熱痺	3.1.184	an impediment disease with an acute onset of joint pain accompanied by local redness, swelling and hotness
176	a64.05	joint-running wind	歷節風	3.1.185	a disease characterized by redness and swelling of multiple joints, with acute pain and difficulty in bending and stretching, and finally developing into articular deformity
177	a64.06	bone impediment	骨痺	3.1.186	a type of impediment disease mainly involving the bones and joints
178	a64.07	impediment of the sinew	筋痺	3.7.7	an impediment disease caused by wind-cold-dampness chiefly involving the sinews
179	a64.08	flesh impediment	肌痺	3.1.187	a type of impediment disease mainly involving the flesh
180	a64.09	blood impediment	血痺	3.1.188	a type of impediment disease marked by local numbness of extremities
181	a64.10	vessel impediment	脈痺	3.1.189	a type of impediment disease mainly involving the vessels
182	a64.11	skin impediment	皮痺	3.2.86	a disease characterized by hardening and thickening of the skin, followed by atrophy at the late stage, referring to scleroderma
183	a64.12	heart impediment	心痺	3.1.190	a type of impediment disease mainly involving the heart
184	a64.13	intestinal impediment	腸痺	3.1.191	a type of impediment disease mainly involving the intestines
185	a65	<b>convulsive disease</b>	癎病	3.1.192	any diseased state marked by neck rigidity, convulsion of the limbs, and even clenched jaw and opisthotonos
186	a65.01	febrile convulsion without chills	柔癎	3.1.193	a type of pyretic convulsion associated with sweating but no chills
187	a65.02	febrile convulsion with chills	剛癎	3.1.194	a type of pyretic convulsion associated with chills but no sweating

Wid	TM code	Term	Chinese	IST	Definition/Description
188	<b>a66</b>	<b>wilting disease</b>	痿病	3-1.195	weakness and limpness of the sinews that in severe cases leads to muscular atrophy and prevents the lifting of the legs and arms, the same as atrophy-flaccidity
189	a66.01	bone wilting	骨痿; 腎痿	3-1.197	wilting attributed to heat in kidney qi, characterized by limp aching lumbar spine and weak wilting lower limbs preventing the patient from getting up and standing, the same as kidney atrophy
190	a66.02	vessel wilting	脈痿; 心痿	3-1.198	wilting attributed to heat in heart qi, characterized by articular relaxation of the lower limbs preventing the patient from standing, the same as heart atrophy
191	a66.03	fleshy wilting	肉痿; 脾痿	3-1.199	wilting attributed to heat in spleen qi, characterized by numbness of the flesh, and in severe cases, inability to move the limbs, the same as spleen atrophy
192	a66.04	sinew wilting	筋痿; 肝痿	3-1.200	wilting attributed to heat in liver qi, characterized by sinew contracture gradually giving way to wilting that prevents normal movements, the same as liver atrophy
193	a66.05	leg flaccidity	痿躄	3-1.201	loss of muscle tone in the legs due to atrophy and difficulty in legs movement
194	<b>a67</b>	<b>tremor</b>	顫震	3-1.202	a diseased state characterized by involuntary trembling of the head or limbs
195	<b>a68</b>	<b>lumbago</b>	腰痛	3-1.203	pain in the lumbar region caused by disordered qi and blood flow in the related collateral vessels in exogenous afflictions, traumatic injuries or kidney deficiency
196	<b>a69</b>	<b>genital disease</b>	疝; 疝氣	3-1.204	a collective term for various diseases characterized by pain and/or swelling of the lower abdomen or scrotum
197	a69.01	hernia	疝; 小腸氣	3-1.205	protrusion of a part of an organ or tissue from a body cavity through the tissues that normally contain it
198	a69.02	cold abdominal colic	寒疝	3-1.206	acute abdominal pain due to cold, also called cold induced colic

W id	TM code	Term	Chinese	IST	Definition/Description
199	<b>b</b>	<b>External Medicine</b>	外科	3.2.0	
200	<b>b1</b>	<b>sore</b>	瘡	3.2.2	an abbreviation of sore and ulcer
201	b1.01	ulcerating sore	潰瘍	3.2.3	a break in skin or mucous membrane with loss of surface tissue, disintegration and necrosis
202	b1.02	swollen sore	腫瘍	3.2.4	any swelling in external diseases that has not suppurated and ruptured
203	b1.03	hairline sore	髮際瘡	3.2.5	sore occurring at the back of the neck close to the hairline
204	b1.04	seat sore	坐板瘡	3.2.6	sore on the buttock
205	b1.05	shank sore	臙瘡	3.2.7	chronic ulcer on the lower leg
206	b1.06	bedsore	褥瘡	3.2.8	an ulceration caused by prolonged pressure in a patient lying in bed for a long period of time
207	<b>b2</b>	<b>furuncle</b>	癤	3.2.9	an acute localized inflammation of the skin, having a hard central core, and forming pus, also known as boil
208	b2.01	mole cricket boil disease	螻蛄癤	3.2.10	multiple abscesses of the scalp, referring to folliculitis abscedens et suffodiens
209	b2.02	furunculosis	癤病	3.2.11	a condition of tending to develop multiple furuncles
210	<b>b3</b>	<b>deep-rooted boil</b>	疔	3.2.12	a boil with its central core deeply rooted
211	b3.01	snake-head whitlow	蛇頭疔	3.2.13	a swollen fingertip resembling the head of a snake, referring to digital pyogenic inflammation
212	b3.02	cutaneous anthrax	疫疔	3.2.14	an infectious disease characterized by small pruritic papular lesions of the head, face and limbs, which enlarge, ulcerate, discharge bloody serum, associated with severe systemic symptoms such as septicemia, high fever, vomiting, sweating, headache and prostration
213	<b>b4</b>	<b>abscess</b>	癰	3.2.15	a pyogenic infection with localized collection of pus buried in tissues or organs
214	b4.01	cervical abscess	頸癰	3.2.16	a pyogenic infection with abscess formation at the lateral aspect of the neck
215	b4.02	axillary abscess	腋癰	3.2.17	a pyogenic infection with abscess formation in the axillary region
216	b4.03	popliteal infection	委中毒	3.2.18	an acute pyogenic inflammation in the popliteal region
217	b4.04	umbilical abscess	臍癰	3.2.19	a pyogenic infection with abscess formation in the umbilical region
218	b4.05	gluteal abscess	臀癰	3.2.20	a pyogenic infection with abscess formation in the gluteal region
219	b4.06	intestinal abscess	腸癰	3.2.21	a localized pyogenic inflammation of the intestine, referring to acute appendicitis
220	b4.07	deep multiple abscess	流注	3.2.29	a secondary abscess, usually multiple, deeply located, and distant from the primary lesion, also called metastatic abscess
221	<b>b5</b>	<b>effusion</b>	發	3.2.22	acute, diffuse and suppurative inflammation of the subcutaneous tissue
222	b5.01	effusion of the back of the hand	手發背	3.2.23	acute pyogenic infection of the dorsum of the hand with diffuse swelling and inflammation

W id	TM code	Term	Chinese	IST	Definition/Description
223	b5.02	effusion of the dorsum of the foot	足發背	3.2.24	acute pyogenic infection of the dorsum of the foot with diffuse swelling and inflammation
224	b5.03	carbuncle	有頭疽	3.2.25	a necrotizing infection of skin and subcutaneous tissue with multiple openings for the discharge of pus and sloughing of dead tissue
225	b5.04	suppurative osteomyelitis	附骨疽	3.2.26	a suppurative inflammatory disease of bone, marked by local death and separation of tissue
226	b5.05	suppurative coxitis	環跳疽	3.2.27	suppurative inflammation of the hip joint
227	<b>b6</b>	<b>digital gangrene</b>	脫疽	3.2.28	gangrene of the extremities, especially referring to thromboangiitis
228	<b>b7</b>	<b>suppurative parotitis</b>	發頤	3.2.30	inflammation of the parotid gland associated with suppuration
229	<b>b8</b>	<b>erysipelas</b>	丹毒; 火丹	3.2.31	an acute infection of the skin marked by intense local redness
230	b8.01	wandering erysipelas	赤遊丹	3.2.32	a type of erysipelas in the newborn characterized by changing the location of the lesion either from the trunk to the extremities or from the extremities to the trunk
231	<b>b9</b>	<b>flowing phlegm</b>	流痰; 骨癆	3.2.33	chronic pyogenic infection, especially tuberculosis, of bone and joint, also known as osteoarticular tuberculosis
232	<b>b10</b>	<b>scrofula</b>	瘰癧	3.2.34	chronic inflammation of the cervical lymph nodes
233	<b>b11</b>	<b>acute mastitis</b>	乳癰	3.2.35	acute pyogenic inflammation of the breast
234	b11.01	mastitis during pregnancy	內吹乳癰	3.2.36	inflammation of the breast occurring during pregnancy
235	b11.02	postpartum mastitis	外吹乳癰	3.2.37	inflammation of the breast occurring after delivery
236	b11.03	phlegmonous mastitis	乳發	3.2.38	a serious suppurative inflammation of the breast leading to necrosis and abscess formation
237	<b>b12</b>	<b>mammary phthisis</b>	乳癆; 乳痰	3.2.39	tuberculosis of the breast
238	<b>b13</b>	<b>gynecomastia</b>	乳癰	3.2.40	excessive development of the breast in the children and male adults
239	<b>b14</b>	<b>mammary fistula</b>	乳漏	3.2.41	an abnormal passage that leads to the cutaneous surface of the breast or areola of the nipple and exudes pus
240	<b>b15</b>	<b>thelorrhagia</b>	乳衄	3.2.42	bleeding from the mammary nipple
241	<b>b16</b>	<b>mammary hyperplasia</b>	乳癰	3.2.43	benign hyperplasia of mammary gland
242	<b>b17</b>	<b>cracked nipple</b>	乳頭風	3.2.44	painful fissuring of the mammary nipple or areola
243	<b>b18</b>	<b>goiter</b>	癭	3.2.45	enlargement of the thyroid gland, causing a swelling in the front part of the neck
244	bi8.01	qi goiter	氣癭	3.2.46	a goiter that is painless and soft to the touch and that swells and shrinks with the patient's moods
245	bi8.02	fleshy goiter	肉癭	3.2.47	a benign goiter, soft or beefy, with a slow progress, mostly referring to adenomatous or cystic goiter
246	bi8.03	stony goiter	石癭	3.2.48	enlarged thyroid, nodulated and as hard as stone, mostly referring to carcinoma of the thyroid
247	<b>b19</b>	<b>tumor</b>	瘤	3.2.49	a neoplasm which persists and has no physiological use

W id	TM code	Term	Chinese	IST	Definition/Description
248	b19.01	unspecified tumor	瘤		
249	b19.02	qi tumor	氣瘤	3.2.50	a term for multiple pedunculated soft tumors arising superficially under the skin, becoming flat on pressing and bulging again when the pressure is removed as if they were filled with air, mostly referring to neurofibroma
250	b19.03	blood tumor	血瘤	3.2.51	a vascular tumor composed of dilated blood vessels in the skin or subcutaneously
251	b19.04	sinew tumor	筋瘤	3.2.52	a dilated and tortuous vein, usually in the leg
252	b19.05	fleshy tumor	肉瘤	3.2.53	tumor of subcutaneous fatty tissue
253	b19.06	bone tumor	骨瘤	3.2.54	tumor of the bone, either benign or malignant
254	<b>b20</b>	<b>rocky mass/cancer</b>	巖	3.2.55	any malignant tumor occurring on body surface that looks and feels like rock
255	b20.01	unspecified cancer	巖		
256	b20.02	cocoon lip	繭脣	3.2.56	malignant tumor occurring in the labial region
257	b20.03	cervical malignancy with cachexia	失榮	3.2.57	advanced case of malignant tumor of the cervical lymph node, either primary or metastatic, accompanied by cachexia
258	b20.04	rocky mass in the breast/breast cancer	乳巖	3.2.58	malignant tumor occurring in the mammary region
259	<b>b21</b>	<b>eruption</b>	疹	3.2.59	visible efflorescent lesions of the skin, resembling millet seeds, and marked by redness and prominence
260	b21.01	macula	斑疹	3.2.60	a general term for any spot or area distinguishable by color from the surrounding skin
261	b21.02	papule	丘疹	3.2.61	small conical elevation of the skin
262	<b>b22</b>	<b>pustule</b>	膿皰	3.2.62	small circumscribed elevation of the skin, containing pus
263	<b>b23</b>	<b>scab</b>	痂	3.2.63	outer layer of wound formed by the drying of a bodily exudate
264	<b>b24</b>	<b>subcutaneous node</b>	結核	3.2.64	a general term for any round mass formed under the skin
265	<b>b25</b>	<b>polyp</b>	息肉	3.2.65	a protruding growth from the mucous membrane
266	<b>b26</b>	<b>fistula</b>	漏	3.2.66	an abnormal passage leading from an abscess or hollow organ to the body surface
267	<b>b27</b>	<b>herpes simplex</b>	熱瘡	3.2.67	the development of fluid-filled vesicles on the margin of skin and mucous membrane as a concomitant of fever, usually referring to herpes simplex
268	<b>b28</b>	<b>herpes zoster</b>	蛇丹; 蛇串瘡; 纏腰火丹; 纏腰 蛇丹; 火帶瘡	3.2.68	an acute eruptive disease characterized by severe pain along the girdled distribution of clustered vesicles
269	<b>b29</b>	<b>verruca</b>	疣	3.2.69	a horny projection on the skin, also known as a wart



W id	TM code	Term	Chinese	IST	Definition/Description
270	b29.01	unspecified verruca	疣		
271	b29.02	verruca vulgaris	疣目	3.2.70	a lobulated hyperplastic epidermal lesion with a horny surface, usually occurring on the back of the hand, fingers or scalp
272	b30	corn	鶏眼; 肉刺	3.2.71	a horny thickening of the skin, forming a conical mass pointing down into the corium (dermis)
273	b31	fat sore	肥瘡	3.2.72	a type of ringworm characterized by formation of yellow cup-shaped crusts, referring to tinea favosa
274	b32	tinea manuum	鵝掌風	3.2.73	ringworm affecting the hands, referring to chronic dermatitis with keratosis
275	b33	tinea versicolor	紫白癬風	3.2.74	a non-inflammatory disorder characterized by multiple macular patches of all sizes and shapes, varying from white in pigmented skin to tan or brown in pale skin, usually seen on the neck, trunk and proximal ends of limbs that are apt to sweat
276	b34	vitiligo	白癬風; 白駁風	3.2.75	a skin disease manifested as smooth white spots on various parts of the body
277	b35	scabies	疥瘡; 疥癩	3.2.76	a contagious skin disease caused by mites
278	b36	urticaria	癩疹; 風癩疹	3.2.77	an allergic disorder of the skin, marked by red or pale wheals, intermittent, associated with intense itching
279	b37	dry ringworm	乾癬	3.2.78	a chronic skin disease characterized by clearly circumscribed thickening of the skin, fissuring and itching that causes scaling, mostly referring to chronic eczema or neurodermatitis
280	b38	oxhide lichen	牛皮癬	3.2.79	chronic disorder of the skin characterized by patches of itching lichenoid eruption resembling cattle hide, referring to neurodermatitis
281	b39	psoriasis	白疔; 松皮癬	3.2.80	a chronic skin disease marked by rounded, circumscribed, erythematous, dry, scaling patches, covered by silvery white, lamellar scales, resembling the bark of a pine tree
282	b40	seborrheic dermatitis	面遊風	3.2.81	a chronic inflammation of the skin marked by excessive secretion of sebum
283	b41	acne	粉刺; 酒刺	3.2.82	a chronic inflammatory disease of the follicles and sebaceous glands, occurring on the face, chest and back
284	b42	alopecia	油風	3.2.83	a disease marked by sudden patchy loss of hair, which usually occurs in sharply defined areas, referring to alopecia areata
285	b43	erythema multiforme	貓眼瘡	3.2.84	an acute self-limited inflammatory skin disease characterized by sudden onset of erythematous macular, bullous, papular, or vesicular eruption

W id	TM code	Term	Chinese	IST	Definition/Description
286	<b>b44</b>	<b>erythema nodosum</b>	瓜藤癩	3-2.85	a skin disease which most often affects young women and is characterized by the development of crops of transient, inflammatory nodules that are usually tender, multiple, and bilateral, most commonly located on the shins
287	<b>b45</b>	<b>hemorrhoid</b>	痔	3-2.87	varicose dilatation of a vein of the superior or inferior hemorrhoidal plexus
288	b45.01	internal hemorrhoid	内痔	3-2.88	varicose dilatation of a vein of the superior hemorrhoidal plexus, situated proximal to the pectinate line
289	b45.02	external hemorrhoid	外痔	3-2.89	varicose dilatation of a vein of the inferior hemorrhoidal plexus, situated distal to the pectinate line
290	b45.03	anal fistula	肛漏; 肛瘻	3-2.90	a fistula opening on the cutaneous surface near the anus, which may communicate with the rectum
291	<b>b46</b>	<b>prolapse of the rectum</b>	脱肛	3-2.91	protrusion of the rectal mucous membrane through the anus
292	<b>b47</b>	<b>polyp of rectum</b>	息肉痔	3-2.92	a protruding growth from the mucous membrane of the rectum
293	<b>b48</b>	<b>abscess of the testicle</b>	子癰	3-2.93	an inflammatory infection of the testis and epididymis marked by local pain and swelling, referring to epididymitis and orchitis
294	<b>b49</b>	<b>scrotal abscess</b>	囊癰	3-2.94	an acute pyogenic inflammation of the scrotum excluding the testis, marked by redness, swelling and pain of the scrotum associated with chills and fever, and followed by tightness and luster of the scrotal skin with excruciating pain
295	<b>b50</b>	<b>hydrocele</b>	水疝	3-2.95	an accumulation of fluid in the testicle
296	<b>b51</b>	<b>frostbite</b>	凍瘡; 凍風	3-2.96	a lesion marked by swelling, numbness, cyanosis, blister or ulcerating sore attributed to exposure to cold that causes local stagnation of qi and blood
297	<b>b52</b>	<b>tetanus</b>	破傷風; 金瘡瘻	3-2.97	a disease characterized by sustained muscular contraction caused by pathogenic wind toxin which enters the body through a puncture wound
298	<b>b53</b>	<b>green-blue snake toxin sore</b>	青蛇毒	3-2.98	inflammation of a superficial vein associated with thrombus formation, referring to superficial thrombophlebitis
299	<b>b54</b>	<b>thigh swelling</b>	股腫	3-2.99	thrombus formation and inflammation of a deep-located vein, referring to deep thrombophlebitis
300	<b>b55</b>	<b>fox-creeper disease</b>	狐惑; 狐惑病	3-2.100	a disease characterized by erosion of the mouth, throat and genitalia, red eyes and black canthi, resembling Behcet's syndrome

W id	TM code	Term	Chinese	IST	Definition/Description
301	c	Gynecology and Obstetrics	婦產科; 產婦人科	3-3.0	
302	c1	menstrual irregularities	月經不調	3-3.13	a general term for irregular menstruation and other menstrual complaints, such as abnormal duration, amount, color and quality of menstrual discharge
303	c1.01	advanced menstruation	月經先期; 經行先期; 經早	3-3.14	periods that come one week or more ahead of due time, for more than two successive periods
304	c1.02	delayed menstruation	月經後期; 經行後期; 經遲	3-3.15	periods that come one week or more after due time, for more than two successive periods
305	c1.03	menstruation at irregular intervals	月經先後無定期; 經亂	3-3.16	periods that come with an irregular cycle, more than one week early or later
306	c1.04	prolonged menstruation	經期延長	3-3.22	excessively prolonged menstruation in regular cycles, the same as menostaxis
307	c1.05	bimonthly menstruation	並月	3-3.1	menstruation occurring once every two months, but causing no symptoms
308	c1.06	trimonthly menstruation	居經; 季經	3-3.2	menstruation occurring once every three months, but causing no symptoms
309	c1.07	annual menstruation	避年	3-3.3	menstruation occurring once a year, but causing no symptoms
310	c1.08	menstruation during pregnancy	激經; 垢胎	3-3.5	regular menstruation during early pregnancy, which stops spontaneously when the fetus is fully developed
311	c1.09	intermenstrual bleeding	經間期出血	3-3.23	uterine bleeding occurring not in the regular menstruation period
312	c1.10	scant menstruation	月經過少; 月經澀少	3-3.17	menstrual discharge of less than the normal amount occurring at regular intervals
313	c1.11	profuse menstruation	月經過多; 經水過多; 月水過多	3-3.18	excessive uterine bleeding occurring at regular intervals, the same as menorrhagia
314	c1.12	amenorrhea	閉經; 經閉	3-3.24	failure of menstruation to occur at puberty or abnormal stoppage of the menses for more than three months after menarche
315	c1.13	dysmenorrhea	痛經; 月經痛; 經行腹痛	3-3.25	lower abdominal pain or referring pain to the lower back occurring around or during the menstrual period
316	c1.14	inverted menstruation	倒經; 逆經	3-3.26	discharge of blood from some part other than the vagina during the menstrual period, such as bleeding from the nose or vomiting of blood
317	c1.15	distending pain in the breasts during menstruation	經行乳房脹痛	3-3.27	distention or sensation of fullness and pain in the breasts before, during, or after menstruation

W id	TM code	Term	Chinese	IST	Definition/Description
318	c1.16	moodiness during menstruation	經行情志異常	3-3-28	depression, gloominess, irritability and other changes of mood occurring around each menstrual period and returning to normal after the period
319	<b>c2</b>	<b>vaginal discharge</b>	帶下	3-3-29	(1) normal discharge from the vagina; (2) diseases characterized by discharge from the vagina, the same as leukorrhoea
320	c2.01	white vaginal discharge	白帶	3-3-30	(1) whitish discharge from the vagina; (2) a disease marked by white discharge from the vagina
321	c2.02	yellow vaginal discharge	黃帶	3-3-31	yellowish viscous discharge from the vagina, usually indicating the presence of pathogenic damp-heat
322	<b>c3</b>	<b>flooding and spotting</b>	崩漏	3-3-19	sudden onset of profuse uterine bleeding or incessant dripping of blood, occurring not in the regular menstruation period, the same as metrorrhagia
323	c3.01	flooding	血崩; 崩中	3-3-20	sudden massive uterine bleeding, the same as metrorrhagia
324	c3.02	spotting	漏下	3-3-21	slight but persistent leakage of blood from the uterus, the same as metrostaxis
325	<b>c4</b>	<b>infertility</b>	不孕	3-3-59	lack of capacity to produce offspring
326	c4.01	unspecified infertility	不孕		
327	c4.02	five unwomanlinesses	五不女	3-3-4	five forms of female infertility
328	<b>c5</b>	<b>pseudopregnancy</b>	鬼胎	3-3-39	abnormal pregnancy resulting in a mass in the uterus resembling a bunch of grapes, referring to hydatidiform mole
329	<b>c6</b>	<b>morning sickness</b>	惡阻; 妊娠惡阻	3-3-32	nausea and vomiting during early pregnancy
330	<b>c7</b>	<b>uterine obstruction</b>	胞阻; 妊娠腹痛	3-3-33	lower abdominal pain occurring in pregnancy, usually due to the impeded flow of qi and blood in uterine vessels
331	<b>c8</b>	<b>threatened abortion</b>	胎動不安	3-3-35	continuous moving of the fetus with lumbar pain and abdominal pain or small amount of vaginal bleeding
332	c8.01	vaginal bleeding during pregnancy	胎漏	3-3-34	small amount of blood discharge through vagina during pregnancy, intermittent, but with no lumbar pain or abdominal pain
333	c8.02	habitual abortion	滑胎	3-3-36	spontaneous abortion in three or more consecutive pregnancies
334	c8.03	early abortion	墮胎	3-3-37	spontaneous abortion occurring within the first twelve weeks of pregnancy
335	<b>c9</b>	<b>dead fetus in the uterus</b>	子死腹中	3-3-51	retention of a dead fetus in the uterus beyond the period of normal gestation
336	<b>c10</b>	<b>other diseases during pregnancy</b>	其他妊娠疾患		
337	c10.01	hydramnios	子滿; 胎水腫滿	3-3-40	that causing abnormally enlarged abdomen, sensation of fullness and dyspnea

W id	TM code	Term	Chinese	IST	Definition/Description
338	c10.02	pregnancy swelling	子腫; 妊娠腫脹	3-3.41	edema of the face and limbs occurring in the late stage of pregnancy
339	c10.03	pregnancy vexation	子煩; 妊娠心煩	3-3.42	depression or irritability occurring during pregnancy
340	c10.04	dizziness in pregnancy	子暈; 妊娠眩暈	3-3.43	dizziness with blurred vision or even fainting occurring in pregnancy, the same as gravid vertigo
341	c10.05	pregnancy suspension	子懸; 胎氣上逆	3-3.44	feeling of pressure in the abdomen and thorax, even with dyspnea and irritability, during pregnancy, the same as gravid oppression or upward flow of fetus qi
342	c10.06	eclampsia of pregnancy	子癇; 妊娠癇證	3-3.45	sudden onset of convulsions and loss of consciousness occurring in a pregnant or puerperal woman with headache and vertigo
343	c10.07	cough during pregnancy	子嗽; 妊娠咳嗽	3-3.46	persistent cough during pregnancy, the same as gravid cough
344	c10.08	strangury of pregnancy	子淋; 妊娠小便淋痛	3-3.47	difficult and painful discharge of urine during pregnancy
345	<b>c11</b>	<b>labor</b>	臨產	3-3.6	the process of giving birth to offspring, including the expulsion of the fetus, placenta and membranes from the uterus through the vagina
346	c11.01	testing labor	試胎; 試月	3-3.7	abdominal pain that occurs for a short time and then stops, occurring during the eighth or ninth month of pregnancy
347	c11.02	false labor	弄胎	3-3.8	intermittent abdominal pain that occurs toward the end of the term of pregnancy without backache, also known as agitated fetus
348	c11.03	early leakage of amniotic fluid	試水	3-3.9	the condition characterized by leakage of the amniotic fluid which is not followed by childbirth
349	c11.04	injured labor	傷產	3-3.10	premature delivery due to traumatic injury
350	c11.05	late abortion	小產	3-3.38	spontaneous abortion occurring after the twelfth week and before the twenty-eighth week of pregnancy
351	c11.06	post-term pregnancy	過期不產	3-3.48	pregnancy extended beyond the expected date of delivery
352	c11.07	difficult delivery	難產; 產難	3-3.49	slow and difficult delivery
353	c11.08	retention of placenta	胞衣不下; 息胞	3-3.50	retarded delivery of the afterbirth
354	c11.09	lochia	惡露	3-3.52	vaginal discharge in the puerperium
355	c11.10	retention of the lochia	惡露不下	3-3.53	absence of postpartum vaginal discharge
356	c11.11	persistent flow of the lochia	惡露不絕; 惡露不止	3-3.54	abnormally prolonged discharge of lochia for more than 3 weeks after childbirth, the same as lochiorrhea
357	c11.12	puerperium	產褥	3-3.11	the period between childbirth and the return of the uterus to its normal condition
358	<b>c12</b>	<b>lactation disorders</b>	授乳疾患		

W id	TM code	Term	Chinese	IST	Definition/Description
359	c12.01	oligogalactia	缺乳	3-3.55	deficiency of milk secretion during lactation, the same as hypogalactia
360	c12.02	agalactia	乳汁不行; 乳汁不通	3-3.56	no milk secretion following childbirth
361	c12.03	galactorrhoea	乳汁自出; 乳溢	3-3.57	spontaneous flow of milk irrespective of nursing
362	c12.04	postpartum galactorrhoea	産後乳汁自出	3-3.58	spontaneous flow of milk irrespective of nursing following childbirth
363	<b>c13</b>	<b>lower abdominal mass (in woman)</b>	腸覃	3-3.60	formation of mass in the lower abdomen with regular menstrual cycle
364	<b>c14</b>	<b>stony conglomeration</b>	石瘕	3-3.61	a mass as hard as stone formed in the uterus
365	<b>c15</b>	<b>shifted bladder</b>	轉胞	3-3.62	a disease marked by acute pain below the umbilicus associated with anuresis
366	<b>c16</b>	<b>disorders in external genitalia</b>	外陰疾患		
367	c16.01	prolapse of the uterus	陰挺; 陰脫	3-3.63	downward displacement of the uterus, even with the entire uterus outside the vaginal orifice
368	c16.02	pudendal itch	陰癢	3-3.64	itching of the female external genitalia or vagina
369	c16.03	pudendal swelling	陰腫	3-3.65	painful swelling of the female external genitalia
370	c16.04	pudendal sore	陰瘡	3-3.66	sore or ulcer in the female external genital region
371	c16.05	pudendal pain	陰痛	3-3.67	pain of the female pudendum, including the vestibule of the vagina and vaginal orifice
372	c16.06	vaginal flatus	陰吹	3-3.68	noisy expulsion of gas from the vagina
373	<b>c17</b>	<b>hysteria</b>	臟躁	3-3.69	a paroxysmal mental disease marked by depression and melancholy, irritability, lack of control over emotions, sadness with an urge to weep, and sighing for no apparent reason

W id	TM code	Term	Chinese	IST	Definition/Description
374	d	Pediatrics	兒科; 小兒科	3.4.0	
375	d1	fetal weakness	胎怯; 胎弱	3.4.1	congenital weak constitution
376	d2	fetal heat	胎熱	3.4.2	a group of diseases with heat manifestations occurring in the newborn due to contraction of heat toxin in the fetal stage
377	d3	depressed fontanel	凶陷	3.4.3	sunken fontanel in an infant
378	d4	bulging fontanel	凶填	3.4.4	outward swelling of the fontanel in an infant
379	d5	growth fever	變蒸	3.4.5	a physiological phenomenon due to the growth and development of the child
380	d6	dribbling	滯頤; 小兒多涎	3.4.6	salivation in an infant with wet cheeks
381	d7	milk regurgitation	溢乳	3.4.7	vomiting of milk due to improper feeding
382	d8	neonatal cough	百晬內嗽	3.4.8	cough with sputum and dyspnea occurring in a newborn within one hundred days after birth
383	d9	infantile asthma	小兒哮喘	3.4.9	an infantile disease characterized by paroxysmal labored breathing accompanied by a whistling sound
384	d10	horse-spleen wind	馬脾風	3.4.10	critical case of asthma and lung distension in children with a sudden attack
385	d11	food accumulation	食積	3.4.11	a diseased state characterized by the accumulation of undigested food in the stomach and intestines, causing abdominal distension and pain, vomiting, diarrhea and anorexia
386	d12	(infantile) malnutrition	疳; 疳癆	3.4.12	a chronic nutritional disorder of infants with emaciation and weakness
387	d12.01	mild (infantile) malnutrition	疳氣	3.4.13	a mild case of infantile malnutrition at the early stage
388	d12.02	mild (infantile) malnutrition with accumulation	疳積	3.4.14	infantile malnutrition at the intermediate stage, accompanied by food accumulation and stagnation in the stomach and intestines
389	d12.03	T-shaped malnutrition	丁癆疳	3.4.15	a severe case of infantile malnutrition with an emaciated T-shaped figure
390	d12.04	dryness (infantile) malnutrition	乾疳	3.4.16	a case of infantile malnutrition at the extreme stage with drying up of fluid and blood, marked by a dry and shriveled body worn
391	d12.05	blood (infantile) malnutrition	血疳	3.4.17	a case of infantile malnutrition marked by blood deficiency
392	d12.06	spleen (infantile) malnutrition	脾疳; 食疳	3.4.18	a case of infantile malnutrition due to debilitation of the spleen and stomach with accumulation of dampness-heat, the same as food malnutrition

W id	TM code	Term	Chinese	IST	Definition/Description
393	d12.07	heart (infantile) malnutrition	心疳; 驚疳	3-4-19	a case of infantile malnutrition due to debilitation of the spleen and stomach with depressed heat in the heart meridian, the same as fright malnutrition
394	d12.08	liver (infantile) malnutrition	肝疳; 筋疳	3-4-20	a case of infantile malnutrition due to debilitation of the spleen and stomach with depressed heat in the liver meridian, the same as sinew malnutrition
395	d12.09	lung (infantile) malnutrition	肺疳; 氣疳	3-4-21	a case of infantile malnutrition due to debilitation of the spleen and stomach with depressed heat damaging the lung, the same as qi malnutrition
396	d12.10	kidney (infantile) malnutrition	腎疳; 骨疳	3-4-22	a case of infantile malnutrition ascribed to a congenital defect with weak constitution or chronic spleen disorder that involves the kidney, resulting in dual deficiency of the spleen and kidney, the same as bone malnutrition
397	d12.11	eye (infantile) malnutrition	眼疳	3-4-23	attack of liver fire to the eyes in a malnourished child
398	d12.12	ascaris (infantile) malnutrition	蛔疳	3-4-24	malnutrition due to ascaris infestation
399	d12.13	lactational malnutrition	哺乳疳	3-4-25	malnutrition of an infant due to improper breast-feeding
400	d12.14	(infantile) nutritional edema	疳腫脹	3-4-26	infantile malnutrition marked by edema and abdominal distention
401	<b>d13</b>	<b>anorexia</b>	厭食	3-4-27	a diseased state in children characterized by loss of appetite for food
402	<b>d14</b>	<b>thrush</b>	鵝口瘡; 雪口	3-4-28	a disease marked by white patches on the buccal mucosa and tongue
403	<b>d15</b>	<b>aphtha</b>	口瘡	3-4-29	small painful oral ulcer
404	<b>d16</b>	<b>gingival eruption</b>	馬牙	3-4-30	sporadic eruption of small yellowish spots on the gums in the newborn
405	<b>d17</b>	<b>wooden tongue</b>	木舌	3-4-31	swollen, hardened tongue, stiff as a piece of wood, seen in glossitis of the newborn
406	<b>d18</b>	<b>teeth grinding</b>	齧齒	3-4-32	noisy grinding of teeth during sleep
407	<b>d19</b>	<b>infantile convulsion</b>	驚風	3-4-33	infantile diseases marked by convulsions and loss of consciousness
408	d19.01	convulsion with uplifted eyes	天釣	3-4-34	infantile convulsion with high fever, tossed head and upward staring eyes
409	d19.02	convulsion with abdominal pain	內釣	3-4-35	infantile convulsion mainly manifested as visceral contraction and abdominal colic
410	d19.03	acute infantile convulsion	急驚風	3-4-36	infantile convulsion of acute onset, accompanied by high fever and loss of consciousness
411	d19.04	chronic infantile convulsion	慢驚風	3-4-37	repeated infantile convulsion of gradual onset, associated with loss of consciousness or paralysis and poor prognosis



W id	TM code	Term	Chinese	IST	Definition/Description
412	d19.05	chronic spleen wind	慢脾風	3-4-38	a critical case of chronic infantile convulsion marked by yang debilitation and yin exuberance, usually occurring after protracted vomiting and diarrhea with spleen qi deficiency and stirring of liver wind
413	<b>d20</b>	<b>epilepsy</b>	癲癇; 癲疾; 癇病	3-4-39	a disease characterized by temporary loss of consciousness with foaming at the mouth and convulsions of the limbs, and return to normal after the episode
414	d20.01	fright epilepsy	驚癇	3-4-40	epileptic seizure induced by fright
415	d20.02	wind epilepsy	風癇	3-4-41	epileptic seizure induced by liver wind stirring internally
416	d20.03	phlegm epilepsy	痰癇	3-4-42	epileptic seizure induced by depressed qi and bound phlegm
417	<b>d21</b>	<b>tortoise back</b>	龜背	3-4-43	back shaped like a tortoise-shell due to kyphosis
418	<b>d22</b>	<b>pigeon chest</b>	龜胸; 鷄胸	3-4-44	deformity of the chest in which the sternum is prominent, like the chicken breast, also known as pectus carinatum
419	<b>d23</b>	<b>ununited skull</b>	解顛	3-4-45	abnormal accumulation of excess fluid within the skull marked by enlargement of the head and retarded closure of the skull sutures, the same as hydrocephalus
420	<b>d24</b>	<b>five retardations</b>	五遲	3-4-46	retarded development in infants covering standing, walking, hair-growth, tooth eruption and speaking
421	<b>d25</b>	<b>five limpnesses/flaccidity</b>	五軟	3-4-47	flaccidity of the neck, nape, extremities, muscles and mastication as striking features of delayed growth and mental retardation in infants
422	<b>d26</b>	<b>five stiffnesses</b>	五硬	3-4-48	stiffness of the hand, foot, waist, flesh and neck in the newborn due to a congenital defect
423	<b>d27</b>	<b>summer non-acclimatization</b>	疰夏	3-4-49	children's disease usually occurring in summer, with symptoms of lassitude, dyspepsia, and abnormal bowel movements
424	<b>d28</b>	<b>smallpox</b>	痘瘡; 天花	3-4-50	an acute highly contagious febrile disease characterized by skin eruptions with pustules, sloughing, and scar formation, the same as variola
425	<b>d29</b>	<b>measles</b>	麻疹	3-4-51	an acute epidemic eruptive disease marked by fever and generalized maculopapular rash preceded by cough, nasal discharge, profuse tearing, and white speckles inside the mouth
426	<b>d30</b>	<b>exanthem</b>	痧	3-4-52	a general term for skin eruption or rash, but usually referring to measles
427	<b>d31</b>	<b>rubella</b>	風疹; 風痧(病)	3-4-53	a contagious eruptive disease caused by seasonal wind-heat or wind-heat toxin, and marked by mild fever, followed by enlargement of postauricular and suboccipital lymph nodes, and the appearance of pink maculo-papular rash that begins on the head and spreads to become generalized

W id	TM code	Term	Chinese	IST	Definition/Description
428	<b>d32</b>	<b>scarlatina</b>	喉痧; 爛喉丹痧; 丹痧; 疫痧; 爛喉風	3.4.54	an acute seasonal infectious disease marked by swelling and erosion of the throat, erythematous rash and raspberry tongue
429	<b>d33</b>	<b>chickenpox</b>	水痘; 水疱; 水花; 水瘡	3.4.55	an acute contagious disease caused by seasonal toxin and manifested by fever and bursts of macular and papular eruptions followed by incrustation but no scar formation, the same as varicella
430	<b>d34</b>	<b>mumps</b>	疝腮; 腮腫	3.4.56	an epidemic disease caused by wind-heat toxin and characterized by painful swelling of one or both parotid glands
431	<b>d35</b>	<b>diphtheria</b>	白喉; 白纏喉	3.4.57	an acute infectious disease characterized by fever, sore throat and the formation of white false membrane attached firmly to the pharynx, larynx and nose
432	<b>d36</b>	<b>whooping cough</b>	頓咳	3.4.58	an acute contagious infection of the respiratory system with characteristic paroxysmal cough, consisting of a deep inspiration, followed by a series of quick, short coughs which end with a long shrill and whooping inspiration, referring to pertussis
433	<b>d37</b>	<b>night crying</b>	夜啼	3.4.59	morbid night crying in babies, but quiet at daytime
434	d37.01	night crying due to fright	客忤夜啼	3.4.60	night crying in babies caused by fright
435	d37.02	fright seizure	客忤	3.4.61	a seizure of fright that causes vomiting, abdominal pain, and even convulsions
436	<b>d38</b>	<b>neonatal jaundice</b>	胎黃; 胎疸	3.4.62	yellow discoloration of the skin and sclera seen in the newborn
437	<b>d39</b>	<b>fetal redness</b>	胎赤	3.4.63	abnormal redness of the skin in a newborn, often due to affection by toxic heat at the fetal stage, the same as erythroderma neonatorum
438	<b>d40</b>	<b>umbilical wind</b>	臍風	3.4.64	a disease of the newborn characterized by cyanotic lips, lockjaw, generalized tonic spasm and tetanic convulsions, referring to neonatal tetanus
439	<b>d41</b>	<b>umbilical dampness</b>	臍濕	3.4.65	a condition of wetness of and possible exudation from the umbilicus after the umbilical cord has been shed, referring to omphalorrhea
440	<b>d42</b>	<b>umbilical sores</b>	臍瘡	3.4.66	redness and swelling of the umbilicus or ulceration spreading around the umbilicus with purulent exudation
441	<b>d43</b>	<b>umbilical hernia</b>	臍疝; 臍突	3.4.67	a type of abdominal hernia in which part of the intestine protrudes at the umbilicus and is covered with skin, sometimes red and swollen

Wid	TM code	Term	Chinese	IST	Definition/Description
442	e	<b>Ophthalmology</b>	眼科	3-5.0	
443	e1	<b>eyelid disorders</b>	眼瞼疾患		
444	e1.01	sty	鍼眼	3-5.6	a small furuncle occurring on the eyelid, in the shape and size of wheat grain
445	e1.02	phlegm node of the eyelid	胞生痰核	3-5.7	a small lump formed on the eyelid, without redness or pain, mostly referring to chalazion
446	e1.03	trachoma	椒瘡	3-5.8	an eye disease marked by innumerable granulations, red and hard, shaped like Chinese prickly ash, accumulating on the conjunctival surfaces
447	e1.04	conjunctival folliculitis	粟瘡	3-5.9	an eye disease marked by formation on the conjunctival surface of numerous follicles in the shape and size of millet
448	e1.05	marginal blepharitis	瞼弦赤爛	3-5.10	inflammation and ulceration of the margin of the eyelid
449	e1.06	wind red sore	風赤瘡癩	3-5.11	disease of the eyelid characterized by redness of the palpebral skin with vesicles which turn into erosion after rupture
450	e1.07	inflammatory swelling of the eyelid	胞腫如桃	3-5.12	severe swelling of the eyelid with redness resembling a ripe peach
451	e1.08	non-inflammatory edema of the eyelid	胞虛如球	3-5.13	severe swelling of the eyelid resembling a soft ball, but with no change in the local skin color, and not painful on touch
452	e1.09	blepharoptosis	上胞下垂	3-5.14	drooping of the upper eyelid, impairing the vision if it covers the pupil
453	e1.10	drooping eyelid	瞼廢	3-5.15	serious blepharoptosis
454	e1.11	twitching eyelid	胞輪振跳	3-5.16	involuntary twitching of the eyelid
455	e1.12	trichiasis	倒睫拳毛	3-5.17	inversion of the margin of the eyelid with ingrowing eyelashes, causing pain of the eye, lacrimination and photophobia
456	e2	<b>disorders of the lacrimal apparatus</b>	眥部疾患		
457	e2.01	heat tearing	熱淚	3-5.18	dacryorrhea of heat type, occurring in inflammatory eye diseases
458	e2.02	cold tearing	冷淚	3-5.19	dacryorrhea of cold type, with no redness, pain or opacity of the eye
459	e2.03	dacryopyorrhea	漏睛; 漏睛膿出; 眥漏	3-5.20	chronic inflammation of the lacrimal sac with frequent outflow of fluid or pus from the inner canthus
460	e3	<b>disorder of white of the eye</b>	白睛疾患		
461	e3.01	pterygium	胬肉攀睛	3-5.21	triangular fleshy mass occurring at the canthus and covering a part of the cornea
462	e3.02	sudden attack of wind-heat on the eye	暴風客熱	3-5.22	acute inflammation of the white of the eye with a sudden onset, due to external contraction of wind-heat

W id	TM code	Term	Chinese	IST	Definition/Description
463	e3.03	epidemic conjunctivitis	天行赤眼	3.5-23	a highly contagious eye disease characterized by sudden onset of inflammation of the white of the eye, usually bilateral, and quickly spreading among the community
464	e3.04	acute conjunctivitis with nebula	暴赤生翳	3.5-24	an acute epidemic inflammatory disease of the conjunctiva and cornea with redness, swelling, pain, photophobia and lacrimation, followed by clusters of nebula formation
465	e3.05	phlyctenular conjunctivitis	金疳; 金瘍	3.5-25	a variety of conjunctivitis marked by the presence of small vesicles, each surrounded by a reddened zone, also known as follicular conjunctivitis
466	e3.06	acute scleritis	火疳; 火癆	3.5-26	an eye disease caused by excessive fire which invades the inner surface of the white of the eye, resulting in bulging of localized dark violet patches, also referring to episcleritis
467	e3.07	invasion of white membrane into the cornea	白膜侵睛	3.5-27	a special type of phlyctenular conjunctivitis marked by presence of small vesicles close to the cornea with resultant white membranous substance entering the cornea
468	e3.08	bluish discoloration of sclera	白睛青藍	3.5-28	bluish discoloration of the bulbar conjunctiva surrounding the cornea after recurrent inflammation of the sclera with violet bulging
469	e3.09	subconjunctival hemorrhage	白睛溢血	3.5-29	extravasations beneath the superficial membrane of the white of the eye
470	<b>e4</b>	<b>disorder of dark of the eye</b>	黑睛疾患		
471	e4.01	superficial punctate keratitis	聚星障	3.5-30	an eye disease characterized by the appearance of multiple fine drops of opacity on the cornea
472	e4.02	corneal ulcer	花翳白陷	3.5-31	an eye disease characterized by ulceration of a corneal nebula looking like a flower
473	e4.03	purulent keratitis	凝脂翳	3.5-32	severe keratitis with purulent disintegration of the cornea
474	e4.04	drooping pannus	赤膜下垂	3.5-33	a membranous vascular tissue extending downward into the cornea, most frequently occurring in cases of trachoma
475	<b>e5</b>	<b>disorder of pupil</b>	瞳神疾患		
476	e5.01	keratic pannus	血翳包睛	3.5-34	superficial vascularization covering the entire cornea
477	e5.02	pupillary metamorphosis	瞳神乾缺; 瞳人乾缺	3.5-35	loss of the normal round shape of the pupil, usually seen in chronic iridocyclitis
478	<b>e6</b>	<b>vision obstruction</b>	内障疾患		
479	e6.01	greenish glaucoma	綠風内障	3.5-36	an acute eye disease characterized by hardening of the eyeball, drastic impairment of vision, dilation of the pupil with greenish discoloration, and severe headache and eye pain