

<u>McMillan JR</u> , Akiyama M, Tanaka M Yamamoto S, Goto M, Abe R, Sawamura D Shimomura M, Shimizu H.	Small-Diameter Porous Poly (epsilon-Caprolactone) Films Enhance Adhesion and Growth of Human Cultured Epidermal Keratinocyte and Dermal Fibroblast Cells.	Tissue Eng	13(4)	1-10	2007
Akiyama M, Titeux M, Sakai K, <u>McMillan JR</u> , Tonasso L, Calvas P, Jossic F, Hovnanian A, Shimizu H.	DNA-Based Prenatal Diagnosis of Harlequin Ichthyosis and Characterization of ABCA12 Mutation Consequences.	J Invest Dermatol	127	568-73	2007
Akiyama M, Sakai K, Wolff G, Hausser I, <u>McMillan JR</u> , Sawamura D, Shimizu H.	A novel ABCA12 mutation 3270delT causes harlequin ichthyosis.	Br J Dermatol	155	1064-6	2006
Ito H, Akiyama M, Nakagawa H, Uematsu R, Deguchi K, <u>McMillan JR</u> , Nishimura S, Shimizu H.	N-Linked neutral oligosaccharides in the stratum corneum of normal and ichthyotic skin.	Arch Dermatol Res	298	403-7	2007
<u>McMillan JR</u> , Akiyama M, Rouan F, Mellerio JE, Lane EB, Leigh IM, Owaribe K, Wiche G, Fujii N, Uitto J, Eady RA, Shimizu H.	Related Articles, Links Plectin defects in epidermolysis bullosa simplex with muscular dystrophy.	Muscle Nerve	35	24-35	2007
Inokuma D, Abe R, Fujita Y, Sasaki M, Shibaki A, Nakamura H, <u>McMillan JR</u> , Shimizu T, Shimizu H.	CTACK/CCL27 accelerates skin regeneration via accumulation of bone marrow-derived keratinocytes.	Stem Cells	24	2810-6	2006

Goto M, Sawamura D, Nishie W, Sakai K, <u>McMillan JR</u> , Akiyama M, Shimizu H.	Targeted skipping of a single exon harboring a premature termination codon mutation: implications and potential for gene correction therapy for selective dystrophic epidermolysis bullosa patients.	J Invest Dermatol	126	2614-20	2006
Akiyama M, Sakai K, Sugiyama-Nakagiri Y, Yamanaka Y, <u>McMillan JR</u> , Sawamura D, Niizeki H, Miyagawa S, Shimizu H.	Related Articles, Links Compound heterozygous mutations including a de novo missense mutation in ABCA12 led to a case of harlequin ichthyosis with moderate clinical severity.	J Invest Dermatol	126	1518-23	2006
<u>McMillan JR</u> , Akiyama M, Nakamura H, Shimizu H.	Related Articles, Links Colocalization of multiple laminin isoforms predominantly beneath hemidesmosomes in the upper lamina densa of the epidermal basement membrane.	J Histochem Cytochem	54	109-18	2006
Nemoto I, <u>Shibaki A</u> , Aoyagi S, Tsuji-Abe Y, Shimizu H.	Aggressive squamous cell carcinoma developing in a giant epidermal cyst of the abdomen.	Int J Dermatol	45	1444-6	2006
Yagi H, Hashizume H, Horibe T, Yoshinari Y, Hata M, Ohshima A, Ito T, Takigawa M, <u>Shibaki A</u> , Shimizu H, Seo N.	Induction of therapeutically relevant cytotoxic T lymphocytes in humans by percutaneous peptide immunization.	Cancer Res	66	10136-4 4	2006
Sakai K, Akiyama M, Watanabe T, Sanayama K, Sugita K, Takahashi M, Suehiro K, Yorifuji K, <u>Shibaki A</u> , Shimizu H.	Novel ALDH3A2 Heterozygous Mutations in a Japanese Family with Sjogren-Larsson Syndrome.	J Invest Dermatol	126	2545-7	2006

Yanagi T, <u>Shibaki A</u> , Tsuiji-Abe Y, Yokota K, Shimizu H.	Epidermodysplasia verruciformis and generalized verrucosis: the same disease?	Clin Exp Dermatol	31	390-3	2006
Yanagi T, Akiyama M, Aoyagi S, <u>Shibaki A</u> , Homma A, Shimizu H.	Marked and restricted cutaneous pigmentation induced by selective intra-arterial cisplatin infusion.	J Am Acad Dermatol	54	362-3	2006
Goto M, Sawamura D, Ito K, Abe M, Nishie W, Sakai K, Shibaki A, Akiyama M, Shimizu H.	Fibroblasts show more potential as target cells than keratinocytes in COL7A1 gene therapy of dystrophic epidermolysis bullosa.	J Invest Dermatol	26	766-72	2006
Yanagi T, Sawamura D, Nishie W, Abe M, <u>Shibaki A</u> , Shimizu H.	Multiple apocrine hidrocystoma showing plane pigmented macules.	J Am Acad Dermatol	54	S53-4	2006
Shichinohe R, <u>Shibaki A</u> , Nishie W, Tateishi Y, Shimizu H.	Successful treatment of severe recalcitrant erosive oral lichen planus with topical tacrolimus.	J Eur Acad Dermatol Venereol	20	66-8	2006
Fujita Y, <u>Abe R</u> , Sasaki M, Honda A, Furuichi M, Asano Y, Norisugi O, Shimizu T, Shimizu H.	Presence of circulating CCR10+ T-cells and elevated serum CTACK/CCL27 in the early stage of mycosis fungoides.	Clin Cancer Res	12	2670-26 75	2006
Kitaichi N, Shimizu T, Honda A, <u>Abe R</u> , Ohgami K, Shiratori K, Shimizu H, Ohno S.	Increase of macrophage migration inhibitory factor levels in lacrimal fluid of patients with severe atopic dermatitis.	Graefes Arch Clin Exp Ophthalmol	244	825-8	2006

Chi A, Valencia JC, Hu Z, Watabe H, Yamaguchi H, Mangini NJ, Huang H, Canfield VA, Cheng KC, Abe R, Yamagishi S, Shabanowitz J, Hearing VJ, Wu C, Appella E, Hunt DF.	Proteomics and Bioinformatics Characterization of the biogenesis and function of melanosomes.	J Proteome Res	5	3135-44	2006
Tanimura S, Arita K, Iwao F, Kasai M, Fujita Y, Kawasaki H, Abe R, Sawamura D, Kimura T, Shimizu H.	Two cases of folliculosebaceous cystic hamartoma.	Clin Exp Dermatol	31	68-70	2006
Murata J, Shimizu T, Tateishi Y, Abe R, Shimizu H.	Coexistence of systemic lupus erythematosus and porphyria cutanea tarda—a case successfully improved by avoidance of sun exposure-.	Int J Dermatol	45	435-7	2006
Yanagi T, Shimizu T, Ujiie H, Ito M, Abe R, Tsuji-Abe Y, Hige S, Shimizu H	Peginterferon alfa-2b for mycosis fungoides.	Arch Dermatol	142	649-651	2006
Natsuga K, Shimizu T, Abe R, Kodama K, Shimizu H.	Mycosis fungoides bullosa.	Arch Dermatol	142	793-5	2006
Osawa R, Abe R, Inokuma D, Yokota K, Ito H, Nabeshima M, Shimizu H.	Chain saw granuloma : reaction to the deep implanted chain saw fragment.	Arch Dermatol	142	1079-80	2006
Inoue A, Takahashi KA, Arai Y, Tonomura H, Sakao K, Saito M, Fujioka M, Fujiwara H, Tabata Y, Kubo T.	The therapeutic effects of basic fibroblast growth factor contained in gelatin hydrogel microspheres on experimental osteoarthritis in the rabbit knee.	Arth Rheum/AR C RES	54(1)	264-70	2006
Nagato H, Umebayashi H, Wako M, Tabata Y, Manabe M.	Collagen-PGA hybrid matrix with bFGF accelerated angiogenesis and granulation tissue formation in diabetic mice.	J Dermatol	33	670-5	2006

Nakae M, Kimura H, Naruse K, Horio N, Ito Y, Mizubayashi R, Hamada Y, Nakashima E, Akiyama N, Kobayashi Y, Wtarai A, Kimura N, Horuguchi M, <u>Tabata Y</u> , Oisa Y, Nakamura J.	Effects of basic fibroblast growth factor on experimental diabetic neuropathy in rats.	Diabetes	55	1470-7	2006
Yamamoto M, Takahashi Y, <u>Tabata Y</u> .	Enhanced bone regeneration at a segmental bone defect by controlled release of bone morphogenetic protein-2 from a biodegradable hydrogel.	Tissue Eng	12(5)	1305-11	2006
Hiraoka Y, Yamashiro H, Yasuda K, Kimura Y, Inamoto T, <u>Tabata Y</u> .	In situ regeneration of adipose tissue in rat fat pad by combining a collagen scaffold with gelatin microspheres containing basic fibroblast growth factor.	Tissue Eng	12(6)	1475-87	2006
Takahashi S, Qin Chen, Ogushi T, Fujimura T, Kumagai J, Matsumoto S, Hijikata S, <u>Tabata Y</u> , Kitamura T.	Periurethral injection of sustained release basic fibroblast growth factor improves sphincteric contractility of the rat urethra denervated by botulinum-A toxin.	J Urology	176	819-23	2006
Hirose K, Fujita M, Marui A, Arai Y, Sakaguchi H, Yuhong Huang, Shyamal Chandra BIR, <u>Tabata Y</u> , Komeda M.	Combined treatment of sustained-release basic fibroblast growth factor and sarpogrelate enhances collateral blood flow effectively in rabbit hindlimb ischemia.	Circ J	70	1190-4	2006
Hamada Y, Katoh S, Hibino N, Kosaka H, Hamada D, Yasui N, Ozeki M, <u>Tabata Y</u> .	Effects of monofilament nylon coated with basic fibroblast growth factor on endogenous intrasynovial flexor tendon healing.	J Hand Surg	31A	530-40	2006

Tazaki J, Akazawa T, Murata M, Yamamoto M, Tabata Y, YoshimotoR, Arisue M.	BMP-2 dose-response and release studies in functionally graded Hap.	Key Eng Mater	18	965-8	2006
Alejandro Soto-Gutierrez, Kobayashi N, Jorge David Rivas-Carrillo, Nalu Navarro-Alvarez, Debaio Zhao, Okitsu T, Noguchi H, Hesham Basma, Tabata Y, Yong Chen, Tanaka K, Narushima M, Miki A, Ueda T, Hee-Sook Jun, Tanaka N, Jane Lebkowski, Ji-Won Yoon, Ira J Fox.	Reversal of mouse hepatic failure using an implanted liver-assist device containing ES cell-derived hepatocytes.	Nat Biotechnol	24	1412-9	2006
Iwai K, Nakagawa T, Endo T, Matsuoka Y, Kita T, T.S.Kim, Tabata Y, Ito J.	Cochlear protection by local IGF-1 application using biodegradable gel.	Laryngoscope	116 (4)	529-33	2006
Tanaka M, Tkayama A, Ito E, Sunami H, Yamamoto S, Shimomura M.	Effect of pore size of self-organized honeycomb-patterned polymer films on spreading, focal adhesion, proliferation, and function of endothelial cells	J nanosci Nanotechnol	7	763-72	2007
Tanaka M, Nishikawa K, Okubo H, Kamachi H, Kawai T, Matsushita M, Todo S, Shimomura M.	Control of hepatocyte adhesion and function on self-organized honeycomb-patterned polymer film	Colloid Surface A	284-285	464-9	2006

Tsuruma A, Tanaka M, Yamamoto S, Fukushima N, <u>Shimomura M.</u>	Topographical control of neurites extension on stripe-patterned polymer films	Colloid Surface A	284-285	470-4	2006
Yamamoto S, Tanaka M, Sunami H, Arai K, Takayama A, Yamashita S, Morita Y, <u>Shimomura M.</u>	Relationship between adsorbed fibronectin and cell adhesion on a honeycomb-patterned Film	Surf Sci	600	3785-91	2006
Sunami H, Ito E, Tanaka M, Yamamoto S <u>Shimomura M.</u>	Effect of Honeycomb Films on protein Adhesion, Cell adhesion and proliferation	Colloid Surface A	284-285	548-51	2006
Yabu H, Hirai Y, <u>Shimomura M.</u>	Electroless Plating of Honeycomb and Pincushion Polymer Films Prepared by Self-Organization	Langmuir	22(23)	9760-4	2006
Okajima T, Tanaka M, Tsukiyama S, Kadowaki T, Yamamoto S, <u>Shimomura M,</u> Tokumoto H.	Stress relaxation of HepG2 cells measured by atomic force microscopy	Nanotechnology	18	1-5	2007
Uraki Y, Nemoto J, Otsuka H, Tamai Y, Sugiyama J, Kishimoto T, Ubukata M, Yabu H, Tanaka M, <u>Shimomura M.</u>	Honeycomb-Like Architecture Produced by Living Bacteria, <i>Gluconacetobacter xylinus</i>	Carbohydr Polym			in press
Chen YM, Tanaka M, Gong JP, Yasuda K, Yamamoto S, <u>Shimomura M,</u> Osada Y.	Platelet adhesion to endothelial cells cultured on various hydrogel scaffolds	Biomaterials	28	1752-60	2007
Higuchi T, Yabu H, <u>Shimomura M.</u>	Simple Preparation of Hemispherical Polystyrene Nanoparticles	Colloid Surface A	284-285	250-3	2006

Yabu H, Kojima M, Tsubouchi M, Onoue S, Sugitani M, <u>Shimomura M.</u>	Fabrication of Photo Cross-Linked Honeycomb-patterned Films	Colloid Surface A	284-285	254-6	2006
Yabu H, Inoue K, <u>Shimomura M.</u>	Multiple-periodic Structures of Self-organized Honeycomb-patterned Films and Polymer Nanoparticles Hybrids	Colloid Surface A	284-285	301-4	2006
Matsushita S, <u>Shimomura M.</u>	Light-propagation patterns in freestanding two-dimensional colloidal crystals	Colloid Surface A	284-285	315-9	2006
Tamaki K, Yabu H, Isoshima T, Hara M, <u>Shimomura M.</u>	Fabrication of luminescent polymeric nanoparticles doped with a lanthanide complex by self-organization process	Colloid Surface A	284-285	355-8	2006
Ohzono T, <u>Shimomura M.</u>	Simple fabrication of ring-like microwrinkle patterns	Colloid Surface A	284-285	505-8	2006
Akiyama M, Sugiyama-Nakagiri Y, Sakai K, <u>McMillan JR,</u> Goto M, Arita K, Tsuji-Abe Y, Tabata N, Matsuoka K, Sasaki R, Sawamura D, Shimizu H.	Mutations in lipid transporter ABCA12 in harlequin ichthyosis and functional recovery by corrective gene transfer.	J Clin Invest	115	1777-84	2005
Fukuhira Y, Kitazono E, Hayashi T, Kaneko H, Tanaka M, <u>Shimomura M,</u> Sumi Y.	Biodegradable honeycomb-patterned film composed of poly(lactic acid) and dioleoylphosphatidylethan olamine,	Biomaterial s	27	1797-80 2	2006
Hokugo A, Ozeki M, Kawakami O, Sugimoto K, Mushimoto K, Morita S, <u>Tabata Y.</u>	Augmented bone regeneration activity of platelet-rich plasma by biodegradable gelatin hydrogel..	Tissue Eng	11	1224-33	2005

Holland TA, Bodde EW, Baggett LS, <u>Tabata Y</u> , Mikos AG, Jansen JA.	Osteochondral repair in the rabbit model utilizing bilayered, degradable oligo(poly(ethylene glycol) fumarate) hydrogel scaffolds.	J Biomed Mater Res A	75	156-67	2005
Holland TA, <u>Tabata Y</u> , Mikos AG.	Dual growth factor delivery from degradable oligo(poly(ethylene glycol) fumarate) hydrogel scaffolds for cartilage tissue engineering.	J Control	101	111-25	2005
Hoshina D, Shimizu T, <u>Abe R</u> , Murata J, Tanaka K, Shimizu H.	Multicentric reticulohistiocytosis associated with rheumatoid arthritis.	Rheumatol Int	25	553-4	2005
Kawai K, Suzuki S, <u>Tabata Y</u> , Nishimura Y.	Accelerated wound healing through the incorporation of basic fibroblast growth factor-impregnated gelatin microspheres into artificial dermis using a pressure-induced decubitus ulcer model in genetically diabetic mice.	Br J Plast Surg	58	1115-23	2005
Marui A, Kanematsu A, Yamahara K, Doi K, Kushibiki T, Yamamoto M, Itoh H, Ikeda T, <u>Tabata Y</u> , Komeda M..	Simultaneous application of basic fibroblast growth factor and hepatocyte growth factor to enhance the blood vessels formation.	J Vasc Surg	41	82-90	2005
Miyoshi M, Kawazoe T, Igawa HH, <u>Tabata Y</u> , Ikada Y, Suzuki S.	Effects of bFGF incorporated into a gelatin sheet on wound healing.	J Biomater Sci Polym Ed.	16	893-907	2005
Nakamura H, Sawamura D, Goto M, Nakamura H, <u>McMillan JR</u> , Park S, Kono S, Hasegawa S, Paku S, Nakamura T, Ogiso Y, Shimizu H.	Epidermolysis bullosa simplex associated with pyloric atresia is a novel clinical subtype caused by mutations in the plectin gene (PLEC1)..	J Mol Diagn	7	28-35	2005

Nemoto J, Uraki Y, Kishimoto T, Sano Y, Funada R, Obata N, Yabu H, Tanaka M, Shimomura M.	Preparation of mesoscopically patterned cellulose films.	Biores Technol	96	1955-1958	2005
Nemoto J, Uraki Y, Kishimoto T, Sano Y, Funada R, Obata N, Yabu H, Tanaka M, Shimomura M.	Production of mesoscopically patterned cellulose film,	Bioresourc e Technolog y	96	1955-1958	2005
Ozeki M, <u>Tabata Y.</u>	In vivo degradability of hydrogels prepared from different gelatins by various cross-linking methods.	J Biomater Sci Polym	16	549-61	2005
Sawamura D, Goto M, Shibaki A, Akiyama M, <u>McMillan JR</u> , Abiko Y, Shimizu H.	Beta defensin-3 engineered epidermis shows highly protective effect for bacterial infection.	Gene Ther	12	857-61	2005
Shimizu T, Hizawa N, Honda A, Zhao Y, <u>Abe R</u> , Watanabe H, Nishihira J, Nishimura M, Shimizu H.	Promoter region polymorphism of macrophage migration inhibitory factor is strong risk factor for young onset of extensive alopecia areata.	Genes Immun	6	285-9	2005
Shimizu T, Ogata A, Honda A, Nishihira J, Watanabe H, <u>Abe R</u> , Zhao Y, Shimizu H.	Expression of macrophage migration inhibitory factor in rat skin during embryonic development	Exp Dermatol	14	819-23	2005
<u>Tabata Y.</u>	Nanomaterials of drug delivery systems for tissue regeneration.	Methods Mol Biol	300	81-100	2005
Takahashi Y, Yamamoto M, <u>Tabata Y.</u>	Enhanced osteoinduction by controlled release of bone morphogenetic protein-2 from biodegradable sponge composed of gelatin and beta-tricalcium phosphate.	Biomaterial s	26	4856-65	2005

Tsuruma A, Tanaka M, Fukushima N, <u>Shimomura M.</u>	Morphological changes in neurons by self-organized patterned films.	e-Journal of Surface Science and Nanotechnology	3	159-164	2005
Yabu H, <u>Shimomura M.</u>	Preparation of self-organized mesoscale polymer patterns on solid substrate: continuous pattern formation from receding meniscus.	Adv Func Mater	15	575-581	2005
Yabu H, <u>Shimomura M.</u>	Simple fabrication of micro lens arrays.	Langmuir	21	1709-1711	2005
Yabu H, <u>Shimomura M.</u>	Single-step fabrication of transparent super hydrophobic porous polymer films.	Chem Mater	17	5231-5234	2005
Yabu H, Takebayashi M, Tanaka M, <u>Shimomura M.</u>	Super hydrophobic and lipophobic properties of self-organized honeycomb and pincushion structures.	Langmuir	21	3235-3237	2005
Yanagi T, Shimizu T, <u>Abe R</u> , Shimizu H.	Zinc dental fillings and palmoplantar pustulosis.	Lancet	366	1050	2005
Zhao Y, Shimizu T, Nishihira J, Koyama Y, Kushibiki T, Honda A, Watanabe H, <u>Abe R</u> , Tabata Y, Shimizu H.	Tissue regeneration using macrophage migration inhibitory factor-impregnated gelatin microbeads in cutaneous wounds.	Am J Pathol	167	1519-29	2005