

3) 発明の名称:記憶障害治療剤スクリーニング法  
発明者:岡野栄之, 島崎琢也, 長尾省吾, 松本  
義人

出願番号:特願 2003-6298

申請日:2003.1.14

PCT 出願:無し

2. 実用新案登録

なし

3. その他

なし

## 研究成果の刊行に関する一覧表

## 雑誌

発表者氏名	論文タイトル名	発表誌名	巻号：頁 出版年
Mori H, <u>Kanemura Y</u> , Onaya J, Hara M, Miyake J, <u>Yamasaki M</u> , Kariya Y.	Effects of heparin and its 6- <i>O</i> - and 2- <i>O</i> -desulfated derivatives with low anticoagulant activity on proliferation of human neural stem/progenitor cells.	J Biosci Bioeng	100(1):54-61, 2005
Suzuki T, Izumoto S, Wada K, Fujimoto Y, Maruno M, <u>Yamasaki M</u> , <u>Kanemura Y</u> , Shimazaki T, <u>Okano H</u> , Yoshimine T.	Inhibition of glioma cell proliferation by neural stem cell factor.	J Neurooncol	74(3):233-239, 2005
<u>Kanemura Y</u> , Mori H, Nakagawa A, Islam MO, Kodama E, Yamamoto A, Shofuda T, Kobayashi S, Miyake J, Yamazaki T, Hirano S, <u>Yamasaki M</u> , <u>Okano H</u> .	In vitro screening of exogenous factors for human neural stem/progenitor cell proliferation using measurement of total ATP content in viable cells.	Cell Transplant	14(9):673-682, 2005
Kobayashi S, <u>Kanemura Y</u> , Islam MO, <u>Wada A</u> , Tajria J, Miyake J, Hara M, <u>Yamasaki M</u> , <u>Okano H</u> , Ito M.	Effect of All-trans Retinoic Acid and 13-Substituted Retinoic Acids on Human Neural Stem/Progenitor Cells' Neurogenesis.	Carotenoid Science	8:77-80, 2005

Kanemura Y, Yamazaki T, Kobayashi S, Yamada T, Shofuda T, Mori H, Yamasaki M, Tsunoda T, Miya F, Okano H, Ito M, Wada A, Irie Y, Miki N.	Development of gene and protein expression screening-based toxicogenomics system using human primary normal neuronal cells.	J Toxicol Sci	30:S116, 2005
Yamazaki T, Kobayashi S, Mori H, Kanemura Y.	High-throughput screening of differentially expressed protein in drug treated cells using SELDI-TOFMS.	J Toxicol Sci	30:S118, 2005
Wada A, Ieki Y, Nakamura S, Ito M.	Palladium-Catalyzed Coupling Reaction of an Enol Nonaflate with (Vinyl) tributylstannanes and Acetylenes: A Highly Stereoselective Synthesis of 8,18- <sup>13</sup> C <sub>2</sub> -Labeled Retinal.	Synthesis	10:1581-1588, 2005
Sudo U, Furutana Y, Wada A, Ito M, Kamo N, Kandori H.	Steric Constraint in the Primary Photoproduct of an Archaeal Rhodopsin from Regiospecific Perturbation of Circular Dichroism Stretching Vibration of the Retinyl Chromophore.	J Am Chem Soc	127(46):16036-16037, 2005
和田昭盛.	Ramberg-Bäcklund 反応のカロテノイド合成への応用.	ビタミン	79(3):172-173, 2005
Wada A, Miyake H, Niihara M, Ito M, Uenishi J.	Synthesis of Retinoic Acid Analog Containing Heteroaromatic Ring.	Carotenoid Science	8:22-23, 2005
Uemura O, Okada Y, Ando H, Guedj M, Higashijima S, Shimazaki T, Chino N, Okano H, Okamoto H.	Comparative functional genomics revealed conservation and diversification of three enhancers of the is11 gene for motor and sensory neuron-specific expression.	Dev Biol	278(2):587-606, 2005

Kasumi H, Komori S, Sakata K, Yamamoto N, Yamasaki T, <u>Kanemura Y</u> , Koyama K.	Upregulation of macrophage migration inhibitory factor and calgizzarin by androgen in TM4 mouse Sertoli cells.	Asian J Androl	8(5):549-554, 2006
Mori H, Ninomiya K, Kino-oka M, Shofuda T, Islam MO, <u>Yamasaki M</u> , Okano H, Taya M, <u>Kanemura Y</u> .	Effect of neurosphere size on the growth rate of human neural stem/progenitor cells.	J Neurosci Res	84(8):1682-1691, 2006
Yokota T, Kouno J, Adachi K, Takahashi H, Teramoto A, Matsumoto K, Sugisaki Y, Onda M, <u>Tsunoda T</u> .	Identification of histological markers for malignant glioma by genome-wide expression analysis: dynein, alpha-PIX and sorcin.	Acta Neuropathol	111(1):29-38, 2006
<u>Wada A</u> , Mizuguchi Y, Shinmen M, Ito M, Nakagawa K, Okano T.	Preparation and Biological Activity of Retinoic Acid Analogs Containing an Aromatic Ring.	Lett Drug Des Discov	3(2):118-122, 2006
Hirano T, Fujioka N, Imai H, Kandori H, <u>Wada A</u> , Ito M, Shichida Y.	Assignment of the vibrational modes of the chromophores of iodopsin and bathiodopsin: low-temperature fourier transform infrared spectroscopy of <sup>13</sup> C- and <sup>2</sup> H-labeled iodopsins.	Biochemistry	45(4):1285-1294, 2006
Furutani Y, Sudo Y, <u>Wada A</u> , Ito M, Shimono K, Kamo N, Kandori H.	Assignment of the hydrogen-out-of-plane and -in-plane vibrations of the retinal chromophore in the K intermediate of <i>pharaonis</i> phoborhodopsin.	Biochemistry	45(39):11836-11843, 2006

Mizuguchi Y, <u>Wada A</u> , Nakagawa K, Ito M, Okano T.	Antitumoral activity of 13-demethyl or 13-substituted analogues of all- <i>trans</i> retinoic acid and 9- <i>cis</i> retinoic acid in the human myeloid leukemia cell line HL-60.	Biol Pharm Bull	29(9):1803-1809, 2006
<u>Wada A</u> , Shinmen M, Uenishi J, Ito M.	A Novel Synthesis of 2-Substituted Indole Derivatives: A Palladium Catalyzed Cross-coupling Reaction of Enol Triflate Derived from <i>N</i> -Methyl- 2-Indolone with (Alkenyl)tributylstannane and Acetylene.	Lett Org Chem	3(11):817-819, 2006
<u>Wada A</u> , Ohmura T, Tsujiita Y, Uenishi J, Ito M.	Synthesis of Dihydro- and Tetrahydro-retinoic Acids.	Carotenoid Science	10:61-63, 2006
Matsumoto A, Okada Y, Nakamichi M, Nakamura M, Toyama Y, Sobue G, Nagai M, Aoki M, Itoyama Y, <u>Okano H</u> .	Disease progression of human SOD1 (G93A) transgenic ALS model rats.	J Neurosci Res	83(1):119-133, 2006
Saeki M, <u>Irie Y</u> , Ni L, Yoshida M, Itsuki Y, Kamisaki Y.	Monad, a WD40 repeat protein, promotes apoptosis induced by TNF- $\alpha$ .	Biochem Biophys Res Commun	342(2):568-572, 2006
Kato T, <u>Kanemura Y</u> , Shiraishi K, Miyake J, Kodama S, Hara M.	Early response of neural stem/progenitor cells after X-ray irradiation in vitro.	NeuroReport	18(8):895-900, 2007
Mori H, Fujitani T, <u>Kanemura Y</u> , Kino-oka M, Taya M.	Observational examination of aggregation and migration during early phase of neurosphere culture of mouse neural stem cells.	J Biosci Bioeng	104(3):231-234, 2007
Mori H, Ninomiya K, <u>Kanemura Y</u> , <u>Yamasaki M</u> , Kino-oka M, Taya M.	Image cytometry for analyzing regional distribution of the cells inside human neurospheres.	J Biosci Bioeng	103(4):384-387, 2007

Hattori Y, Ohta S, Hamada K, Yamada-Okabe H, <u>Kanemura Y</u> , Matsuzaki Y, <u>Okano H</u> , Kawakami Y, Toda M.	Identification of a neuron-specific human gene, KIAA1110, that is a guanine nucleotide exchange factor for ARF1.	Biochem Biophys Res Commun	364(4):737-742, 2007
<u>Wada A</u> , Mizuguchi Y, Miyake H, Niihara M, Ito M, Nakagawa K, Okano T.	Preparation and Biological Activities of Heteroarotinoids.	Lett Drug Des Discov	4(6):442-445, 2007
Kamao M, Tsugawa N, Suhara Y, <u>Wada A</u> , Mori T, Murata K, Nishino R, Ukita T, Uenishi K, Tanaka K, Okano T.	Quantification of Fat-Soluble Vitamins in Human Breast Milk by Liquid Chromatography-Tandem Mass Spectrometry.	J Chromatogr B	859(2):192-200, 2007
Yamano Y, Fujita Y, Mizuguchi Y, Nakagawa K, Okano T, Ito M, <u>Wada A</u> .	Synthesis of $\gamma$ -Hydroxybutenolides Applying Crossed Aldol Condensation in the Presence of a Bulky Lewis Acid and Their Anti-tumor Activity.	Chem Pharm Bull	55(9):1365-1370, 2007
Tada H, Ishii S, Kimura H, Hattori H, Okada Y, Suzuki N, Okano HJ.	Identification and evaluation of high-titer anti-Sox Group B antibody in limbic encephalitis.	Inflammation and Regeneration	27(1):37-44, 2007
Saeki M, <u>Irie Y</u> , Ni L, Itsuki Y, Terao Y, Kawabata S, Kamisaki Y.	Calcineurin potentiates the activation of procaspase-3 by accelerating its proteolytic maturation.	J Biol Chem	282(16):11786-11794, 2007

入江康至.	新規癌抑制蛋白質 Amida.	医薬品相互作用 研究	31(1):1-7, 2007
Kato M, Miya F, Kanemura Y, Tanaka T, Nakamura Y, Tsunoda T.	Recombination rates of genes expressed in human tissues.	Hum Mol Genet	17(4):577-586, 2008