

Reason for staying indoor

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Physical disability	Male	0	0.0	0	0.0	0	0.0	1	25.0	0	0.0	1	9.1
	Female	0	0.0	0	0.0	1	100.0	0	0.0	1	33.3	2	15.4
	Total	0	0.0	0	0.0	1	50.0	1	9.1	1	16.7	3	12.5
Low physical strength	Male	0	0.0	0	0.0	0	0.0	1	25.0	0	0.0	1	9.1
	Female	0	0.0	1	100.0	1	100.0	1	14.3	2	66.7	5	38.5
	Total	0	0.0	1	50.0	1	50.0	2	18.2	2	33.3	6	25.0
No needs to go out	Male	1	50.0	0	0.0	1	100.0	3	75.0	3	100.0	8	72.7
	Female	0	0.0	1	100.0	0	0.0	2	28.6	1	33.3	4	30.8
	Total	1	33.3	1	50.0	1	50.0	5	45.5	4	66.7	12	50.0
Bother	Male	0	0.0	0	0.0	0	0.0	1	25.0	1	33.3	2	18.2
	Female	0	0.0	0	0.0	0	0.0	2	28.6	0	0.0	2	15.4
	Total	0	0.0	0	0.0	0	0.0	3	27.3	1	16.7	4	16.7
No place to visit	Male	1	50.0	0	0.0	0	0.0	1	25.0	0	0.0	2	18.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	33.3	0	0.0	0	0.0	1	9.1	0	0.0	2	8.3
No money	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
No person to go with	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Others	Male	0	0.0	1	100.0	0	0.0	1	25.0	0	0.0	2	18.2
	Female	1	100.0	0	0.0	0	0.0	3	42.9	0	0.0	4	30.8
	Total	1	33.3	1	50.0	0	0.0	4	36.4	0	0.0	6	25.0
No reason	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Total	Male	2	100.0	1	100.0	1	100.0	4	100.0	3	100.0	11	100.0
	Female	1	100.0	1	100.0	1	100.0	7	100.0	3	100.0	13	100.0
	Total	3	100.0	2	100.0	2	100.0	11	100.0	6	100.0	24	100.0

Frequency of meeting and taking with friends, neighbors, or relatives

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
More than once a day	Male	173	93.5	142	91.0	113	69.8	91	53.5	15	28.8	534	73.7
	Female	146	74.9	106	71.6	102	64.2	88	52.7	21	39.6	463	64.1
	Total	319	83.9	248	81.6	215	67.0	179	53.1	36	34.3	997	68.9
Once in 2 to 3 days	Male	7	3.8	11	7.1	31	19.1	49	28.8	16	30.8	114	15.7
	Female	31	15.9	33	22.3	50	31.4	60	35.9	24	45.3	198	27.4
	Total	38	10.0	44	14.5	81	25.2	109	32.3	40	38.1	312	21.6
Once in a week	Male	2	1.1	2	1.3	9	5.6	19	11.2	16	30.8	48	6.6
	Female	13	6.7	6	4.1	6	3.8	17	10.2	8	15.1	50	6.9
	Total	15	3.9	8	2.6	15	4.7	36	10.7	24	22.9	98	6.8
Once in a month	Male	1	0.5	0	0.0	6	3.7	4	2.4	3	5.8	14	1.9
	Female	3	1.5	1	0.7	1	0.6	1	0.6	0	0.0	6	0.8
	Total	4	1.1	1	0.3	7	2.2	5	1.5	3	2.9	20	1.4
Almost no	Male	2	1.1	1	0.6	3	1.9	7	4.1	2	3.8	15	2.1
	Female	2	1.0	2	1.4	0	0.0	1	0.6	0	0.0	5	0.7
	Total	4	1.1	3	1.0	3	0.9	8	2.4	2	1.9	20	1.4

Needs of help for outing

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Yes	Male	0	0.0	0	0.0	1	0.6	0	0.0	1	1.9	2	0.3
	Female	1	0.5	1	0.7	2	1.3	0	0.0	4	7.5	8	1.1
	Total	1	0.3	1	0.3	3	0.9	0	0.0	5	4.8	10	0.7
No	Male	185	100.0	156	100.0	161	99.4	170	100.0	51	98.1	723	99.7
	Female	194	99.5	147	99.3	157	98.7	167	100.0	49	92.5	714	98.9
	Total	379	99.7	303	99.7	318	99.1	337	100.0	100	95.2	1437	99.3

Feeling of disgrace for physical disability while outing

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Yes	Male	2	1.1	0	0.0	1	0.6	1	0.6	2	3.8	6	0.8
	Female	1	0.5	0	0.0	0	0.0	4	2.4	0	0.0	5	0.7
	Total	3	0.8	0	0.0	1	0.3	5	1.5	2	1.9	11	0.8
No	Male	183	98.9	156	100.0	161	99.4	169	99.4	50	96.2	719	99.2
	Female	194	99.5	148	100.0	159	100.0	163	97.6	53	100.0	717	99.3
	Total	377	99.2	304	100.0	320	99.7	332	98.5	103	98.1	1436	99.2

Floor of the residence

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
The first floor	Male	103	55.7	107	68.6	127	78.4	144	84.7	45	86.5	526	72.6
	Female	133	68.2	124	83.8	143	89.9	140	83.8	50	94.3	590	81.7
	Total	236	62.1	231	76.0	270	84.1	284	84.3	95	90.5	1116	77.1
The second floor	Male	47	25.4	41	26.3	25	15.4	19	11.2	6	11.5	138	19.0
	Female	45	23.1	16	10.8	12	7.5	16	9.6	1	1.9	90	12.5
	Total	92	24.2	57	18.8	37	11.5	35	10.4	7	6.7	228	15.8
The third floor or higher	Male	35	18.9	8	5.1	10	6.2	7	4.1	1	1.9	61	8.4
	Female	17	8.7	8	5.4	4	2.5	11	6.6	2	3.8	42	5.8
	Total	52	13.7	16	5.3	14	4.4	18	5.3	3	2.9	103	7.1

Feeling anxiety for slope or heavy traffics while outing

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Yes	Male	9	4.9	6	3.8	17	10.5	29	17.1	15	28.8	76	10.5
	Female	18	9.2	13	8.8	12	7.5	41	24.6	20	37.7	104	14.4
	Total	27	7.1	19	6.3	29	9.0	70	20.8	35	33.3	180	12.4
No	Male	176	95.1	150	96.2	145	89.5	141	82.9	37	71.2	649	89.5
	Female	177	90.8	135	91.2	147	92.5	126	75.4	33	62.3	618	85.6
	Total	353	92.9	285	93.8	292	91.0	267	79.2	70	66.7	1267	87.6

4) Difficulty in daily activity

Feeling difficulty for hard exercise

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Very difficult	Male	8	4.3	12	7.7	29	17.9	68	40.0	28	53.8	145	20.0
	Female	16	8.2	22	14.9	38	23.9	77	46.1	42	79.2	195	27.0
	Total	24	6.3	34	11.2	67	20.9	145	43.0	70	66.7	340	23.5
Bit difficult	Male	70	37.8	69	44.2	93	57.4	84	49.4	22	42.3	338	46.6
	Female	84	43.1	75	50.7	89	56.0	80	47.9	11	20.8	339	47.0
	Total	154	40.5	144	47.4	182	56.7	164	48.7	33	31.4	677	46.8
Not difficult	Male	107	57.8	75	48.1	40	24.7	18	10.6	2	3.8	242	33.4
	Female	95	48.7	51	34.5	32	20.1	10	6.0	0	0.0	188	26.0
	Total	202	53.2	126	41.4	72	22.4	28	8.3	2	1.9	430	29.7

Feeling difficulty for moderate exercise

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Very difficult	Male	0	0.0	0	0.0	1	0.6	3	1.8	3	5.8	7	1.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	3	5.7	3	0.4
	Total	0	0.0	0	0.0	1	0.3	3	0.9	6	5.7	10	0.7
Bit difficult	Male	3	1.6	4	2.6	16	9.9	33	19.4	13	25.0	69	9.5
	Female	11	5.6	13	8.8	21	13.2	43	25.7	27	50.9	115	15.9
	Total	14	3.7	17	5.6	37	11.5	76	22.6	40	38.1	184	12.7
Not difficult	Male	182	98.4	152	97.4	145	89.5	134	78.8	36	69.2	649	89.5
	Female	184	94.4	135	91.2	138	86.8	124	74.3	23	43.4	604	83.7
	Total	366	96.3	287	94.4	283	88.2	258	76.6	59	56.2	1253	86.6

Feeling difficulty for lifting or carrying a bag

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Very difficult	Male	1	0.5	0	0.0	2	1.2	2	1.2	3	5.8	8	1.1
	Female	0	0.0	1	0.7	0	0.0	9	5.4	10	18.9	20	2.8
	Total	1	0.3	1	0.3	2	0.6	11	3.3	13	12.4	28	1.9
Bit difficult	Male	4	2.2	4	2.6	8	4.9	31	18.2	14	26.9	61	8.4
	Female	14	7.2	11	7.4	26	16.4	52	31.1	25	47.2	128	17.7
	Total	18	4.7	15	4.9	34	10.6	83	24.6	39	37.1	189	13.1
Not difficult	Male	180	97.3	152	97.4	152	93.8	137	80.6	35	67.3	656	90.5
	Female	181	92.8	136	91.9	133	83.6	106	63.5	18	34.0	574	79.5
	Total	361	95.0	288	94.7	285	88.8	243	72.1	53	50.5	1230	85.0

Climbing up several flights of stairs

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.5	0	0.0	0	0.0	2	1.2	0	0.0	3	0.4
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.3	0	0.0	0	0.0	2	0.6	0	0.0	3	0.2
Very difficult	Male	0	0.0	0	0.0	1	0.6	6	3.5	10	19.2	17	2.3
	Female	1	0.5	1	0.7	7	4.4	19	11.4	17	32.1	45	6.2
	Total	1	0.3	1	0.3	8	2.5	25	7.4	27	25.7	62	4.3
Bit difficult	Male	8	4.3	6	3.8	27	16.7	47	27.6	19	36.5	107	14.8
	Female	25	12.8	27	18.2	30	18.9	63	37.7	23	43.4	168	23.3
	Total	33	8.7	33	10.9	57	17.8	110	32.6	42	40.0	275	19.0
Not difficult	Male	176	95.1	150	96.2	134	82.7	115	67.6	23	44.2	598	82.5
	Female	169	86.7	120	81.1	122	76.7	85	50.9	13	24.5	509	70.5
	Total	345	90.8	270	88.8	256	79.8	200	59.3	36	34.3	1107	76.5

Climbing up a flight of stairs

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Very difficult	Male	0	0.0	0	0.0	1	0.6	1	0.6	3	5.8	5	0.7
	Female	0	0.0	0	0.0	1	0.6	3	1.8	4	7.5	8	1.1
	Total	0	0.0	0	0.0	2	0.6	4	1.2	7	6.7	13	0.9
Bit difficult	Male	1	0.5	0	0.0	4	2.5	17	10.0	12	23.1	34	4.7
	Female	0	0.0	7	4.7	7	4.4	24	14.4	21	39.6	59	8.2
	Total	1	0.3	7	2.3	11	3.4	41	12.2	33	31.4	93	6.4
Not difficult	Male	184	99.5	156	100.0	157	96.9	152	89.4	37	71.2	686	94.6
	Female	195	100.0	141	95.3	151	95.0	140	83.8	28	52.8	655	90.7
	Total	379	99.7	297	97.7	308	96.0	292	86.6	65	61.9	1341	92.7

Bending over, drop the knee, or ducking down

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Very difficult	Male	1	0.5	0	0.0	1	0.6	8	4.7	4	7.7	14	1.9
	Female	1	0.5	1	0.7	2	1.3	9	5.4	6	11.3	19	2.6
	Total	2	0.5	1	0.3	3	0.9	17	5.0	10	9.5	33	2.3
Bit difficult	Male	13	7.0	9	5.8	17	10.5	36	21.2	13	25.0	88	12.1
	Female	10	5.1	10	6.8	24	15.1	36	21.6	20	37.7	100	13.9
	Total	23	6.1	19	6.3	41	12.8	72	21.4	33	31.4	188	13.0
Not difficult	Male	171	92.4	147	94.2	144	88.9	126	74.1	35	67.3	623	85.9
	Female	184	94.4	137	92.6	133	83.6	122	73.1	27	50.9	603	83.5
	Total	355	93.4	284	93.4	277	86.3	248	73.6	62	59.0	1226	84.7

Walking more than one kilometer

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Very difficult	Male	0	0.0	0	0.0	2	1.2	9	5.3	11	21.2	22	3.0
	Female	0	0.0	3	2.0	2	1.3	16	9.6	19	35.8	40	5.5
	Total	0	0.0	3	1.0	4	1.2	25	7.4	30	28.6	62	4.3
Bit difficult	Male	4	2.2	8	5.1	12	7.4	27	15.9	6	11.5	57	7.9
	Female	11	5.6	8	5.4	17	10.7	32	19.2	19	35.8	87	12.0
	Total	15	3.9	16	5.3	29	9.0	59	17.5	25	23.8	144	10.0
Not difficult	Male	181	97.8	148	94.9	148	91.4	134	78.8	35	67.3	646	89.1
	Female	184	94.4	137	92.6	140	88.1	119	71.3	15	28.3	595	82.4
	Total	365	96.1	285	93.8	288	89.7	253	75.1	50	47.6	1241	85.8

Walking more than several hundred meter

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Very difficult	Male	0	0.0	0	0.0	1	0.6	2	1.2	4	7.7	7	1.0
	Female	0	0.0	0	0.0	1	0.6	2	1.2	8	15.1	11	1.5
	Total	0	0.0	0	0.0	2	0.6	4	1.2	12	11.4	18	1.2
Bit difficult	Male	0	0.0	0	0.0	4	2.5	16	9.4	9	17.3	29	4.0
	Female	1	0.5	5	3.4	5	3.1	23	13.8	16	30.2	50	6.9
	Total	1	0.3	5	1.6	9	2.8	39	11.6	25	23.8	79	5.5
Not difficult	Male	185	100.0	156	100.0	157	96.9	152	89.4	39	75.0	689	95.0
	Female	194	99.5	143	96.6	153	96.2	142	85.0	29	54.7	661	91.6
	Total	379	99.7	299	98.4	310	96.6	294	87.2	68	64.8	1350	93.3

Walking more than one hundred meter

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Very difficult	Male	0	0.0	0	0.0	1	0.6	0	0.0	2	3.8	3	0.4
	Female	0	0.0	0	0.0	1	0.6	1	0.6	3	5.7	5	0.7
	Total	0	0.0	0	0.0	2	0.6	1	0.3	5	4.8	8	0.6
Bit difficult	Male	0	0.0	0	0.0	2	1.2	10	5.9	4	7.7	16	2.2
	Female	0	0.0	1	0.7	2	1.3	12	7.2	11	20.8	26	3.6
	Total	0	0.0	1	0.3	4	1.2	22	6.5	15	14.3	42	2.9
Not difficult	Male	185	100.0	156	100.0	159	98.1	160	94.1	46	88.5	706	97.4
	Female	195	100.0	147	99.3	156	98.1	154	92.2	39	73.6	691	95.7
	Total	380	100.0	303	99.7	315	98.1	314	93.2	85	81.0	1397	96.5

Taking a bath or getting dressed

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Very difficult	Male	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	1	0.6	1	1.9	2	0.3
	Total	0	0.0	0	0.0	0	0.0	2	0.6	1	1.0	3	0.2
Bit difficult	Male	0	0.0	0	0.0	3	1.9	3	1.8	0	0.0	6	0.8
	Female	0	0.0	1	0.7	2	1.3	5	3.0	1	1.9	9	1.2
	Total	0	0.0	1	0.3	5	1.6	8	2.4	1	1.0	15	1.0
Not difficult	Male	185	100.0	156	100.0	159	98.1	166	97.6	52	100.0	718	99.0
	Female	195	100.0	147	99.3	157	98.7	161	96.4	51	96.2	711	98.5
	Total	380	100.0	303	99.7	316	98.4	327	97.0	103	98.1	1429	98.8

Sitting on the floor Japanese style

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	2	1.0	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3
	Total	2	0.5	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1
Very difficult	Male	3	1.6	2	1.3	9	5.6	23	13.5	5	9.6	42	5.8
	Female	7	3.6	3	2.0	8	5.0	26	15.6	18	34.0	62	8.6
	Total	10	2.6	5	1.6	17	5.3	49	14.5	23	21.9	104	7.2
Bit difficult	Male	18	9.7	17	10.9	21	13.0	27	15.9	15	28.8	98	13.5
	Female	9	4.6	19	12.8	32	20.1	42	25.1	10	18.9	112	15.5
	Total	27	7.1	36	11.8	53	16.5	69	20.5	25	23.8	210	14.5
Not difficult	Male	164	88.6	137	87.8	132	81.5	120	70.6	32	61.5	585	80.7
	Female	177	90.8	126	85.1	119	74.8	99	59.3	25	47.2	546	75.6
	Total	341	89.7	263	86.5	251	78.2	219	65.0	57	54.3	1131	78.2

5) Osteoarthritis of the knee

Knee surgery

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.9	1	0.1
	Female	2	1.0	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3
	Total	2	0.5	0	0.0	0	0.0	0	0.0	1	1.0	3	0.2
None	Male	181	97.8	152	97.4	160	98.8	166	97.6	51	98.1	710	97.9
	Female	186	95.4	148	100.0	157	98.7	164	98.2	53	100.0	708	98.1
	Total	367	96.6	300	98.7	317	98.8	330	97.9	104	99.0	1418	98.0
Right knee	Male	1	0.5	2	1.3	0	0.0	0	0.0	0	0.0	3	0.4
	Female	4	2.1	0	0.0	0	0.0	3	1.8	0	0.0	7	1.0
	Total	5	1.3	2	0.7	0	0.0	3	0.9	0	0.0	10	0.7
Left knee	Male	1	0.5	1	0.6	1	0.6	3	1.8	0	0.0	6	0.8
	Female	2	1.0	0	0.0	2	1.3	0	0.0	0	0.0	4	0.6
	Total	3	0.8	1	0.3	3	0.9	3	0.9	0	0.0	10	0.7
Both knee	Male	1	0.5	1	0.6	0	0.0	1	0.6	0	0.0	3	0.4
	Female	1	0.5	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	2	0.5	1	0.3	0	0.0	1	0.3	0	0.0	4	0.3
Not detemined	Male	1	0.5	0	0.0	1	0.6	0	0.0	0	0.0	2	0.3
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.3	0	0.0	1	0.3	0	0.0	0	0.0	2	0.1

Knee injury with walking disturbance for more than 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.9	1	0.1
	Female	2	1.0	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3
	Total	2	0.5	0	0.0	0	0.0	0	0.0	1	1.0	3	0.2
None	Male	174	94.1	152	97.4	149	92.0	162	95.3	47	90.4	684	94.3
	Female	181	92.8	139	93.9	143	89.9	147	88.0	46	86.8	656	90.9
	Total	355	93.4	291	95.7	292	91.0	309	91.7	93	88.6	1340	92.6
Right knee	Male	6	3.2	1	0.6	8	4.9	2	1.2	1	1.9	18	2.5
	Female	9	4.6	3	2.0	4	2.5	7	4.2	3	5.7	26	3.6
	Total	15	3.9	4	1.3	12	3.7	9	2.7	4	3.8	44	3.0
Left knee	Male	3	1.6	2	1.3	4	2.5	3	1.8	3	5.8	15	2.1
	Female	2	1.0	5	3.4	8	5.0	7	4.2	1	1.9	23	3.2
	Total	5	1.3	7	2.3	12	3.7	10	3.0	4	3.8	38	2.6
Both knee	Male	2	1.1	1	0.6	0	0.0	1	0.6	0	0.0	4	0.6
	Female	1	0.5	0	0.0	2	1.3	5	3.0	2	3.8	10	1.4
	Total	3	0.8	1	0.3	2	0.6	6	1.8	2	1.9	14	1.0
Not detemined	Male	0	0.0	0	0.0	1	0.6	2	1.2	0	0.0	3	0.4
	Female	0	0.0	1	0.7	2	1.3	1	0.6	1	1.9	5	0.7
	Total	0	0.0	1	0.3	3	0.9	3	0.9	1	1.0	8	0.6

Pain at the right knee except injury

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.5	0	0.0	0	0.0	0	0.0	1	1.9	2	0.3
	Female	3	1.5	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4
	Total	4	1.1	0	0.0	0	0.0	0	0.0	1	1.0	5	0.3
No experience of pain	Male	140	75.7	120	76.9	109	67.3	115	67.6	26	50.0	510	70.3
	Female	142	72.8	92	62.2	79	49.7	61	36.5	19	35.8	393	54.4
	Total	282	74.2	212	69.7	188	58.6	176	52.2	45	42.9	903	62.4
Previous pain	Male	36	19.5	24	15.4	39	24.1	28	16.5	11	21.2	138	19.0
	Female	38	19.5	37	25.0	50	31.4	53	31.7	15	28.3	193	26.7
	Total	74	19.5	61	20.1	89	27.7	81	24.0	26	24.8	331	22.9
Current pain	Male	8	4.3	12	7.7	14	8.6	27	15.9	14	26.9	75	10.3
	Female	12	6.2	19	12.8	30	18.9	53	31.7	19	35.8	133	18.4
	Total	20	5.3	31	10.2	44	13.7	80	23.7	33	31.4	208	14.4

Pain at walking flatland (for the persons with the right knee pain)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
No pain	Male	2	25.0	8	66.7	11	78.6	14	51.9	9	64.3	44	58.7
	Female	9	75.0	13	68.4	16	53.3	27	50.9	7	36.8	72	54.1
	Total	11	55.0	21	67.7	27	61.4	41	51.3	16	48.5	116	55.8
Slight pain	Male	6	75.0	3	25.0	1	7.1	10	37.0	4	28.6	24	32.0
	Female	3	25.0	5	26.3	11	36.7	19	35.8	8	42.1	46	34.6
	Total	9	45.0	8	25.8	12	27.3	29	36.3	12	36.4	70	33.7
Mild pain	Male	0	0.0	1	8.3	2	14.3	2	7.4	0	0.0	5	6.7
	Female	0	0.0	1	5.3	3	10.0	4	7.5	3	15.8	11	8.3
	Total	0	0.0	2	6.5	5	11.4	6	7.5	3	9.1	16	7.7
Moderate pain	Male	0	0.0	0	0.0	0	0.0	1	3.7	0	0.0	1	1.3
	Female	0	0.0	0	0.0	0	0.0	2	3.8	1	5.3	3	2.3
	Total	0	0.0	0	0.0	0	0.0	3	3.8	1	3.0	4	1.9
Severe pain	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	7.1	1	1.3
	Female	0	0.0	0	0.0	0	0.0	1	1.9	0	0.0	1	0.8
	Total	0	0.0	0	0.0	0	0.0	1	1.3	1	3.0	2	1.0

Pain at walking up and down the stairs (for the persons with the right knee pain)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
No pain	Male	3	37.5	4	33.3	3	21.4	12	44.4	4	28.6	26	34.7
	Female	5	41.7	2	10.5	5	16.7	7	13.2	5	26.3	24	18.0
	Total	8	40.0	6	19.4	8	18.2	19	23.8	9	27.3	50	24.0
Slight pain	Male	4	50.0	7	58.3	10	71.4	9	33.3	7	50.0	37	49.3
	Female	5	41.7	13	68.4	16	53.3	30	56.6	6	31.6	70	52.6
	Total	9	45.0	20	64.5	26	59.1	39	48.8	13	39.4	107	51.4
Mild pain	Male	1	12.5	1	8.3	0	0.0	2	7.4	2	14.3	6	8.0
	Female	2	16.7	3	15.8	7	23.3	10	18.9	5	26.3	27	20.3
	Total	3	15.0	4	12.9	7	15.9	12	15.0	7	21.2	33	15.9
Moderate pain	Male	0	0.0	0	0.0	1	7.1	3	11.1	0	0.0	4	5.3
	Female	0	0.0	1	5.3	2	6.7	5	9.4	2	10.5	10	7.5
	Total	0	0.0	1	3.2	3	6.8	8	10.0	2	6.1	14	6.7
Severe pain	Male	0	0.0	0	0.0	0	0.0	1	3.7	1	7.1	2	2.7
	Female	0	0.0	0	0.0	0	0.0	1	1.9	1	5.3	2	1.5
	Total	0	0.0	0	0.0	0	0.0	2	2.5	2	6.1	4	1.9

Pain at lying down during night (for the persons with the right knee pain)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
No pain	Male	6	75.0	9	75.0	12	85.7	22	81.5	13	92.9	62	82.7
	Female	11	91.7	15	78.9	21	70.0	32	60.4	12	63.2	91	68.4
	Total	17	85.0	24	77.4	33	75.0	54	67.5	25	75.8	153	73.6
Slight pain	Male	1	12.5	2	16.7	2	14.3	4	14.8	0	0.0	9	12.0
	Female	1	8.3	4	21.1	7	23.3	13	24.5	6	31.6	31	23.3
	Total	2	10.0	6	19.4	9	20.5	17	21.3	6	18.2	40	19.2
Mild pain	Male	1	12.5	1	8.3	0	0.0	1	3.7	1	7.1	4	5.3
	Female	0	0.0	0	0.0	2	6.7	3	5.7	1	5.3	6	4.5
	Total	1	5.0	1	3.2	2	4.5	4	5.0	2	6.1	10	4.8
Moderate pain	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	4	7.5	0	0.0	4	3.0
	Total	0	0.0	0	0.0	0	0.0	4	5.0	0	0.0	4	1.9
Severe pain	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	1.9	0	0.0	1	0.8
	Total	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0	1	0.5

Pain at standing up from a chair (for the persons with the right knee pain)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
No pain	Male	5	62.5	7	58.3	8	57.1	16	59.3	11	78.6	47	62.7
	Female	7	58.3	9	47.4	12	40.0	23	43.4	7	36.8	58	43.6
	Total	12	60.0	16	51.6	20	45.5	39	48.8	18	54.5	105	50.5
Slight pain	Male	3	37.5	4	33.3	5	35.7	8	29.6	2	14.3	22	29.3
	Female	4	33.3	6	31.6	12	40.0	21	39.6	7	36.8	50	37.6
	Total	7	35.0	10	32.3	17	38.6	29	36.3	9	27.3	72	34.6
Mild pain	Male	0	0.0	1	8.3	0	0.0	0	0.0	0	0.0	1	1.3
	Female	0	0.0	4	21.1	4	13.3	3	5.7	4	21.1	15	11.3
	Total	0	0.0	5	16.1	4	9.1	3	3.8	4	12.1	16	7.7
Moderate pain	Male	0	0.0	0	0.0	1	7.1	3	11.1	0	0.0	4	5.3
	Female	1	8.3	0	0.0	1	3.3	4	7.5	1	5.3	7	5.3
	Total	1	5.0	0	0.0	2	4.5	7	8.8	1	3.0	11	5.3
Severe pain	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	7.1	1	1.3
	Female	0	0.0	0	0.0	1	3.3	2	3.8	0	0.0	3	2.3
	Total	0	0.0	0	0.0	1	2.3	2	2.5	1	3.0	4	1.9

Pain at sitting on the floor Japanese style (for the persons with the right knee pain)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	1	5.3	0	0.0	0	0.0	0	0.0	1	0.8
	Total	0	0.0	1	3.2	0	0.0	0	0.0	0	0.0	1	0.5
No pain	Male	2	25.0	3	25.0	3	21.4	7	25.9	4	28.6	19	25.3
	Female	4	33.3	5	26.3	5	16.7	6	11.3	4	21.1	24	18.0
	Total	6	30.0	8	25.8	8	18.2	13	16.3	8	24.2	43	20.7
Slight pain	Male	5	62.5	3	25.0	5	35.7	7	25.9	3	21.4	23	30.7
	Female	5	41.7	8	42.1	11	36.7	16	30.2	5	26.3	45	33.8
	Total	10	50.0	11	35.5	16	36.4	23	28.8	8	24.2	68	32.7
Mild pain	Male	0	0.0	4	33.3	2	14.3	3	11.1	3	21.4	12	16.0
	Female	1	8.3	3	15.8	6	20.0	11	20.8	3	15.8	24	18.0
	Total	1	5.0	7	22.6	8	18.2	14	17.5	6	18.2	36	17.3
Moderate pain	Male	1	12.5	2	16.7	3	21.4	2	7.4	3	21.4	11	14.7
	Female	1	8.3	2	10.5	4	13.3	13	24.5	4	21.1	24	18.0
	Total	2	10.0	4	12.9	7	15.9	15	18.8	7	21.2	35	16.8
Severe pain	Male	0	0.0	0	0.0	1	7.1	8	29.6	1	7.1	10	13.3
	Female	1	8.3	0	0.0	4	13.3	7	13.2	3	15.8	15	11.3
	Total	1	5.0	0	0.0	5	11.4	15	18.8	4	12.1	25	12.0

Pain at the left knee except injury

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.9	1	0.1
	Female	3	1.5	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4
	Total	3	0.8	0	0.0	0	0.0	0	0.0	1	1.0	4	0.3
No experience of pain	Male	139	75.1	123	78.8	117	72.2	120	70.6	32	61.5	531	73.2
	Female	145	74.4	103	69.6	89	56.0	73	43.7	20	37.7	430	59.6
	Total	284	74.7	226	74.3	206	64.2	193	57.3	52	49.5	961	66.4
Previous pain	Male	32	17.3	23	14.7	21	13.0	26	15.3	9	17.3	111	15.3
	Female	34	17.4	27	18.2	44	27.7	39	23.4	12	22.6	156	21.6
	Total	66	17.4	50	16.4	65	20.2	65	19.3	21	20.0	267	18.5
Current pain	Male	14	7.6	10	6.4	24	14.8	24	14.1	10	19.2	82	11.3
	Female	13	6.7	18	12.2	26	16.4	55	32.9	21	39.6	133	18.4
	Total	27	7.1	28	9.2	50	15.6	79	23.4	31	29.5	215	14.9

Pain at walking flatland (for the persons with the left knee pain)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
No pain	Male	8	57.1	6	60.0	14	58.3	11	45.8	7	70.0	46	56.1
	Female	10	76.9	11	61.1	13	50.0	28	50.9	9	42.9	71	53.4
	Total	18	66.7	17	60.7	27	54.0	39	49.4	16	51.6	117	54.4
Slight pain	Male	6	42.9	4	40.0	7	29.2	12	50.0	1	10.0	30	36.6
	Female	3	23.1	6	33.3	11	42.3	20	36.4	9	42.9	49	36.8
	Total	9	33.3	10	35.7	18	36.0	32	40.5	10	32.3	79	36.7
Mild pain	Male	0	0.0	0	0.0	3	12.5	1	4.2	1	10.0	5	6.1
	Female	0	0.0	1	5.6	2	7.7	4	7.3	2	9.5	9	6.8
	Total	0	0.0	1	3.6	5	10.0	5	6.3	3	9.7	14	6.5
Moderate pain	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	2	3.6	1	4.8	3	2.3
	Total	0	0.0	0	0.0	0	0.0	2	2.5	1	3.2	3	1.4
Severe pain	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	1	1.2
	Female	0	0.0	0	0.0	0	0.0	1	1.8	0	0.0	1	0.8
	Total	0	0.0	0	0.0	0	0.0	1	1.3	1	3.2	2	0.9

Pain at walking up and down the stairs (for the persons with the left knee pain)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
No pain	Male	10	71.4	2	20.0	6	25.0	9	37.5	2	20.0	29	35.4
	Female	5	38.5	1	5.6	7	26.9	9	16.4	4	19.0	26	19.5
	Total	15	55.6	3	10.7	13	26.0	18	22.8	6	19.4	55	25.6
Slight pain	Male	4	28.6	8	80.0	14	58.3	10	41.7	5	50.0	41	50.0
	Female	8	61.5	14	77.8	11	42.3	29	52.7	13	61.9	75	56.4
	Total	12	44.4	22	78.6	25	50.0	39	49.4	18	58.1	116	54.0
Mild pain	Male	0	0.0	0	0.0	3	12.5	3	12.5	1	10.0	7	8.5
	Female	0	0.0	2	11.1	6	23.1	10	18.2	3	14.3	21	15.8
	Total	0	0.0	2	7.1	9	18.0	13	16.5	4	12.9	28	13.0
Moderate pain	Male	0	0.0	0	0.0	1	4.2	2	8.3	1	10.0	4	4.9
	Female	0	0.0	1	5.6	2	7.7	6	10.9	0	0.0	9	6.8
	Total	0	0.0	1	3.6	3	6.0	8	10.1	1	3.2	13	6.0
Severe pain	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	1	1.2
	Female	0	0.0	0	0.0	0	0.0	1	1.8	1	4.8	2	1.5
	Total	0	0.0	0	0.0	0	0.0	1	1.3	2	6.5	3	1.4

Pain at lying down during night (for the persons with the left knee pain)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
No pain	Male	11	78.6	10	100.0	18	75.0	20	83.3	9	90.0	68	82.9
	Female	12	92.3	14	77.8	21	80.8	35	63.6	14	66.7	96	72.2
	Total	23	85.2	24	85.7	39	78.0	55	69.6	23	74.2	164	76.3
Slight pain	Male	2	14.3	0	0.0	4	16.7	4	16.7	0	0.0	10	12.2
	Female	1	7.7	4	22.2	4	15.4	12	21.8	5	23.8	26	19.5
	Total	3	11.1	4	14.3	8	16.0	16	20.3	5	16.1	36	16.7
Mild pain	Male	1	7.1	0	0.0	1	4.2	0	0.0	1	10.0	3	3.7
	Female	0	0.0	0	0.0	1	3.8	6	10.9	2	9.5	9	6.8
	Total	1	3.7	0	0.0	2	4.0	6	7.6	3	9.7	12	5.6
Moderate pain	Male	0	0.0	0	0.0	1	4.2	0	0.0	0	0.0	1	1.2
	Female	0	0.0	0	0.0	0	0.0	1	1.8	0	0.0	1	0.8
	Total	0	0.0	0	0.0	1	2.0	1	1.3	0	0.0	2	0.9
Severe pain	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	1.8	0	0.0	1	0.8
	Total	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0	1	0.5

Pain at standing up from a chair (for the persons with the left knee pain)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
No pain	Male	10	71.4	9	90.0	11	45.8	14	58.3	5	50.0	49	59.8
	Female	10	76.9	9	50.0	13	50.0	27	49.1	6	28.6	65	48.9
	Total	20	74.1	18	64.3	24	48.0	41	51.9	11	35.5	114	53.0
Slight pain	Male	4	28.6	1	10.0	10	41.7	7	29.2	3	30.0	25	30.5
	Female	3	23.1	5	27.8	8	30.8	18	32.7	8	38.1	42	31.6
	Total	7	25.9	6	21.4	18	36.0	25	31.6	11	35.5	67	31.2
Mild pain	Male	0	0.0	0	0.0	0	0.0	1	4.2	1	10.0	2	2.4
	Female	0	0.0	4	22.2	3	11.5	5	9.1	5	23.8	17	12.8
	Total	0	0.0	4	14.3	3	6.0	6	7.6	6	19.4	19	8.8
Moderate pain	Male	0	0.0	0	0.0	3	12.5	2	8.3	0	0.0	5	6.1
	Female	0	0.0	0	0.0	1	3.8	3	5.5	1	4.8	5	3.8
	Total	0	0.0	0	0.0	4	8.0	5	6.3	1	3.2	10	4.7
Severe pain	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	1	1.2
	Female	0	0.0	0	0.0	1	3.8	2	3.6	1	4.8	4	3.0
	Total	0	0.0	0	0.0	1	2.0	2	2.5	2	6.5	5	2.3

Pain at sitting on the floor Japanese style (for the persons with the left knee pain)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	1	5.6	0	0.0	0	0.0	0	0.0	1	0.8
	Total	0	0.0	1	3.6	0	0.0	0	0.0	0	0.0	1	0.5
No pain	Male	4	28.6	3	30.0	1	4.2	5	20.8	3	30.0	16	19.5
	Female	6	46.2	5	27.8	7	26.9	6	10.9	3	14.3	27	20.3
	Total	10	37.0	8	28.6	8	16.0	11	13.9	6	19.4	43	20.0
Slight pain	Male	5	35.7	4	40.0	14	58.3	7	29.2	2	20.0	32	39.0
	Female	5	38.5	10	55.6	6	23.1	18	32.7	5	23.8	44	33.1
	Total	10	37.0	14	50.0	20	40.0	25	31.6	7	22.6	76	35.3
Mild pain	Male	4	28.6	2	20.0	2	8.3	3	12.5	2	20.0	13	15.9
	Female	1	7.7	1	5.6	4	15.4	12	21.8	2	9.5	20	15.0
	Total	5	18.5	3	10.7	6	12.0	15	19.0	4	12.9	33	15.3
Moderate pain	Male	1	7.1	0	0.0	4	16.7	3	12.5	1	10.0	9	11.0
	Female	1	7.7	1	5.6	5	19.2	12	21.8	4	19.0	23	17.3
	Total	2	7.4	1	3.6	9	18.0	15	19.0	5	16.1	32	14.9
Severe pain	Male	0	0.0	1	10.0	3	12.5	6	25.0	2	20.0	12	14.6
	Female	0	0.0	0	0.0	4	15.4	7	12.7	7	33.3	18	13.5
	Total	0	0.0	1	3.6	7	14.0	13	16.5	9	29.0	30	14.0

4. Eyesight

Usage of glasses

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.9	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	1.0	1	0.1
Yes	Male	120	64.9	137	87.8	152	93.8	157	92.4	49	94.2	615	84.8
	Female	125	64.1	122	82.4	148	93.1	153	91.6	45	84.9	593	82.1
	Total	245	64.5	259	85.2	300	93.5	310	92.0	94	89.5	1208	83.5
No	Male	65	35.1	19	12.2	10	6.2	13	7.6	2	3.8	109	15.0
	Female	70	35.9	26	17.6	11	6.9	14	8.4	8	15.1	129	17.9
	Total	135	35.5	45	14.8	21	6.5	27	8.0	10	9.5	238	16.4

Type of glasses (for glass users)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Glasses for far distance	Male	101	100.0	38	100.0	23	100.0	4	100.0	4	100.0	170	100.0
	Female	105	100.0	31	100.0	14	100.0	4	100.0	3	100.0	157	100.0
	Total	206	100.0	69	100.0	37	100.0	8	100.0	7	100.0	327	100.0

Usage of contact lens

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.9	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	1.0	1	0.1
Non-user	Male	130	70.3	144	92.3	158	97.5	167	98.2	51	98.1	650	89.7
	Female	101	51.8	103	69.6	142	89.3	165	98.8	53	100.0	564	78.1
	Total	231	60.8	247	81.3	300	93.5	332	98.5	104	99.0	1214	83.9
Ex-user	Male	30	16.2	8	5.1	3	1.9	3	1.8	0	0.0	44	6.1
	Female	34	17.4	27	18.2	13	8.2	2	1.2	0	0.0	76	10.5
	Total	64	16.8	35	11.5	16	5.0	5	1.5	0	0.0	120	8.3
Current-user	Male	25	13.5	4	2.6	1	0.6	0	0.0	0	0.0	30	4.1
	Female	60	30.8	18	12.2	4	2.5	0	0.0	0	0.0	82	11.4
	Total	85	22.4	22	7.2	5	1.6	0	0.0	0	0.0	112	7.7

Type of contact lens (for contact lens users)

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Hard	Male	31	56.4	10	83.3	4	100.0	2	66.7	47	63.5
	Female	65	69.1	37	82.2	14	82.4	1	50.0	117	74.1
	Total	96	64.4	47	82.5	18	85.7	3	60.0	164	70.7
Soft	Male	14	25.5	1	8.3	0	0.0	1	33.3	16	21.6
	Female	20	21.3	4	8.9	2	11.8	1	50.0	27	17.1
	Total	34	22.8	5	8.8	2	9.5	2	40.0	43	18.5
Disposable	Male	10	18.2	1	8.3	0	0.0	0	0.0	11	14.9
	Female	9	9.6	4	8.9	1	5.9	0	0.0	14	8.9
	Total	19	12.8	5	8.8	1	4.8	0	0.0	25	10.8

Duration of using contact lens (contact lens users)

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
-5 yrs.	Male	26	47.3	8	66.7	3	75.0	3	100.0	40	54.1
	Female	19	20.2	16	35.6	9	52.9	1	50.0	45	28.5
	Total	45	30.2	24	42.1	12	57.1	4	80.0	85	36.6
5-10yrs.	Male	8	14.5	0	0.0	0	0.0	0	0.0	8	10.8
	Female	13	13.8	6	13.3	1	5.9	1	50.0	21	13.3
	Total	21	14.1	6	10.5	1	4.8	1	20.0	29	12.5
10-20yrs.	Male	9	16.4	1	8.3	0	0.0	0	0.0	10	13.5
	Female	20	21.3	4	8.9	3	17.6	0	0.0	27	17.1
	Total	29	19.5	5	8.8	3	14.3	0	0.0	37	15.9
20yrs. -	Male	12	21.8	3	25.0	1	25.0	0	0.0	16	21.6
	Female	42	44.7	19	42.2	4	23.5	0	0.0	65	41.1
	Total	54	36.2	22	38.6	5	23.8	0	0.0	81	34.9

History of operation in the right eye

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
None	Male	179	96.8	150	96.2	140	86.4	137	80.6	33	63.5	639	88.1
	Female	190	97.4	141	95.3	153	96.2	138	82.6	24	45.3	646	89.5
	Total	369	97.1	291	95.7	293	91.3	275	81.6	57	54.3	1285	88.8
Cataract	Male	14	7.6	10	6.4	24	14.8	24	14.1	10	19.2	82	11.3
	Female	13	6.7	18	12.2	26	16.4	55	32.9	21	39.6	133	18.4
	Total	27	7.1	28	9.2	50	15.6	79	23.4	31	29.5	215	14.9
Glaucoma	Male	0	0.0	0	0.0	1	0.6	1	0.6	2	3.8	4	0.6
	Female	0	0.0	0	0.0	0	0.0	1	0.6	1	1.9	2	0.3
	Total	0	0.0	0	0.0	1	0.3	2	0.6	3	2.9	6	0.4
Retinal detachment	Male	1	0.5	0	0.0	5	3.1	0	0.0	0	0.0	6	0.8
	Female	0	0.0	1	0.7	0	0.0	0	0.0	2	3.8	3	0.4
	Total	1	0.3	1	0.3	5	1.6	0	0.0	2	1.9	9	0.6
Lasering	Male	5	2.7	2	1.3	12	7.4	7	4.1	2	3.8	28	3.9
	Female	1	0.5	1	0.7	2	1.3	4	2.4	5	9.4	13	1.8
	Total	6	1.6	3	1.0	14	4.4	11	3.3	7	6.7	41	2.8
Others	Male	1	0.5	2	1.3	2	1.2	5	2.9	0	0.0	10	1.4
	Female	3	1.5	3	2.0	2	1.3	2	1.2	1	1.9	11	1.5
	Total	4	1.1	5	1.6	4	1.2	7	2.1	1	1.0	21	1.5
Not determined	Male	0	0.0	0	0.0	3	1.9	1	0.6	0	0.0	4	0.6
	Female	1	0.5	1	0.7	0	0.0	2	1.2	1	1.9	5	0.7
	Total	1	0.3	1	0.3	3	0.9	3	0.9	1	1.0	9	0.6
Total	Male	185	100.0	156	100.0	162	100.0	170	100.0	52	100.0	725	100.0
	Female	195	100.0	148	100.0	159	100.0	167	100.0	53	100.0	722	100.0
	Total	380	100.0	304	100.0	321	100.0	337	100.0	105	100.0	1447	100.0