

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
General anesthetic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hypogenic sadative agent	Male	7	3.8	1	0.6	6	3.7	12	7.1	5	9.6	31	4.3
	Female	3	1.5	3	2.0	15	9.4	29	17.4	14	26.4	64	8.9
	Total	10	2.6	4	1.3	21	6.5	41	12.2	19	18.1	95	6.6
Antiepileptic agent	Male	1	0.5	0	0.0	1	0.6	4	2.4	0	0.0	6	0.8
	Female	0	0.0	0	0.0	1	0.6	2	1.2	0	0.0	3	0.4
	Total	1	0.3	0	0.0	2	0.6	6	1.8	0	0.0	9	0.6
Antipyretic analgesic agent	Male	16	8.6	16	10.3	20	12.3	35	20.6	18	34.6	105	14.5
	Female	30	15.4	31	20.9	24	15.1	38	22.8	21	39.6	144	19.9
	Total	46	12.1	47	15.5	44	13.7	73	21.7	39	37.1	249	17.2
Stimulant drug, antihypnotic drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antiparkinson drugs	Male	0	0.0	0	0.0	3	1.9	3	1.8	0	0.0	6	0.8
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	3	0.9	3	0.9	0	0.0	6	0.4
Antipsychotic drug	Male	6	3.2	3	1.9	7	4.3	6	3.5	2	3.8	24	3.3
	Female	1	0.5	4	2.7	7	4.4	20	12.0	5	9.4	37	5.1
	Total	7	1.8	7	2.3	14	4.4	26	7.7	7	6.7	61	4.2
Drug for common cold	Male	20	10.8	9	5.8	3	1.9	10	5.9	2	3.8	44	6.1
	Female	18	9.2	18	12.2	5	3.1	10	6.0	1	1.9	52	7.2
	Total	38	10.0	27	8.9	8	2.5	20	5.9	3	2.9	96	6.6
Other agent acting on CNS Male		0	0.0	0	0.0	0	0.0	2	1.2	0	0.0	2	0.3

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Other agent acting on CNS Female		0	0.0	1	0.7	0	0.0	1	0.6	2	3.8	4	0.6
	Total	0	0.0	1	0.3	0	0.0	3	0.9	2	1.9	6	0.4
Local anesthtic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	1	0.6	0	0.0	0	0.0	1	0.1
	Total	0	0.0	0	0.0	1	0.3	0	0.0	0	0.0	1	0.1
Muscle relaxant	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agent for autonomic nervous system	Male	0	0.0	1	0.6	1	0.6	0	0.0	0	0.0	2	0.3
	Female	0	0.0	1	0.7	0	0.0	1	0.6	0	0.0	2	0.3
	Total	0	0.0	2	0.7	1	0.3	1	0.3	0	0.0	4	0.3
Antispasmodic agent	Male	0	0.0	1	0.6	1	0.6	3	1.8	1	1.9	6	0.8
	Female	2	1.0	1	0.7	2	1.3	3	1.8	1	1.9	9	1.2
	Total	2	0.5	2	0.7	3	0.9	6	1.8	2	1.9	15	1.0
Diaphoretic, antiperspirants	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other agent for PNS	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Ophthalmic solution (others)	Male	35	18.9	29	18.6	34	21.0	47	27.6	16	30.8	161	22.2
	Female	37	19.0	37	25.0	43	27.0	59	35.3	26	49.1	202	28.0
	Total	72	18.9	66	21.7	77	24.0	106	31.5	42	40.0	363	25.1
Ophthalmic solution (for cataract)	Male	0	0.0	1	0.6	8	4.9	20	11.8	4	7.7	33	4.6
	Female	1	0.5	2	1.4	10	6.3	28	16.8	9	17.0	50	6.9

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Ophthalmic solution (for cataract)	Total	1	0.3	3	1.0	18	5.6	48	14.2	13	12.4	83	5.7
Ophthalmic solution (pilocarpine)	Male	0	0.0	0	0.0	1	0.6	1	0.6	0	0.0	2	0.3
	Female	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0	1	0.1
	Total	0	0.0	0	0.0	1	0.3	2	0.6	0	0.0	3	0.2
Ophthalmic solution (β blocker)	Male	2	1.1	2	1.3	6	3.7	7	4.1	3	5.8	20	2.8
	Female	0	0.0	0	0.0	3	1.9	4	2.4	3	5.7	10	1.4
	Total	2	0.5	2	0.7	9	2.8	11	3.3	6	5.7	30	2.1
Ophthalmic solution (epinephrine)	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Ophthalmic solution (for glaucoma)	Male	2	1.1	1	0.6	6	3.7	9	5.3	3	5.8	21	2.9
	Female	2	1.0	2	1.4	3	1.9	3	1.8	1	1.9	11	1.5
	Total	4	1.1	3	1.0	9	2.8	12	3.6	4	3.8	32	2.2
Ophthalmic solution (steroid)	Male	1	0.5	1	0.6	3	1.9	6	3.5	3	5.8	14	1.9
	Female	2	1.0	4	2.7	7	4.4	7	4.2	4	7.5	24	3.3
	Total	3	0.8	5	1.6	10	3.1	13	3.9	7	6.7	38	2.6
Ophthalmic solution (unknown)	Male	0	0.0	1	0.6	1	0.6	2	1.2	2	3.8	6	0.8
	Female	0	0.0	0	0.0	0	0.0	4	2.4	0	0.0	4	0.6
	Total	0	0.0	1	0.3	1	0.3	6	1.8	2	1.9	10	0.7
Agent for ENT use	Male	0	0.0	2	1.3	1	0.6	2	1.2	1	1.9	6	0.8
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	1.9	1	0.1
	Total	0	0.0	2	0.7	1	0.3	2	0.6	2	1.9	7	0.5
Anti-vertigeneous drug	Male	2	1.1	1	0.6	3	1.9	3	1.8	0	0.0	9	1.2
	Female	0	0.0	0	0.0	2	1.3	5	3.0	0	0.0	7	1.0
	Total	2	0.5	1	0.3	5	1.6	8	2.4	0	0.0	16	1.1

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Other agent acting on sensory organ	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Digitalis agent	Male	0	0.0	0	0.0	3	1.9	2	1.2	3	5.8	8	1.1
	Female	0	0.0	0	0.0	1	0.6	0	0.0	1	1.9	2	0.3
	Total	0	0.0	0	0.0	4	1.2	2	0.6	4	3.8	10	0.7
Xanthine agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	1	0.7	0	0.0	0	0.0	0	0.0	1	0.1
	Total	0	0.0	1	0.3	0	0.0	0	0.0	0	0.0	1	0.1
Other inotropic agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.9	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	1.0	1	0.1
β blocker	Male	1	0.5	6	3.8	9	5.6	12	7.1	2	3.8	30	4.1
	Female	1	0.5	5	3.4	2	1.3	13	7.8	3	5.7	24	3.3
	Total	2	0.5	11	3.6	11	3.4	25	7.4	5	4.8	54	3.7
Agents for membrane-stabilizing activity	Male	1	0.5	0	0.0	0	0.0	1	0.6	2	3.8	4	0.6
	Female	0	0.0	0	0.0	2	1.3	2	1.2	1	1.9	5	0.7
	Total	1	0.3	0	0.0	2	0.6	3	0.9	3	2.9	9	0.6
Other antiarrhythmic agent	Male	0	0.0	1	0.6	0	0.0	1	0.6	1	1.9	3	0.4
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	1	0.3	0	0.0	1	0.3	1	1.0	3	0.2
Thyazide diuretic	Male	1	0.5	1	0.6	1	0.6	0	0.0	1	1.9	4	0.6
	Female	0	0.0	0	0.0	1	0.6	9	5.4	6	11.3	16	2.2
	Total	1	0.3	1	0.3	2	0.6	9	2.7	7	6.7	20	1.4
Loop diuretic	Male	1	0.5	1	0.6	1	0.6	6	3.5	6	11.5	15	2.1

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Loop diuretic	Female	0	0.0	0	0.0	1	0.6	5	3.0	2	3.8	8	1.1
	Total	1	0.3	1	0.3	2	0.6	11	3.3	8	7.6	23	1.6
Potassium sparing diuretic	Male	0	0.0	1	0.6	2	1.2	1	0.6	1	1.9	5	0.7
	Female	0	0.0	0	0.0	0	0.0	2	1.2	1	1.9	3	0.4
	Total	0	0.0	1	0.3	2	0.6	3	0.9	2	1.9	8	0.6
Carbonate dehydratase inhibitor	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other diuretic	Male	1	0.5	0	0.0	0	0.0	0	0.0	1	1.9	2	0.3
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.3	0	0.0	0	0.0	0	0.0	1	1.0	2	0.1
Unkown antihypertensive agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.9	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	1.9	1	0.1
	Total	0	0.0	0	0.0	0	0.0	0	0.0	2	1.9	2	0.1
ACE inhibitor	Male	6	3.2	11	7.1	21	13.0	42	24.7	13	25.0	93	12.8
	Female	3	1.5	12	8.1	22	13.8	35	21.0	14	26.4	86	11.9
	Total	9	2.4	23	7.6	43	13.4	77	22.8	27	25.7	179	12.4
Ca antagonist	Male	2	1.1	17	10.9	39	24.1	53	31.2	15	28.8	126	17.4
	Female	5	2.6	10	6.8	23	14.5	59	35.3	25	47.2	122	16.9
	Total	7	1.8	27	8.9	62	19.3	112	33.2	40	38.1	248	17.1
Other antihypertensive agent	Male	1	0.5	1	0.6	5	3.1	5	2.9	1	1.9	13	1.8
	Female	1	0.5	1	0.7	2	1.3	5	3.0	2	3.8	11	1.5
	Total	2	0.5	2	0.7	7	2.2	10	3.0	3	2.9	24	1.7
Vascular reinforcing agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Vascular reinforcing agent	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Vasoconstrictor	Male	1	0.5	2	1.3	0	0.0	2	1.2	0	0.0	5	0.7
	Female	0	0.0	0	0.0	1	0.6	0	0.0	0	0.0	1	0.1
	Total	1	0.3	2	0.7	1	0.3	2	0.6	0	0.0	6	0.4
Vasodilator	Male	1	0.5	2	1.3	4	2.5	6	3.5	6	11.5	19	2.6
	Female	1	0.5	0	0.0	3	1.9	11	6.6	3	5.7	18	2.5
	Total	2	0.5	2	0.7	7	2.2	17	5.0	9	8.6	37	2.6
Antihyperlipidemic agent	Male	3	1.6	15	9.6	23	14.2	28	16.5	6	11.5	75	10.3
	Female	4	2.1	12	8.1	39	24.5	37	22.2	19	35.8	111	15.4
	Total	7	1.8	27	8.9	62	19.3	65	19.3	25	23.8	186	12.9
Other agent on cardiovascular system	Male	3	1.6	3	1.9	4	2.5	12	7.1	5	9.6	27	3.7
	Female	1	0.5	1	0.7	3	1.9	10	6.0	7	13.2	22	3.0
	Total	4	1.1	4	1.3	7	2.2	22	6.5	12	11.4	49	3.4
Respiratory stimulator	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antitussive agent	Male	4	2.2	1	0.6	2	1.2	1	0.6	2	3.8	10	1.4
	Female	2	1.0	2	1.4	1	0.6	2	1.2	0	0.0	7	1.0
	Total	6	1.6	3	1.0	3	0.9	3	0.9	2	1.9	17	1.2
Expectorant	Male	5	2.7	1	0.6	3	1.9	6	3.5	7	13.5	22	3.0
	Female	2	1.0	3	2.0	2	1.3	5	3.0	0	0.0	12	1.7
	Total	7	1.8	4	1.3	5	1.6	11	3.3	7	6.7	34	2.3
Antitussive agent and expectorant	Male	1	0.5	0	0.0	1	0.6	0	0.0	1	1.9	3	0.4
	Female	0	0.0	2	1.4	3	1.9	1	0.6	1	1.9	7	1.0
	Total	1	0.3	2	0.7	4	1.2	1	0.3	2	1.9	10	0.7

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Bronchodilator	Male	2	1.1	1	0.6	2	1.2	9	5.3	4	7.7	18	2.5
	Female	1	0.5	2	1.4	2	1.3	4	2.4	0	0.0	9	1.2
	Total	3	0.8	3	1.0	4	1.2	13	3.9	4	3.8	27	1.9
Gargle	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other agent acting on respiratory system	Male	0	0.0	0	0.0	2	1.2	1	0.6	1	1.9	4	0.6
	Female	0	0.0	1	0.7	1	0.6	1	0.6	0	0.0	3	0.4
	Total	0	0.0	1	0.3	3	0.9	2	0.6	1	1.0	7	0.5
Antidiarrheal drug	Male	6	3.2	3	1.9	5	3.1	5	2.9	4	7.7	23	3.2
	Female	2	1.0	0	0.0	5	3.1	5	3.0	3	5.7	15	2.1
	Total	8	2.1	3	1.0	10	3.1	10	3.0	7	6.7	38	2.6
Antiulcerative agent	Male	13	7.0	12	7.7	24	14.8	35	20.6	13	25.0	97	13.4
	Female	10	5.1	17	11.5	15	9.4	39	23.4	19	35.8	100	13.9
	Total	23	6.1	29	9.5	39	12.1	74	22.0	32	30.5	197	13.6
Stomachic	Male	0	0.0	1	0.6	4	2.5	2	1.2	4	7.7	11	1.5
	Female	0	0.0	3	2.0	1	0.6	5	3.0	4	7.5	13	1.8
	Total	0	0.0	4	1.3	5	1.6	7	2.1	8	7.6	24	1.7
Antacid	Male	0	0.0	0	0.0	2	1.2	0	0.0	0	0.0	2	0.3
	Female	1	0.5	0	0.0	0	0.0	1	0.6	0	0.0	2	0.3
	Total	1	0.3	0	0.0	2	0.6	1	0.3	0	0.0	4	0.3
Laxative	Male	2	1.1	2	1.3	4	2.5	7	4.1	10	19.2	25	3.4
	Female	4	2.1	10	6.8	3	1.9	15	9.0	4	7.5	36	5.0
	Total	6	1.6	12	3.9	7	2.2	22	6.5	14	13.3	61	4.2
Cholagogue	Male	1	0.5	1	0.6	4	2.5	2	1.2	2	3.8	10	1.4

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Cholagogue	Female	1	0.5	1	0.7	1	0.6	1	0.6	0	0.0	4	0.6
	Total	2	0.5	2	0.7	5	1.6	3	0.9	2	1.9	14	1.0
Combined digestive drug	Male	2	1.1	8	5.1	3	1.9	8	4.7	2	3.8	23	3.2
	Female	6	3.1	3	2.0	7	4.4	4	2.4	1	1.9	21	2.9
	Total	8	2.1	11	3.6	10	3.1	12	3.6	3	2.9	44	3.0
Other agent acting on alimentary system	Male	1	0.5	1	0.6	4	2.5	3	1.8	3	5.8	12	1.7
	Female	2	1.0	0	0.0	2	1.3	7	4.2	6	11.3	17	2.4
	Total	3	0.8	1	0.3	6	1.9	10	3.0	9	8.6	29	2.0
Pituitary hormone drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hormone drug of salivary gland	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Thyroid parathyroid hormone drug	Male	0	0.0	1	0.6	0	0.0	0	0.0	0	0.0	1	0.1
	Female	2	1.0	6	4.1	3	1.9	5	3.0	1	1.9	17	2.4
	Total	2	0.5	7	2.3	3	0.9	5	1.5	1	1.0	18	1.2
Anabolic steroid drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Adrenocortical hormone drug	Male	1	0.5	1	0.6	1	0.6	8	4.7	0	0.0	11	1.5
	Female	1	0.5	2	1.4	7	4.4	2	1.2	2	3.8	14	1.9
	Total	2	0.5	3	1.0	8	2.5	10	3.0	2	1.9	25	1.7
Androgen drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Androgen drug	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Estrogen or progesterone drug	Male	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0	1	0.1
	Female	2	1.0	2	1.4	0	0.0	0	0.0	0	0.0	4	0.6
	Total	2	0.5	2	0.7	0	0.0	1	0.3	0	0.0	5	0.3
Mixed hormone drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	1	0.5	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	1	0.3	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
Other hormone drug	Male	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0	1	0.1
	Female	0	0.0	0	0.0	1	0.6	3	1.8	0	0.0	4	0.6
	Total	0	0.0	0	0.0	1	0.3	4	1.2	0	0.0	5	0.3
Agent acting on urinary system	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agent acting on genital system	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Uterine constrictor	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Contraceptive	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Drugs for hemorrhoids	Male	0	0.0	1	0.6	0	0.0	1	0.6	1	1.9	3	0.4
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	1	0.3	0	0.0	1	0.3	1	1.0	3	0.2

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Other agent acting on urogenital or anus	Male	0	0.0	2	1.3	3	1.9	9	5.3	9	17.3	23	3.2
	Female	0	0.0	1	0.7	1	0.6	4	2.4	2	3.8	8	1.1
	Total	0	0.0	3	1.0	4	1.2	13	3.9	11	10.5	31	2.1
Integumentary microbiosite	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Protective agent for wound	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Pyostatic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Analgenic (external application)	Male	1	0.5	0	0.0	0	0.0	2	1.2	0	0.0	3	0.4
	Female	1	0.5	1	0.7	0	0.0	1	0.6	0	0.0	3	0.4
	Total	2	0.5	1	0.3	0	0.0	3	0.9	0	0.0	6	0.4
Integumentary Parasiticide	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Emollient	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hair tonic	Male	0	0.0	1	0.6	0	0.0	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	1	0.3	0	0.0	0	0.0	0	0.0	1	0.1
Bath liquid	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Bath liquid	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other surface-acting agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Steroid surface-acting agent	Male	7	3.8	8	5.1	9	5.6	10	5.9	1	1.9	35	4.8
	Female	8	4.1	11	7.4	12	7.5	3	1.8	4	7.5	38	5.3
	Total	15	3.9	19	6.3	21	6.5	13	3.9	5	4.8	73	5.0
Dental local anesthetic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agent for devitalization of the pulp	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Analgesic or sedative for dental use	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agent for mummification of the pulp	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agent for pulp capping	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antibiotics for dental use	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Antibiotics for dental use	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other agent for dental use	Male	1	0.5	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0	1	0.1
	Total	1	0.3	0	0.0	0	0.0	1	0.3	0	0.0	2	0.1
Other agent for organ system	Male	0	0.0	1	0.6	0	0.0	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	1	0.3	0	0.0	0	0.0	0	0.0	1	0.1
Vitamin A	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Vitamin D	Male	1	0.5	0	0.0	1	0.6	0	0.0	1	1.9	3	0.4
	Female	1	0.5	1	0.7	8	5.0	13	7.8	9	17.0	32	4.4
	Total	2	0.5	1	0.3	9	2.8	13	3.9	10	9.5	35	2.4
Vitamin B1	Male	0	0.0	1	0.6	1	0.6	2	1.2	2	3.8	6	0.8
	Female	0	0.0	0	0.0	0	0.0	3	1.8	1	1.9	4	0.6
	Total	0	0.0	1	0.3	1	0.3	5	1.5	3	2.9	10	0.7
Vitamin B complex	Male	4	2.2	2	1.3	6	3.7	13	7.6	8	15.4	33	4.6
	Female	5	2.6	0	0.0	5	3.1	8	4.8	9	17.0	27	3.7
	Total	9	2.4	2	0.7	11	3.4	21	6.2	17	16.2	60	4.1
Vitamin C	Male	0	0.0	1	0.6	0	0.0	1	0.6	0	0.0	2	0.3
	Female	1	0.5	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	1	0.3	1	0.3	0	0.0	1	0.3	0	0.0	3	0.2
Vitamin E	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	1	0.6	0	0.0	1	1.9	2	0.3
	Total	0	0.0	0	0.0	1	0.3	0	0.0	1	1.0	2	0.1

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Vitamin K	Male	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0	1	0.1
	Female	0	0.0	0	0.0	1	0.6	0	0.0	4	7.5	5	0.7
	Total	0	0.0	0	0.0	1	0.3	1	0.3	4	3.8	6	0.4
Mixed vitamin	Male	1	0.5	0	0.0	1	0.6	6	3.5	1	1.9	9	1.2
	Female	1	0.5	1	0.7	3	1.9	3	1.8	2	3.8	10	1.4
	Total	2	0.5	1	0.3	4	1.2	9	2.7	3	2.9	19	1.3
Other vitamin	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Calcium	Male	0	0.0	0	0.0	1	0.6	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	4	2.5	1	0.6	2	3.8	7	1.0
	Total	0	0.0	0	0.0	5	1.6	1	0.3	2	1.9	8	0.6
Mineral preparation	Male	0	0.0	0	0.0	1	0.6	1	0.6	0	0.0	2	0.3
	Female	5	2.6	3	2.0	0	0.0	1	0.6	1	1.9	10	1.4
	Total	5	1.3	3	1.0	1	0.3	2	0.6	1	1.0	12	0.8
Saccharide preparation	Male	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0	1	0.1
Organic acid preparation	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
protein or amino acid preparation	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hormone drugs made from internal organ	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Hormone drugs made from internal organ	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	1.9	1	0.1
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	1.0	1	0.1
Drugs for infant	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other tonic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Blood substitute	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	1.9	1	0.1
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	1.0	1	0.1
Styptic	Male	2	1.1	0	0.0	2	1.2	1	0.6	0	0.0	5	0.7
	Female	1	0.5	1	0.7	0	0.0	3	1.8	0	0.0	5	0.7
	Total	3	0.8	1	0.3	2	0.6	4	1.2	0	0.0	10	0.7
Anticoagulant	Male	0	0.0	1	0.6	1	0.6	4	2.4	2	3.8	8	1.1
	Female	0	0.0	0	0.0	2	1.3	0	0.0	3	5.7	5	0.7
	Total	0	0.0	1	0.3	3	0.9	4	1.2	5	4.8	13	0.9
Other blood substitute	Male	0	0.0	1	0.6	6	3.7	13	7.6	4	7.7	24	3.3
	Female	0	0.0	0	0.0	2	1.3	11	6.6	4	7.5	17	2.4
	Total	0	0.0	1	0.3	8	2.5	24	7.1	8	7.6	41	2.8
Agent for hemodialysis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agent for peritoneal dialysis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Agent for peritoneal dialysis	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other agent for dialysis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agent for liver disease	Male	0	0.0	0	0.0	2	1.2	2	1.2	0	0.0	4	0.6
	Female	1	0.5	0	0.0	3	1.9	0	0.0	3	5.7	7	1.0
	Total	1	0.3	0	0.0	5	1.6	2	0.6	3	2.9	11	0.8
Antidote	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	1	0.5	0	0.0	0	0.0	0	0.0	1	1.9	2	0.3
	Total	1	0.3	0	0.0	0	0.0	0	0.0	1	1.0	2	0.1
Agent for habitual intoxication	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Drugs for gout	Male	6	3.2	7	4.5	9	5.6	17	10.0	4	7.7	43	5.9
	Female	0	0.0	1	0.7	0	0.0	5	3.0	1	1.9	7	1.0
	Total	6	1.6	8	2.6	9	2.8	22	6.5	5	4.8	50	3.5
Enzyme preparation	Male	1	0.5	0	0.0	1	0.6	3	1.8	2	3.8	7	1.0
	Female	2	1.0	2	1.4	1	0.6	1	0.6	0	0.0	6	0.8
	Total	3	0.8	2	0.7	2	0.6	4	1.2	2	1.9	13	0.9
Insulin	Male	0	0.0	0	0.0	3	1.9	2	1.2	0	0.0	5	0.7
	Female	1	0.5	2	1.4	3	1.9	0	0.0	0	0.0	6	0.8
	Total	1	0.3	2	0.7	6	1.9	2	0.6	0	0.0	11	0.8
Oral antidiabetics	Male	2	1.1	10	6.4	10	6.2	8	4.7	5	9.6	35	4.8
	Female	3	1.5	3	2.0	7	4.4	10	6.0	2	3.8	25	3.5
	Total	5	1.3	13	4.3	17	5.3	18	5.3	7	6.7	60	4.1

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Other agent on metabolic system	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unclassified agent on metabolic system	Male	3	1.6	1	0.6	2	1.2	2	1.2	1	1.9	9	1.2
	Female	2	1.0	1	0.7	0	0.0	3	1.8	2	3.8	8	1.1
	Total	5	1.3	2	0.7	2	0.6	5	1.5	3	2.9	17	1.2
Calcitonin (elcatonin)	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	3	5.7	3	0.4
	Total	0	0.0	0	0.0	0	0.0	0	0.0	3	2.9	3	0.2
Calcitonin (calcitonin salmon)	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Bisphosphonate (alendronate sodium hydrate)	Male	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0	1	0.1
	Female	0	0.0	0	0.0	4	2.5	3	1.8	1	1.9	8	1.1
	Total	0	0.0	0	0.0	4	1.2	4	1.2	1	1.0	9	0.6
Bisphosphonate (sodium risedronate hydrate)	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	2	1.0	0	0.0	3	1.9	4	2.4	1	1.9	10	1.4
	Total	2	0.5	0	0.0	3	0.9	4	1.2	1	1.0	10	0.7
Bisphosphonate (etidronate disodium)	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	1	0.5	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	1	0.3	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
Ipriflavone	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Selective estrogen receptor modulator	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Selective estrogen receptor modulator	Female	0	0.0	0	0.0	0	0.0	2	1.2	1	1.9	3	0.4
	Total	0	0.0	0	0.0	0	0.0	2	0.6	1	1.0	3	0.2
Chlorophyll agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Pigment agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other cell activation agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Alkylating agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antimetabolite	Male	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0	1	0.1
	Female	1	0.5	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	1	0.3	0	0.0	0	0.0	1	0.3	0	0.0	2	0.1
Antibiotics for antitumor agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Plant component for antitumor agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other antitumor agent	Male	1	0.5	0	0.0	1	0.6	2	1.2	1	1.9	5	0.7
	Female	0	0.0	0	0.0	0	0.0	2	1.2	0	0.0	2	0.3

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Other antitumor agent	Total	1	0.3	0	0.0	1	0.3	4	1.2	1	1.0	7	0.5
Antihistaminic drug	Male	5	2.7	4	2.6	3	1.9	4	2.4	0	0.0	16	2.2
	Female	4	2.1	6	4.1	4	2.5	1	0.6	1	1.9	16	2.2
	Total	9	2.4	10	3.3	7	2.2	5	1.5	1	1.0	32	2.2
Agent for stimulus therapy	Male	0	0.0	1	0.6	0	0.0	1	0.6	0	0.0	2	0.3
	Female	0	0.0	0	0.0	1	0.6	0	0.0	0	0.0	1	0.1
	Total	0	0.0	1	0.3	1	0.3	1	0.3	0	0.0	3	0.2
Agent for nonspecific immunogenicity	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other antiallergic drug	Male	5	2.7	14	9.0	6	3.7	10	5.9	4	7.7	39	5.4
	Female	7	3.6	7	4.7	8	5.0	4	2.4	3	5.7	29	4.0
	Total	12	3.2	21	6.9	14	4.4	14	4.2	7	6.7	68	4.7
Crude drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	1.9	1	0.1
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	1.0	1	0.1
Herb medicine	Male	21	11.4	8	5.1	26	16.0	21	12.4	4	7.7	80	11.0
	Female	22	11.3	20	13.5	24	15.1	30	18.0	5	9.4	101	14.0
	Total	43	11.3	28	9.2	50	15.6	51	15.1	9	8.6	181	12.5
Other drugs by a herb medicine	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antibiotics (G(+))	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Antibiotics (G(-))	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antibiotics (G(+), G(-))	Male	5	2.7	2	1.3	4	2.5	4	2.4	1	1.9	16	2.2
	Female	5	2.6	3	2.0	2	1.3	5	3.0	1	1.9	16	2.2
	Total	10	2.6	5	1.6	6	1.9	9	2.7	2	1.9	32	2.2
Antibiotics (G(+), G(-), Mycoplasma)	Male	2	1.1	1	0.6	2	1.2	2	1.2	4	7.7	11	1.5
	Female	2	1.0	3	2.0	2	1.3	2	1.2	0	0.0	9	1.2
	Total	4	1.1	4	1.3	4	1.2	4	1.2	4	3.8	20	1.4
Antibiotics (Rickettsia, Chlamidia)	Male	0	0.0	0	0.0	1	0.6	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	1	0.3	0	0.0	0	0.0	1	0.1
Antibiotics against acid-fast bacterium	Male	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0	1	0.1
Antibiotics against fungus	Male	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0	1	0.1
Other antibiotics	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Sulfa drug	Male	0	0.0	0	0.0	1	0.6	1	0.6	0	0.0	2	0.3
	Female	1	0.5	0	0.0	0	0.0	0	0.0	1	1.9	2	0.3
	Total	1	0.3	0	0.0	1	0.3	1	0.3	1	1.0	4	0.3
Antituberculous agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Antitubercukous agent	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Drugs for leprosy	Male	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0	1	0.1
Synthetic antibiotics	Male	1	0.5	1	0.6	0	0.0	1	0.6	1	1.9	4	0.6
	Female	0	0.0	2	1.4	3	1.9	2	1.2	0	0.0	7	1.0
	Total	1	0.3	3	1.0	3	0.9	3	0.9	1	1.0	11	0.8
Antiviral agent	Male	1	0.5	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Female	1	0.5	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	2	0.5	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1
Other agent for chemotherapy	Male	0	0.0	0	0.0	2	1.2	0	0.0	0	0.0	2	0.3
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	2	0.6	0	0.0	0	0.0	2	0.1
Vaccine	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Poison or toxoid	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antitoxic serum or leptospira serum	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Blood supplements	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

(Continued)