

Usage of sunglasses

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
None	Male	187	65.4	194	65.8	206	68.7	186	72.9	39	73.6	812	68.3
	Female	212	72.1	195	68.9	156	57.1	178	62.5	36	61.0	777	65.1
	Total	399	68.8	389	67.3	362	63.2	364	67.4	75	67.0	1589	66.7
Sometimes	Male	73	25.5	71	24.1	66	22.0	32	12.5	7	13.2	249	20.9
	Female	70	23.8	57	20.1	69	25.3	38	13.3	7	11.9	241	20.2
	Total	143	24.7	128	22.1	135	23.6	70	13.0	14	12.5	490	20.6
Always	Male	26	9.1	30	10.2	28	9.3	37	14.5	7	13.2	128	10.8
	Female	12	4.1	31	11.0	48	17.6	69	24.2	16	27.1	176	14.7
	Total	38	6.6	61	10.6	76	13.3	106	19.6	23	20.5	304	12.8

Self-evaluation on visual acuity

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Excellent	Male	23	8.0	14	4.7	28	9.3	16	6.3	1	1.9	82	6.9
	Female	23	7.8	10	3.5	23	8.4	9	3.2	3	5.1	68	5.7
	Total	46	7.9	24	4.2	51	8.9	25	4.6	4	3.6	150	6.3
Good	Male	79	27.6	62	21.0	57	19.0	58	22.7	17	32.1	273	23.0
	Female	83	28.2	60	21.2	70	25.6	59	20.7	12	20.3	284	23.8
	Total	162	27.9	122	21.1	127	22.2	117	21.7	29	25.9	557	23.4
Usual	Male	145	50.7	167	56.6	163	54.3	140	54.9	27	50.9	642	54.0
	Female	161	54.8	175	61.8	146	53.5	170	59.6	33	55.9	685	57.4
	Total	306	52.8	342	59.2	309	53.9	310	57.4	60	53.6	1327	55.7
Bad	Male	39	13.6	50	16.9	51	17.0	37	14.5	8	15.1	185	15.6
	Female	27	9.2	36	12.7	31	11.4	39	13.7	6	10.2	139	11.6
	Total	66	11.4	86	14.9	82	14.3	76	14.1	14	12.5	324	13.6
Very bad	Male	0	0.0	2	0.7	1	0.3	4	1.6	0	0.0	7	0.6
	Female	0	0.0	2	0.7	3	1.1	8	2.8	5	8.5	18	1.5
	Total	0	0.0	4	0.7	4	0.7	12	2.2	5	4.5	25	1.0

Taking examination of visual acuity in last two years

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	3	1.0	0	0.0	2	0.7	0	0.0	0	0.0	5	0.4
	Female	1	0.3	0	0.0	0	0.0	0	0.0	1	1.7	2	0.2
	Total	4	0.7	0	0.0	2	0.3	0	0.0	1	0.9	7	0.3
Yes	Male	29	10.1	39	13.2	68	22.7	61	23.9	9	17.0	206	17.3
	Female	78	26.5	90	31.8	89	32.6	80	28.1	10	16.9	347	29.1
	Total	107	18.4	129	22.3	157	27.4	141	26.1	19	17.0	553	23.2
No	Male	251	87.8	256	86.8	229	76.3	193	75.7	43	81.1	972	81.7
	Female	213	72.4	191	67.5	184	67.4	205	71.9	48	81.4	841	70.4
	Total	464	80.0	447	77.3	413	72.1	398	73.7	91	81.3	1813	76.1
Not determined	Male	3	1.0	0	0.0	1	0.3	1	0.4	1	1.9	6	0.5
	Female	2	0.7	2	0.7	0	0.0	0	0.0	0	0.0	4	0.3
	Total	5	0.9	2	0.3	1	0.2	1	0.2	1	0.9	10	0.4

Visiting ophthalmologist in last two years

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	3	1.0	0	0.0	2	0.7	0	0.0	0	0.0	5	0.4
	Female	1	0.3	0	0.0	0	0.0	0	0.0	1	1.7	2	0.2
	Total	4	0.7	0	0.0	2	0.3	0	0.0	1	0.9	7	0.3
Yes	Male	216	75.5	222	75.3	184	61.3	129	50.6	21	39.6	772	64.9
	Female	193	65.6	193	68.2	139	50.9	106	37.2	13	22.0	644	53.9
	Total	409	70.5	415	71.8	323	56.4	235	43.5	34	30.4	1416	59.4
No	Male	63	22.0	73	24.7	114	38.0	126	49.4	32	60.4	408	34.3
	Female	99	33.7	89	31.4	133	48.7	179	62.8	45	76.3	545	45.6
	Total	162	27.9	162	28.0	247	43.1	305	56.5	77	68.8	953	40.0
Not determined	Male	4	1.4	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3
	Female	1	0.3	1	0.4	1	0.4	0	0.0	0	0.0	3	0.3
	Total	5	0.9	1	0.2	1	0.2	0	0.0	0	0.0	7	0.3

6. Hearing ability

History of being pointed out of abnormality in hearing test

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	1.7	1	0.1
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.9	1	0.0
Yes	Male	30	10.5	54	18.3	79	26.3	60	23.5	14	26.4	237	19.9
	Female	20	6.8	26	9.2	35	12.8	47	16.5	8	13.6	136	11.4
	Total	50	8.6	80	13.8	114	19.9	107	19.8	22	19.6	373	15.7
No	Male	238	83.2	218	73.9	153	51.0	95	37.3	10	18.9	714	60.1
	Female	185	62.9	144	50.9	117	42.9	82	28.8	17	28.8	545	45.6
	Total	423	72.9	362	62.6	270	47.1	177	32.8	27	24.1	1259	52.8
No experience of examination	Male	18	6.3	23	7.8	68	22.7	100	39.2	29	54.7	238	20.0
	Female	89	30.3	113	39.9	121	44.3	156	54.7	33	55.9	512	42.9
	Total	107	18.4	136	23.5	189	33.0	256	47.4	62	55.4	750	31.5

Usage of a hearing aid

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.0
Frequently	Male	1	0.3	1	0.3	4	1.3	11	4.3	7	13.2	24	2.0
	Female	0	0.0	0	0.0	2	0.7	6	2.1	2	3.4	10	0.8
	Total	1	0.2	1	0.2	6	1.0	17	3.1	9	8.0	34	1.4
Sometimes	Male	0	0.0	0	0.0	2	0.7	9	3.5	4	7.5	15	1.3
	Female	0	0.0	0	0.0	0	0.0	1	0.4	1	1.7	2	0.2
	Total	0	0.0	0	0.0	2	0.3	10	1.9	5	4.5	17	0.7
Possession without using	Male	0	0.0	0	0.0	1	0.3	12	4.7	2	3.8	15	1.3
	Female	0	0.0	0	0.0	0	0.0	2	0.7	2	3.4	4	0.3
	Total	0	0.0	0	0.0	1	0.2	14	2.6	4	3.6	19	0.8
No possession	Male	285	99.7	294	99.7	293	97.7	223	87.5	40	75.5	1135	95.5
	Female	294	100.0	283	100.0	271	99.3	275	96.5	54	91.5	1177	98.6
	Total	579	99.8	577	99.8	564	98.4	498	92.2	94	83.9	2312	97.0

Presence of tinnitus

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Always	Male	18	6.3	30	10.2	55	18.3	53	20.8	12	22.6	168	14.1
	Female	5	1.7	12	4.2	34	12.5	40	14.0	9	15.3	100	8.4
	Total	23	4.0	42	7.3	89	15.5	93	17.2	21	18.8	268	11.2
Sometimes	Male	68	23.8	68	23.1	79	26.3	52	20.4	15	28.3	282	23.7
	Female	75	25.5	77	27.2	56	20.5	66	23.2	19	32.2	293	24.5
	Total	143	24.7	145	25.1	135	23.6	118	21.9	34	30.4	575	24.1
None	Male	200	69.9	197	66.8	166	55.3	150	58.8	26	49.1	739	62.2
	Female	214	72.8	194	68.6	183	67.0	179	62.8	31	52.5	801	67.1
	Total	414	71.4	391	67.6	349	60.9	329	60.9	57	50.9	1540	64.6

Location of tinnitus

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
right side	Male	23	26.7	17	17.3	44	32.8	24	22.9	7	25.9	115	25.6
	Female	21	26.3	21	23.6	38	42.2	39	36.8	6	21.4	125	31.8
	Total	44	26.5	38	20.3	82	36.6	63	29.9	13	23.6	240	28.5
left side	Male	16	18.6	32	32.7	44	32.8	47	44.8	7	25.9	146	32.4
	Female	17	21.3	24	27.0	23	25.6	30	28.3	6	21.4	100	25.4
	Total	33	19.9	56	29.9	67	29.9	77	36.5	13	23.6	246	29.2
median	Male	12	14.0	16	16.3	22	16.4	13	12.4	4	14.8	67	14.9
	Female	4	5.0	9	10.1	10	11.1	16	15.1	8	28.6	47	12.0
	Total	16	9.6	25	13.4	32	14.3	29	13.7	12	21.8	114	13.5
unknown	Male	42	48.8	39	39.8	39	29.1	36	34.3	13	48.1	169	37.6
	Female	45	56.3	41	46.1	29	32.2	29	27.4	17	60.7	161	41.0
	Total	87	52.4	80	42.8	68	30.4	65	30.8	30	54.5	330	39.1
Total	Male	86	100.0	98	100.0	134	100.0	105	100.0	27	100.0	450	100.0
	Female	80	100.0	89	100.0	90	100.0	106	100.0	28	100.0	393	100.0
	Total	166	100.0	187	100.0	224	100.0	211	100.0	55	100.0	843	100.0

Difficulty in hearing due to tinnitus

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	1	0.7	0	0.0	0	0.0	1	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
Always	Male	1	1.2	3	3.1	15	11.2	21	20.0	4	14.8	44	9.8
	Female	2	2.5	3	3.4	11	12.2	14	13.2	6	21.4	36	9.2
	Total	3	1.8	6	3.2	26	11.6	35	16.6	10	18.2	80	9.5
Sometimes	Male	15	17.4	26	26.5	33	24.6	32	30.5	11	40.7	117	26.0
	Female	10	12.5	13	14.6	22	24.4	31	29.2	6	21.4	82	20.9
	Total	25	15.1	39	20.9	55	24.6	63	29.9	17	30.9	199	23.6
None	Male	70	81.4	69	70.4	85	63.4	52	49.5	12	44.4	288	64.0
	Female	68	85.0	73	82.0	57	63.3	61	57.5	16	57.1	275	70.0
	Total	138	83.1	142	75.9	142	63.4	113	53.6	28	50.9	563	66.8

Feeling uncomfortable due to tinnitus

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	1	0.7	0	0.0	0	0.0	1	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
Yes, always	Male	10	11.6	4	4.1	5	3.7	12	11.4	4	14.8	35	7.8
	Female	8	10.0	15	16.9	13	14.4	21	19.8	2	7.1	59	15.0
	Total	18	10.8	19	10.2	18	8.0	33	15.6	6	10.9	94	11.2
Yes, sometimes	Male	34	39.5	53	54.1	53	39.6	45	42.9	13	48.1	198	44.0
	Female	40	50.0	46	51.7	31	34.4	49	46.2	14	50.0	180	45.8
	Total	74	44.6	99	52.9	84	37.5	94	44.5	27	49.1	378	44.8
No	Male	42	48.8	41	41.8	75	56.0	48	45.7	10	37.0	216	48.0
	Female	32	40.0	28	31.5	46	51.1	36	34.0	12	42.9	154	39.2
	Total	74	44.6	69	36.9	121	54.0	84	39.8	22	40.0	370	43.9

History of ear disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	2	0.7	0	0.0	0	0.0	2	0.2
	Female	1	0.3	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	1	0.2	0	0.0	2	0.3	0	0.0	0	0.0	3	0.1
Yes	Male	111	38.8	99	33.6	100	33.3	61	23.9	13	24.5	384	32.3
	Female	136	46.3	107	37.8	75	27.5	79	27.7	15	25.4	412	34.5
	Total	247	42.6	206	35.6	175	30.5	140	25.9	28	25.0	796	33.4
No	Male	163	57.0	183	62.0	182	60.7	175	68.6	38	71.7	741	62.3
	Female	152	51.7	170	60.1	184	67.4	190	66.7	40	67.8	736	61.6
	Total	315	54.3	353	61.1	366	63.9	365	67.6	78	69.6	1477	62.0
Not determined	Male	12	4.2	13	4.4	16	5.3	19	7.5	2	3.8	62	5.2
	Female	5	1.7	6	2.1	14	5.1	16	5.6	4	6.8	45	3.8
	Total	17	2.9	19	3.3	30	5.2	35	6.5	6	5.4	107	4.5

History of ear disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Otitis media	Male	82	73.9	67	67.7	61	61.0	35	57.4	8	61.5	253	65.9
	Female	90	66.2	60	56.1	45	60.0	42	53.2	4	26.7	241	58.5
	Total	172	69.6	127	61.7	106	60.6	77	55.0	12	42.9	494	62.1
Otitis externa	Male	30	27.0	22	22.2	15	15.0	7	11.5	2	15.4	76	19.8
	Female	58	42.6	44	41.1	12	16.0	14	17.7	5	33.3	133	32.3
	Total	88	35.6	66	32.0	27	15.4	21	15.0	7	25.0	209	26.3
Sudden deafness	Male	3	2.7	1	1.0	12	12.0	7	11.5	0	0.0	23	6.0
	Female	11	8.1	5	4.7	5	6.7	12	15.2	1	6.7	34	8.3
	Total	14	5.7	6	2.9	17	9.7	19	13.6	1	3.6	57	7.2
Meniere disease	Male	4	3.6	3	3.0	9	9.0	6	9.8	0	0.0	22	5.7
	Female	8	5.9	10	9.3	12	16.0	9	11.4	3	20.0	42	10.2
	Total	12	4.9	13	6.3	21	12.0	15	10.7	3	10.7	64	8.0
Ohters	Male	2	1.8	3	3.0	7	7.0	3	4.9	0	0.0	15	3.9
	Female	3	2.2	7	6.5	3	4.0	0	0.0	1	6.7	14	3.4
	Total	5	2.0	10	4.9	10	5.7	3	2.1	1	3.6	29	3.6
Unknown	Male	7	6.3	11	11.1	13	13.0	9	14.8	4	30.8	44	11.5
	Female	8	5.9	5	4.7	9	12.0	8	10.1	2	13.3	32	7.8
	Total	15	6.1	16	7.8	22	12.6	17	12.1	6	21.4	76	9.5
Total	Male	111	100.0	99	100.0	100	100.0	61	100.0	13	100.0	384	100.0
	Female	136	100.0	107	100.0	75	100.0	79	100.0	15	100.0	412	100.0
	Total	247	100.0	206	100.0	175	100.0	140	100.0	28	100.0	796	100.0

History of surgery on ears

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	2	1.8	1	1.0	0	0.0	0	0.0	0	0.0	3	0.8
	Female	1	0.7	1	0.9	0	0.0	0	0.0	1	6.7	3	0.7
	Total	3	1.2	2	1.0	0	0.0	0	0.0	1	3.6	6	0.8
Yes	Male	3	2.7	5	5.1	6	6.0	5	8.2	0	0.0	19	4.9
	Female	5	3.7	1	0.9	3	4.0	10	12.7	0	0.0	19	4.6
	Total	8	3.2	6	2.9	9	5.1	15	10.7	0	0.0	38	4.8
No	Male	104	93.7	90	90.9	91	91.0	52	85.2	12	92.3	349	90.9
	Female	128	94.1	103	96.3	72	96.0	68	86.1	13	86.7	384	93.2
	Total	232	93.9	193	93.7	163	93.1	120	85.7	25	89.3	733	92.1
Not determined	Male	2	1.8	3	3.0	3	3.0	4	6.6	1	7.7	13	3.4
	Female	2	1.5	2	1.9	0	0.0	1	1.3	1	6.7	6	1.5
	Total	4	1.6	5	2.4	3	1.7	5	3.6	2	7.1	19	2.4

Presence of noise at the place of work

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.3	0	0.0	1	0.3	0	0.0	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.2	0	0.0	1	0.2	0	0.0	0	0.0	2	0.1
Yes (at present)	Male	60	21.0	48	16.3	30	10.0	12	4.7	0	0.0	150	12.6
	Female	19	6.5	25	8.8	13	4.8	9	3.2	0	0.0	66	5.5
	Total	79	13.6	73	12.6	43	7.5	21	3.9	0	0.0	216	9.1
Yes (previously)	Male	22	7.7	28	9.5	54	18.0	63	24.7	14	26.4	181	15.2
	Female	10	3.4	9	3.2	25	9.2	18	6.3	2	3.4	64	5.4
	Total	32	5.5	37	6.4	79	13.8	81	15.0	16	14.3	245	10.3
None	Male	203	71.0	219	74.2	215	71.7	180	70.6	39	73.6	856	72.0
	Female	265	90.1	249	88.0	235	86.1	258	90.5	57	96.6	1064	89.1
	Total	468	80.7	468	81.0	450	78.5	438	81.1	96	85.7	1920	80.6

Presence of noise at home

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
	Total	0	0.0	0	0.0	1	0.2	0	0.0	0	0.0	1	0.0
Yes (at present)	Male	21	7.3	13	4.4	33	11.0	24	9.4	2	3.8	93	7.8
	Female	20	6.8	21	7.4	26	9.5	32	11.2	4	6.8	103	8.6
	Total	41	7.1	34	5.9	59	10.3	56	10.4	6	5.4	196	8.2
Yes (previously)	Male	8	2.8	1	0.3	3	1.0	4	1.6	3	5.7	19	1.6
	Female	7	2.4	5	1.8	5	1.8	8	2.8	1	1.7	26	2.2
	Total	15	2.6	6	1.0	8	1.4	12	2.2	4	3.6	45	1.9
None	Male	257	89.9	281	95.3	264	88.0	227	89.0	48	90.6	1077	90.6
	Female	267	90.8	257	90.8	241	88.3	245	86.0	54	91.5	1064	89.1
	Total	524	90.3	538	93.1	505	88.1	472	87.4	102	91.1	2141	89.8

Duration current resident in noisy place

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	19.1	17.2	21	23.2	12.8	13	26.0	17.5	33	31.3	23.3	23	42.5	17.7	2	25.7	18.8	92
Female	13.6	8.6	19	19.6	11.3	21	22.5	14.1	25	28.3	19.6	32	27.0	9.6	4	22.3	15.4	101
Total	16.5	13.9	40	21.0	11.9	34	24.5	16.1	58	29.6	21.1	55	32.2	13.5	6	23.9	17.2	193

Age of starting to live in noisy environment (years old) for ex-residents in noisy place

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	7.3	10.4	8	25.0		1	29.3	9.7	3	26.3	19.8	4	27.0	23.1	3	18.8	16.8	19
Female	15.6	12.3	7	17.2	14.2	5	31.4	10.9	5	36.7	5.9	7	28.0		1	25.5	13.7	25
Total	11.1	11.7	15	18.5	13.1	6	30.6	9.8	8	32.9	12.9	11	27.3	18.8	4	22.6	15.3	44

Duration in noisy environment (years) for ex-residents in noisy place

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	25.8	11.6	8	25.0		1	24.0	17.8	3	31.5	22.9	4	28.0	29.7	3	27.0	16.7	19
Female	12.1	7.4	7	15.4	4.7	5	10.4	11.3	5	23.6	12.8	7	45.0		1	17.0	11.9	25
Total	19.4	11.9	15	17.0	5.8	6	15.5	14.6	8	26.5	16.5	11	32.3	25.7	4	21.3	14.9	44

Going to noisy place

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Frequently	Male	25	8.7	21	7.1	16	5.3	13	5.1	1	1.9	76	6.4
	Female	5	1.7	6	2.1	10	3.7	8	2.8	1	1.7	30	2.5
	Total	30	5.2	27	4.7	26	4.5	21	3.9	2	1.8	106	4.4
Sometimes	Male	67	23.4	84	28.5	70	23.3	42	16.5	3	5.7	266	22.4
	Female	53	18.0	56	19.8	58	21.2	53	18.6	8	13.6	228	19.1
	Total	120	20.7	140	24.2	128	22.3	95	17.6	11	9.8	494	20.7
Rarely	Male	194	67.8	190	64.4	214	71.3	200	78.4	49	92.5	847	71.2
	Female	236	80.3	221	78.1	205	75.1	224	78.6	50	84.7	936	78.4
	Total	430	74.1	411	71.1	419	73.1	424	78.5	99	88.4	1783	74.8

Usage of headphones

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Frequently	Male	10	3.5	6	2.0	7	2.3	11	4.3	0	0.0	34	2.9
	Female	7	2.4	3	1.1	4	1.5	3	1.1	0	0.0	17	1.4
	Total	17	2.9	9	1.6	11	1.9	14	2.6	0	0.0	51	2.1
Sometimes	Male	41	14.3	16	5.4	27	9.0	14	5.5	5	9.4	103	8.7
	Female	21	7.1	10	3.5	17	6.2	18	6.3	0	0.0	66	5.5
	Total	62	10.7	26	4.5	44	7.7	32	5.9	5	4.5	169	7.1
Rarely	Male	50	17.5	25	8.5	14	4.7	22	8.6	4	7.5	115	9.7
	Female	35	11.9	14	4.9	11	4.0	7	2.5	3	5.1	70	5.9
	Total	85	14.7	39	6.7	25	4.4	29	5.4	7	6.3	185	7.8
None	Male	185	64.7	248	84.1	252	84.0	208	81.6	44	83.0	937	78.8
	Female	231	78.6	256	90.5	241	88.3	257	90.2	56	94.9	1041	87.2
	Total	416	71.7	504	87.2	493	86.0	465	86.1	100	89.3	1978	83.0

Usage of earphones

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Yes (right ear)	Male	4	1.4	7	2.4	11	3.7	13	5.1	2	3.8	37	3.1
	Female	3	1.0	4	1.4	6	2.2	11	3.9	5	8.5	29	2.4
	Total	7	1.2	11	1.9	17	3.0	24	4.4	7	6.3	66	2.8
Yes (left ear)	Male	11	3.8	11	3.7	23	7.7	15	5.9	0	0.0	60	5.0
	Female	3	1.0	3	1.1	8	2.9	6	2.1	0	0.0	20	1.7
	Total	14	2.4	14	2.4	31	5.4	21	3.9	0	0.0	80	3.4
Yes (bilateral ears)	Male	32	11.2	16	5.4	20	6.7	27	10.6	4	7.5	99	8.3
	Female	9	3.1	9	3.2	9	3.3	11	3.9	2	3.4	40	3.4
	Total	41	7.1	25	4.3	29	5.1	38	7.0	6	5.4	139	5.8
No	Male	239	83.6	261	88.5	246	82.0	200	78.4	47	88.7	993	83.5
	Female	279	94.9	267	94.3	250	91.6	257	90.2	52	88.1	1105	92.5
	Total	518	89.3	528	91.3	496	86.6	457	84.6	99	88.4	2098	88.0

Self perception of hearing disturbance

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Always	Male	19	6.6	23	7.8	52	17.3	72	28.2	21	39.6	187	15.7
	Female	12	4.1	17	6.0	35	12.8	52	18.2	19	32.2	135	11.3
	Total	31	5.3	40	6.9	87	15.2	124	23.0	40	35.7	322	13.5
Sometimes	Male	84	29.4	103	34.9	84	28.0	80	31.4	13	24.5	364	30.6
	Female	94	32.0	115	40.6	105	38.5	105	36.8	22	37.3	441	36.9
	Total	178	30.7	218	37.7	189	33.0	185	34.3	35	31.3	805	33.8
None	Male	183	64.0	169	57.3	164	54.7	103	40.4	19	35.8	638	53.7
	Female	188	63.9	151	53.4	133	48.7	128	44.9	18	30.5	618	51.8
	Total	371	64.0	320	55.4	297	51.8	231	42.8	37	33.0	1256	52.7

Pointing out of hearing disturbance by others

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Always	Male	11	3.8	12	4.1	32	10.7	48	18.8	12	22.6	115	9.7
	Female	7	2.4	7	2.5	10	3.7	24	8.4	11	18.6	59	4.9
	Total	18	3.1	19	3.3	42	7.3	72	13.3	23	20.5	174	7.3
Sometimes	Male	51	17.8	52	17.6	68	22.7	70	27.5	17	32.1	258	21.7
	Female	48	16.3	52	18.4	62	22.7	67	23.5	14	23.7	243	20.4
	Total	99	17.1	104	18.0	130	22.7	137	25.4	31	27.7	501	21.0
None	Male	224	78.3	231	78.3	200	66.7	137	53.7	24	45.3	816	68.6
	Female	239	81.3	224	79.2	201	73.6	194	68.1	34	57.6	892	74.7
	Total	463	79.8	455	78.7	401	70.0	331	61.3	58	51.8	1708	71.7

Limitation of daily living due to hearing disturbance

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.8	0	0.0	2	1.4	0	0.0	0	0.0	3	0.5
	Female	1	0.9	0	0.0	0	0.0	2	1.2	0	0.0	3	0.5
	Total	2	0.9	0	0.0	2	0.7	2	0.6	0	0.0	6	0.5
Always	Male	3	2.5	1	0.8	8	5.4	17	10.5	5	13.9	34	5.7
	Female	1	0.9	3	2.2	3	2.1	5	3.0	4	9.5	16	2.7
	Total	4	1.8	4	1.5	11	3.8	22	6.7	9	11.5	50	4.2
Sometimes	Male	7	5.9	13	9.8	16	10.9	36	22.2	12	33.3	84	14.1
	Female	9	8.3	7	5.1	15	10.3	28	16.8	17	40.5	76	12.7
	Total	16	7.1	20	7.4	31	10.6	64	19.5	29	37.2	160	13.4
None	Male	107	90.7	118	89.4	121	82.3	109	67.3	19	52.8	474	79.7
	Female	97	89.8	128	92.8	127	87.6	132	79.0	21	50.0	505	84.2
	Total	204	90.3	246	91.1	248	84.9	241	73.3	40	51.3	979	81.9

Loss of self-confidence due to hearing disturbance

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.8	0	0.0	2	1.4	0	0.0	0	0.0	3	0.5
	Female	1	0.9	0	0.0	0	0.0	2	1.2	0	0.0	3	0.5
	Total	2	0.9	0	0.0	2	0.7	2	0.6	0	0.0	6	0.5
Always	Male	1	0.8	1	0.8	3	2.0	10	6.2	4	11.1	19	3.2
	Female	4	3.7	2	1.4	4	2.8	5	3.0	4	9.5	19	3.2
	Total	5	2.2	3	1.1	7	2.4	15	4.6	8	10.3	38	3.2
Sometimes	Male	13	11.0	14	10.6	14	9.5	37	22.8	7	19.4	85	14.3
	Female	11	10.2	22	15.9	24	16.6	31	18.6	15	35.7	103	17.2
	Total	24	10.6	36	13.3	38	13.0	68	20.7	22	28.2	188	15.7
None	Male	103	87.3	117	88.6	128	87.1	115	71.0	25	69.4	488	82.0
	Female	92	85.2	114	82.6	117	80.7	129	77.2	23	54.8	475	79.2
	Total	195	86.3	231	85.6	245	83.9	244	74.2	48	61.5	963	80.6

Difficulty in catching words

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.8	0	0.0	2	1.4	0	0.0	0	0.0	3	0.5
	Female	1	0.9	0	0.0	0	0.0	2	1.2	0	0.0	3	0.5
	Total	2	0.9	0	0.0	2	0.7	2	0.6	0	0.0	6	0.5
Always	Male	14	11.9	12	9.1	39	26.5	51	31.5	14	38.9	130	21.8
	Female	11	10.2	8	5.8	19	13.1	22	13.2	17	40.5	77	12.8
	Total	25	11.1	20	7.4	58	19.9	73	22.2	31	39.7	207	17.3
Sometimes	Male	64	54.2	77	58.3	75	51.0	88	54.3	17	47.2	321	53.9
	Female	71	65.7	101	73.2	101	69.7	118	70.7	22	52.4	413	68.8
	Total	135	59.7	178	65.9	176	60.3	206	62.6	39	50.0	734	61.4
None	Male	39	33.1	43	32.6	31	21.1	23	14.2	5	13.9	141	23.7
	Female	25	23.1	29	21.0	25	17.2	25	15.0	3	7.1	107	17.8
	Total	64	28.3	72	26.7	56	19.2	48	14.6	8	10.3	248	20.8

Catching contents of news on TV

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.8	0	0.0	2	1.4	0	0.0	0	0.0	3	0.5
	Female	1	0.9	0	0.0	0	0.0	2	1.2	0	0.0	3	0.5
	Total	2	0.9	0	0.0	2	0.7	2	0.6	0	0.0	6	0.5
No problem	Male	108	91.5	113	85.6	104	70.7	96	59.3	18	50.0	439	73.8
	Female	101	93.5	120	87.0	125	86.2	128	76.6	20	47.6	494	82.3
	Total	209	92.5	233	86.3	229	78.4	224	68.1	38	48.7	933	78.1
Occasionally hard to hear	Male	8	6.8	17	12.9	38	25.9	62	38.3	17	47.2	142	23.9
	Female	5	4.6	17	12.3	19	13.1	36	21.6	19	45.2	96	16.0
	Total	13	5.8	34	12.6	57	19.5	98	29.8	36	46.2	238	19.9
Always hard to hear	Male	1	0.8	2	1.5	3	2.0	4	2.5	1	2.8	11	1.8
	Female	1	0.9	1	0.7	1	0.7	1	0.6	3	7.1	7	1.2
	Total	2	0.9	3	1.1	4	1.4	5	1.5	4	5.1	18	1.5

Catching words from conversation with several persons

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.8	0	0.0	2	1.4	0	0.0	0	0.0	3	0.5
	Female	1	0.9	0	0.0	0	0.0	2	1.2	0	0.0	3	0.5
	Total	2	0.9	0	0.0	2	0.7	2	0.6	0	0.0	6	0.5
No problem	Male	97	82.2	92	69.7	87	59.2	69	42.6	11	30.6	356	59.8
	Female	84	77.8	102	73.9	98	67.6	78	46.7	8	19.0	370	61.7
	Total	181	80.1	194	71.9	185	63.4	147	44.7	19	24.4	726	60.8
Occasionally hard to hear	Male	19	16.1	40	30.3	51	34.7	81	50.0	21	58.3	212	35.6
	Female	22	20.4	35	25.4	46	31.7	81	48.5	28	66.7	212	35.3
	Total	41	18.1	75	27.8	97	33.2	162	49.2	49	62.8	424	35.5
Always hard to hear	Male	1	0.8	0	0.0	7	4.8	12	7.4	4	11.1	24	4.0
	Female	1	0.9	1	0.7	1	0.7	6	3.6	6	14.3	15	2.5
	Total	2	0.9	1	0.4	8	2.7	18	5.5	10	12.8	39	3.3

7. Fall

Fear of falling

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Terribly fearful	Male	6	2.1	7	2.4	14	4.7	28	11.0	11	20.8	66	5.6
	Female	14	4.8	22	7.8	43	15.8	87	30.5	22	37.3	188	15.7
	Total	20	3.4	29	5.0	57	9.9	115	21.3	33	29.5	254	10.7
Slightly fearful	Male	56	19.6	66	22.4	96	32.0	111	43.5	28	52.8	357	30.0
	Female	113	38.4	123	43.5	151	55.3	147	51.6	33	55.9	567	47.5
	Total	169	29.1	189	32.7	247	43.1	258	47.8	61	54.5	924	38.8
Not fearful	Male	224	78.3	222	75.3	190	63.3	116	45.5	14	26.4	766	64.4
	Female	167	56.8	138	48.8	79	28.9	51	17.9	4	6.8	439	36.8
	Total	391	67.4	360	62.3	269	46.9	167	30.9	18	16.1	1205	50.6

History of falls in the past one year

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Yes	Male	41	14.3	29	9.8	46	15.3	59	23.1	16	30.2	191	16.1
	Female	52	17.7	47	16.6	56	20.5	81	28.4	23	39.0	259	21.7
	Total	93	16.0	76	13.1	102	17.8	140	25.9	39	34.8	450	18.9
No	Male	245	85.7	266	90.2	254	84.7	196	76.9	37	69.8	998	83.9
	Female	242	82.3	236	83.4	217	79.5	204	71.6	36	61.0	935	78.3
	Total	487	84.0	502	86.9	471	82.2	400	74.1	73	65.2	1933	81.1

Frequency of falls in the past one year

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	2.8	3.8	40	1.9	1.8	29	2.1	1.6	46	2.7	3.6	57	2.1	1.3	16	2.4	2.9	188
Female	1.6	1.0	49	1.5	0.8	47	1.5	0.9	54	1.8	1.6	80	1.6	0.7	22	1.6	1.2	252
Total	2.2	2.7	89	1.7	1.3	76	1.8	1.3	100	2.2	2.7	137	1.8	1.0	38	2.0	2.1	440

Month of the year of falls

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	3	7.3	3	10.3	8	17.4	9	15.3	1	6.3	24	12.6
	Female	14	26.9	5	10.6	5	8.9	11	13.6	3	13.0	38	14.7
	Total	17	18.3	8	10.5	13	12.7	20	14.3	4	10.3	62	13.8
Jan. -Mar.	Male	15	36.6	8	27.6	9	19.6	20	33.9	3	18.8	55	28.8
	Female	10	19.2	9	19.1	18	32.1	17	21.0	6	26.1	60	23.2
	Total	25	26.9	17	22.4	27	26.5	37	26.4	9	23.1	115	25.6
Apr. -Jun.	Male	10	24.4	5	17.2	9	19.6	11	18.6	6	37.5	41	21.5
	Female	9	17.3	11	23.4	9	16.1	19	23.5	3	13.0	51	19.7
	Total	19	20.4	16	21.1	18	17.6	30	21.4	9	23.1	92	20.4
Jul. -Sep.	Male	9	22.0	4	13.8	8	17.4	11	18.6	4	25.0	36	18.8
	Female	10	19.2	11	23.4	10	17.9	12	14.8	7	30.4	50	19.3
	Total	19	20.4	15	19.7	18	17.6	23	16.4	11	28.2	86	19.1
Oct. -Dec.	Male	4	9.8	9	31.0	12	26.1	8	13.6	2	12.5	35	18.3
	Female	9	17.3	11	23.4	14	25.0	22	27.2	4	17.4	60	23.2
	Total	13	14.0	20	26.3	26	25.5	30	21.4	6	15.4	95	21.1

Time of the day of falls

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
not recorded	Male	3	7.3	4	13.8	8	17.4	11	18.6	1	6.3	27	14.1
	Female	10	19.2	2	4.3	6	10.7	11	13.6	3	13.0	32	12.4
	Total	13	14.0	6	7.9	14	13.7	22	15.7	4	10.3	59	13.1
0AM~5AM	Male	1	2.4	1	3.4	1	2.2	0	0.0	0	0.0	3	1.6
	Female	0	0.0	0	0.0	0	0.0	1	1.2	1	4.3	2	0.8
	Total	1	1.1	1	1.3	1	1.0	1	0.7	1	2.6	5	1.1
6AM~11AM	Male	12	29.3	11	37.9	16	34.8	17	28.8	10	62.5	66	34.6
	Female	17	32.7	25	53.2	22	39.3	29	35.8	8	34.8	101	39.0
	Total	29	31.2	36	47.4	38	37.3	46	32.9	18	46.2	167	37.1
12PM~5PM	Male	19	46.3	8	27.6	14	30.4	26	44.1	4	25.0	71	37.2
	Female	11	21.2	13	27.7	17	30.4	32	39.5	10	43.5	83	32.0
	Total	30	32.3	21	27.6	31	30.4	58	41.4	14	35.9	154	34.2
6PM~11PM	Male	6	14.6	5	17.2	7	15.2	5	8.5	1	6.3	24	12.6
	Female	14	26.9	7	14.9	11	19.6	8	9.9	1	4.3	41	15.8
	Total	20	21.5	12	15.8	18	17.6	13	9.3	2	5.1	65	14.4

Direction of falls

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	4.3	1	0.4
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	2.6	1	0.2
foreward	Male	19	46.3	11	37.9	26	56.5	28	47.5	7	43.8	91	47.6
	Female	22	42.3	26	55.3	35	62.5	48	59.3	13	56.5	144	55.6
	Total	41	44.1	37	48.7	61	59.8	76	54.3	20	51.3	235	52.2
sideward	Male	8	19.5	10	34.5	8	17.4	18	30.5	6	37.5	50	26.2
	Female	8	15.4	10	21.3	10	17.9	17	21.0	5	21.7	50	19.3
	Total	16	17.2	20	26.3	18	17.6	35	25.0	11	28.2	100	22.2
backward	Male	8	19.5	5	17.2	8	17.4	8	13.6	2	12.5	31	16.2
	Female	13	25.0	8	17.0	8	14.3	9	11.1	2	8.7	40	15.4
	Total	21	22.6	13	17.1	16	15.7	17	12.1	4	10.3	71	15.8
others	Male	6	14.6	3	10.3	4	8.7	5	8.5	1	6.3	19	9.9
	Female	9	17.3	3	6.4	3	5.4	7	8.6	2	8.7	24	9.3
	Total	15	16.1	6	7.9	7	6.9	12	8.6	3	7.7	43	9.6

Location of falls

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	1	1.8	0	0.0	1	4.3	2	0.8
	Total	0	0.0	0	0.0	1	1.0	0	0.0	1	2.6	2	0.4
Entrance room	Male	0	0.0	0	0.0	0	0.0	1	1.7	0	0.0	1	0.5
	Female	2	3.8	1	2.1	5	8.9	3	3.7	1	4.3	12	4.6
	Total	2	2.2	1	1.3	5	4.9	4	2.9	1	2.6	13	2.9
Living room	Male	0	0.0	0	0.0	1	2.2	3	5.1	0	0.0	4	2.1
	Female	2	3.8	3	6.4	6	10.7	5	6.2	5	21.7	21	8.1
	Total	2	2.2	3	3.9	7	6.9	8	5.7	5	12.8	25	5.6
Rest room	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	1.2	0	0.0	1	0.4
	Total	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0	1	0.2
Bathroom	Male	1	2.4	1	3.4	1	2.2	0	0.0	1	6.3	4	2.1
	Female	1	1.9	3	6.4	2	3.6	1	1.2	1	4.3	8	3.1
	Total	2	2.2	4	5.3	3	2.9	1	0.7	2	5.1	12	2.7
Kitchen	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	1.2	0	0.0	1	0.4
	Total	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0	1	0.2
Corridor	Male	1	2.4	3	10.3	1	2.2	2	3.4	0	0.0	7	3.7
	Female	0	0.0	2	4.3	1	1.8	3	3.7	0	0.0	6	2.3
	Total	1	1.1	5	6.6	2	2.0	5	3.6	0	0.0	13	2.9
Stair	Male	1	2.4	2	6.9	1	2.2	4	6.8	0	0.0	8	4.2
	Female	5	9.6	6	12.8	2	3.6	0	0.0	3	13.0	16	6.2
	Total	6	6.5	8	10.5	3	2.9	4	2.9	3	7.7	24	5.3
Others (indoor)	Male	6	14.6	2	6.9	3	6.5	3	5.1	0	0.0	14	7.3
	Female	5	9.6	7	14.9	3	5.4	3	3.7	2	8.7	20	7.7
	Total	11	11.8	9	11.8	6	5.9	6	4.3	2	5.1	34	7.6
Garden	Male	0	0.0	1	3.4	4	8.7	8	13.6	3	18.8	16	8.4
	Female	3	5.8	4	8.5	4	7.1	7	8.6	2	8.7	20	7.7
	Total	3	3.2	5	6.6	8	7.8	15	10.7	5	12.8	36	8.0
Flat road	Male	4	9.8	7	24.1	2	4.3	8	13.6	3	18.8	24	12.6
	Female	7	13.5	3	6.4	7	12.5	27	33.3	0	0.0	44	17.0
	Total	11	11.8	10	13.2	9	8.8	35	25.0	3	7.7	68	15.1
Sloped road	Male	0	0.0	0	0.0	8	17.4	7	11.9	2	12.5	17	8.9

(Continued)

Location of falls

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Sloped road	Female	5	9.6	2	4.3	6	10.7	4	4.9	1	4.3	18	6.9
	Total	5	5.4	2	2.6	14	13.7	11	7.9	3	7.7	35	7.8
Farm	Male	1	2.4	1	3.4	3	6.5	7	11.9	1	6.3	13	6.8
	Female	1	1.9	1	2.1	3	5.4	4	4.9	2	8.7	11	4.2
	Total	2	2.2	2	2.6	6	5.9	11	7.9	3	7.7	24	5.3
Outdoor stairs	Male	6	14.6	1	3.4	12	26.1	4	6.8	1	6.3	24	12.6
	Female	5	9.6	3	6.4	1	1.8	4	4.9	3	13.0	16	6.2
	Total	11	11.8	4	5.3	13	12.7	8	5.7	4	10.3	40	8.9
In vehicle	Male	1	2.4	0	0.0	0	0.0	2	3.4	2	12.5	5	2.6
	Female	1	1.9	2	4.3	1	1.8	1	1.2	0	0.0	5	1.9
	Total	2	2.2	2	2.6	1	1.0	3	2.1	2	5.1	10	2.2
Others (outdoor)	Male	20	48.8	11	37.9	10	21.7	10	16.9	3	18.8	54	28.3
	Female	15	28.8	10	21.3	14	25.0	17	21.0	2	8.7	58	22.4
	Total	35	37.6	21	27.6	24	23.5	27	19.3	5	12.8	112	24.9

Footgear when falling

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	4.3	1	0.4
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	2.6	1	0.2
Shoes	Male	28	68.3	19	65.5	40	87.0	37	62.7	12	75.0	136	71.2
	Female	32	61.5	19	40.4	32	57.1	53	65.4	10	43.5	146	56.4
	Total	60	64.5	38	50.0	72	70.6	90	64.3	22	56.4	282	62.7
Sandals	Male	4	9.8	1	3.4	3	6.5	12	20.3	3	18.8	23	12.0
	Female	7	13.5	15	31.9	7	12.5	15	18.5	3	13.0	47	18.1
	Total	11	11.8	16	21.1	10	9.8	27	19.3	6	15.4	70	15.6
Slippers	Male	2	4.9	2	6.9	1	2.2	3	5.1	0	0.0	8	4.2
	Female	2	3.8	2	4.3	6	10.7	3	3.7	1	4.3	14	5.4
	Total	4	4.3	4	5.3	7	6.9	6	4.3	1	2.6	22	4.9
Socks	Male	0	0.0	0	0.0	0	0.0	4	6.8	0	0.0	4	2.1
	Female	6	11.5	2	4.3	3	5.4	4	4.9	3	13.0	18	6.9
	Total	6	6.5	2	2.6	3	2.9	8	5.7	3	7.7	22	4.9
Bare foot	Male	2	4.9	4	13.8	2	4.3	2	3.4	1	6.3	11	5.8
	Female	2	3.8	5	10.6	5	8.9	6	7.4	5	21.7	23	8.9
	Total	4	4.3	9	11.8	7	6.9	8	5.7	6	15.4	34	7.6
Others	Male	5	12.2	3	10.3	0	0.0	1	1.7	0	0.0	9	4.7
	Female	3	5.8	4	8.5	3	5.4	0	0.0	0	0.0	10	3.9
	Total	8	8.6	7	9.2	3	2.9	1	0.7	0	0.0	19	4.2