

Table 1-20 排尿介助ニーズによるクラスター間における周辺症状（妄想）の比較

| CLUSTER | N | 平均 | 標準偏差 |
|---------|------|------------|------------|
| 1 | 1067 | 9.7394564 | 3.44258303 |
| 2 | 12 | 10.0833333 | 4.92596706 |
| 3 | 300 | 10.1233333 | 3.75790657 |
| 4 | 1455 | 10.0096220 | 3.24915239 |
| 5 | 6310 | 10.1229794 | 3.33287129 |
| 6 | 2140 | 9.1107477 | 3.05633202 |
| 7 | 84 | 9.1785714 | 2.69386055 |
| 8 | 4 | 8.0000000 | 1.41421356 |
| 9 | 24 | 8.5416667 | 2.50181094 |
| 10 | 1530 | 8.5091503 | 2.79474091 |
| 11 | 421 | 9.1995249 | 3.21056289 |
| 12 | 654 | 10.2844037 | 3.91351781 |
| 13 | 1930 | 9.6077720 | 3.29837161 |
| 14 | 230 | 11.0652174 | 3.61342822 |
| 15 | 48 | 7.8958333 | 1.51923250 |
| 16 | 828 | 11.0024155 | 3.80542399 |

| Tukey グループ | 平均 | N | CLUSTER |
|------------|---------|------|---------|
| A | 11.0652 | 230 | 14 |
| A | | | |
| A | 11.0024 | 828 | 16 |
| A | | | |
| B A | 10.2844 | 654 | 12 |
| B A | | | |
| B A | 10.1233 | 300 | 3 |
| B A | | | |
| B A | 10.1230 | 6310 | 5 |
| B A | | | |
| B A | 10.0833 | 12 | 2 |
| B A | | | |
| B A | 10.0096 | 1455 | 4 |
| B A | | | |
| B A | 9.7395 | 1067 | 1 |
| B A | | | |
| B A | 9.6078 | 1930 | 13 |
| B A | | | |
| B A | 9.1995 | 421 | 11 |
| B A | | | |
| B A | 9.1786 | 84 | 7 |
| B A | | | |
| B A | 9.1107 | 2140 | 6 |
| B A | | | |
| B A | 8.5417 | 24 | 9 |
| B A | | | |
| B A | 8.5092 | 1530 | 10 |
| B | | | |
| B | 8.0000 | 4 | 8 |
| B | | | |
| B | 7.8958 | 48 | 15 |

Table 1 - 2 1 排尿介助ニーズによるクラスター間における周辺症状（幻覚）の比較

| CLUSTER | N | 平均 | 標準偏差 |
|---------|------|------------|------------|
| 1 | 1094 | 6.57312614 | 2.40760649 |
| 2 | 13 | 7.00000000 | 2.85773803 |
| 3 | 312 | 7.09294872 | 2.95643855 |
| 4 | 1494 | 6.21686747 | 2.18343869 |
| 5 | 6515 | 6.12064467 | 2.13819360 |
| 6 | 2165 | 6.21154734 | 2.13143787 |
| 7 | 88 | 6.05681818 | 1.88373531 |
| 8 | 5 | 8.00000000 | 2.91547595 |
| 9 | 24 | 6.20833333 | 2.70232053 |
| 10 | 1529 | 6.38587312 | 2.36360034 |
| 11 | 430 | 6.69767442 | 2.43359245 |
| 12 | 666 | 6.69819820 | 2.57878500 |
| 13 | 1971 | 6.40182648 | 2.16967487 |
| 14 | 236 | 6.88135593 | 2.80931427 |
| 15 | 51 | 5.94117647 | 1.39157127 |
| 16 | 848 | 6.39858491 | 2.30478131 |

| Tukey グループ | 平均 | N | CLUSTER |
|------------|--------|------|---------|
| A | 8.0000 | 5 | 8 |
| A | | | |
| B A | 7.0929 | 312 | 3 |
| B A | | | |
| B A | 7.0000 | 13 | 2 |
| B A | | | |
| B A | 6.8814 | 236 | 14 |
| B A | | | |
| B A | 6.6982 | 666 | 12 |
| B A | | | |
| B A | 6.6977 | 430 | 11 |
| B A | | | |
| B A | 6.5731 | 1094 | 1 |
| B A | | | |
| B A | 6.4018 | 1971 | 13 |
| B A | | | |
| B A | 6.3986 | 848 | 16 |
| B A | | | |
| B A | 6.3859 | 1529 | 10 |
| B | | | |
| B | 6.2169 | 1494 | 4 |
| B | | | |
| B | 6.2115 | 2165 | 6 |
| B | | | |
| B | 6.2083 | 24 | 9 |
| B | | | |
| B | 6.1206 | 6515 | 5 |
| B | | | |
| B | 6.0568 | 88 | 7 |
| B | | | |
| B | 5.9412 | 51 | 15 |

Table 1-22 排尿介助ニーズによるクラスター間における周辺症状（徘徊・反復行動等）の比較

| CLUSTER | N | 平均 | 標準偏差 |
|---------|------|------------|------------|
| 1 | 1089 | 4.87327824 | 2.18124366 |
| 2 | 13 | 5.61538462 | 2.72453242 |
| 3 | 315 | 5.81904762 | 2.70095861 |
| 4 | 1504 | 5.09840426 | 2.17336385 |
| 5 | 6538 | 5.11578464 | 2.18675806 |
| 6 | 2172 | 4.66390424 | 2.09698629 |
| 7 | 87 | 4.37931034 | 1.93643991 |
| 8 | 5 | 5.20000000 | 2.28035085 |
| 9 | 24 | 4.33333333 | 1.71100445 |
| 10 | 1525 | 4.31737705 | 1.91560615 |
| 11 | 431 | 5.26450116 | 2.61384812 |
| 12 | 676 | 5.96597633 | 2.75686818 |
| 13 | 1957 | 4.93663771 | 2.20894064 |
| 14 | 236 | 5.94915254 | 2.56936935 |
| 15 | 51 | 3.94117647 | 1.60513881 |
| 16 | 856 | 5.87032710 | 2.43286617 |

| Tukey グループ | 平均 | N | CLUSTER |
|------------|-----|--------|---------|
| | | | |
| | A | 5.9660 | 676 12 |
| | A | | |
| B | A | 5.9492 | 236 14 |
| B | A | | |
| B | A C | 5.8703 | 856 16 |
| B | A C | | |
| B | A C | 5.8190 | 315 3 |
| B | A C | | |
| B | A C | 5.6154 | 13 2 |
| B | A C | | |
| B D | A C | 5.2645 | 431 11 |
| B D | A C | | |
| B D | A C | 5.2000 | 5 8 |
| B D | A C | | |
| B D | A C | 5.1158 | 6538 5 |
| B D | A C | | |
| B D | A C | 5.0984 | 1504 4 |
| B D | A C | | |
| B D | A C | 4.9366 | 1957 13 |
| B D | A C | | |
| B D | A C | 4.8733 | 1089 1 |
| B D | A C | | |
| B D | A C | 4.6639 | 2172 6 |
| B D | A C | | |
| B D | A C | 4.3793 | 87 7 |
| B D | C | | |
| B D | C | 4.3333 | 24 9 |
| D | C | | |
| D | C | 4.3174 | 1525 10 |
| D | | | |
| D | | 3.9412 | 51 15 |

Table 1-23 排尿介助ニーズによるクラスター間における周辺症状（暴言・不穏）の比較

| CLUSTER | N | 平均 | 標準偏差 |
|---------|------|------------|------------|
| 1 | 1110 | 5.66036036 | 2.73126966 |
| 2 | 14 | 6.07142857 | 2.70225791 |
| 3 | 319 | 7.28840125 | 2.94470374 |
| 4 | 1524 | 5.46522310 | 2.56231039 |
| 5 | 6676 | 5.53579988 | 2.66564898 |
| 6 | 2210 | 5.45520362 | 2.69836102 |
| 7 | 89 | 5.50561798 | 2.76801371 |
| 8 | 5 | 9.40000000 | 3.64691651 |
| 9 | 23 | 4.78260870 | 2.50375213 |
| 10 | 1555 | 5.21479100 | 2.66710017 |
| 11 | 440 | 7.12272727 | 3.12873839 |
| 12 | 685 | 7.53284672 | 2.90706715 |
| 13 | 2014 | 5.66534260 | 2.66161104 |
| 14 | 245 | 6.59183673 | 2.77369351 |
| 15 | 51 | 5.01960784 | 2.75310876 |
| 16 | 858 | 6.48834499 | 2.86539394 |

| Tukey グループ | 平均 | N | CLUSTER |
|------------|--------|------|---------|
| | 9.4000 | 5 | 8 |
| | 7.5328 | 685 | 12 |
| | 7.2884 | 319 | 3 |
| | 7.1227 | 440 | 11 |
| | 6.5918 | 245 | 14 |
| | 6.4883 | 858 | 16 |
| | 6.0714 | 14 | 2 |
| | 5.6653 | 2014 | 13 |
| | 5.6604 | 1110 | 1 |
| | 5.5358 | 6676 | 5 |
| | 5.5056 | 89 | 7 |
| | 5.4652 | 1524 | 4 |
| | 5.4552 | 2210 | 6 |
| | 5.2148 | 1555 | 10 |
| | 5.0196 | 51 | 15 |
| | 4.7826 | 23 | 9 |

Table 1-24 排尿介助ニーズによるクラスター間における周辺症状（不安・恐怖）の比較

| CLUSTER | N | 平均 | 標準偏差 |
|---------|------|------------|------------|
| 1 | 1092 | 9.1822344 | 3.55688812 |
| 2 | 14 | 9.0714286 | 2.67364015 |
| 3 | 309 | 9.2783172 | 3.62623231 |
| 4 | 1484 | 9.3261456 | 3.41530267 |
| 5 | 6398 | 9.1733354 | 3.32048208 |
| 6 | 2148 | 8.2872439 | 3.03724516 |
| 7 | 81 | 9.0370370 | 3.16008087 |
| 8 | 3 | 10.3333333 | 4.50924975 |
| 9 | 24 | 8.4166667 | 3.13350292 |
| 10 | 1539 | 7.8927875 | 2.92530660 |
| 11 | 424 | 8.4504717 | 3.39132529 |
| 12 | 674 | 9.1913947 | 3.52370661 |
| 13 | 1936 | 9.1353306 | 3.51890747 |
| 14 | 240 | 9.8791667 | 3.57788175 |
| 15 | 49 | 8.0816327 | 3.07433417 |
| 16 | 854 | 9.7014052 | 3.50261304 |

| Tukey グループ | 平均 | N | CLUSTER |
|------------|---------|------|---------|
| A | 10.3333 | 3 | 8 |
| A | | | |
| A | 9.8792 | 240 | 14 |
| A | | | |
| A | 9.7014 | 854 | 16 |
| A | | | |
| A | 9.3261 | 1484 | 4 |
| A | | | |
| A | 9.2783 | 309 | 3 |
| A | | | |
| A | 9.1914 | 674 | 12 |
| A | | | |
| A | 9.1822 | 1092 | 1 |
| A | | | |
| A | 9.1733 | 6398 | 5 |
| A | | | |
| A | 9.1353 | 1936 | 13 |
| A | | | |
| A | 9.0714 | 14 | 2 |
| A | | | |
| A | 9.0370 | 81 | 7 |
| A | | | |
| A | 8.4505 | 424 | 11 |
| A | | | |
| A | 8.4167 | 24 | 9 |
| A | | | |
| A | 8.2872 | 2148 | 6 |
| A | | | |
| A | 8.0816 | 49 | 15 |
| A | | | |
| A | 7.8928 | 1539 | 10 |

Table 1-25 入浴介助ニーズによるクラスター間における平均要介護度の比較

| CLUSTER | N | 平均 | 標準偏差 |
|---------|------|------------|------------|
| 1 | 2857 | 2.85124256 | 0.99891014 |
| 2 | 89 | 3.51685393 | 0.93069328 |
| 3 | 2259 | 3.59849491 | 0.97279989 |
| 4 | 1609 | 3.85270354 | 0.91698007 |
| 5 | 2468 | 3.31685575 | 1.00550145 |
| 6 | 2291 | 2.84111742 | 1.01563471 |
| 7 | 1082 | 3.98890943 | 0.92246448 |
| 8 | 328 | 3.81707317 | 0.82214084 |
| 9 | 72 | 2.76388889 | 0.75978232 |
| 10 | 207 | 3.32367150 | 0.94846327 |
| 11 | 272 | 4.09191176 | 0.74571892 |
| 12 | 411 | 3.11192214 | 0.98135245 |
| 13 | 402 | 4.08208955 | 0.76762913 |
| 14 | 2669 | 2.56275759 | 1.14613262 |
| 15 | 959 | 3.72367049 | 0.92278776 |
| 16 | 261 | 4.01532567 | 0.73363871 |

| Tukey | グループ | 平均 | N | CLUSTER |
|-------|-------|---------|------|---------|
| | A | 4.09191 | 272 | 11 |
| | A | | | |
| B | A | 4.08209 | 402 | 13 |
| B | A | | | |
| B | A | 4.01533 | 261 | 16 |
| B | A | | | |
| B | A C | 3.98891 | 1082 | 7 |
| B | A C | | | |
| B | D A C | 3.85270 | 1609 | 4 |
| B | D C | | | |
| B | D C | 3.81707 | 328 | 8 |
| | D C | | | |
| | D E C | 3.72367 | 959 | 15 |
| | D E | | | |
| | D E | 3.59849 | 2259 | 3 |
| | E | | | |
| F | E | 3.51685 | 89 | 2 |
| F | | | | |
| F | G | 3.32367 | 207 | 10 |
| F | G | | | |
| F | G | 3.31686 | 2468 | 5 |
| | G | | | |
| H | G | 3.11192 | 411 | 12 |
| H | | | | |
| H | I | 2.85124 | 2857 | 1 |
| | I | | | |
| | I | 2.84112 | 2291 | 6 |
| | I | | | |
| J | I | 2.76389 | 72 | 9 |
| J | | | | |
| J | | 2.56276 | 2669 | 14 |

Table 1-26 入浴介助ニーズによるクラスター間における中核症状（記憶）の比較

| CLUSTER | N | 平均 | 標準偏差 |
|---------|------|------------|------------|
| 1 | 2756 | 12.1197388 | 2.51993765 |
| 2 | 86 | 14.2325581 | 1.38627235 |
| 3 | 2175 | 12.6974713 | 2.45539191 |
| 4 | 1553 | 12.9639408 | 2.35425430 |
| 5 | 2355 | 12.6938429 | 2.45089937 |
| 6 | 2209 | 11.4454504 | 2.74964398 |
| 7 | 1049 | 14.0028599 | 1.68485378 |
| 8 | 320 | 14.0781250 | 1.46328834 |
| 9 | 70 | 12.5000000 | 2.22469669 |
| 10 | 202 | 13.5198020 | 1.82631510 |
| 11 | 268 | 14.1082090 | 1.44027403 |
| 12 | 395 | 13.0405063 | 2.04104575 |
| 13 | 390 | 14.2512821 | 1.39902129 |
| 14 | 2526 | 11.3337292 | 2.83804885 |
| 15 | 920 | 13.6717391 | 1.91689846 |
| 16 | 249 | 14.4297189 | 1.34557231 |

| Tukey グループ | 平均 | N | CLUSTER |
|------------|---------|------|---------|
| A | 14.4297 | 249 | 16 |
| A | | | |
| B A | 14.2513 | 390 | 13 |
| B A | | | |
| B A | 14.2326 | 86 | 2 |
| B A | | | |
| B A C | 14.1082 | 268 | 11 |
| B A C | | | |
| B A C | 14.0781 | 320 | 8 |
| B A C | | | |
| B A C | 14.0029 | 1049 | 7 |
| B C | | | |
| B D C | 13.6717 | 920 | 15 |
| D C | | | |
| E D C | 13.5198 | 202 | 10 |
| E D | | | |
| E D F | 13.0405 | 395 | 12 |
| E F | | | |
| E F | 12.9639 | 1553 | 4 |
| F | | | |
| G F | 12.6975 | 2175 | 3 |
| G F | | | |
| G F | 12.6938 | 2355 | 5 |
| G F | | | |
| G F | 12.5000 | 70 | 9 |
| G | | | |
| G | 12.1197 | 2756 | 1 |
| H | | | |
| H | 11.4455 | 2209 | 6 |
| H | | | |
| H | 11.3337 | 2526 | 14 |

Table 1-27 入浴介助ニーズによるクラスター間における中核症状（コミュニケーション）の比較

| CLUSTER | N | 平均 | 標準偏差 |
|---------|------|------------|------------|
| 1 | 2715 | 11.0961326 | 2.88248781 |
| 2 | 82 | 14.1341463 | 2.59991546 |
| 3 | 2117 | 12.4558337 | 3.07676828 |
| 4 | 1519 | 12.9940750 | 3.01783747 |
| 5 | 2330 | 12.2454936 | 3.03334677 |
| 6 | 2180 | 10.4995413 | 2.78468568 |
| 7 | 1026 | 14.5233918 | 2.77760005 |
| 8 | 320 | 14.1875000 | 2.55764267 |
| 9 | 68 | 10.8823529 | 2.24292860 |
| 10 | 198 | 13.0808081 | 2.60486374 |
| 11 | 261 | 14.3218391 | 2.48918083 |
| 12 | 395 | 12.3594937 | 2.67387810 |
| 13 | 382 | 14.5916230 | 2.50788426 |
| 14 | 2480 | 10.0415323 | 2.92839944 |
| 15 | 897 | 13.7257525 | 2.87393907 |
| 16 | 248 | 14.9032258 | 2.26724379 |

| Tukey | グループ | 平均 | N | CLUSTER | |
|-------|------|---------|---------|---------|----|
| | A | 14.9032 | 248 | 16 | |
| | A | | | | |
| | A | 14.5916 | 382 | 13 | |
| | A | | | | |
| B | A | 14.5234 | 1026 | 7 | |
| B | A | | | | |
| B | A | 14.3218 | 261 | 11 | |
| B | A | | | | |
| B | A | 14.1875 | 320 | 8 | |
| B | A | | | | |
| B | A | 14.1341 | 82 | 2 | |
| B | | | | | |
| B | C | 13.7258 | 897 | 15 | |
| | C | | | | |
| D | C | 13.0808 | 198 | 10 | |
| D | C | | | | |
| D | C | E | 12.9941 | 1519 | 4 |
| D | | E | | | |
| D | | E | 12.4558 | 2117 | 3 |
| D | | E | | | |
| D | | E | 12.3595 | 395 | 12 |
| | | E | | | |
| | | E | 12.2455 | 2330 | 5 |
| | | | | | |
| | F | 11.0961 | 2715 | 1 | |
| | F | | | | |
| | F | 10.8824 | 68 | 9 | |
| | F | | | | |
| G | F | 10.4995 | 2180 | 6 | |
| G | | | | | |
| G | | 10.0415 | 2480 | 14 | |

Table 1-28 入浴介助ニーズによるクラスター間における周辺症状（妄想）の比較

| CLUSTER | N | 平均 | 標準偏差 |
|---------|------|------------|------------|
| 1 | 2655 | 10.1551789 | 3.43230729 |
| 2 | 83 | 11.3493976 | 4.28961803 |
| 3 | 2131 | 9.4124824 | 3.11353459 |
| 4 | 1527 | 9.0857891 | 2.97364589 |
| 5 | 2323 | 9.8136031 | 3.38119961 |
| 6 | 2144 | 9.8847948 | 3.09640891 |
| 7 | 1037 | 8.8225651 | 2.91106131 |
| 8 | 307 | 10.5048860 | 3.73323821 |
| 9 | 70 | 11.4428571 | 3.79028397 |
| 10 | 194 | 10.9484536 | 3.73852963 |
| 11 | 261 | 9.2873563 | 3.02518167 |
| 12 | 375 | 10.7200000 | 3.76502338 |
| 13 | 368 | 9.8913043 | 3.79216609 |
| 14 | 2419 | 9.8904506 | 3.34666293 |
| 15 | 902 | 9.7926829 | 3.62752942 |
| 16 | 241 | 11.2987552 | 4.70659538 |

| Tukey | グループ | 平均 | N | CLUSTER |
|-------|------|---------|------|---------|
| | A | 11.4429 | 70 | 9 |
| | A | | | |
| B | A | 11.3494 | 83 | 2 |
| B | A | | | |
| B | A | 11.2988 | 241 | 16 |
| B | A | | | |
| B | A C | 10.9485 | 194 | 10 |
| B | A C | | | |
| B D | A C | 10.7200 | 375 | 12 |
| B D | A C | | | |
| B D | E C | 10.5049 | 307 | 8 |
| B D | E C | | | |
| F D | E C | 10.1552 | 2655 | 1 |
| F D | E C | | | |
| F D | E G | 9.8913 | 368 | 13 |
| F D | E G | | | |
| F D | E G | 9.8905 | 2419 | 14 |
| F D | E G | | | |
| F D | E G | 9.8848 | 2144 | 6 |
| F D | E G | | | |
| F D | E G | 9.8136 | 2323 | 5 |
| F D | E G | | | |
| F | E G | 9.7927 | 902 | 15 |
| F | E G | | | |
| F | H G | 9.4125 | 2131 | 3 |
| F | H G | | | |
| F | H G | 9.2874 | 261 | 11 |
| F | H G | | | |
| | H G | 9.0858 | 1527 | 4 |
| | H G | | | |
| | H | 8.8226 | 1037 | 7 |
| | H | | | |

Table 1-29 入浴介助ニーズによるクラスター間における周辺症状（幻覚）の比較

| CLUSTER | N | 平均 | 標準偏差 |
|---------|------|------------|------------|
| 1 | 2729 | 6.11176255 | 2.08338917 |
| 2 | 85 | 7.50588235 | 3.36517009 |
| 3 | 2158 | 6.32715477 | 2.22046668 |
| 4 | 1540 | 6.32987013 | 2.20761662 |
| 5 | 2382 | 6.32661629 | 2.28299159 |
| 6 | 2184 | 6.10760073 | 1.96087636 |
| 7 | 1042 | 6.41842610 | 2.38703797 |
| 8 | 314 | 7.04458599 | 2.68076559 |
| 9 | 70 | 6.54285714 | 2.61370809 |
| 10 | 201 | 6.99502488 | 2.54459724 |
| 11 | 267 | 6.73033708 | 2.30607588 |
| 12 | 390 | 6.49487179 | 2.47012470 |
| 13 | 390 | 7.08205128 | 2.89994874 |
| 14 | 2525 | 5.95049505 | 1.97997221 |
| 15 | 915 | 6.56393443 | 2.42412425 |
| 16 | 249 | 7.59036145 | 3.34098261 |

| Tukey グループ | 平均 | N | CLUSTER | |
|------------|--------|--------|---------|----|
| A | 7.5904 | 249 | 16 | |
| A | | | | |
| A | 7.5059 | 85 | 2 | |
| A | | | | |
| B | 7.0821 | 390 | 13 | |
| B | | | | |
| B | 7.0446 | 314 | 8 | |
| B | | | | |
| B | A C | 6.9950 | 201 | 10 |
| B | C | | | |
| B | D C | 6.7303 | 267 | 11 |
| B | D C | | | |
| B | E D C | 6.5639 | 915 | 15 |
| B | E D C | | | |
| B | E D C | 6.5429 | 70 | 9 |
| B | E D C | | | |
| B | E D C | 6.4949 | 390 | 12 |
| B | E D C | | | |
| B | E D C | 6.4184 | 1042 | 7 |
| B | E D | | | |
| B | E D | 6.3299 | 1540 | 4 |
| B | E D | | | |
| B | E D | 6.3272 | 2158 | 3 |
| B | E D | | | |
| B | E D | 6.3266 | 2382 | 5 |
| B | E | | | |
| B | E | 6.1118 | 2729 | 1 |
| B | E | | | |
| B | E | 6.1076 | 2184 | 6 |
| B | E | | | |
| B | E | 5.9505 | 2525 | 14 |

Table 1-30 入浴介助ニーズによるクラスター間における周辺症状（徘徊・反復行動）の比較

| CLUSTER | N | 平均 | 標準偏差 |
|---------|------|------------|------------|
| 1 | 2743 | 5.24207073 | 2.19069588 |
| 2 | 84 | 6.94047619 | 2.70363963 |
| 3 | 2152 | 4.71236059 | 2.02230142 |
| 4 | 1549 | 4.40606843 | 1.86453071 |
| 5 | 2375 | 5.16631579 | 2.26798766 |
| 6 | 2208 | 4.89764493 | 2.02419302 |
| 7 | 1040 | 4.60673077 | 2.20860006 |
| 8 | 314 | 6.20700637 | 2.92261458 |
| 9 | 71 | 5.73239437 | 2.19712635 |
| 10 | 198 | 6.71212121 | 2.76727698 |
| 11 | 264 | 5.09090909 | 2.41338015 |
| 12 | 394 | 6.22335025 | 2.60765421 |
| 13 | 384 | 5.47656250 | 2.76295385 |
| 14 | 2536 | 4.80914826 | 2.08437673 |
| 15 | 917 | 5.35659760 | 2.45847447 |
| 16 | 250 | 6.60400000 | 2.98442813 |

| Tukey | グループ | 平均 | N | CLUSTER |
|-------|------|--------|------|---------|
| | A | 6.9405 | 84 | 2 |
| | A | | | |
| B | A | 6.7121 | 198 | 10 |
| B | A | | | |
| B | A | 6.6040 | 250 | 16 |
| B | A | | | |
| B | C | 6.2234 | 394 | 12 |
| B | C | | | |
| B | C | 6.2070 | 314 | 8 |
| | C | | | |
| D | C | 5.7324 | 71 | 9 |
| D | | | | |
| D | E | 5.4766 | 384 | 13 |
| D | E | | | |
| D | E | 5.3566 | 917 | 15 |
| D | E | | | |
| D | E | 5.2421 | 2743 | 1 |
| D | G | | | |
| D | G | 5.1663 | 2375 | 5 |
| H | D | | | |
| H | G | 5.0909 | 264 | 11 |
| H | G | | | |
| H | G | 5.0909 | 264 | 11 |
| H | G | | | |
| H | I | 4.8976 | 2208 | 6 |
| H | I | | | |
| H | I | 4.8091 | 2536 | 14 |
| H | I | | | |
| H | I | 4.7124 | 2152 | 3 |
| H | I | | | |
| H | I | 4.6067 | 1040 | 7 |
| | I | | | |
| | I | 4.4061 | 1549 | 4 |

Table 1-31 入浴介助ニーズによるクラスター間における周辺症状（暴言・不穏）の比較

| 水準 CLUSTER | N | 平均 | 標準偏差 |
|---------------|------|------------|------------|
| 1 | 2790 | 5.65913978 | 2.66249208 |
| 2 | 86 | 7.56976744 | 2.97258334 |
| 3 | 2210 | 5.42126697 | 2.59476791 |
| 4 | 1587 | 5.21172023 | 2.54355031 |
| 5 | 2404 | 5.70008319 | 2.75423934 |
| 6 | 2243 | 5.26348640 | 2.52103369 |
| 7 | 1060 | 5.66509434 | 2.85205035 |
| 8 | 319 | 7.97178683 | 2.72580614 |
| 9 | 71 | 6.84507042 | 2.64924726 |
| 10 | 203 | 7.28571429 | 2.92431643 |
| 11 | 267 | 6.82397004 | 2.75075286 |
| 12 | 404 | 7.18811881 | 2.73553174 |
| 13 | 394 | 7.53299492 | 2.92748277 |
| 14 | 2583 | 5.24932249 | 2.58349617 |
| 15 | 941 | 6.13390011 | 2.90105054 |
| 16 | 256 | 8.57031250 | 2.81921584 |

| Tukey グループ | 平均 | N | CLUSTER |
|------------|--------|------|---------|
| A | 8.5703 | 256 | 16 |
| A | | | |
| B A | 7.9718 | 319 | 8 |
| B | | | |
| B B | 7.5698 | 86 | 2 |
| B | | | |
| B C D | 7.5330 | 394 | 13 |
| B | | | |
| B C D | 7.2857 | 203 | 10 |
| B | | | |
| C D | | | |
| C D | 7.1881 | 404 | 12 |
| C | | | |
| C D | | | |
| E C D | 6.8451 | 71 | 9 |
| E | | | |
| E D | 6.8240 | 267 | 11 |
| E | | | |
| E F | 6.1339 | 941 | 15 |
| E | | | |
| F | | | |
| G F | 5.7001 | 2404 | 5 |
| G | | | |
| G F | 5.6651 | 1060 | 7 |
| G | | | |
| G F | 5.6591 | 2790 | 1 |
| G | | | |
| G F | 5.4213 | 2210 | 3 |
| G | | | |
| G | 5.2635 | 2243 | 6 |
| G | | | |
| G | 5.2493 | 2583 | 14 |
| G | | | |
| G | 5.2117 | 1587 | 4 |

Table 1-32 入浴介助ニーズによるクラスター間における周辺症状（不安・恐怖）の比較

| CLUSTER | N | 平均 | 標準偏差 |
|---------|------|------------|------------|
| 1 | 2697 | 9.1568409 | 3.40473664 |
| 2 | 83 | 10.2048193 | 3.72126072 |
| 3 | 2144 | 8.7989739 | 3.24733695 |
| 4 | 1557 | 8.5619782 | 3.15915338 |
| 5 | 2337 | 8.9221224 | 3.27243483 |
| 6 | 2178 | 9.0422406 | 3.20528057 |
| 7 | 1031 | 8.2512124 | 3.16196080 |
| 8 | 312 | 9.9647436 | 3.82856592 |
| 9 | 68 | 10.4117647 | 3.86424596 |
| 10 | 201 | 9.7661692 | 3.98874037 |
| 11 | 257 | 8.6264591 | 3.31317215 |
| 12 | 388 | 9.6340206 | 3.61736800 |
| 13 | 384 | 9.3255208 | 4.09811454 |
| 14 | 2464 | 8.9707792 | 3.23186380 |
| 15 | 921 | 8.8816504 | 3.35962276 |
| 16 | 247 | 10.4858300 | 4.66159731 |

| Tukey | グループ | 平均 | N | CLUSTER |
|-------|---------|---------|------|---------|
| | A | 10.4858 | 247 | 16 |
| | A | | | |
| | A | 10.4118 | 68 | 9 |
| | A | | | |
| B | A | 10.2048 | 83 | 2 |
| B | A | | | |
| B | A C | 9.9647 | 312 | 8 |
| B | A C | | | |
| B | A C | 9.7662 | 201 | 10 |
| B | A C | | | |
| E | B D A C | 9.6340 | 388 | 12 |
| E | B D C | | | |
| E | B D F C | 9.3255 | 384 | 13 |
| E | D F C | | | |
| E | G D F C | 9.1568 | 2697 | 1 |
| E | G D F C | | | |
| E | G D F C | 9.0422 | 2178 | 6 |
| E | G D F | | | |
| E | G D F | 8.9708 | 2464 | 14 |
| E | G D F | | | |
| E | G D F | 8.9221 | 2337 | 5 |
| E | G D F | | | |
| E | G D F | 8.8817 | 921 | 15 |
| E | G F | | | |
| E | G F | 8.7990 | 2144 | 3 |
| G | F | | | |
| G | F | 8.6265 | 257 | 11 |
| G | F | | | |
| G | F | 8.5620 | 1557 | 4 |
| G | | | | |
| G | | 8.2512 | 1031 | 7 |

Table 1-3 3 着替え介助ニーズによるクラスター間における平均要介護度の比較

| CLUSTER | N | 平均 | 標準偏差 |
|---------|------|------------|------------|
| 1 | 264 | 4.14015152 | 0.77463200 |
| 2 | 929 | 3.39935414 | 0.88500415 |
| 3 | 888 | 3.19932432 | 0.91444600 |
| 4 | 1379 | 4.25453227 | 0.79533253 |
| 5 | 204 | 3.42156863 | 0.80559955 |
| 6 | 6577 | 2.58917440 | 0.99603450 |
| 7 | 1799 | 3.68704836 | 0.95353923 |
| 8 | 1273 | 4.00235664 | 0.87280404 |
| 9 | 570 | 2.96491228 | 0.89255685 |
| 10 | 209 | 3.76555024 | 0.83063912 |
| 11 | 304 | 3.96710526 | 0.84367390 |
| 12 | 1889 | 3.04711488 | 0.91271816 |
| 13 | 337 | 3.19584570 | 0.92754506 |
| 14 | 622 | 3.81028939 | 0.86589909 |
| 15 | 780 | 4.24487179 | 0.75854523 |
| 16 | 212 | 3.85849057 | 0.75962923 |

| Tukey | グループ | 平均 | N | CLUSTER |
|-------|------|---------|------|---------|
| | A | 4.25453 | 1379 | 4 |
| | A | | | |
| | A | 4.24487 | 780 | 15 |
| | A | | | |
| B | A | 4.14015 | 264 | 1 |
| B | | | | |
| B | C | 4.00236 | 1273 | 8 |
| B | C | | | |
| B | C D | 3.96711 | 304 | 11 |
| | C D | | | |
| E | C D | 3.85849 | 212 | 16 |
| E | C D | | | |
| E | C D | 3.81029 | 622 | 14 |
| E | D | | | |
| E | D | 3.76555 | 209 | 10 |
| E | | | | |
| E | | 3.68705 | 1799 | 7 |
| | | | | |
| | F | 3.42157 | 204 | 5 |
| | F | | | |
| G | F | 3.39935 | 929 | 2 |
| G | | | | |
| G | H | 3.19932 | 888 | 3 |
| G | H | | | |
| G | H | 3.19585 | 337 | 13 |
| | H | | | |
| I | H | 3.04711 | 1889 | 12 |
| I | | | | |
| I | | 2.96491 | 570 | 9 |
| | | | | |
| | J | 2.58917 | 6577 | 6 |

Table 1-3-4 着替え介助ニーズによるクラスター間における中核症状（記憶）の比較

| CLUSTER | N | 平均 | 標準偏差 |
|---------|------|------------|------------|
| 1 | 256 | 14.2617188 | 1.39391513 |
| 2 | 896 | 13.2656250 | 1.81452281 |
| 3 | 857 | 13.7176196 | 1.72991273 |
| 4 | 1325 | 14.4475472 | 1.17938118 |
| 5 | 195 | 14.2820513 | 1.26304978 |
| 6 | 6295 | 11.5050040 | 2.67577465 |
| 7 | 1724 | 11.7668213 | 2.69522290 |
| 8 | 1226 | 13.5921697 | 1.83882945 |
| 9 | 558 | 12.6129032 | 2.25421492 |
| 10 | 202 | 13.5495050 | 1.90051702 |
| 11 | 293 | 13.3993174 | 2.07255374 |
| 12 | 1828 | 11.3572210 | 2.63919912 |
| 13 | 322 | 13.3416149 | 2.03123764 |
| 14 | 591 | 14.0846024 | 1.43075770 |
| 15 | 749 | 14.6809079 | 0.85024138 |
| 16 | 206 | 14.4174757 | 1.37946099 |

| Tukey グループ | 平均 | N | CLUSTER |
|------------|---------|------|---------|
| A | 14.6809 | 749 | 15 |
| A | | | |
| B A | 14.4475 | 1325 | 4 |
| B A | | | |
| B A | 14.4175 | 206 | 16 |
| B A | | | |
| B A | 14.2821 | 195 | 5 |
| B A | | | |
| B A | 14.2617 | 256 | 1 |
| B | | | |
| B C | 14.0846 | 591 | 14 |
| C | | | |
| D C | 13.7176 | 857 | 3 |
| D C | | | |
| D C | 13.5922 | 1226 | 8 |
| D | | | |
| D | 13.5495 | 202 | 10 |
| D | | | |
| D | 13.3993 | 293 | 11 |
| D | | | |
| D | 13.3416 | 322 | 13 |
| D | | | |
| D | 13.2656 | 896 | 2 |
| E | 12.6129 | 558 | 9 |
| F | 11.7668 | 1724 | 7 |
| F | | | |
| F | 11.5050 | 6295 | 6 |
| F | | | |
| F | 11.3572 | 1828 | 12 |

Table 1-35 着替え介助ニーズによるクラスター間における中核症状（コミュニケーション）の比較

| CLUSTER | N | 平均 | 標準偏差 |
|---------|------|------------|------------|
| 1 | 252 | 14.6428571 | 2.46558555 |
| 2 | 889 | 12.5748031 | 2.51107358 |
| 3 | 842 | 13.4204276 | 2.53891675 |
| 4 | 1285 | 15.4116732 | 2.27186930 |
| 5 | 193 | 14.3056995 | 2.26035088 |
| 6 | 6206 | 10.2160812 | 2.69213302 |
| 7 | 1684 | 11.6104513 | 2.92777549 |
| 8 | 1197 | 13.7786132 | 2.70672588 |
| 9 | 553 | 11.5081374 | 2.60093816 |
| 10 | 196 | 13.1632653 | 2.56682535 |
| 11 | 293 | 13.2184300 | 2.83931576 |
| 12 | 1803 | 10.5335552 | 2.56596868 |
| 13 | 321 | 12.6542056 | 2.62358106 |
| 14 | 576 | 14.3923611 | 2.42498817 |
| 15 | 731 | 15.6785226 | 1.94916660 |
| 16 | 197 | 14.6548223 | 2.36743200 |

| Tukey | グループ | 平均 | N | CLUSTER |
|-------|------|---------|------|---------|
| | A | 15.6785 | 731 | 15 |
| | A | | | |
| | A | 15.4117 | 1285 | 4 |
| | B | 14.6548 | 197 | 16 |
| | B | | | |
| | B | 14.6429 | 252 | 1 |
| | B | | | |
| | B | 14.3924 | 576 | 14 |
| | B | | | |
| C | B | 14.3057 | 193 | 5 |
| C | | | | |
| C | D | 13.7786 | 1197 | 8 |
| | D | | | |
| E | D | 13.4204 | 842 | 3 |
| E | D | | | |
| E | D F | 13.2184 | 293 | 11 |
| E | F | | | |
| E | G F | 13.1633 | 196 | 10 |
| | G F | | | |
| | G F | 12.6542 | 321 | 13 |
| | G | | | |
| | G | 12.5748 | 889 | 2 |
| | | | | |
| | H | 11.6105 | 1684 | 7 |
| | H | | | |
| | H | 11.5081 | 553 | 9 |
| | | | | |
| | I | 10.5336 | 1803 | 12 |
| | I | | | |
| | I | 10.2161 | 6206 | 6 |

Table 1-36 着替え介助ニーズによるクラスター間における周辺症状（妄想）の比較

| CLUSTER | N | 平均 | 標準偏差 |
|---------|------|------------|------------|
| 1 | 243 | 9.5720165 | 3.44825367 |
| 2 | 879 | 9.7827076 | 3.27054522 |
| 3 | 829 | 9.7394451 | 3.18164272 |
| 4 | 1329 | 8.0556810 | 2.14565258 |
| 5 | 190 | 10.7578947 | 3.93254173 |
| 6 | 6063 | 10.1916543 | 3.34779574 |
| 7 | 1704 | 9.3315728 | 3.06895326 |
| 8 | 1197 | 8.9598997 | 2.93777086 |
| 9 | 532 | 11.6484962 | 3.97384784 |
| 10 | 198 | 11.4292929 | 4.14368218 |
| 11 | 285 | 9.9263158 | 3.86909597 |
| 12 | 1758 | 10.0216155 | 3.27919040 |
| 13 | 308 | 11.3798701 | 4.00348187 |
| 14 | 589 | 8.7164686 | 2.67250114 |
| 15 | 737 | 9.4396201 | 3.76330305 |
| 16 | 196 | 10.3061224 | 4.09729908 |

| Tukey グループ | 平均 | N | CLUSTER |
|------------|---------|------|---------|
| | 11.6485 | 532 | 9 |
| | | | A |
| B | 11.4293 | 198 | 10 |
| B | | | A |
| B | 11.3799 | 308 | 13 |
| B | | | A |
| B | 10.7579 | 190 | 5 |
| | | | C |
| D | 10.3061 | 196 | 16 |
| D | | | C |
| D | 10.1917 | 6063 | 6 |
| D | | | C E |
| D | 10.0216 | 1758 | 12 |
| D | | | C E |
| D | 9.9263 | 285 | 11 |
| D | | | F E |
| D | 9.7827 | 879 | 2 |
| D | | | F E |
| D | 9.7394 | 829 | 3 |
| D | | | F E |
| D | 9.5720 | 243 | 1 |
| D | | | F G E |
| H | 9.4396 | 737 | 15 |
| H | | | F G E |
| H | 9.3316 | 1704 | 7 |
| H | | | F G |
| H | | | G |
| H | 8.9599 | 1197 | 8 |
| | | | G |
| H | 8.7165 | 589 | 14 |
| | | | I |
| | | | I |
| | 8.0557 | 1329 | 4 |
| | | | I |

Table 1-37 着替え介助ニーズによるクラスター間における周辺症状（幻覚）の比較

| CLUSTER | N | 平均 | 標準偏差 |
|---------|------|------------|------------|
| 1 | 254 | 6.81102362 | 2.48865341 |
| 2 | 890 | 6.45168539 | 2.31841614 |
| 3 | 834 | 6.41366906 | 2.06737772 |
| 4 | 1330 | 6.23984962 | 2.12238206 |
| 5 | 195 | 6.90256410 | 2.37377067 |
| 6 | 6275 | 6.06948207 | 2.06275879 |
| 7 | 1722 | 6.23867596 | 2.11231746 |
| 8 | 1227 | 6.34963325 | 2.33265480 |
| 9 | 547 | 6.57404022 | 2.55049782 |
| 10 | 198 | 7.14646465 | 3.06673037 |
| 11 | 294 | 6.89115646 | 2.81543588 |
| 12 | 1810 | 6.31215470 | 2.23701123 |
| 13 | 317 | 6.45741325 | 2.45250781 |
| 14 | 597 | 6.15242881 | 1.90245734 |
| 15 | 751 | 6.98002663 | 2.98902446 |
| 16 | 200 | 6.97500000 | 2.85923963 |

| Tukey グループ | 平均 | N | CLUSTER |
|------------|--------|------|---------|
| A | 7.1465 | 198 | 10 |
| A | | | |
| B A | 6.9800 | 751 | 15 |
| B A | | | |
| B A | 6.9750 | 200 | 16 |
| B A | | | |
| B A C | 6.9026 | 195 | 5 |
| B A C | | | |
| B A C | 6.8912 | 294 | 11 |
| B A C | | | |
| B D A C | 6.8110 | 254 | 1 |
| B D C | | | |
| B D E C | 6.5740 | 547 | 9 |
| D E C | | | |
| D E C | 6.4574 | 317 | 13 |
| D E C | | | |
| D E C | 6.4517 | 890 | 2 |
| D E C | | | |
| D E C | 6.4137 | 834 | 3 |
| D E | | | |
| D E | 6.3496 | 1227 | 8 |
| D E | | | |
| D E | 6.3122 | 1810 | 12 |
| E | | | |
| E | 6.2398 | 1330 | 4 |
| E | | | |
| E | 6.2387 | 1722 | 7 |
| E | | | |
| E | 6.1524 | 597 | 14 |
| E | | | |
| E | 6.0695 | 6275 | 6 |

Table 1-38 着替え介助ニーズによるクラスター間における周辺症状（徘徊・反復行動）の比較

| CLUSTER | N | 平均 | 標準偏差 |
|---------|------|------------|------------|
| 1 | 252 | 5.5000000 | 2.65777069 |
| 2 | 891 | 5.44893378 | 2.26413822 |
| 3 | 850 | 5.85529412 | 2.33102726 |
| 4 | 1328 | 4.13328313 | 1.83029206 |
| 5 | 195 | 7.4000000 | 2.82550972 |
| 6 | 6289 | 5.06328510 | 2.09676886 |
| 7 | 1730 | 4.28843931 | 1.75923060 |
| 8 | 1223 | 4.49550286 | 1.99338621 |
| 9 | 549 | 6.25865209 | 2.50956979 |
| 10 | 196 | 6.26530612 | 2.89491515 |
| 11 | 293 | 5.02730375 | 2.29485844 |
| 12 | 1827 | 4.80076628 | 2.01384568 |
| 13 | 323 | 6.86687307 | 2.71027235 |
| 14 | 592 | 4.84121622 | 2.22319503 |
| 15 | 738 | 5.27235772 | 2.75460786 |
| 16 | 203 | 6.66502463 | 3.00759902 |

| Tukey グループ | 平均 | N | CLUSTER |
|------------|--------|------|---------|
| A | 7.4000 | 195 | 5 |
| B | 6.8669 | 323 | 13 |
| B | | | |
| C | 6.6650 | 203 | 16 |
| C | | | |
| C | 6.2653 | 196 | 10 |
| C | | | |
| C | 6.2587 | 549 | 9 |
| | | | |
| | | | |
| E | 5.8553 | 850 | 3 |
| E | | | |
| E | 5.5000 | 252 | 1 |
| E | | | |
| E | 5.4489 | 891 | 2 |
| | | | |
| | | | |
| G | 5.2724 | 738 | 15 |
| G | | | |
| G | 5.0633 | 6289 | 6 |
| G | | | |
| G | 5.0273 | 293 | 11 |
| G | | | |
| G | | | |
| G | 4.8412 | 592 | 14 |
| G | | | |
| G | 4.8008 | 1827 | 12 |
| | | | |
| | | | |
| | | | |
| | | | |
| I | 4.4955 | 1223 | 8 |
| I | | | |
| I | 4.2884 | 1730 | 7 |
| I | | | |
| I | 4.1333 | 1328 | 4 |

Table 1-39 着替え介助ニーズによるクラスター間における周辺症状（暴言・不穏）の比較

| CLUSTER | N | 平均 | 標準偏差 |
|---------|------|------------|------------|
| 1 | 260 | 7.8000000 | 2.74783172 |
| 2 | 908 | 5.89977974 | 2.67246979 |
| 3 | 867 | 5.77393310 | 2.70865751 |
| 4 | 1348 | 4.74851632 | 2.41065240 |
| 5 | 200 | 7.76500000 | 2.68623422 |
| 6 | 6419 | 5.44524069 | 2.61368209 |
| 7 | 1757 | 5.21115538 | 2.52128314 |
| 8 | 1250 | 5.34160000 | 2.62084042 |
| 9 | 557 | 7.14362657 | 2.76166912 |
| 10 | 202 | 8.19801980 | 2.72821922 |
| 11 | 302 | 6.72516556 | 2.98511743 |
| 12 | 1853 | 5.45601727 | 2.58062910 |
| 13 | 324 | 8.04320988 | 2.65182632 |
| 14 | 608 | 5.24506579 | 2.56014479 |
| 15 | 756 | 7.30952381 | 3.12426339 |
| 16 | 207 | 8.23671498 | 2.68707890 |

| Tukey グループ | 平均 | N | CLUSTER |
|------------|--------|------|---------|
| A | 8.2367 | 207 | 16 |
| A | | | |
| A | 8.1980 | 202 | 10 |
| A | | | |
| A | 8.0432 | 324 | 13 |
| A | | | |
| B | 7.8000 | 260 | 1 |
| B | | | |
| B | 7.7650 | 200 | 5 |
| B | | | |
| B | 7.3095 | 756 | 15 |
| | | | |
| | 7.1436 | 557 | 9 |
| | | | |
| | 6.7252 | 302 | 11 |
| | | | |
| | 5.8998 | 908 | 2 |
| | | | |
| E | 5.7739 | 867 | 3 |
| E | | | |
| E | 5.4560 | 1853 | 12 |
| E | | | |
| E | 5.4452 | 6419 | 6 |
| E | | | |
| E | 5.3416 | 1250 | 8 |
| E | | | |
| E | 5.2451 | 608 | 14 |
| E | | | |
| E | 5.2112 | 1757 | 7 |
| | | | |
| | 4.7485 | 1348 | 4 |