

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Nakanishi M, Tazawa H, Tsuchiya N, Sugimura T, Tanaka T, and <u>Nakagama H.</u>	Mouse strain differences in inflammatory response of colonic mucosa induced by dextran sulfate sodium cause differential susceptibility to PhIP-induced large bowel carcinogenesis	Cancer Sci	98	1157-1163	2007
Imai T, Fukuta K, Hasumura M, Cho YM, Ota Y, Takami S, <u>Nakagama H.</u> and Hirose M.	Significance of inflammation-associated regenerative mucosa characterized by Paneth cell metaplasia and beta-catenin accumulation of the onset of colorectal carcinogenesis in rats initiated with 1,2-dimethyl-hydrazone	Carcinogenesis	28	2199-2206	2007
Tanaka E, Fukuda H, Nakashima K, Tsuchiya N, Seimiya H, and <u>Nakagama H.</u>	HnRNP A3 binds to and protects mammalian telomeric repeats in vitro	Biochem Biophys Res Commun	358	608-614	2007
Lee-Motoyama JP, Kim-Motoyama H, Kim P, <u>Nakagama H.</u> Miyagawa K, and Suzuki K.	Identification of dermcidin in human gestational tissue and characterization of its proteolytic activity	Biochem Biophys Res Commun	357	828-833	2007
Li Q, Dashwood WM, Zhong X, <u>Nakagama H.</u> and Dashwood RH.	Bcl-2 overexpression in PhIP-induced colon tumors: cloning of the rat Bcl-2 promoter and characterization of a pathway involving beta-catenin, c-Myc and E2F1	Oncogene	26	6194-6202	2007
Fuku N, Ochiai M, Terada S, Fujimoto E, <u>Nakagama H.</u> and Tabata I.	Effect of running training on DMH-induced aberrant crypt foci in rat colon	Med Sci Sport Exer	39	70-74	2007
Fukuda H, Tsuchiya N, Hara-Fujita K, Takagi S, Nagao M, and <u>Nakagama H.</u>	Induction of abnormal nuclear shapes in two distinct modes by over-expression of serine/threonine protein phosphatase 5 in HeLa cells	J Cell Biochem	101	321-330	2007

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Takahashi H, Yoneda K, Tomimoto A, Endo H, Fujisawa T, Iida H, Mawatari H, Nozaki Y, Ikeda T, Akiyama T, Yoneda M, Inamori M, Abe Y, Saito S, Nakajima A, <u>Nakagama H.</u>	Life style-related diseases of the digestive system: colorectal cancer as a life style-related disease: from carcinogenesis to medical treatment	J Pharmacol Sci	105	129-132	2007
Liu Y-T, Shang D, Akatsuka S, Ohara H, Dutta KK, Mizushima K, Naito Y, Yoshikawa T, Izumiya M, Abe K, <u>Nakagama H.</u> Noguchi N, Toyokuni S.	Chronic oxidative stress causes amplification and overexpression of ptpzrl protein tyrosine phosphatase to activate β -catenin pathway	Am J Pathol	171	1978-1988	2007
Tsuchiya N, Ochiai M, Nakashima K, Ubagai T, and <u>Nakagama H.</u>	SND1, a component of RNA-induced silencing complex, is up-regulated in human colon cancers and implicated in early stage colon carcinogenesis	Cancer Res	67	9568-9576	2007
Ogino H, Nozaki T, Gunji A, Maeda M, Suzuki H, Ohta T, Murakami Y, <u>Nakagama H.</u> Sugimura T, <u>Masutani M.</u>	Loss of Parp-1 affects gene expression profile in a genome-wide manner in ES-cells and liver cells	BMC Genomics	8	41-56	2007
Niwa M, and <u>Masutani M.</u>	PolyADP-ribosylation and cancer	Cancer Sci	98	1528-1535	2007
Idogawa M, <u>Masutani M.</u> Shitashige M, Honda K, Tokino T, Shinomura Y, Imai K, Hirohashi S, and Yamada T.	Ku70 and poly(ADP- ribose) polymerase-1 competitively regulate {beta}-catenin and T-cell factor 4-mediated gene transactivation: possible linkage of DNA-damage recognition and Wnt signaling	Cancer Res	67	911-918	2007

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Sugo N, Niimi N, Aratani Y, Masutani M, Suzuki H, and Koyama H.	Decreased PARP-1 levels accelerate embryonic lethality but attenuate neuronal apoptosis in DNA polymerase beta-deficient mice	Biochem Biophys Res Commun	354	656-661	2007
Shirato M, Tozawa S, Maeda D, Watanabe M, Nakagama H, and Masutani M.	Poly(etheno ADP-ribose) blocks poly(ADP-ribose) glycohydrolase activity	Biochem Biophys Res Commun	355	451-456	2007
Maruyama T, Yamamoto Y, Kohara Y, Katsuragi Y, Mishima Y, Aoyagi Y, and Kominami R.	Mtf-1 lymphoma-susceptibility locus affects retention of large thymocytes with high ROS levels in mice after γ -irradiation	Biochem Biophys Res Commun	354	209-215	2007
Ohi H, Mishima Y, Kamimura K, Maruyama M, Sasaki K and Kominami R.	Multi-step lymphomagenesis deduced from DNA changes in thymic lymphomas and atrophic thymuses at various times after γ -irradiation	Oncogene	26	5280-5289	2007
Kamimura K, Ohi H, Kubota T, Okazuka K, Yoshikai Y, Wakabayashi Y, Aoyagi Y, Mishima Y, and Kominami R.	Haploinsufficiency of Bcl11b for suppression of lymphomagenesis and thymocyte development	Biochem Biophys Res Commun	355	538-542	2007
Kamimura K, Mishima Y, Obata M, Endo T, Aoyagi Y, and Kominami R.	Lack of Bcl11b tumor suppressor results in vulnerability to DNA replication stress and damages	Oncogene	26	5840-5850	2007
Oshima M, Suzuki H, Guo X, Oshima H.	Increased level of serum vascular endothelial growth factor by long-term exposure to hypergravity	Experimental Animals	56	309-313	2007
Piao YS, Du TC, Oshima H, Jin JC, Nomura M, Yoshimoto T, Oshima M.	Platelete 12-lipoxygenase accelerates tumor promotion of mouse epidermal cells through enhancement of cloning efficiency	Carcinogenesis	29	440-447	2008

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kawada K, Hosogi H, Sonoshita M, Sakashita H, Manabe T, Shimahara Y, Sakai Y, Takabayashi A, <u>Oshima M</u> , Taketo MM.	Chemokine receptor CXCR3 promotes colon cancer metastasis to lymph nodes	Oncogene	26	4679-4688	2007
Kojima Y, Miyoshi H, Clevers HC, <u>Oshima M</u> , Aoki M, Taketo MM.	Suppression of tubulin polymerization by the LKB1-MAPK signaling	J Biol Chem	282	23532-23540	2007
Voigt B, <u>Kuramoto T</u> , Mashimo T, Tsurumi T, Sasaki Y, Hokao R, Serikawa T.	Evaluation of LEXF/FXLE rat recombinant inbred strains for the genetic dissection of complex traits	Physiol. Genomics	32(3)	335-342	2008
<u>Kuramoto T</u> , Nakanishi S, Serikawa T.	Functional polymorphisms in inbred rat strains and their allele frequencies in commercially available outbred stocks	Physiol. Genomics	In press		2008
Yasui Y, Suzuki R, Miyamoto S, Tsukamoto T, <u>Sugie S</u> , Kohno H and Tanaka T.	A lipophilic statin, pitavastatin, suppresses inflammation-associated mouse colon carcinogenesis	Int J Cancer	121	2331-2339	2007
Hayashi K, Suzuki R, Miyamoto S, Shin-Ichiroh Y, Kohno H, <u>Sugie S</u> , Takashima S, Tanaka T.	Citrus auraptene suppresses azoxymethane-induced colonic preneoplastic lesions in C57BL/KsJ-db/db mice	Nutr Cancer	58	75-84	2007
Suzuki R, Miyamoto S, Yasui Y, <u>Sugie S</u> , Tanaka T.	Global gene expression analysis of the mouse colonic mucosa treated with azoxymethane and dextran sodium sulfate	BMC Cancer	7	84	2007
Kohno H, Totsuka Y, Yasui Y, Suzuki R, <u>Sugie S</u> , Wakabayashi K, Tanaka T.	Tumor-initiating potency of a novel heterocyclic amine, aminophenylnorharman in mouse colonic carcinogenesis model	Int. J Cancer	121	1659-1664	2007
Tanaka T, <u>Sugie S</u> .	Inhibition of colon carcinogenesis by dietary non-nutritive compounds.	J Toxicol. Pathol	20	215-235	2007

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Miyamoto S, Suzuki R, Yasui Y, Kohno H, <u>Sugie S</u> , Murakami A, Ohigashi H, Tanaka T.	Lack of Enhancing Effect of Lauric Acid on the Development of Aberrant Crypt Foci in Male ICR Mice Treated with Azoxymethane and Dextran Sodium Sulfate	J Toxicol. Pathol	20	93-100	2007
Ikeda I, Tomimoto A, Wada K, Fujisawa T, Fujita K, Yonemitsu K, Nozaki Y, Takahashi H, Yoneda M, Inamori M, Kubota K, Saito S, Nagashima Y, Nakagama H, and <u>Nakajima A</u> .	5-Aminosalicylic acid given in the remission stage of colitis suppresses colitis-associated cancer in a mouse colitis model	Clin Cancer Res	13	6527-6531	2007
Shimamura T, Royal RE, Kioi M, <u>Nakajima A</u> , Husain SR, and Ouri RK.	Interleukin-4 cytotoxin therapy synergizes with gemcitabine in a mouse model of pancreatic ductal adenocarcinoma	Cancer Res	67	9903-9912	2007
Wada K, Sakamoto H, Nishikawa K, Sakuma S, <u>Nakajima A</u> , Fujimoto Y, and Kamisaki Y.	Life style-related diseases of the digestive system: endocrine disruptors stimulate lipid accumulation in target cells related to metabolic syndrome	J Pharmacol Sci	105	133-137	2007
Yoneda M, Saito S, Ikeda T, Fujita K, Mawatari H, Kirikoshi H, Inamori M, Nozaki Y, Akiyama T, Takahashi H, Abe Y, Kubota K, Iwasaki T, Terauchi Y, Togo S, <u>Nakajima A</u> .	Hepatitis C virus directly associates with insulin resistance independent of the visceral fat area in nonobese and nondiabetic patients	J Viral Hepat	14	600-607	2007
Yoneda M, Mawatari H, Fujita K, Iida H, Yonemitsu K, Kato S, Takahashi H, Kirikoshi H, Inamori M, Nozaki Y, Abe Y, Kubota K, Saito S, Iwasaki T, Terauchi Y, Togo S, Maeyama S, <u>Nakajima A</u> .	High-sensitivity C-reactive protein is an independent clinical feature of nonalcoholic steatohepatitis (NASH) and also of the severity of fibrosis in NASH	J Gastroenterol	42	573-582	2007

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Yoneda M, Mawatari H, Fujita K, Yonemitsu K, Kato S, Takahashi H, Kirikoshi H, Inamori M, Nozaki Y, Abe Y, Kubota K, Saito S, Iwasaki T, Terauchi Y, Togo S, Maeyama S, <u>Nakajima A.</u>	Type IV collagen 7s domain is an independent clinical marker of the severity of fibrosis in patients with nonalcoholic steatohepatitis before the cirrhotic stage	J Gastroenterol	42	375-381	2007
Kobayashi N, Hiraoka N, Yamagami W, Ojima H, Kanai Y, Kosuge T, <u>Nakajima A</u> and Hirohashi S.	FOXO3+ regulatory T cell affect the development and progression of hepatocarcinogenesis	Clin Cancer Res	13	902-911	2007
Ihara A, Wada K, Yoneda M, Fujisawa N, Takahashi H, <u>Nakajima A.</u>	Blockade of leukotriene B4 signaling pathway induces apoptosis and suppresses cell prolifera- tion in colon cancer	J Pharmacol Sci	103(1)	24-32	2007
<u>Nakajima A</u> , Wada K.	Life style-related diseases of the digestive system: from molecular mechanisms to therapeutic strategies: preface	J Pharmacol Sci	105(2)	127-8	2007