

| 著者氏名          | 論文タイトル名 | 書籍全体の編集者名                      | 書籍名                             | 出版社名   | 出版地 | 出版年  | ページ     |
|---------------|---------|--------------------------------|---------------------------------|--------|-----|------|---------|
| 土屋弘行          | 通常型骨肉腫  | 総編集：<br>越智隆弘，<br>専門編集：<br>吉川秀樹 | 最新整形外科学大系 20 巻<br>骨・軟部腫瘍および関連疾患 | 中山書店   | 東京  | 2007 | 264-268 |
| 横山良平          | 骨腫瘍     | 別所文雄，<br>杉本徹，<br>横森欣司編         | 新小児がんの診断と治療                     | 診断と治療社 | 東京  | 2007 | 307-310 |
| 和田卓郎          | 内軟骨腫    | 三浪明男編                          | 最新整形外科学大系「手関節・手指II」             | 中山書店   | 東京  | 2007 | 188-200 |
| 和田卓郎，<br>松村忠紀 | 滑膜肉腫    | 吉川秀樹編                          | 最新整形外科学大系「骨軟部腫瘍および関連疾患」         | 中山書店   | 東京  | 2007 | 392-396 |

雑誌

| 発表者氏名                                       | 論文タイトル名  | 発表誌名                | 巻号     | ページ       | 出版年  |
|---|--|---------------------|--------|-----------|------|
| Sakimura R,<br>Iwamoto Y, et al.            | The effects of histone deacetylase inhibitors on the induction of differentiation in chondrosarcoma cells.   | Clin Cancer Res,    | 13(1)  | 275-282   | 2007 |
| Izumi T,<br>Iwamoto Y, et al.               | Dysadherin expression as a significant prognostic factor and as a determinant of histologic features in synovial sarcoma: special reference to its inverse relationship with e-cadherin expression | Am J Surg Pathol,   | 31(1)  | 85-94     | 2007 |
| Sakamoto A,<br>Iwamoto Y, et al.            | Frequent immunoeexpression of TGF-beta1, FGF-2 and BMP-2 in fibroblast-like cells in osteofibrous dysplasia.   | Oncol Rep,          | 17(3)  | 531-535   | 2007 |
| Sakamoto A,<br>Iwamoto Y, et al.            | Expression of the UV-induced molecule, Gadd45, in atypical fibroxanthoma.  | Histopathology,     | 50(7)  | 939-941   | 2007 |
| Sakamoto A, Matsuda S,<br>Iwamoto Y, et al. | Desmoplastic fibroblastoma (collagenous fibroma) with a specific breakpoint of 11q12.  | Histopathology,     | 51(6)  | 859-860   | 2007 |
| Yoshida T, Matsuda S,<br>Iwamoto Y, et al.  | Alternative surgical treatment for giant-cell reparative granuloma in the metacarpal, using phenol and ethanol adjuvant therapy.   | J Hand Surg [Am],   | 32(6)  | 887-892   | 2007 |
| Nakamura T,<br>Iwamoto Y, et al.            | The mechanism of cross-resistance to proteasome inhibitor bortezomib and overcoming resistance in Ewing's family tumor cells   | Int J Oncol,        | 31(4)  | 803-811   | 2007 |
| Sakamoto A, Matsuda S,<br>Iwamoto Y, et al. | Dedifferentiated liposarcoma with leukocytosis. A case report of G-CSF-producing soft-tissue tumors, possible association with undifferentiated liposarcoma lineage.                               | World J Surg Oncol, | 5(1)   | 131       | 2007 |
| Li Y, Iwamoto Y, et al.                     | Cyclin-dependent kinase inhibitor, flavopiridol, induces apoptosis and inhibits tumor growth in drug-resistant osteosarcoma and Ewing's family tumor cells.  | Int J Cancer,       | 121(6) | 1212-1218 | 2007 |

| 発表者氏名   | 論文タイトル名   | 発表誌名                | 巻号     | ページ       | 出版年  |
|---|---|---------------------|--------|-----------|------|
| Yoshida T,<br>Iwamoto Y, et al.                 | Intramuscular diffuse-type giant cell tumor within the hamstring muscle.  | Skeletal Radiol,    | 36(4)  | 331-333   | 2007 |
| Oda Y,<br>Iwamoto Y, et al.                     | Pigmented villonodular synovitis with chondroid metaplasia, resembling chondroblastoma of the bone: a report of three cases | Mod. Pathol,        | 20     | 545-551   | 2007 |
| Sakamoto A,<br>Matsuura S,<br>Iwamoto Y, et al. | Metastasis to the gluteus maximus muscle from renal cell carcinoma with special emphasis on MRI features                    | World J Surg Oncol, | 5(1)   | 88-91     | 2007 |
| Matsumoto Y,<br>Matsuda S,<br>Iwamoto Y, et al. | Intra-articular osteochondroma of the knee joint in a patient with hereditary multiple osteochondromatosis                  | Fukuoka Acta Med,   | 98(12) | 425-430   | 2007 |
| Iwamoto Y                                       | Diagnosis and Treatment of Ewing's Sarcoma  | Jpn J Clin Oncol,   | 37(2)  | 79-89     | 2007 |
| 岩本幸英  | 悪性骨腫瘍・悪性軟部腫瘍  | からだの科学              | 253    | 87-90     | 2007 |
| 岩本幸英  | 骨・軟部に発生する腫瘍の診断と治療   | 総合臨牀                | 56(4)  | 771-772   | 2007 |
| 細川哲, 岩本幸英, 他.                                   | 手の腫瘍症例の検討   | 日本手の外科学会雑誌          | 23(5)  | 637-640   | 2007 |
| 芳田辰也,<br>岩本幸英, 他.                               | 指粘液に嚢腫に対する手術的治療   | 日本手の外科学会雑誌          | 23(5)  | 645-648   | 2007 |
| 岩本幸英  | 骨・軟部腫瘍診断の基本—外来で見逃さないために—  | 日整会誌                | 81     | 961-972   | 2007 |
| 松田秀一, 岩本幸英                                      | 骨肉腫   | CLINICAL CALCIUM,   | 17(10) | 1614-1617 | 2007 |
| Takenaka S,<br>Iwamoto Y, et al.                | Prognostic implication of SYT-SSX fusion type in synovial sarcoma: A multi-institutional retrospective analysis in Japan.   | Oncol Rep,          | 19(2)  | 467-476   | 2008 |
| Naka N, Araki N, et al.                         | Acute adrenal crisis after orthopedic surgery for pathologic fracture.  | World J Surg Oncol, | 5      | 27        | 2007 |
| Takenaka S, Naka N,<br>Araki N, et al:          | Prognostic implication of SYT-SSX fusion type in synovial sarcoma: A multi-institutional retrospective analysis in Japan.   | Oncol Rep,          | 19(2)  | 467-476   | 2008 |
| 荒木信人  | Intracranial Meningeal Hemangiopericytoma (悪性髄膜腫)の骨転移例の検討   | 成人病                 | 47     | 10-11     | 2007 |
| 橋本伸之, 荒木信人                                      | 骨軟部腫瘍における新規画像診断法の開発   | 成人病                 | 47     | 8-9       | 2007 |
| 荒木信人  | 専門医試験をめざす症例問題トレーニング; 外傷性疾患 (スポーツ障害を含む)  | 整形外科                | 58     | 1649-1655 | 2007 |
| 中馬広一, 荒木信人                                      | 【骨転移治療の最近の動向】 骨転移に対する手術治療の位置付けと今後の展開  | 癌の臨床                | 52     | 857-866   | 2007 |

| 発表者氏名                           | 論文タイトル名   | 発表誌名                         | 巻号      | ページ     | 出版年  |
|---------------------------------|---|------------------------------|---------|---------|------|
| 森口悠, 中紀文,<br>荒木信人, 他.           | 整形外科領域における MRI 拡散強調像の<br>意義とその有用性 腫瘍・非腫瘍性病変の<br>鑑別  | 中部日本整<br>形外科災害<br>外科学会雑<br>誌 | 50      | 53-54   | 2007 |
| Yonemori K,<br>Chuman H, et al. | Prediction of response and prognostic factors<br>for Ewing family of tumors in a low incidence<br>population.   | J Cancer Res<br>Clin Oncol,  | 134(3)  | 389-395 | 2008 |
| Endo M,<br>Chuman H, et al.     | Solitary intramuscular myxoma with<br>monostotic fibrous dysplasia as a rare variant<br>of Mazabraud's syndrome.  | Skeletal<br>Radiol.          | 36(6)   | 523-529 | 2007 |
| 中馬広一                            | 骨転移による病的骨折、脊髄圧迫症状に対する手術療<br>法   | がん患者と<br>対症療法                | 18(1)   | 40-46   | 2007 |
| 中馬広一, 中谷文彦                      | 新時代の骨粗鬆学—骨折予防を見据えて<br>—XIV<br>原発性・続発性骨粗鬆—診断・治療—<br>がん骨転移における骨代謝異常—  | 日本臨床<br>65巻増刊号               | 9       | 543-549 | 2007 |
| 中馬広一, 中谷文彦                      | 悪性骨軟部腫瘍に対する術前治療— 高<br>い治療成績と機能再建を求めた治療法の<br>確立 Neoadjuvant chemoradiotherapy for<br>high-grade bone and soft – part tumors  | 医学のあゆ<br>み                   | 221(4)  | 297-302 | 2007 |
| 比留間徹, 櫛田和義,<br>竹山昌伸             | 抗癌剤化学療法を施行した高齢骨軟部肉<br>腫症例 (60 歳以上) の治療成績  | 東日本整災<br>会誌                  | 19      | 409-418 | 2007 |
| Obata H, Ozaki T, et al.        | Clinical Outcome of Patients with Ewing<br>Sarcoma Family of Tumors of Bone in Japan.   | Cancer,                      | 109 (4) | 767-775 | 2007 |
| Kawakami Y,<br>Ozaki T, et al.  | New Approach for Assessing Vascular<br>Distribution within Bone Tumors Using<br>Dynamic Contrast-enhanced MRI.  | J Cancer Res<br>Clin Oncol,  | 133(10) | 697-703 | 2007 |
| Manabe H,<br>Ozaki T, et al.    | Inhibition of Histone Deacetylase<br>Down-Regulates the Expression of<br>Hypoxia-Induced Vascular Endothelial<br>Growth Factor by Rheumatoid Synovial<br>Fibroblasts. | Inflamm Res,                 | 57(1)   | 4-10    | 2008 |
| 門田康孝,<br>尾崎敏文, 他                | 当科における原発性骨軟部肉腫手術例の<br>年齢分布構成の変化   | 中部整災誌                        | 50 (1)  | 11-12   | 2007 |
| 杉原進介,<br>尾崎敏文, 他                | 動脈瘤様骨嚢腫に対する治療   | 整・災外                         | 50 (6)  | 643-650 | 2007 |
| 国定俊之,<br>尾崎敏文, 他                | 前腕、手に発生した悪性骨軟部腫瘍切除後<br>の血管柄付き組織移植   | 関節外科                         | 26 (6)  | 79-85   | 2007 |
| 杉原進介,<br>尾崎敏文, 他                | 転移性脊椎腫瘍 (胸・腰・仙椎) の手術療<br>法  | 関節外科                         | 26 (4)  | 73-80   | 2007 |

| 発表者氏名                             | 論文タイトル名   | 発表誌名                       | 巻号      | ページ       | 出版年  |
|-----------------------------------|---|----------------------------|---------|-----------|------|
| Murata H,<br>Takahashi M, et al.  | A case of primary extracranial meningioma of the forearm with bone invasion   | Skeletal Radiol,           | 36(6)   | 551-553   | 2007 |
| Yamada K,<br>Takahashi M, et al.  | High-dose chemotherapy and autologous peripheral blood stem cell transfusion for adult and adolescent patients with small round cell sarcomas.    | Bone Marrow Transplantat,  | 39(8)   | 471-476   | 2007 |
| Sato T, Morita T, et al.          | Carbonic anhydrase II was detected in urine of a patient with osteosarcoma during high-dose methotrexate and leucovorin rescue therapy            | J Electrophoresis          | 51(1)   | 9-13      | 2007 |
| Nishida J,<br>Morita T, et al.    | Imaging characteristics of the deep-seated lipomatous tumors: intramuscular lipoma, intermuscular lipoma and lipoma-like liposarcoma.             | J Orthop Sci,              | 12(6)   | 533-541   | 2007 |
| 畠野宏史,<br>守田哲郎, 他                  | 四肢骨転移による病的骨折の治療   | 日整会誌                       | 81      | 325-329   | 2007 |
| 畠野宏史,<br>守田哲郎, 他                  | 骨転移で判明した原発不明癌の予後予測からみた治療方針  | 関節外科                       | 26(4)   | 381-384   | 2007 |
| 吉田行弘                              | 四肢悪性軟部腫瘍の治療   | 日大医学誌                      | 66(4)   | 321-327   | 2007 |
| Kawai A,<br>Tsuchiya H, et al.    | Clear cell sarcoma of tendons and aponeuroses: a study of 75 patients   | Cancer,                    | 109(1)  | 109-116   | 2007 |
| Obata H,<br>Tsuchiya H, et al.    | Clinical outcome of patients with Ewing sarcoma family of tumors of bone in Japan: the Japanese Musculoskeletal Oncology Group cooperative study. | Cancer,                    | 109(4)  | 767-775   | 2007 |
| Hayashi K,<br>Tsuchiya H, et al.  | Dual-color imaging of angiogenesis and its inhibition in bone and soft tissue sarcoma.  | J Surg Res,                | 140(2)  | 165-170   | 2007 |
| Ji Y, Tsuchiya H, et al.          | The camptothecin derivative CPT-11 inhibits angiogenesis in a dual-color imageable orthotropic metastatic nude mouse model of human colon cancer. | Anticancer Res,            | 27(2)   | 713-718   | 2007 |
| Murakami H,<br>Tsuchiya H, et al. | Invasive features of spinal osteosarcoma obtained from whole-mount sections of total en bloc spondylectomy.                                       | J Orthop Sci,              | 12(3)   | 311-315   | 2007 |
| Takeuchi A,<br>Tsuchiya H, et al. | Endogenous secretory receptor for advanced glycation endproducts as a novel prognostic marker in chondrosarcoma.                                  | Cancer,                    | 109(12) | 2532-2540 | 2007 |
| Gong M,<br>Tsuchiya H, et al.     | Association of gene FN1 with pulmonary metastasis of human fibrosarcoma.  | Zhonghua Zhong Liu Za Zhi, | 29(1)   | 14-16     | 2007 |
| Tsuchiya H, et al.                | Treatment of benign bone tumours using external fixation.   | J Bone Joint Surg Br,      | 89(8)   | 1077-1083 | 2007 |
| Hayashi K,<br>Tsuchiya H, et al.  | Real-time imaging of tumor-cell shedding and trafficking in lymphatic channels.   | Cancer Res,                | 67(17)  | 8223-8228 | 2007 |
| Yamauchi K,<br>Tsuchiya H, et al. | Imaging of nuclear dynamics during the cell cycle of cancer cells in live mice.   | Cell Cycle,                | 6(21)   | 2706-2708 | 2007 |

| 発表者氏名                                     | 論文タイトル名  | 発表誌名                                   | 巻号             | ページ            | 出版年          |
|---|--|--|----------------|----------------|--------------|
| Takeuchi A,<br><u>Tsuchiya H</u> , et al. | Caffeine-potentiated chemotherapy for patients with high-grade soft tissue sarcoma: long-term clinical outcome.  | Anticancer Res,                        | 27(5B)         | 3489-3495      | 2007         |
| Taki J, <u>Tsuchiya H</u> , et al.        | Prediction of final tumor response to preoperative chemotherapy by Tc-99m MIBI imaging at the middle of chemotherapy in malignant bone and soft tissue tumors: Comparison with Tl-201 imaging. | J Orthop Res,                          | 26(3)          | 411-418        | 2007         |
| 丹沢義一,<br><u>土屋弘行</u> , 他                  | 移植6年後に切除された液体窒素処理骨の組織学的検討  | 中部整災誌                                  | 50             | 9-10           | 2007         |
| 松原秀憲,<br><u>土屋弘行</u> , 他                  | 原発性骨腫瘍による病的骨折に対する創外固定器を用いた治療   | 整・災外                                   | 50             | 361-365        | 2007         |
| 松原秀憲,<br><u>土屋弘行</u> , 他                  | 手術加療を要した原発性骨腫瘍による四肢長管骨病的骨折症例の検討  | 中部整災誌                                  | 50             | 521-522        | 2007         |
| 高田宗知,<br><u>土屋弘行</u> , 他                  | 骨腫瘍の搔爬後におけるリン酸カルシウム骨ペーストの使用経験  | 中部整災誌                                  | 50             | 625-626        | 2007         |
| 丹沢義一,<br><u>土屋弘行</u> , 他                  | 悪性骨腫瘍に対する有茎液体窒素処理自家骨による再建術の検討  | 中部整災誌                                  | 50             | 703-704        | 2007         |
| 山内健輔,<br><u>土屋弘行</u> , 他                  | 下肢悪性軟部腫瘍に対する神経温存と腫瘍再発についての検討   | 中部整災誌                                  | 50             | 1121-1122      | 2007         |
| Hoki Y, <u>Uchida A</u> , et al.          | iNOS-dependent DNA damage in patients with malignant fibrous histiocytoma in relation to prognosis.  | Cancer Sci.<br>Erratum in: Cancer Sci, | 98(2)<br>98(3) | 163-168<br>464 | 2007<br>2007 |
| Kusuzaki K,<br><u>Uchida A</u> , et al.   | Review. Acridine orange could be an innovative anticancer agent under photon energy.   | In Vivo,                               | 21(2)          | 205-214        | 2007         |
| Matsumine A,<br><u>Uchida A</u> , et al.  | Novel hyperthermia for metastatic bone tumors with magnetic materials by generating an alternating electromagnetic field.  | Clin Exp Metastasis,                   | 24(3)          | 191-200        | 2007         |
| Maeda M,<br><u>Uchida A</u> , et al.      | Soft-tissue tumors evaluated by line-scan diffusion-weighted imaging: influence of myxoid matrix on the apparent diffusion coefficient.  | J Magn Reson Imaging,                  | 25(6)          | 1199-1204      | 2007         |
| Matsumine A,<br><u>Uchida A</u> , et al.  | Expression of decorin, a small leucine-rich proteoglycan, as a prognostic factor in soft tissue tumors.  | J Surg Oncol,                          | 96(5)          | 411-418        | 2007         |
| Miyazaki S,<br><u>Uchida A</u> , et al.   | Methylthioadenosine phosphorylase deficiency in Japanese osteosarcoma patients.  | Int J Oncol,                           | 31(5)          | 1069-1076      | 2007         |
| Hoki Y, <u>Uchida A</u> , et al.          | 8-Nitroguanine as a potential biomarker for progression of malignant fibrous histiocytoma, a model of inflammation-related cancer.   | Oncol Rep,                             | 18(5)          | 1165-1169      | 2007         |
| Satonaka H,<br><u>Uchida A</u> , et al.   | Flash wave light strongly enhanced the cytotoxic effect of photodynamic therapy with acridine orange on a mouse osteosarcoma cell line.  | Anticancer Res,                        | 27(5A)         | 3339-3344      | 2007         |
| Niimi R, <u>Uchida A</u> , et al.         | Primary osteosarcoma of the lung: a case report and review of the literature.  | Med Oncol,                             |                | in press       |              |

| 発表者氏名                                   | 論文タイトル名  | 発表誌名                         | 巻号     | ページ       | 出版年  |
|---|--|------------------------------|--------|-----------|------|
| Kawai A, <u>Yabe H</u> , et al.         | Clear cell sarcoma of tendons and aponeuroses: a study of 75 patients  | Cancer,                      | 109    | 109-116   | 2007 |
| Akatsu T, <u>Yabe H</u> , et al.        | Pancreatic metastasis from musculoskeletal sarcoma: a case report with malignant fibrous histiocytoma and review of the literature.  | Dig Dis Sci,                 | 52     | 1958-1963 | 2007 |
| Yabe H, <u>Yabe H</u> , et al.          | Overexpression of papillomavirus binding factor in Ewing's sarcoma family of tumors conferring poor prognosis  | Oncology Rep,                | 19(1)  | 129-134   | 2008 |
| Obata H, <u>Yabe H</u> , et al.         | Clinical outcome of patients with Ewing sarcoma family of tumors of bone in Japan: the Japanese Musculoskeletal Oncology Group cooperative study.  | Cancer,                      | 109(4) | 767-775   | 2007 |
| Hashimoto J, <u>Yabe H</u> , et al.     | Japanese Committee on Clinical Guidelines of Diagnosis and Treatment of Paget's Disease of Bone of the Japan Osteoporosis Society. Prevalence and clinical features of Paget's disease of bone in Japan. | J Bone Miner Metab,          | 24     | 186-190   | 2007 |
| 吉山 晶,<br>矢部啓夫, 他                        | 腎細胞癌骨転移に対する外科的治療   | 東日本整災誌                       | 19     | 53-56     | 2007 |
| 森岡秀夫,<br>矢部啓夫, 他                        | 「運動器の10年」運動器移植・再生医療の現況と展望: 全国アンケート調査を含めて. 骨腫瘍切除後再建材料としての同種骨移植の意義と問題点   | 日整会誌                         | 81(12) | 1032-1038 | 2007 |
| 鈴木禎寿,<br>矢部啓夫, 他                        | 転移性骨腫瘍による病的骨折の治療. 四肢転移性骨腫瘍の外科的治療—術後機能および予後から見た手術適応を中心に—  | 日整会誌                         | 81(5)  | 330-334   | 2007 |
| Oda Y, <u>Yokoyama R</u> , et al.       | Diffuse-type giant cell tumor/pigmented villonodular synovitis arising in the sacrum: Malignant form.  | Pathol Int,                  | 57(9)  | 627-631   | 2007 |
| Takahashi D, <u>Yokoyama R</u> , et al. | Primary Ewing's Sarcoma Family Tumors of the lung. A case report and review of the literature.   | Jpn J Clin Oncol,            | 37(11) | 874-877   | 2007 |
| 斎藤祐介,<br>横山良平, 他                        | ホジキンリンパ腫瘍の治療後に発症した二次がんの2例  | 日小血会誌                        | 21     | 172-175   | 2007 |
| Shima Y, <u>Toguchida J</u> , et al.    | In vitro transformation of mesenchymal stem cells by oncogenic H-ras <sup>Val12</sup> .  | Biochem. Biophys Res Commun, | 353(1) | 60-66     | 2007 |
| Kageyama S, <u>Toguchida J</u> , et al. | A novel tumor-related protein, C7orf24, identified by proteome differential display of bladder urothelial carcinoma.   | Proteomics Clin Appl,        | 1      | 192-199   | 2007 |
| Shibata K, <u>Toguchida J</u> , et al.  | Expression of the p16INK4A gene is associated closely with senescence of human mesenchymal stem cells, and potentially silenced by DNA methylation during in vitro expansion.                            | Stem Cells,                  | 25(9)  | 2371-2382 | 2007 |
| Aoyama T, <u>Toguchida J</u> , et al.   | Cell-specific epigenetic regulation of ChM-I gene expression: crosstalk between DNA methylation and histone acetylation.   | Biochem Biophys Res Commun,  | 365(1) | 124-130   | 2008 |
| Fukiage K, <u>Toguchida T</u> , et al.  | Expression of vascular cell adhesion molecule-1 indicates the differentiation potential of human bone marrow stromal cells.  | Biochem Biophys Res Commun,  | 365(3) | 406-412   | 2008 |

| 発表者氏名                                     | 論文タイトル名  | 発表誌名                     | 巻号     | ページ       | 出版年  |
|---|--|--------------------------|--------|-----------|------|
| Osone S,<br><u>Toguchida J</u> , et al.   | A case of a Ewing sarcoma family tumor in the urinary bladder after treatment for acute lymphoblastic leukemia.                                    | J Pediatr Hematol Oncol, | 29(12) | 841-844   | 2007 |
| Obata H, <u>Abe S</u> , et al.            | Clinical outcome of patients with Ewing's sarcoma family of tumors of bone in Japan The Japanese Musculoskeletal Oncology Group Cooperative Study: | Cancer,                  | 109(7) | 767-775   | 2007 |
| Ishida T, <u>Abe S</u> , et al.           | Intraosseous pilomatricoma: a possible rare skeletal manifestation of Gardner syndrome   | Skeletal Radiol,         | 36(7)  | 693-698   | 2007 |
| Miki Y, <u>Abe S</u> , et al.             | Imaging Characteristics of Calcified Leiomyoma of Deep Soft Tissue   | J Orthop Sci,            | 12(6)  | 601-605   | 2007 |
| Iwai T, <u>Abe S</u> , et al.             | A trapdoor procedure for chondroblastoma of the femoral head: a case report  | Arch Orthop Trauma Surg, |        | in press  |      |
| Dohi O, <u>Hatori M</u> , et al.          | Sex steroid receptor expression and hormone-induced cell proliferation in human osteosarcoma.  | Cancer Sci,              | 99(3)  | 518-523   | 2008 |
| Akita S,<br><u>Yoshikawa H</u> , et al.   | Long-term results of surgery for forearm deformities in patients with multiple cartilaginous exostoses.  | J Bone Joint Surg Am,    | 89(9)  | 1993-1999 | 2007 |
| Ikeda J,<br><u>Yoshikawa H</u> , et al.   | Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue type developing in gonarthrosis deformans.                           | J Clin Oncol,            | 25(27) | 4310-4312 | 2007 |
| Kishida Y,<br><u>Yoshikawa H</u> , et al. | Parthenolide, a natural inhibitor of nuclear factor- $\kappa$ B, inhibits lung colonization of murine osteosarcoma cells.                          | Clin Cancer Res,         | 13(1)  | 59-67     | 2007 |
| 吉川秀樹                                      | 骨軟部腫瘍診断のポイントとピットフォール   | 骨・関節・靭帯,                 | 20     | 359-367   | 2007 |
| <u>Wada T</u> , et al.                    | Construct validity of the Enneking score for measuring function in patients with malignant or aggressive benign tumours of the upper limb.         | J Bone Joint Surg Br,    | 89(5)  | 659-663   | 2007 |
| Oshima Y,<br><u>Wada T</u> , et al.       | Antitumor Effect of Adenovirus-Mediated p53 Family Gene Transfer on Osteosarcoma Cell Lines.   | Cancer Biol Ther,        | 6(7)   | 1058-1066 | 2007 |
| Kimura S, <u>Wada T</u> , et al.          | Clonal T-cell response against autologous pleomorphic malignant fibrous histiocytoma antigen presented by retrieved HLA-A*0206.                    | J Orthop Res,            | 26(2)  | 271-278   | 2008 |
| Yabe H, <u>Wada T</u> , et al.            | Overexpression of papillomavirus binding factor in Ewing's sarcoma family of tumors conferring poor prognosis.                                     | Oncol Rep,               | 19(1)  | 129-134   | 2008 |
| Tsukahara T,<br><u>Wada T</u> , et al.    | Prognostic impact and immunogenicity of a novel osteosarcoma antigen, papillomavirus binding factor, in patients with osteosarcoma.                | Cancer Sci,              | 99(2)  | 368-375   | 2008 |
| 加谷光規, <u>和田卓郎</u>                         | 上腕骨骨腫瘍に対する血管柄付き腓骨移植術   | 関節外科                     | 26(6)  | 94-96     | 2007 |
| <u>和田卓郎</u> , 川口哲,<br>山下敏彦, 塚原智英          | 悪性骨軟部腫瘍に対するペプチドワクチン療法  | 整・災外                     | 50     | 1559-1564 | 2007 |
| Ishikura H, <u>Isu K</u> , et al.         | Identification of CLUAP1 as a human osteosarcoma tumor-associated antigen recognized by the humoral, immune system.                                | Int J Oncol,             | 30(2)  | 461-467   | 2007 |

| 発表者氏名                             | 論文タイトル名   | 発表誌名                   | 巻号      | ページ       | 出版年  |
|-----------------------------------|---|------------------------|---------|-----------|------|
| Yonemoto T,<br>Tatezaki S, et al. | Evaluation of quality of life (QOL) in long-term survivors of high-grade osteosarcoma: a Japanese single center experience. | Anticancer Res,        | 27(5B)  | 3621-3624 | 2007 |
| Yonemoto T,<br>Tatezaki S, et al. | Education and employment in long-term survivors of high-grade osteosarcoma: A Japanese single center experience.            | Oncology,              | 72(5-6) | 274-278   | 2008 |
| 米本司,<br>館崎慎一郎, 他                  | 成長期小児の骨肉腫に対する外科的治療  | 小児外科                   | 39      | 189-192   | 2007 |
| 岩田慎太郎,<br>館崎慎一郎, 他                | 腎細胞癌四肢骨転移に対する手術療法   | 日本整形外科学会雑誌             | 81      | 348-353   | 2007 |
| Koga H,<br>Matsumoto S, et al.    | Definition of the Target Sign and Its Use for the Diagnosis of Schwannomas  | Clin Orthop Relat Res, | 464     | 224-229   | 2007 |
| 星学, 松本誠一, 他                       | 悪性軟部腫瘍術後の予防的抗菌投与  | 整形・災害外科                | 50-1    | 75-79     | 2007 |
| 澤泉雅之, 松本誠一                        | 腫瘍切除後の膝周辺の再建  | 関節外科基礎と臨床              | 26(6)   | 99-107    | 2007 |